

CHAPTER 1

References

- Abdelhedi O, Mora L, Jridi M, Toldrá F, Nasri M (2024) Proteolysis coupled with membrane separation for the isolation of bioactive peptides from defatted smooth hound byproduct proteins. *Waste and Biomass Valorization* 15, 1959–1974. <https://doi.org/10.1007/s12649-023-02303-4>
- Alemán A, Gómez-Guillén MC, Montero P (2013) Identification of ace-inhibitory peptides from squid skin collagen after *in vitro* gastrointestinal digestion. *Food Research International* 54(1), 790–795. <https://doi.org/10.1016/j.foodres.2013.08.027>
- Alhuur GKR, Ardhiwirayuda H, Nurmeidiansyah AA, Heriyadi D (2023) The distribution of local ewes' breeds, coat color patterns, and horns type in Bandung Regency. *Journal of Agricultural Science and Veteriner* 11(2), 289–298. <https://doi.org/10.31949/agrivet.v11i2.8207>
- Aluigi A, Zoccola M, Vineis C, Tonin C, Ferrero F, Canetti M (2007) Study on the structure and properties of wool keratin regenerated from formic acid. *International Journal of Biological Macromolecules* 41, 266–273. <https://doi.org/10.1016/j.ijbiomac.2007.03.002>
- Astiana I, Nurjanah T, Nurhayati T (2016) Karakteristik kolagen larut asam dari kulit ikan ekor kuning. *JPHIP* 19(1), 79–93.
- Bah CSF, Bekhit AE-DA, Carne A, McConnell MA (2015) Production of bioactive peptide hydrolysates from deer, sheep and pig plasma using plant and fungal protease preparations. *Food Chemistry* 176, 54–63. <https://doi.org/10.1016/j.foodchem.2014.12.025>
- Bah CSF, Carne A, McConnell MA, Mros S, Bekhit AE-DA (2016) Production of bioactive peptide hydrolysates from deer, sheep, pig and cattle red blood cell fractions using plant and fungal protease preparations. *Food Chemistry* 202, 458–466. <https://doi.org/10.1016/j.foodchem.2016.02.020>
- Bounouala FZ, Roudj S, Karam N-E, Recio I, Miralles B (2017) Casein Hydrolysates by *Lactobacillus brevis* and *Lactococcus lactis* Proteases: Peptide Profile Discriminates Strain-Dependent Enzyme Specificity. *Journal of Agricultural and Food Chemistry* 65(42), 9324–9332. <https://doi.org/10.1021/acs.jafc.7b03203>
- Chen J, Sun S, Li Y, Liu R (2021) Proteolysis of tilapia skin collagen: Identification and release behavior of ACE-inhibitory peptides. *LWT* 139, 110502. <https://doi.org/10.1016/j.lwt.2020.110502>
- Corrêa APF, Daroit DJ, Fontoura R, Meira SMM, Segalin J, Brandelli A (2014) Hydrolysates of sheep cheese whey as a source of bioactive peptides with antioxidant and angiotensin-converting enzyme inhibitory activities. *Peptides* 61, 48–55. <https://doi.org/10.1016/j.peptides.2014.09.001>
- Corrêa APF, Daroit DJ, Coelho J, Meira SM, Lopes FC, Segalin J, Risso PH, Brandelli A (2011) Antioxidant, antihypertensive and antimicrobial

properties of ovine milk caseinate hydrolyzed with a microbial protease. *Journal of the Science of Food and Agriculture* **91**(12), 2247–2254. <https://doi.org/10.1002/jsfa.4446>

Corrêa APF, Bertolini D, Lopes NA, Veras FF, Gregory G, Brandelli A (2019) Characterization of nanoliposomes containing bioactive peptides obtained from sheep whey hydrolysates. *LWT* **101**, 107–112. <https://doi.org/10.1016/j.lwt.2018.11.036>

Dalaka E, Politis I, Theodorou G (2023) Antioxidant Activity of Sweet Whey Derived from Bovine, Ovine and Caprine Milk Obtained from Various Small-Scale Cheese Plants in Greece before and after In Vitro Simulated Gastrointestinal Digestion. *Antioxidants* **12**(9), 1676. <https://doi.org/10.3390/antiox12091676>

Devita L, Nurilmala M, Lioe HN, Suhartono MT (2021) Chemical and Antioxidant Characteristics of Skin-Derived Collagen Obtained by Acid-Enzymatic Hydrolysis of Bigeye Tuna (*Thunnus obesus*). *Marine Drugs* **19**(4), 222. <https://doi.org/10.3390/md19040222>

Fan Y, Yu Z, Zhao W, Ding L, Zheng F, Li J, Liu J (2020) Identification and molecular mechanism of angiotensin-converting enzyme inhibitory peptides from *Larimichthys crocea* titin. *Food Science and Human Wellness* **9**, 257–263. <https://doi.org/10.1016/j.fshw.2020.04.001>

Faralizadeh S, Rahimabadi EZ, Bahrami SH, Hasannia S (2021) Extraction, characterization and biocompatibility evaluation of silver carp (*Hypophthalmichthys molitrix*) skin collagen. *Sustainable Chemistry and Pharmacy* **22**, 100454. <https://doi.org/10.1016/j.scp.2021.100454>

Fontoura R, Daroit DJ, Corrêa APF, Moresco KS, Santi L, Beys-da-Silva WO, Yates JR, Moreira JCF, Brandelli A (2019) Characterization of a novel antioxidant peptide from feather keratin hydrolysates. *New Biotechnology* **49**, 71–76. <https://doi.org/10.1016/j.nbt.2018.09.003>

Fu Y, Young JF, Løkke MM, Lametsch R, Aluko RE, Therkildsen M (2016) Revalorisation of bovine collagen as a potential precursor of angiotensin I-converting enzyme (ACE) inhibitory peptides based on *in silico* and *in vitro* protein digestions. *Journal of Functional Foods* **24**, 196–206. <https://doi.org/10.1016/j.jff.2016.03.026>

Gumilar J, Putranto WS, Wulandari E (2010) Kualitas kulit sarung tangan golf dari kulit domba Priangan yang berasal dari berbagai ketinggian tempat di Kabupaten Garut. *Jurnal Ilmu Ternak* **10**(2), 61–64.

Hakim TR, Pratiwi A, Jamhari J, Fitriyanto NA, Rusman R, Abidin MZ, Matulesy DN, Erwanto Y (2021) Extraction of Collagen from the Skin of Kacang Goat and Production of Its Hydrolysate as an Inhibitor of Angiotensin Converting Enzyme. *Tropical Animal Science Journal* **44**(2), 222–228. <https://doi.org/10.5398/tasj.2021.44.2.222>

- Honorato RV, Koukos PI, Jiménez-García B, Tsaregorodtsev A, Verlato M, Giachetti A, Rosato A, Bonvin AMJJ (2021) Structural biology in the clouds: the WeNMR–EOSC ecosystem. *Frontiers in Molecular Biosciences* 8, 729513. doi:10.3389/fmolb.2021.729513
- Kumar A, Mishra RK, Verma K, Aldosari SM, Maity CK, Verma S, Patel R, Thakur VK (2023) A comprehensive review of various biopolymer composites and their applications: From biocompatibility to self-healing. *Materials Today Sustainability* 23, 100431. <https://doi.org/10.1016/j.mtsust.2023.100431>
- Kumari S, Pandey A, Soni A, Mahala A, Sarkar S, Suradkar U, Ambedkar YR (2022) Optimisation of antioxidant, antimicrobial and metal-chelating properties of bioactive peptides from blood wastes by enzymatic hydrolysis. *Animal Production Science* 62(9), 891–900. <https://doi.org/10.1071/AN21612>
- Minervini F, Algaron F, Rizzello CG, Fox PF, Monnet V, Gobbetti M (2003) Angiotensin I-converting-enzyme-inhibitory and antibacterial peptides from *Lactobacillus helveticus* PR4 proteinase-hydrolyzed caseins of milk from six species. *Applied and Environmental Microbiology* 69(9), 5297–5305. <https://doi.org/10.1128/AEM.69.9.5297-5305.2003>
- Ministry of Agriculture of The Republic of Indonesia (2023) Outlook komoditas peternakan daging domba: center for agricultural data and information systems, secretariat general. *Ministry of Agriculture of the Republic of Indonesia*, Indonesia.
- Munmun SA, Rashid TU, Rahman MM (2024) Optimization of enhanced collagen extraction from tannery rawhide trimming waste using pineapple peel-derived bromelain enzyme through response surface methodology. *Journal of Cleaner Production* 438, 140774. <https://doi.org/10.1016/j.jclepro.2024.140774>
- Mustakim, Aris SW, Kurniawan AP (2010) Perbedaan kualitas kulit kambing Peranakan Etawa (PE) dan Peranakan Boor (PB) yang disamak krom. *Jurnal Ternak Tropika* 11(1), 38–50.
- Nassar W, Ibrahim EA, Elbarbary HA, Mohamed HA, Jenssen H (2022) Antibacterial and Antioxidant Activity of Sheep Whey Protein Hydrolysates and Their Fractions. *Egyptian Journal of Chemistry* 65(131), 1511–1520. <https://doi.org/10.21608/EJCHEM.2022.137815.6065>
- Ngo D-H, Kang K-H, Ryu B, Vo T-S, Jung W-K, Byun H-G, Kim S-K (2015) Angiotensin-I converting enzyme inhibitory peptides from antihypertensive skate (*Okamejei kenoeji*) skin gelatin hydrolysate in spontaneously hypertensive rats. *Food Chemistry* 174, 37–43. <https://doi.org/10.1016/j.foodchem.2014.11.013>
- Ozturk-Kerimoglu B, Heres A, Mora L, Toldrá F (2023) Antioxidant peptides generated from chicken feet protein hydrolysates. *Journal of the Science of Food and Agriculture* 103(14), 7207–7217. <https://doi.org/10.1002/jsfa.12802>

- Reátegui-Pinedo N, Salirrosas D, Sánchez-Tuesta L, Quiñones C, Jáuregui-Rosas SR, Barraza G, Cabrera A, Ayala-Jara C, Martínez RM, Baby AR, Prieto ZA (2022) Characterization of Collagen from Three Genetic Lines (Gray, Red and F1) of *Oreochromis niloticus* (Tilapia) Skin in Young and Old Adults. *Molecules* 27(3), 1123. <https://doi.org/10.3390/molecules27031123>
- Renu IC, Thampi BS (2019) Studies on collagen hydrolysis by pineapple (*Ananas comosus*) stem bromelain. *International Journal of Pharmacy and Biological Sciences* 9(1), 118–126.
- Sarti B, Scandola M (1995) Viscoelastic and thermal properties of collagen/poly(vinyl alcohol) blends. *Biomaterials* 16(10), 785–792. [https://doi.org/10.1016/0142-9612\(95\)99641-X](https://doi.org/10.1016/0142-9612(95)99641-X)
- Sutyasmi S, Widowati TP, Setyadewi NM (2016) Pengaruh mimosa pada penyamakan kulit jaket domba samak nabati menggunakan sistem C-RFP, ditinjau dari sifat organoleptis, fisis, dan morfologi kulit. *Majalah Kulit, Karet, dan Plastik* 32, 31–38. doi:10.20543/mkkp.v32i1.932
- Tacias-Pascacio VG, Castañeda-Valbuena D, Tavano O, Murcia ÁB, Torrestina-Sánchez B, Fernandez-Lafuente R (2023) Peptides with biological and technofunctional properties produced by bromelain hydrolysis of proteins from different sources: A review. *International Journal of Biological Macromolecules* 253, 127244. <https://doi.org/10.1016/j.ijbiomac.2023.127244>
- Tang C, Zhou K, Zhu Y, Zhang W, Xie Y, Wang Z, Zhou H, Yang T, Zhang Q, Xu B (2022) Collagen and its derivatives: From structure and properties to their applications in food industry. *Food Hydrocolloids* 131, 107748. <https://doi.org/10.1016/j.foodhyd.2022.107748>
- Theysgeur S, Cudennec B, Deracinois B, Perrin C, Guiller I, Lepoudère A, Flahaut C, Ravallec R (2020) New Bioactive Peptides Identified from a Tilapia Byproduct Hydrolysate Exerting Effects on DPP-IV Activity and Intestinal Hormones Regulation after Canine Gastrointestinal Simulated Digestion. *Molecules* 26(1), 136. <https://doi.org/10.3390/molecules26010136>
- Vidal AR, Cansian RL, de Oliveira Mello R, Demiate IM, Kempka AP, Dornelles RCP, Rodriguez JML, Campagnol PCB (2022) Production of Collagens and Protein Hydrolysates with Antimicrobial and Antioxidant Activity from Sheep Slaughter By-Products. *Antioxidants* 11(6). <https://doi.org/10.3390/antiox11061173>
- Wang B, Yu Z, Yokoyama W, Chiou B-S, Chen M, Liu F, Zhong F (2021) Collagen peptides with DPP-IV inhibitory activity from sheep skin and their stability to in vitro gastrointestinal digestion. *Food Bioscience* 42, 101161. <https://doi.org/10.1016/j.fbio.2021.101161>
- Welsh G, Ryder K, Brewster J, Walker C, Mros S, Bekhit AE-DA, McConnell M, Carne A (2017) Comparison of bioactive peptides prepared from sheep cheese whey using a food-grade bacterial and a fungal protease

preparation. *International Journal of Food Science and Technology* 52(5), 1252–1259. <https://doi.org/10.1111/ijfs.13392>

Xiao C, Toldrá F, Zhao M, Zhou F, Luo D, Jia R, Mora L (2022) *In vitro* and *in silico* analysis of potential antioxidant peptides obtained from chicken hydrolysate produced using Alcalase. *Food Research International* 157, 111253. <https://doi.org/10.1016/j.foodres.2022.111253>

Yan Q, Li N, Li Y, Zhao Z, Song Q, Lu S, Wang J, Wang Q (2024) Preparation and identification of novel antioxidant peptides from collagen hydrolysate of sheep hoof assisted by ultrasound. *International Journal of Biological Macromolecules* 281, 136415. <https://doi.org/10.1016/j.ijbiomac.2024.136415>

Yang G, Qin S, Li W (2021) Purification and characterization of a novel angiotensin I-converting enzyme-inhibitory peptide derived from Alaska pollack skins. *Journal of Food Science* 86(6), 2457–2467. <https://doi.org/10.1111/1750-3841.15754>

Yu Z, Zhao W, Liu J, Lu J, Chen F (2011) QIGLF, a novel angiotensin I-converting enzyme-inhibitory peptide from egg white protein: QIGLF, a novel ACE-inhibitory peptide from egg white protein. *Journal of the Science of Food and Agriculture* 91(5), 921–926. <https://doi.org/10.1002/jsfa.4266>

Zhang X, Wang R, Cheng C, Zhang Y, Ma Y, Lu W (2022) Identification of two novel dipeptidyl peptidase-IV inhibitory peptides from sheep whey protein and inhibition mechanism revealed by molecular docking. *Food Bioscience* 48. <https://doi.org/10.1016/j.fbio.2022.101733>

CHAPTER 2

References

- Abraham LC, Zuena E, Perez-Ramirez B, Kaplan DL (2008) Guide to collagen characterization for biomaterial studies. *J Biomed Mater Res* 87, 264–285. <https://doi.org/10.1002/jbm.b.31078>
- Ahmad T, Ismail A, Ahmad SA, Khalil KA, Kee LT, Awad EA, Sazili AQ (2020) Extraction, characterization and molecular structure of bovine skin gelatin extracted with plant enzymes bromelain and zingibain. *Journal of Food Science and Technology* 57(10):3772–3781. <https://doi.org/10.1007/s13197-020-04409-2>
- Akram AN, Zhang C (2020) Effect of ultrasonication on the yield, functional and physicochemical characteristics of collagen-II from chicken sternal cartilage. *Food Chem* 307, 125544. <https://doi.org/10.1016/j.foodchem.2019.125544>
- Devita L, Nurilmala M, Lioe HN, Suhartono MT (2021) Chemical and antioxidant characteristics of skin-derived collagen obtained by acid-enzymatic hydrolysis of bigeye tuna (*Thunnus obesus*). *Marine Drugs* 19(4), 222. <https://doi.org/10.3390/md19040222>
- Faralizadeh S, Rahimabadi EZ, Bahrami SH, Hasannia S (2021) Extraction, characterization and biocompatibility evaluation of silver carp (*Hypophthalmichthys molitrix*) skin collagen. *Sustainable Chemistry and Pharmacy* 22:100454. <https://doi.org/10.1016/j.scp.2021.100454>
- Ferraro V, Gaillard-Martinie B, Sayd T, Chambon C, Anton M, Santé-Lhoutellier V (2017) Collagen type I from bovine bone. Effect of animal age, bone anatomy and drying methodology on extraction yield, self-assembly, thermal behaviour and electrokinetic potential. *International Journal of Biological Macromolecules* 97:55–66. <https://doi.org/10.1016/j.ijbiomac.2016.12.068>
- Gao LL, Wang ZY, Zheng L, Zhang CX, Zhang DQ (2018) The characterization of acid and pepsin soluble collagen from ovine bones (Ujumuin sheep). *J Integr Agric* 17(3), 704–711. [https://doi.org/10.1016/S2095-3119\(17\)61751-9](https://doi.org/10.1016/S2095-3119(17)61751-9)
- Gauza-Włodarczyk M, Kubisz L, Mielcarek S, Włodarczyk D (2017) Comparison of thermal properties of fish collagen and bovine collagen in the temperature range 298–670 K. *Materials Science and Engineering C* 80:468–471. <https://doi.org/10.1016/j.msec.2017.06.012>
- Hadfi NH, Sarbon NM (2019) Physicochemical properties of silver catfish (*Pangasius* sp.) skin collagen as influenced by acetic acid concentration. *Food Research* 3(6):783–790. [https://doi.org/10.26656/fr.2017.3\(6\).130](https://doi.org/10.26656/fr.2017.3(6).130)
- Hakim TR, Pratiwia A, Jamhari, Fitriyanto NA, Rusman, Abidin MZ, et al. (2021) Extraction of collagen from the skin of Kacang goat and production of its hydrolysate as an inhibitor of angiotensin converting enzyme. *Trop Anim Sci J* 44(2), 222–228. <https://doi.org/10.5398/tasj.2021.44.2.222>
- Hartatik T (2016) Analisis Genetika Ternak Lokal. Gadjah Mada University Press, Yogyakarta, Indonesia, pp 89–90.

- Hong H, Fan H, Chalamaiah M, Wu J (2019) Preparation of low-molecular weight, collagen hydrolysates (peptides): current progress, challenges, and future perspectives. *Food Chemistry* 301, 125222. <https://doi.org/10.1016/j.foodchem.2019.125222>
- Indonesia Ministry of Agriculture (2011) Penetapan Rumpun Domba Garut. Keputusan Menteri Pertanian Nomor: 2914/Kpts/OT.140/6/2011, Indonesia.
- Kozłowska J, Sionkowska A, Skopinska-Wisniewska J, Piechowicz K (2015) Northern pike (*Esox lucius*) collagen: extraction, characterization and potential application. *Int J Biol Macromol* 81, 220–227. <https://doi.org/10.1016/j.ijbiomac.2015.08.002>
- Kuwahara J (2021) Extraction of type I collagen from tilapia scales using acetic acid and ultrafine bubbles. *Processes* 9(2), 288. <https://doi.org/10.3390/pr9020288>
- Leon-Lopez A, Morales-Penalzoza A, Martinez-Juarez VM, Vargas-Torres A, Zeugolis DI, Aguirre-Alvarez G (2019) Hydrolyzed collagen—sources and applications. *Molecules* 24(22):4031. <https://doi.org/10.3390/molecules24224031>
- Li PH, Lu WC, Chan YJ, Ko WC, Jung CC, Huynh DTL, et al. (2019) Extraction and characterization of collagen from sea cucumber (*Holothuria cinerascens*) and its potential application in moisturizing cosmetics. *Aquaculture* 515, 734590. <https://doi.org/10.1016/j.aquaculture.2019.734590>
- Liu D, Liang L, Regenstein J, Zhou P (2012) Extraction and characterization of pepsin-solubilized collagen from fins, scales, skin, bones and swim bladders of bighead carp (*Hypophthalmichthys nobilis*). *Food Chem* 133, 1441–1448. <https://doi.org/10.1016/j.foodchem.2012.02.032>
- Matinong AME, Chisti Y, Pickering KL, Haverkamp RG (2022) Collagen extraction from animal skin. *Biology* 11(6), 905. <https://doi.org/10.3390/biology11060905>
- Merwe DAV, Branda TS, Therona PG, Hoffmana LC, Jackson-Moss CA (2021) Sheepskin leather quality characteristics of South African breeds. *Small Ruminant Research* 199, 106365. <https://doi.org/10.1016/j.smallrumres.2021.106365>
- Ong TY, Shaik MI, Sarbon NM (2021) Isolation and characterization of acid and pepsin soluble collagen extracted from sharpnose stingray (*Dasyatis zugei*) skin. *Food Res* 5(3), 214–224. [https://doi.org/10.26656/fr.2017.5\(3\).322](https://doi.org/10.26656/fr.2017.5(3).322)
- Qiu YT, Wang YM, Yang XR, Zhao YQ, Chi CF, Wang B (2019) Gelatin and antioxidant peptides from gelatin hydrolysate of skipjack tuna (*Katsuwonus pelamis*) scales: Preparation, identification and activity evaluation. *Marine Drugs* 17(10), 565. <https://doi.org/10.3390/md17100565>
- Reátegui-Pinedo N, Salirrosas D, Sánchez-Tuesta L, Quiñones C, Jáuregui-Rosas SR, Barraza G, et al. (2022) Characterization of collagen from three genetic lines (gray, red and F1) of *Oreochromis niloticus* (Tilapia) skin in young and

old adults. *Molecules* 27(3), 1123.
<https://doi.org/10.3390/molecules27031123>

Ren Y, Wu H, Chi Y, Deng R, He Q (2020) Structural characterization, erythrocyte protection, and antifatigue effect of antioxidant collagen peptides from tilapia (*Oreochromis nilotica* L.) skin. *Food & Function* 11(11), 10149–10160. <https://doi.org/10.1039/D0FO01803A>

Sarti B, Scandola M (1995) Viscoelastic and thermal properties of collagen/poly (vinyl alcohol) blends. *Biomaterials* 16:785–792.
[https://doi.org/10.1016/0142-9612\(95\)99641-X](https://doi.org/10.1016/0142-9612(95)99641-X)

Shon J, Eo JH, Hwang SJ, Eun JB (2011) Effect of processing conditions on functional properties of collagen powder from skate (*Raja kenoei*) skins. *Food Science and Biotechnology* 20(1):99–106.
<https://doi.org/10.1007/s10068-011-0014-9>

Tang C, Zhou K, Zhu Y, Zhang W, Xie Y, Wang Z, et al. (2022) Collagen and its derivatives: from structure and properties to their applications in food industry. *Food Hydrocolloids* 131, 107748.
<https://doi.org/10.1016/j.foodhyd.2022.107748>

Wahyuningsih R, Nurliyani R, Pertiwinigrum A, Rohman A, Fitriyanto NA, et al. (2018) Optimization of conditions for extraction of pepsin-soluble collagen from Indonesian local “Kacang” goat skin by response surface methodology. *Am J Anim Vet Sci* 13(2), 70–75.
<https://doi.org/10.3844/ajavsp.2018.70.75>

Wu J, Kong L, Zhang J, Chen W (2019) Extraction and properties of acid-soluble collagen and pepsin-soluble collagen from silver carp (*Hypophthalmichthys molitrix*) scales: prerequisite information for fishery processing waste reuse. *Polish Journal of Environmental Studies* 28:2923–2930.
<https://doi.org/10.15244/pjoes/93742>

CHAPTER 3

References

- Akram AN, Zhang C (2020) Effect of ultrasonication on the yield, functional and physicochemical characteristics of collagen-II from chicken sternal cartilage. *Food Chemistry* 307, 125544. <https://doi.org/10.1016/j.foodchem.2019.125544>
- Alhuur GKR, Ardhiwirayuda H, Nurmeidiansyah AA, Heriyadi D (2023) The distribution of local ewes' breeds, coat color patterns, and horns type in Bandung Regency. *Journal of Agricultural Science and Veteriner* 11(2), 289–298. <https://doi.org/10.31949/agrivet.v11i2.8207>
- Amirrah IN, Lokanathan Y, Zulkiflee I, Wee MFMR, Motta A, Fauzi MB (2022) A comprehensive review on collagen type I development of biomaterials for tissue engineering from biosynthesis to bioscaffold. *Biomedicines* 10(9), 2307. <https://doi.org/10.3390/biomedicines10092307>
- Bhuimbar MV, Jalkute CB, Bhagwat PK, Dandge PB (2024) Purification, characterization and application of collagenolytic protease from *Bacillus subtilis* strain MPK. *Journal of Bioscience and Bioengineering* 138(1), 21–28. <https://doi.org/10.1016/j.jbiosc.2024.03.003>
- Capella-Monsonís H, Coentro JQ, Graceffa V, Wu Z, Zeugolis DI (2018) An experimental toolbox for characterization of mammalian collagen type I in biological specimens. *Nature Protocols* 13(3), 507–529. <https://doi.org/10.1038/nprot.2017.117>
- Daba GM, Mostafa FA, Elkhateeb WA (2021) The ancient koji mold (*Aspergillus oryzae*) as a modern biotechnological tool. *Bioresources and Bioprocessing* 8, 52. <https://doi.org/10.1186/s40643-021-00408-z>
- Devita L, Nurilmala M, Lioe HN, Suhartono MT (2021) Chemical and antioxidant characteristics of skin-derived collagen obtained by acid-enzymatic hydrolysis of bigeye tuna (*Thunnus obesus*). *Marine Drugs* 19, 222. <https://doi.org/10.3390/md19040222>
- Faralizadeh S, Rahimabadi EZ, Bahrami SH, Hasannia S (2021) Extraction, characterization, and biocompatibility evaluation of silver carp (*Hypophthalmichthys molitrix*) skin collagen. *Sustainable Chemistry and Pharmacy* 22, 100454. <https://doi.org/10.1016/j.scp.2021.100454>
- Ferraro V, Gaillard-Martinie B, Sayd T, Chambon C, Anton M, Santé-Lhoutellier V (2017) Collagen type I from bovine bone – effect of animal age, bone anatomy, and drying methodology on extraction yield, self-assembly, thermal behaviour, and electrokinetic potential. *International Journal of Biological Macromolecules* 97, 55–66. <https://doi.org/10.1016/j.ijbiomac.2016.12.068>
- Gao L, Wang Z, Li Z, Zhang C, Zhang D (2018) The characterization of acid and pepsin soluble collagen from ovine bones (*Ujumuqin* sheep). *Journal of Integrative Agriculture* 17, 704–711. [https://doi.org/10.1016/S2095-3119\(17\)61751-9](https://doi.org/10.1016/S2095-3119(17)61751-9)
- Gauza-Włodarczyk M, Kubisz L, Mielcarek S, Włodarczyk D (2017) Comparison of thermal properties of fish collagen and bovine collagen in the temperature

- range 298–670 K. *Materials Science and Engineering C* 80, 468–471. <https://doi.org/10.1016/j.msec.2017.06.012>
- Hadfi NH, Sarbon NM (2019) Physicochemical properties of silver catfish (*Pangasius* sp.) skin collagen as influenced by acetic acid concentration. *Food Research* 3(6), 783–790. [https://doi.org/10.26656/fr.2017.3\(6\).130](https://doi.org/10.26656/fr.2017.3(6).130)
- Hartatik T (2016) Analisis genetika ternak lokal. *Gadjah Mada University Press*, Indonesia.
- Kuwahara J (2021) Extraction of type I collagen from tilapia scales using acetic acid and ultrafine bubbles. *Processes* 9, 288. <https://doi.org/10.3390/pr9020288>
- León-López A, Fuentes-Jiménez L, Hernández-Fuentes AD, Campos-Montiel RG, Aguirre-Álvarez G (2019) Hydrolysed collagen from sheepskins as a source of functional peptides with antioxidant activity. *International Journal of Molecular Sciences* 20, 3931. <https://doi.org/10.3390/ijms20163931>
- Li P-H, Lu W-C, Chan Y-J, Ko W-C, Jung C-C, Le Huynh DT, Ji Y-X (2020) Extraction and characterization of collagen from sea cucumber (*Holothuria cinerascens*) and its potential application in moisturizing cosmetics. *Aquaculture* 515, 734590. <https://doi.org/10.1016/j.aquaculture.2019.734590>
- Mariano A, Scotto d'Abusco A, Ammendola SA (2024) Rheological study of creams and gels containing N-acetyl glucosamine in nanoparticle form – the advantages of a bioengineered strategy for natural anti-inflammatory substance vehiculation. *Applied Sciences* 14, 11752. <https://doi.org/10.3390/app142411752>
- Matinong AME, Chisti Y, Pickering KL, Haverkamp RG (2022) Collagen extraction from animal skin. *Biology* 11, 905. <https://doi.org/10.3390/biology11060905>
- Ministry of Agriculture of The Republic of Indonesia (2011) Penetapan rumpun domba garut: keputusan menteri pertanian. No.: 2914/Kpts/OT.140/6/2011. *Ministry of Agriculture of The Republic of Indonesia*, Indonesia.
- Ministry of Agriculture of The Republic of Indonesia (2023) Outlook komoditas peternakan daging domba: center for agricultural data and information systems, secretariat general. *Ministry of Agriculture of the Republic of Indonesia*, Indonesia.
- Naeem M, Manzoor S, Abid MUH, Tareen MBK, Asad M, Mushtaq S, Ehsan N, Amna D, Xu B, Hazafa (2022) Fungal proteases as emerging biocatalysts to meet the current challenges and recent developments in biomedical therapies – an updated review. *Journal of Fungi* 8(2), 109. <https://doi.org/10.3390/jof8020109>
- Peterle D, Pontarollo G, Spada S, Brun P, Palazzi L, Sokolov AV, Spolaore B, Polverino de Laureto P, Vasilyev VB, Castagliuolo I, de Filippis VA (2020) Serine protease secreted from *Bacillus subtilis* cleaves human plasma transthyretin to generate an amyloidogenic fragment. *Communications Biology* 3, 764. <https://doi.org/10.1038/s42003-020-01493-0>
- Putri D, Pangestika V, Ilyas H, Abidin MZ, Fitriyanto N, Erwanto Y (2024) Collagen properties of Indonesian local sheepskin isolated using acid and enzymatic

methods. *Journal of Advanced Veterinary and Animal Research* 11, 722.
<https://doi.org/10.5455/javar.2024.k823>

Reátegui-Pinedo N, Salirrosas D, Sánchez-Tuesta L, Quiñones C, Jáuregui-Rosas SR, Barraza G, Cabrera A, Ayala-Jara C, Martinez RM, Baby AR, Prieto ZA (2022) Characterization of collagen from three genetic lines (gray, red, and F1) of *Oreochromis niloticus* (tilapia) skin in young and old adults. *Molecules* 27, 1123. <https://doi.org/10.3390/molecules27031123>

Said MI, Burhan B, Tensi T, Haerati H (2018) Synthesis of collagen from Bali cattle's hide using a combination of acid and alkali in the extraction process. *Journal of the Indonesian Tropical Animal Agriculture* 43, 247. <https://doi.org/10.14710/jitaa.43.3.247-256>

Stülke J, Gruppen A, Bramkamp M, Pelzer S (2023) *Bacillus subtilis*, a Swiss army knife in science and biotechnology. *Journal of Bacteriology* 205(5), e00102-23. <https://doi.org/10.1128/jb.00102-23>

Tang C, Zhou K, Zhu Y, Zhang W, Xie Y, Wang Z, Zhou H, Yang T, Zhang Q, Xu B (2022) Collagen and its derivatives – from structure and properties to their applications in food industry. *Food Hydrocolloids* 131, 107748. <https://doi.org/10.1016/j.foodhyd.2022.107748>

Van der Merwe DA, Brand TS, Theron PG, Hoffman LC, Jackson-Moss CA (2021) Sheepskin leather quality characteristics of South African breeds. *Small Ruminant Research* 199, 106365. <https://doi.org/10.1016/j.smallrumres.2021.106365>

Vidal AR, Duarte LP, Schmidt MM, Cansian RL, Fernandes IA, Mello RDO, Demiate IM, Dornelles RCP (2020) Extraction and characterization of collagen from sheep slaughter by-products. *Waste Management* 102, 838–846. <https://doi.org/10.1016/j.wasman.2019.12.004>

Wahyuningsih R, Rusman, Nurliyani, Pertiwinigrum A, Rohman A, Fitriyanto NA, Erwanto Y (2018) Optimization of conditions for extraction of pepsin-soluble collagen from Indonesian local “Kacang” goatskin by response surface methodology. *American Journal of Animal and Veterinary Sciences* 13, 70–75. <https://doi.org/10.3844/ajavsp.2018.70.75>

Wu J, Kong L, Zhang J, Chen W (2019) Extraction and properties of acid-soluble collagen and pepsin-soluble collagen from silver carp (*Hypophthalmichthys molitrix*) scales prerequisite information for fishery processing waste reuse. *Polish Journal of Environmental Studies* 28, 2923–2930. <https://doi.org/10.15244/pjoes/93742>

CHAPTER 4

References

- Abdelhedi O, Nasri M (2019) Basic and recent advances in marine antihypertensive peptides: production, structure–activity relationship and bioavailability. *Trends in Food Science & Technology* 88, 543–557. doi:10.1016/j.tifs.2019.04.002
- Adler-Nissen J (1986) *Enzymic hydrolysis of food proteins*. (Elsevier Applied Science Publishers Ltd: Essex, UK)
- Alemán A, Gómez-Guillén MC, Montero P (2013) Identification of ACE-inhibitory peptides from squid skin collagen after *in vitro* gastrointestinal digestion. *Food Research International* 54, 790–795. doi:10.1016/j.foodres.2013.08.027
- AOAC (1992) Official method 992.15. In *Official methods of analysis of the AOAC International*. (AOAC International)
- Azarkan M, Maquoi E, Delbrassine F, Herman R, M'Rabet N, Calvo Esposito R, Charlier P, Kerff F (2020) Structures of the free and inhibitors-bound forms of bromelain and ananain from *Ananas comosus* stem and *in vitro* study of their cytotoxicity. *Scientific Reports* 10, 19570. doi:10.1038/s41598-020-76172-5
- Banerjee P, Shanthi C (2012) Isolation of novel bioactive regions from bovine Achilles tendon collagen having angiotensin I-converting enzyme-inhibitory properties. *Process Biochemistry* 47, 2335–2346. doi:10.1016/j.procbio.2012.09.012
- Brodkorb A, Egger L, Alminger M, Alvito P, Assunção R, Ballance S, Bohn T, Bourlieu-Lacanal C, Boutrou R, Carrière F, Clemente A, Corredig M, Dupont D, Dufour C, Edwards C, Golding M, Karakaya S, Kirkhus B, Le Feunteun S, Recio I (2019) INFOGEST static *in vitro* simulation of gastrointestinal food digestion. *Nature Protocols* 14, 991–1014. doi:10.1038/s41596-018-0119-1
- Byun HG, Kim SK (2002) Structure and activity of angiotensin I-converting enzyme inhibitory peptides derived from Alaskan pollack skin. *Journal of Biochemistry and Molecular Biology* 35, 239–243. doi:10.5483/BMBRep.2002.35.2.239
- Cheung HS, Wang FL, Ondetti MA, Sabo EF, Cushman DW (1980) Binding of peptide substrates and inhibitors of angiotensin-converting enzyme: importance of the COOH-terminal dipeptide sequence. *Journal of Biological Chemistry* 255, 401–407. doi:10.1016/S0021-9258(19)86187-2
- Correa JL, Zapata JE, Hernández-Ledesma B (2024) Impact of Alcalase hydrolysis and simulated gastrointestinal digestion on the release of bioactive peptides from *Erythrina edulis* (Chachafruto) proteins. *International Journal of Molecular Sciences* 25, 9290. doi:10.3390/ijms25179290
- Devita L, Nurilmala M, Lioe HN, Suhartono MT (2021) Chemical and antioxidant characteristics of skin-derived collagen obtained by acid-enzymatic hydrolysis of bigeye tuna (*Thunnus obesus*). *Marine Drugs* 19, 222. doi:10.3390/md19040222

- Gallego M, Mora L, Escudero E, Toldrá F (2018) Bioactive peptides and free amino acids profiles in different types of European dry-fermented sausages. *International Journal of Food Microbiology* 276, 71–78. doi:10.1016/j.ijfoodmicro.2018.04.009
- Gousterova A, Braikova D, Goshev I, Christov P, Tishinov K, Vasileva-Tonkova E, Haertle T, Nedkov P (2005) Degradation of keratin and collagen containing wastes by newly isolated thermoactinomycetes or by alkaline hydrolysis. *Letters in Applied Microbiology* 40, 335–340. doi:10.1111/j.1472-765X.2005.01692.x
- Guo L, Harnedy PA, Zhang L, Li B, Zhang Z, Hou H, Zhao X, FitzGerald RJ (2015) *In vitro* assessment of the multifunctional bioactive potential of Alaska pollock skin collagen following simulated gastrointestinal digestion. *Journal of the Science of Food and Agriculture* 95, 1514–1520. doi:10.1002/jsfa.6854
- Hakim TR, Pratiwi A, Jamhari J, Fitriyanto NA, Rusman R, Abidin MZ, Matulesy DN, Erwanto Y (2021) Extraction of collagen from the skin of kacang goat and production of its hydrolysate as an inhibitor of angiotensin converting enzyme. *Tropical Animal Science Journal* 44, 222–228. doi:10.5398/tasj.2021.44.2.222
- Ichimura T, Hu J, Aita DQ, Maruyama S (2003) Angiotensin I-converting enzyme inhibitory activity and insulin secretion stimulative activity of fermented fish sauce. *Journal of Bioscience and Bioengineering* 96, 496–499. doi:10.1016/S1389-1723(03)70138-8
- Kalafatovic D, Giralt E (2017) Cell-penetrating peptides: design strategies beyond primary structure and amphipathicity. *Molecules* 22, 1929. doi:10.3390/molecules22111929
- Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680–685. doi:10.1038/227680a0
- Liang Q, Wang L, He Y, Wang Z, Xu J, Ma H (2014) Hydrolysis kinetics and antioxidant activity of collagen under simulated gastrointestinal digestion. *Journal of Functional Foods* 11, 493–499. doi:10.1016/j.jff.2014.08.004
- Mazloomi SN, Mora L, Aristoy MC, Mahoonak AS, Ghorbani M, Houshmand G, Toldrá F (2020) Impact of simulated gastrointestinal digestion on the biological activity of an Alcalase hydrolysate of orange seed (*Siavaraze*, *Citrus sinensis*) by-products. *Foods* 9, 1217. doi:10.3390/foods9091217
- Meisel H., Walsh D. J., Murray B., and FitzGerald R. J (2006) ACE inhibitory peptides. in: Nutraceutical proteins and peptides in health and disease. In Y., Mine, & F., Shahidi (Eds.), *Nutraceutical proteins and peptides in health and disease* (pp. 269-315). CRC Press Taylor & Francis Group.
- Minekus M, Alminger M, Alvito P, Ballance S, Bohn T, Bourlieu C, Carrière F, Boutrou R, Corredig M, Dupont D, Dufour C, Egger L, Golding M, Karakaya S, Kirkhus B, Le Feunteun S, Lesmes U, Macierzanka A, Mackie A, ... Brodtkorb A (2014) A standardised static *in vitro* digestion method suitable for food – an international consensus. *Food & Function* 5, 1113–1124. doi:10.1039/C3FO60702J

- Murray B, FitzGerald R (2007) Angiotensin converting enzyme inhibitory peptides derived from food proteins: biochemistry, bioactivity and production. *Current Pharmaceutical Design* 13, 773–791. doi:10.2174/138161207780363068
- Nielsen PM, Petersen D, Dambmann C (2001) Improved method for determining food protein degree of hydrolysis. *Journal of Food Science* 66, 642–646. doi:10.1111/j.1365-2621.2001.tb04614.x
- O’Keeffe MB, Norris R, Alashi MA, Aluko RE, FitzGerald RJ (2017) Peptide identification in a porcine gelatin prolyl endoproteinase hydrolysate with angiotensin converting enzyme (ACE) inhibitory and hypotensive activity. *Journal of Functional Foods* 34, 77–88. doi:10.1016/j.jff.2017.04.018
- Ozturk-Kerimoglu B, Heres A, Mora L, Toldrá F (2023) Antioxidant peptides generated from chicken feet protein hydrolysates. *Journal of the Science of Food and Agriculture* 103, 7207–7217. doi:10.1002/jsfa.12802
- Saito Y, Wanezaki (Nakamura) K, Kawato A, Imayasu S (1994) Structure and activity of angiotensin I converting enzyme inhibitory peptides from sake and sake lees. *Bioscience, Biotechnology, and Biochemistry* 58, 1767–1771. doi:10.1271/bbb.58.1767
- Senadheera TRL, Hossain A, Dave D, Shahidi F (2022) *In silico* analysis of bioactive peptides produced from underutilized sea cucumber by-products—a bioinformatics approach. *Marine Drugs* 20, 610. doi:10.3390/md20100610
- Sentandreu MÁ, Toldrá F (2006) A rapid, simple and sensitive fluorescence method for the assay of angiotensin-I converting enzyme. *Food Chemistry* 97, 546–554. doi:10.1016/j.foodchem.2005.06.006
- Shevchenko A, Jensen ON, Podtelejnikov AV, Sagliocco F, Wilm M, Vorm O, Mortensen P, Shevchenko A, Boucherie H, Mann M (1996) Linking genome and proteome by mass spectrometry: large-scale identification of yeast proteins from two-dimensional gels. *Proceedings of the National Academy of Sciences of the United States of America* 93, 14440–14445. doi:10.1073/pnas.93.25.14440
- Sun L, Chang W, Ma Q, Zhuang Y (2016) Purification of antioxidant peptides by high resolution mass spectrometry from simulated gastrointestinal digestion hydrolysates of Alaska pollock (*Theragra chalcogramma*) skin collagen. *Marine Drugs* 14, 186. doi:10.3390/md14100186
- Tacias-Pascacio VG, Castañeda-Valbuena D, Tavano O, Murcia ÁB, Torrestina-Sánchez B, Fernandez-Lafuente R (2023) Peptides with biological and technofunctional properties produced by bromelain hydrolysis of proteins from different sources: a review. *International Journal of Biological Macromolecules* 253, 127244. doi:10.1016/j.ijbiomac.2023.127244
- Theysgeur S, Cudennec B, Deracinois B, Perrin C, Guiller I, Lepoudère A, Flahaut C, Ravallec R (2020) New bioactive peptides identified from a tilapia by-product hydrolysate exerting effects on DPP-IV activity and intestinal hormones regulation after canine gastrointestinal simulated digestion. *Molecules* 26, 136. doi:10.3390/molecules26010136

- Van Platerink CJ, Janssen HGM, Haverkamp J (2008) Application of at-line two-dimensional liquid chromatography–mass spectrometry for identification of small hydrophilic angiotensin I-inhibiting peptides in milk hydrolysates. *Analytical and Bioanalytical Chemistry* 391, 299–307. doi:10.1007/s00216-008-1990-3
- Wang R, Lu X, Sun Q, Gao J, Ma L, Huang J (2020) Novel ACE inhibitory peptides derived from simulated gastrointestinal digestion *in vitro* of sesame (*Sesamum indicum* L.) protein and molecular docking study. *International Journal of Molecular Sciences* 21, 1059. doi:10.3390/ijms21031059
- WHO (World Health Organization) (2023) Hypertension. Available at <https://www.who.int/news-room/fact-sheets/detail/hypertension> [Verified 12 October 2024]
- Xiao C, Toldrá F, Zhao M, Zhou F, Luo D, Jia R, Mora L (2022) *In vitro* and *in silico* analysis of potential antioxidant peptides obtained from chicken hydrolysate produced using Alcalase. *Food Research International* 157, 111253. doi:10.1016/j.foodres.2022.111253
- Yang G, Qin S, Li W (2021) Purification and characterization of a novel angiotensin I-converting enzyme-inhibitory peptide derived from Alaska pollack skins. *Journal of Food Science* 86, 2457–2467. doi:10.1111/1750-3841.15754
- Yin Z, Yan R, Jiang Y, Feng S, Sun H, Sun J, Zhao D, Li H, Wang B, Zhang N (2022) Identification of peptides in Qingke baijiu and evaluation of its angiotensin converting enzyme (ACE) inhibitory activity and stability. *Food Chemistry* 395, 133551. doi:10.1016/j.foodchem.2022.133551
- Yokoyama K, Chiba H, Yoshikawa M (1992) Peptide inhibitors for angiotensin I-converting enzyme from thermolysin digest of dried bonito. *Bioscience, Biotechnology, and Biochemistry* 56, 1541–1545. doi:10.1271/bbb.56.1541
- Zeng X, Lv B, Zhang K, Zhu Z, Li Q, Sheng B, Zhao D, Li C (2022) Digestion profiles of protein in edible pork by-products. *Foods* 11, 3191. doi:10.3390/foods11203191

CHAPTER 5

References

- Abdelhedi O, Nasri M (2019) Basic and recent advances in marine antihypertensive peptides: production, structure–activity relationship and bioavailability. *Trends in Food Science & Technology* 88, 543–557. doi:10.1016/j.tifs.2019.04.002
- Cheung HS, Wang FL, Ondetti MA, Sabo EF, Cushman DW (1980) Binding of peptide substrates and inhibitors of angiotensin-converting enzyme: importance of the COOH-terminal dipeptide sequence. *Journal of Biological Chemistry* 255, 401–407. doi:10.1016/S0021-9258(19)86187-2
- Devita L, Nurilmala M, Lioe HN, Suhartono MT (2021) Chemical and antioxidant characteristics of skin-derived collagen obtained by acid-enzymatic hydrolysis of bigeye tuna (*Thunnus obesus*). *Marine Drugs* 19, 222. doi:10.3390/md19040222
- Fan Y, Yu Z, Zhao W, Ding L, Zheng F, Li J, Liu J (2020) Identification and molecular mechanism of angiotensin-converting enzyme inhibitory peptides from *Larimichthys crocea* titin. *Food Science and Human Wellness* 9, 257–263. doi:10.1016/j.fshw.2020.04.001
- Fattouche M, Belaidi S, Abchir O, Al-Shaar W, Younes K, Al-Mogren MM, Chtita S, Soualmia F, Hochlaf M (2024) ANN-QSAR, Molecular Docking, ADMET Predictions, and Molecular Dynamics Studies of Isothiazole Derivatives to Design New and Selective Inhibitors of HCV Polymerase NS5B. *Pharmaceuticals* 17(12), 1712. <https://doi.org/10.3390/ph17121712>
- Ferraro V, Gaillard-Martinie B, Sayd T, Chambon C, Anton M, Santé-Lhoutellier V (2017) Collagen type I from bovine bone: effect of animal age, bone anatomy and drying methodology on extraction yield, self-assembly, thermal behaviour and electrokinetic potential. *International Journal of Biological Macromolecules* 97, 55–66. doi:10.1016/j.ijbiomac.2016.12.068
- Gallego M, Mora L, Escudero E, Toldrá F (2018) Bioactive peptides and free amino acids profiles in different types of European dry-fermented sausages. *International Journal of Food Microbiology* 276, 71–78. doi:10.1016/j.ijfoodmicro.2018.04.009
- Guo L, Harnedy PA, Zhang L, Li B, Zhang Z, Hou H, Zhao X, FitzGerald RJ (2015) *In vitro* assessment of the multifunctional bioactive potential of Alaska pollock skin collagen following simulated gastrointestinal digestion. *Journal of the Science of Food and Agriculture* 95, 1514–1520. doi:10.1002/jsfa.6854
- Honorato RV, Koukos PI, Jiménez-García B, Tsaregorodtsev A, Verlatto M, Giachetti A, Rosato A, Bonvin AMJJ (2021) Structural biology in the clouds: the WeNMR–EOSC ecosystem. *Frontiers in Molecular Biosciences* 8, 729513. doi:10.3389/fmolb.2021.729513

- Lensink MF, Wodak SJ (2010) Docking and scoring protein interactions: CAPRI 2009. *Proteins: Structure, Function, and Bioinformatics* 78, 3073–3084. doi:10.1002/prot.22818
- Matinong AME, Chisti Y, Pickering KL, Haverkamp RG (2022) Collagen extraction from animal skin. *Biology* 11, 905. doi:10.3390/biology11060905
- Munmun SA, Rashid TU, Rahman MM (2024) Optimization of enhanced collagen extraction from tannery rawhide trimming waste using pineapple peel-derived bromelain enzyme through response surface methodology. *Journal of Cleaner Production* 438, 140774. doi:10.1016/j.jclepro.2024.140774
- Pan FG, Yang EQ, Xu JY, Lu YF, Yang CX, Zhang YD, Li S, Liu BQ (2022) Review on preparation methods, mechanisms and applications for antioxidant peptides in oil. *Grasas y Aceites* 73(4), e478. <https://doi.org/10.3989/gya.0560211>
- Reátegui-Pinedo N, Salirrosas D, Sánchez-Tuesta L, Quiñones C, Jáuregui-Rosas SR, Barraza G, Cabrera A, Ayala-Jara C, Martínez RM, Baby AR, Prieto ZA (2022) Characterization of collagen from three genetic lines (Gray, Red and F1) of *Oreochromis niloticus* (tilapia) skin in young and old adults. *Molecules* 27, 1123. doi:10.3390/molecules27031123
- Tacias-Pascacio VG, Castañeda-Valbuena D, Tavano O, Murcia ÁB, Torrestina-Sánchez B, Fernandez-Lafuente R (2023) Peptides with biological and technofunctional properties produced by bromelain hydrolysis of proteins from different sources: a review. *International Journal of Biological Macromolecules* 253, 127244. doi:10.1016/j.ijbiomac.2023.127244
- Vidal AR, Duarte LP, Schmidt MM, Cansian RL, Fernandes IA, De Oliveira Mello R, Demiate IM, Dornelles RCP (2020) Extraction and characterization of collagen from sheep slaughter by-products. *Waste Management* 102, 838–846. doi:10.1016/j.wasman.2019.12.004
- Xue LC, Rodrigues JP, Kastritis PL, Bonvin AM, Vangone A (2016) PRODIGY: a web server for predicting the binding affinity of protein–protein complexes. *Bioinformatics* 32, 3676–3678. doi:10.1093/bioinformatics/btw514
- Yang G, Qin S, Li W (2021) Purification and characterization of a novel angiotensin I-converting enzyme-inhibitory peptide derived from Alaska pollack skins. *Journal of Food Science* 86, 2457–2467. doi:10.1111/1750-3841.15754
- Yin Z, Yan R, Jiang Y, Feng S, Sun H, Sun J, Zhao D, Li H, Wang B, Zhang N (2022) Identification of peptides in Qingke baijiu and evaluation of its angiotensin-converting enzyme (ACE) inhibitory activity and stability. *Food Chemistry* 395, 133551. doi:10.1016/j.foodchem.2022.133551
- Zeng X, Lv B, Zhang K, Zhu Z, Li Q, Sheng B, Zhao D, Li C (2022) Digestion profiles of protein in edible pork by-products. *Foods* 11, 3191. doi:10.3390/foods11203191

Han R, Tian J, Han Y, Wang G, Zhou G, Dai C, Wang C (2025) Crucian carp-derived ACE-inhibitory peptides with *in vivo* antihypertensive activity: insights into bioactivity, mechanism, and safety. *Molecules* **30**, 2812. doi:10.3390/molecules30132812