

DAFTAR PUSTAKA

- Abdi, A. M., Brandt, M., Abel, C., & Fensholt, R. (2022). Satellite Remote Sensing of Savannas: Current Status and Emerging Opportunities. In *Journal of Remote Sensing (United States)* (Vol. 2022). American Association for the Advancement of Science. <https://doi.org/10.34133/2022/9835284>
- Abrory, A. N. (2019). *Vulkanostratigrafi Dan Petrogenesis Gunung Bromo dan Sekitarnya, Kabupaten Probolinggo, Provinsi Jawa Timur* [Skripsi]. Institut Teknologi Bandung.
- Addison, P., & Oommen, T. (2018). Utilizing satellite radar remote sensing for burn severity estimation. *International Journal of Applied Earth Observation and Geoinformation*, 73, 292–299. <https://doi.org/10.1016/j.jag.2018.07.002>
- Agrawal, S., & Khairnar, G. B. (2019). A comparative assessment of remote sensing imaging techniques: Optical, sar and lidar. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(5/W3), 1–6. <https://doi.org/10.5194/isprs-archives-XLII-5-W3-1-2019>
- Ahmad Naufal, D. (2023). *Diguyur Hujan, Bagaimana Kondisi Kebakaran di Gunung Bromo Kini?* - *Kompas.com*. <https://amp.kompas.com/tren/read/2023/09/14/161500965/diguyur-hujan-bagaimana-kondisi-kebakaran-di-gunung-bromo-kini>
- Aldiansyah, S., & Madani, I. (2024). Spatial model of wildfire susceptibility using Machine Learning approaches on Rawa Aopa Watumohai National Park, Indonesia. *GeoScape*, 18(1). <https://doi.org/10.2478/geosc-2024-0001>
- Aminah, Krah, C. Y., Perdinan, & Perdinan. (2020). Forest fires and management efforts in Indonesia (a review). *IOP Conference Series: Earth and Environmental Science*, 504(1). <https://doi.org/10.1088/1755-1315/504/1/012013>
- Arii, M., Yamada, H., Sakamoto, H., & Kojima, S. (2022). Sensitivity Study of X-Band Multiparametric SAR Data from Cabbage Fields. *IEEE Transactions on Geoscience and Remote Sensing*, 60. <https://doi.org/10.1109/TGRS.2021.3063790>
- Arjasakusuma, S., Kusuma, S. S., Vetruta, Y., Prasasti, I., & Arief, R. (2022). Monthly Burned-Area Mapping using Multi-Sensor Integration of Sentinel-1 and Sentinel-2 and machine learning: Case Study of 2019's fire events in South Sumatra Province, Indonesia. *Remote Sensing Applications: Society and Environment*, 27, 100790. <https://doi.org/10.1016/J.RSASE.2022.100790>
- Arruda, V. L. S., Piontekowski, V. J., Alencar, A., Pereira, R. S., & Matricardi, E. A. T. (2021). An alternative approach for mapping burn scars using Landsat imagery, Google Earth Engine, and Deep Learning in the Brazilian Savanna. *Remote Sensing Applications: Society and Environment*, 22, 100472. <https://doi.org/10.1016/J.RSASE.2021.100472>
- Asnawi, A. (2023, October 2). *Belajar dari Kasus Bromo, Kebakaran Gara-gara Urusan Foto "Prewedding."* <https://www.mongabay.co.id/2023/10/02/belajar-dari-kasus-bromo-kebakaran-gara-gara-urusan-foto-prewedding/>

- Atmaja, M. B. (2023, September 14). *Manfaat Kebakaran di Savana Gunung Bromo*. <https://www.forestdigest.com/detail/2406/kebakaran-savana-gunung-bromo>.
- Atwood, D. K., Small, D., & Gens, R. (2012). Improving PolSAR land cover classification with radiometric correction of the coherency matrix. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 5(3), 848–856. <https://doi.org/10.1109/JSTARS.2012.2186791>
- Bailey, J., Marino, A., & Akbari, V. (2021). Determining Iceberg Scattering Mechanisms in Greenland Using Quad Pol ALOS-2 SAR Data. *2021 IEEE International Geoscience and Remote Sensing Symposium IGARSS, 2021-July*, 4759–4762. <https://doi.org/10.1109/IGARSS47720.2021.9553540>
- Balling, J., Herold, M., & Reiche, J. (2023). How textural features can improve SAR-based tropical forest disturbance mapping. *International Journal of Applied Earth Observation and Geoinformation*, 124, 103492. <https://doi.org/10.1016/j.jag.2023.103492>
- Ban, Y., Zhang, P., Nascetti, A., Bevington, A. R., & Wulder, M. A. (2020). Near Real-Time Wildfire Progression Monitoring with Sentinel-1 SAR Time Series and Deep Learning. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-019-56967-x>
- Bayanuddin, A. A., & Jatmiko, R. H. (2016). Orthorectification of Sentinel-1 SAR (Synthetic Aperture Radar) Data in Some Parts Of South-eastern Sulawesi Using Sentinel-1 Toolbox. In U. W. Deviantari, H. Hidayat, M. Yusfania, D. R. Sari, D. Kurniawan, F. Kartikasari, & R. Ariani (Eds.), *IOP Conference Series: Earth and Environmental Science* (Vol. 47, Issue 11, p. 012007). Jurusan Teknik Geomatika, FTSP, ITS. <https://doi.org/10.1088/1755-1315/47/1/012007>
- Belenguer-Plomer, M. A., Chuvieco, E., & Tanase, M. A. (2019). Temporal decorrelation of c-band backscatter coefficient in mediterranean burned areas. *Remote Sensing*, 11(22). <https://doi.org/10.3390/rs11222661>
- Belenguer-Plomer, M. A., Chuvieco, E., & Tanase, M. A. (2020). Optimum Sentinel-1 Pixel Spacing for Burned Area Mapping. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 4858–4861. <https://doi.org/10.1109/IGARSS39084.2020.9323400>
- Belenguer-Plomer, M. A., Tanase, M. A., Fernandez-Carrillo, A., & Chuvieco, E. (2019). Burned area detection and mapping using Sentinel-1 backscatter coefficient and thermal anomalies. *Remote Sensing of Environment*, 233. <https://doi.org/10.1016/j.rse.2019.111345>
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Ben Hichou, B., Mhammdi, N., & Dakki, M. (2023). Integrated Geomatics and Remote Sensing Analysis of Forest Fire Propagation and Land Cover Change in Berkane, Morocco. *Ecological Engineering and Environmental Technology*, 24, 347–357. <https://doi.org/10.12912/27197050/174254>

- Braun, A. (2019). *Radar satellite imagery for humanitarian response. Bridging the gap between technology and application*. Eberhard Karls Universität Tübingen.
- Braun, A., & Hochschild, V. (2017). Potential and Limitations of Radar Remote Sensing for Humanitarian Operations. *GI Forum*, 1, 228–243. https://doi.org/10.1553/giscience2017_01_s228
- Braun, A., & Offermann, E. (2022). Polarimetric information content of Sentinel-1 for land cover mapping: An experimental case study using quad-pol data synthesized from complementary repeat-pass acquisitions. *Frontiers in Remote Sensing*, 3. <https://doi.org/10.3389/frsen.2022.905713>
- Breiman, L. (2001). Random Forest. In *Machine Learning* (pp. 5–32). Kluwer Academic Publishers. <https://doi.org/10.1023/A:1010933404324>
- Brown, A. R., Petropoulos, G. P., & Ferentinos, K. P. (2018). Appraisal of the Sentinel-1 & 2 use in a large-scale wildfire assessment: A case study from Portugal's fires of 2017. *Applied Geography*, 100, 78–89. <https://doi.org/10.1016/j.apgeog.2018.10.004>
- Campagnolo, M. L., Libonati, R., Rodrigues, J. A., & Pereira, J. M. C. (2021). A comprehensive characterization of MODIS daily burned area mapping accuracy across fire sizes in tropical savannas. *Remote Sensing of Environment*, 252, 112115. <https://doi.org/10.1016/J.RSE.2020.112115>
- Campbell, J. B. and W. R. H. (2011). *Introduction to remote sensing* (Fifth). Guilford press.
- Chang, N.-B., & Bai, K. (2018). *Multisensor Data Fusion and Machine Learning for Environmental Remote Sensing*. CRC Press. <https://doi.org/10.1201/9781315154602>
- Chen, X., Sun, Q., & Hu, J. (2018). Generation of Complete SAR Geometric Distortion Maps Based on DEM and Neighbor Gradient Algorithm. *Applied Sciences*, 8(11), 2206. <https://doi.org/10.3390/app8112206>
- Chongo, D., Nagasawa, R., Ould Cherif Ahmed, A., & Perveen, M. F. (2007). Fire monitoring in savanna ecosystems using MODIS data: A case study of Kruger National Park, South Africa. *Landscape and Ecological Engineering*, 3(1), 79–88. <https://doi.org/10.1007/S11355-007-0020-5/FIGURES/9>
- Chuvieco, E. (2020). *Fundamentals of Satellite Remote Sensing*. CRC Press. <https://doi.org/10.1201/9780429506482>
- Cloude, S. (2007). The dual polarization entropy/alpha decomposition: A PALSAR case study. *Science and Applications of SAR Polarimetry and Polarimetric Interferometry*, 644, 2.
- Cloude, S. (2009). *Polarisation: Applications in Remote Sensing*. Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780199569731.001.0001>
- Cloude, S. R., & Pottier, E. (1996). A review of target decomposition theorems in radar polarimetry. *IEEE Transactions on Geoscience and Remote Sensing*, 34(2), 498–518. <https://doi.org/10.1109/36.485127>
- Collins, L., Griffioen, P., Newell, G., & Mellor, A. (2018). The utility of Random Forests for wildfire severity mapping. *Remote Sensing of Environment*, 216, 374–384. <https://doi.org/10.1016/j.rse.2018.07.005>

- Colson, D., Petropoulos, G. P., & Ferentinos, K. P. (2018). Exploring the Potential of Sentinels-1 & 2 of the Copernicus Mission in Support of Rapid and Cost-effective Wildfire Assessment. *International Journal of Applied Earth Observation and Geoinformation*, 73, 262–276. <https://doi.org/10.1016/j.jag.2018.06.011>
- Congalton, R. G., & Green, K. (2019). Assessing the Accuracy of Remotely Sensed Data. In *Assessing the Accuracy of Remotely Sensed Data*. CRC Press. <https://doi.org/10.1201/9780429052729>
- Contreras, P., Orellana-Alvear, J., Muñoz, P., Bendix, J., & Célleri, R. (2021). Influence of random forest hyperparameterization on short-term runoff forecasting in an andean mountain catchment. *Atmosphere*, 12(2). <https://doi.org/10.3390/atmos12020238>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit ANDI.
- Daviq Umar, A. F. (2023, December 22). *Kebakaran Bromo Gegara Foto Prewedding Hingga Jadi Taman Nasional Terindah*. <https://www.medcom.id/nasional/daerah/ANr7Q0zb-Kebakaran-Bromo-Gegara-Foto-Prewedding-Hingga-Jadi-Taman-Nasional-Terindah>.
- De Luca, G., M. N. Silva, J., Di Fazio, S., & Modica, G. (2022). Integrated use of Sentinel-1 and Sentinel-2 data and open-source machine learning algorithms for land cover mapping in a Mediterranean region. *European Journal of Remote Sensing*, 55(1), 52–70. <https://doi.org/10.1080/22797254.2021.2018667>
- De Luca, G., Silva, J. M. N., & Modica, G. (2021). A workflow based on Sentinel-1 SAR data and open-source algorithms for unsupervised burned area detection in Mediterranean ecosystems. *GIScience and Remote Sensing*, 58(4), 516–541. <https://doi.org/10.1080/15481603.2021.1907896>
- De Luca, G., Silva, J. M. N., & Modica, G. (2022). Short-term temporal and spatial analysis for post-fire vegetation regrowth characterization and mapping in a Mediterranean ecosystem using optical and SAR image time-series. *Geocarto International*, 37(27), 15428–15462. <https://doi.org/10.1080/10106049.2022.2097482>
- De Luca, G., Silva, J. M. N., Oom, D., & Modica, G. (2021). Combined Use of Sentinel-1 and Sentinel-2 for Burn Severity Mapping in a Mediterranean Region. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 12955 LNCS, 139–154. https://doi.org/10.1007/978-3-030-87007-2_11
- Deodoro, S. C., de Andrade Moral, R., Fealy, R., McCarthy, T., & Fealy, R. (2024). Using the surface scattering mechanism from dual-pol SAR data to estimate topsoil particle-size fractions. *International Journal of Applied Earth Observation and Geoinformation*, 128. <https://doi.org/10.1016/j.jag.2024.103742>
- Dhont, D., Pajot, E., & Rudant, J.-P. (2010). Quantification of the topographic slope from radar satellite imagery. *2010 IEEE International Geoscience and Remote Sensing Symposium*, 4584–4587. <https://doi.org/10.1109/IGARSS.2010.5651808>

- Di Shi, & Yang, X. (2016). An Assessment of Algorithmic Parameters Affecting Image Classification Accuracy by Random Forests. *Photogrammetric Engineering & Remote Sensing*, 82(6), 407–417. <https://doi.org/10.14358/PERS.82.6.407>
- Dixon, A. P., Faber-Langendoen, D., Josse, C., Morrison, J., & Loucks, C. J. (2014). Distribution mapping of world grassland types. *Journal of Biogeography*, 41(11), 2003–2019. <https://doi.org/10.1111/jbi.12381>
- Donnellan, A., Parker, J., Milliner, C., Farr, T. G., Glasscoe, M., Lou, Y., Zheng, Y., & Hawkins, B. (2018). UAVSAR and Optical Analysis of the Thomas Fire Scar and Montecito Debris Flows: Case Study of Methods for Disaster Response Using Remote Sensing Products. *Earth and Space Science*, 5, 339–347. <https://doi.org/10.1029/2018EA000398>
- Dostalova, A., Navacchi, C., Greimeister-Pfeil, I., Small, D., & Wagner, W. (2022). The effects of radiometric terrain flattening on SAR-based forest mapping and classification. *Remote Sensing Letters*, 13(9), 855–864. <https://doi.org/10.1080/2150704X.2022.2092911>
- Dudley, N., Eufemia, L., Fleckenstein, M., Periago, M. E., Petersen, I., & Timmers, J. F. (2020). Grasslands and savannahs in the UN Decade on Ecosystem Restoration. *Restoration Ecology*, 28(6), 1313–1317. <https://doi.org/10.1111/rec.13272>
- El Hajj, M., Baghdadi, N., Bazzi, H., & Zribi, M. (2018). Penetration Analysis of SAR Signals in the C and L Bands for Wheat, Maize, and Grasslands. *Remote Sensing*, 11(1), 31. <https://doi.org/10.3390/rs11010031>
- El-Darymli, K., McGuire, P., Gill, E., Power, D., & Moloney, C. (2014). Understanding the significance of radiometric calibration for synthetic aperture radar imagery. *2014 IEEE 27th Canadian Conference on Electrical and Computer Engineering (CCECE)*, 1–6. <https://doi.org/10.1109/CCECE.2014.6901104>
- Engelbrecht, J., Theron, A., Vhengani, L., & Kemp, J. (2017). A simple normalized difference approach to burnt area mapping using multi-polarisation C-Band SAR. *Remote Sensing*, 9(8). <https://doi.org/10.3390/rs9080764>
- eoPortal. (2025, September 30). *NISAR (NASA-ISRO Synthetic Aperture Radar) - eoPortal*. <https://www.eoportal.org/satellite-missions/nisar#telecommunications>
- ESA. (2024a). *Sentinel Wiki*. <https://Sentiwiki.Copernicus.Eu/Web/S1-Mission>.
- ESA. (2024b). *Sentinel-1B successfully passivated - Sentinel Online*. <https://Sentinel.Esa.Int/Web/Sentinel/-/Sentinel-1b-Successfully-Passivated>.
- Frappart, F., Wigneron, J.-P., Li, X., Liu, X., Al-Yaari, A., Fan, L., Wang, M., Moisy, C., Le Masson, E., Aoulad Lafkih, Z., Vallé, C., Ygorra, B., & Baghdadi, N. (2020). Global Monitoring of the Vegetation Dynamics from the Vegetation Optical Depth (VOD): A Review. *Remote Sensing*, 12(18), 2915. <https://doi.org/10.3390/rs12182915>
- Freeman, A. (2007). Fitting a Two-Component Scattering Model to Polarimetric SAR Data From Forests. *IEEE Transactions on Geoscience and Remote Sensing*, 45(8), 2583–2592. <https://doi.org/10.1109/TGRS.2007.897929>

- Gharechelou, S., Tateishi, R., Sri Sumantyo, J. T., & Johnson, B. A. (2021). Soil Moisture Retrieval Using Polarimetric SAR Data and Experimental Observations in an Arid Environment. *ISPRS International Journal of Geo-Information*, *10*(10), 711. <https://doi.org/10.3390/ijgi10100711>
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, *202*, 18–27. <https://doi.org/10.1016/J.RSE.2017.06.031>
- Guozhong Chen, & Yiwang Huang. (2007). To improve the GMAP for speckle filtering by consideration of the correlation of SAR images. *2007 International Symposium on Intelligent Signal Processing and Communication Systems*, 124–127. <https://doi.org/10.1109/ISPACS.2007.4445839>
- Hadiwijoyo, E. (2023). Forest Fire Pattern in Conservation Area Case Study in Bromo Tengger Semeru National Park. *Jurnal Silvikultur Tropika*, *14*(02). <https://firms.modaps.eosdis.nasa.gov/>,
- Hajnsek, I., & Desnos, Y.-L. (Eds.). (2021). *Polarimetric Synthetic Aperture Radar* (Vol. 25). Springer International Publishing. <https://doi.org/10.1007/978-3-030-56504-6>
- Haldar, D., Verma, A., Kumar, S., & Chauhan, P. (2022). Estimation of mustard and wheat phenology using multi-date Shannon entropy and Radar Vegetation Index from polarimetric Sentinel-1. *Geocarto International*, *37*(20), 5935–5962. <https://doi.org/10.1080/10106049.2021.1926554>
- Halliday, C., Stuart, N., & Cameron, I. (2021). Mapping Savanna Wildfires in Southern Belize Using Sentinel-1 Sar And Object Based Image Analysis. *International Geoscience and Remote Sensing Symposium (IGARSS), 2021-July*, 8420–8423. <https://doi.org/10.1109/IGARSS47720.2021.9553534>
- Haralick, R. M., Shanmugam, K., & Dinstein, I. (1973). Textural Features for Image Classification. *IEEE Transactions on Systems, Man, and Cybernetics*, *SMC-3*(6), 610–621. <https://doi.org/10.1109/TSMC.1973.4309314>
- Harfenmeister, K., Itzerott, S., Weltzien, C., & Spengler, D. (2021). Agricultural monitoring using polarimetric decomposition parameters of sentinel-1 data. *Remote Sensing*, *13*(4), 1–28. <https://doi.org/10.3390/rs13040575>
- Henry, M. C., & Maingi, J. K. (2024). Evaluating Landsat- and Sentinel-2-Derived Burn Indices to Map Burn Scars in Chyulu Hills, Kenya. *Fire*, *7*(12), 472. <https://doi.org/10.3390/fire7120472>
- Hosseini, M., & Lim, S. (2023). Burned area detection using Sentinel-1 SAR data: A case study of Kangaroo Island, South Australia. *Applied Geography*, *151*, 102854. <https://doi.org/10.1016/J.APGEOG.2022.102854>
- Imperatore, P. (2021). SAR Imaging Distortions Induced by Topography: A Compact Analytical Formulation for Radiometric Calibration. *Remote Sensing*, *13*(16), 3318. <https://doi.org/10.3390/rs13163318>
- Imperatore, P., Azar, R., Calo, F., Stroppiana, D., Brivio, P. A., Lanari, R., & Pepe, A. (2017). Effect of the Vegetation Fire on Backscattering: An Investigation Based on Sentinel-1 Observations. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *10*(10), 4478–4492. <https://doi.org/10.1109/JSTARS.2017.2717039>

- Jans, J. F., Beernaert, E., De Breuck, M., Brangers, I., Dunmire, D., De Lannoy, G., & Lievens, H. (2025). Sensitivity of Sentinel-1 C-band SAR backscatter, polarimetry and interferometry to snow accumulation in the Alps. *Remote Sensing of Environment*, 316. <https://doi.org/10.1016/j.rse.2024.114477>
- Jensen, J. R. (2014). Remote sensing of the environment: an earth resource perspective second edition. In *Pearson Education Limited, Harlow, England* (Vol. 1).
- Ji, K., & Wu, Y. (2015). Scattering mechanism extraction by a modified Cloude-Pottier decomposition for dual polarization SAR. *Remote Sensing*, 7(6), 7447–7470. <https://doi.org/10.3390/rs70607447>
- Jong, N. H. (2021). *Indonesia's new epicenter of forest fires shifts away from Sumatra and Borneo*. <https://news.mongabay.com/2021/12/indonesias-new-epicenter-of-forest-fires-shifts-away-from-sumatra-and-borneo/>
- Junior, F. R. F., dos Santos, A. M., Alvarado, S. T., da Silva, C. F. A., & Nunes, F. G. (2024). Remote sensing applied to the study of fire in savannas: A literature review. In *Ecological Informatics* (Vol. 79). Elsevier B.V. <https://doi.org/10.1016/j.ecoinf.2023.102448>
- KLHK. (2024). *Laporan Kinerja KLHK 2023: Produktivitas tapak hutan dan lingkungan hidup untuk transformasi ekonomi Indonesia*. <https://www.menlhk.go.id/work-plan/laporan-kinerja-2023-klhk/>
- Kurbanov, E., Vorobev, O., Lezhnin, S., Sha, J., Wang, J., Li, X., Cole, J., Dergunov, D., & Wang, Y. (2022). Remote Sensing of Forest Burnt Area, Burn Severity, and Post-Fire Recovery: A Review. *Remote Sensing*, 14(19), 4714. <https://doi.org/10.3390/rs14194714>
- Laris, P., Jo, A., & Wechsler, S. P. (2018). Effects of landscape pattern and vegetation type on the fire regime of a mesic savanna in Mali. *Journal of Environmental Management*, 227, 134–145. <https://doi.org/10.1016/j.jenvman.2018.08.091>
- Lee, J.-S., & Pottier, E. (2009). *Polarimetric Radar Imaging: From Basics to Applications* (J.-S. Lee & E. Pottier, Eds.; 1st ed.). CRC Press. <https://doi.org/10.1201/9781420054989>
- Leslie, R. V. (2018). Microwave Sensors. In *Comprehensive Remote Sensing* (pp. 435–474). Elsevier. <https://doi.org/10.1016/B978-0-12-409548-9.10328-8>
- Lestari, A. I., Kushardono, D., & Bayanuddin, A. A. (2024). Burned area detection using convolutional neural network based on spatial information of synthetic aperture radar data in Indonesia. *GEOGRAPHY, ENVIRONMENT, SUSTAINABILITY*, 17(2), 36–48. <https://doi.org/10.24057/2071-9388-2024-3109>
- Lestari, A. I., Rizkinia, M., & Sudiana, D. (2021). Evaluation of Combining Optical and SAR Imagery for Burned Area Mapping using Machine Learning. *2021 IEEE 11th Annual Computing and Communication Workshop and Conference, CCWC 2021*, 52–59. <https://doi.org/10.1109/CCWC51732.2021.9376117>
- Liang, S., Wang, J., & Jiang, B. (2020). A systematic view of remote sensing. In S. Liang & J. Wang (Eds.), *Advanced Remote Sensing* (pp. 1–57). Elsevier. <https://doi.org/10.1016/B978-0-12-815826-5.00001-5>

- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing and Image Interpretation* (7th ed.). John Wiley & Sons.
- Liu, J., Maeda, E. E., Wang, D., & Heiskanen, J. (2021). Sensitivity of Spectral Indices on Burned Area Detection using Landsat Time Series in Savannas of Southern Burkina Faso. *Remote Sensing* 2021, Vol. 13, Page 2492, 13(13), 2492. <https://doi.org/10.3390/RS13132492>
- Lohberger, S., Stängel, M., Atwood, E. C., & Siegert, F. (2018). Spatial evaluation of Indonesia's 2015 fire-affected area and estimated carbon emissions using Sentinel-1. *Global Change Biology*, 24, 644–654. <https://doi.org/10.1111/gcb.13841>
- Long, D., & Ulaby, F. (2015). *Microwave Radar and Radiometric Remote Sensing*. Artech.
- López-Martínez, C., & Pottier, E. (2021). Basic Principles of SAR Polarimetry. In I. Hajnsek & Y.-L. Desnos (Eds.), *Polarimetric Synthetic Aperture Radar* (Vol. 25, pp. 1–58). Springer Science and Business Media B.V. https://doi.org/10.1007/978-3-030-56504-6_1
- Luo, S., & Tong, L. (2021). A Fast Identification Algorithm for Geometric Distorted Areas of Sar Images. *2021 IEEE International Geoscience and Remote Sensing Symposium IGARSS*, 5111–5114. <https://doi.org/10.1109/IGARSS47720.2021.9554036>
- Luscombe, A. P. (2004). RADARSAT-2 SAR image quality and calibration operations. *Canadian Journal of Remote Sensing*, 30(3), 345–354. <https://doi.org/10.5589/m04-007>
- Ma, H., Gao, X., & Gu, X. (2019). Random Forest Classification of Landsat 8 Imagery for the Complex Terrain Area based on the Combination of Spectral, Topographic and Texture Information. *Journal of Geo-Information Science*, 21(3), 359–371. <https://doi.org/10.12082/dpxxkx.2019.180346>
- Ma, X., Xu, J., Wu, P., & Kong, P. (2022). Oil Spill Detection Based on Deep Convolutional Neural Networks Using Polarimetric Scattering Information from Sentinel-1 SAR Images. *IEEE Transactions on Geoscience and Remote Sensing*, 60. <https://doi.org/10.1109/TGRS.2021.3126175>
- Mandal, D., Kumar, V., Ratha, D., Dey, S., Bhattacharya, A., Lopez-Sanchez, J. M., McNairn, H., & Rao, Y. S. (2020). Dual polarimetric radar vegetation index for crop growth monitoring using sentinel-1 SAR data. *Remote Sensing of Environment*, 247. <https://doi.org/10.1016/j.rse.2020.111954>
- Mascolo, L., Cloude, S. R., & Lopez-Sanchez, J. M. (2022). Model-Based Decomposition of Dual-Pol SAR Data: Application to Sentinel-1. *IEEE Transactions on Geoscience and Remote Sensing*, 60. <https://doi.org/10.1109/TGRS.2021.3137588>
- Mashaly, A. S., & Mahmoud, T. A. (2020). *Modified Value-and-Criterion Filters for Speckle Noise Reduction in SAR Images* (pp. 558–567). https://doi.org/10.1007/978-3-030-31129-2_51
- Mashaly, A. S., & Mahmoud, T. A. (2021). *A Survey on Speckle Noise Reduction for SAR Images* (pp. 281–302). https://doi.org/10.1007/978-3-030-59338-4_15

- Mathieu, R., Main, R., Roy, D., Naidoo, L., & Yang, H. (2018). Detection of Burned Areas in Southern African Savannahs Using Time Series of C-Band Sentinel-1 Data. *IGARSS 2018 - 2018 IEEE International Geoscience and Remote Sensing Symposium*, 5337–5339. <https://doi.org/10.1109/IGARSS.2018.8517838>
- Mathieu, R., Main, R., Roy, D. P., Naidoo, L., & Yang, H. (2019). The effect of surface fire in savannah systems in the kruger national park (KNP), South Africa, on the backscatter of c-band sentinel-1 images. *Fire*, 2(3), 1–24. <https://doi.org/10.3390/fire2030037>
- Maulana, F. A., Rushayati, S. B., & Setiawan, Y. (2020). Characteristics of forest and land fires in Baluran National Park, Situbondo Regency, East Java. *IOP Conference Series: Earth and Environmental Science*, 528(1). <https://doi.org/10.1088/1755-1315/528/1/012059>
- Media, K. C. (2023). Kebakaran Lahan di Taman Nasional Bromo Tengger Semeru, Padam dalam 5 Hari. <https://Surabaya.Kompas.Com/Read/2023/09/04/061059278/Kebakaran-Lahan-Di-Taman-Nasional-Bromo-Tengger-Semeru-Padam-Dalam-5-Hari>.
- Menges, C. H., Bartolo, R. E., Bell, D., & Hill, G. J. E. (2004). The effect of savanna fires on SAR backscatter in northern Australia. *International Journal of Remote Sensing*, 25(22), 4857–4871. <https://doi.org/10.1080/01431160410001712945>
- Millard, K., & Richardson, M. (2015). On the Importance of Training Data Sample Selection in Random Forest Image Classification: A Case Study in Peatland Ecosystem Mapping. *Remote Sensing*, 7(7), 8489–8515. <https://doi.org/10.3390/rs70708489>
- Miller, J. D., & Thode, A. E. (2007). Quantifying burn severity in a heterogeneous landscape with a relative version of the delta Normalized Burn Ratio (dNBR). *Remote Sensing of Environment*, 109(1), 66–80. <https://doi.org/10.1016/j.rse.2006.12.006>
- Misra, A., Kartikeyan, B., & Garg, S. (2014). Wavelet based SAR data denoising and analysis. *2014 IEEE International Advance Computing Conference (IACC)*, 1087–1092. <https://doi.org/10.1109/IAdCC.2014.6779477>
- Molema, T. R., Tesfamichael, S. G., & Fundisi, E. (2025). Optical and radar remote sensing for burn scar mapping in the grassland biome. *Remote Sensing Applications: Society and Environment*, 38, 101548. <https://doi.org/10.1016/j.rsase.2025.101548>
- Moreira, A., Prats-Iraola, P., Younis, M., Krieger, G., Hajnsek, I., & Papathanassiou, K. P. (2013). A tutorial on synthetic aperture radar. *IEEE Geoscience and Remote Sensing Magazine*, 1(1), 6–43. <https://doi.org/10.1109/MGRS.2013.2248301>
- Muchoney, D. M., & Strahler, A. H. (2002). Pixel- and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data. *Remote Sensing of Environment*, 81(2–3), 290–299. [https://doi.org/10.1016/S0034-4257\(02\)00006-8](https://doi.org/10.1016/S0034-4257(02)00006-8)

- Muhamad Malik Matin, I. (2023). Hyperparameter Tuning Menggunakan GridsearchCV pada Random Forest untuk Deteksi Malware. *MULTINETICS*, 9(1), 43–50. <https://doi.org/10.32722/multinetics.v9i1.5578>
- Mullissa, A., Vollrath, A., Odongo-Braun, C., Slagter, B., Balling, J., Gou, Y., Gorelick, N., & Reiche, J. (2021). Sentinel-1 sar backscatter analysis ready data preparation in google earth engine. *Remote Sensing*, 13(10). <https://doi.org/10.3390/rs13101954>
- Mutanga, O., & Kumar, L. (2019). Google earth engine applications. In *Remote Sensing* (Vol. 11, Issue 5). <https://doi.org/10.3390/rs11050591>
- Ngadze, F., Mpakairi, K. S., Kavhu, B., Ndaimani, H., & Maremba, M. S. (2020). Exploring the utility of Sentinel-2 MSI and Landsat 8 OLI in burned area mapping for a heterogenous savannah landscape. *PLOS ONE*, 15(5), e0232962. <https://doi.org/10.1371/JOURNAL.PONE.0232962>
- [Niko_Channel]. (2023, August 31). *KEBAKARAN BROMO sampai WATU GEDE JEMPLANG !!! HABIS semua.. - YouTube*. <https://www.youtube.com/watch?v=EG-vkcv7IKs&list=PL44EsPwIwdSvo7XDaaYXH9BX4QudCr3tH&index=12>
- Novresiandi, D. A., Setiyoko, A., Indriasari, N., Veronica, K. W., Budiono, M. E., Dianovita, Amriyah, Q., & Subehi, M. (2024). Evaluation of speckle filtering configurations on Sentinel-1 SAR backscatter analysis ready data (SIARD) preparation framework on the google earth engine platform for supporting rice monitoring activities. *Remote Sensing Applications: Society and Environment*, 36. <https://doi.org/10.1016/j.rsase.2024.101337>
- Nugraha, M. P. (2025). Analysis of the impact of forest fires: Pre-wedding incident of mount bromo and its disaster risk management response. *Calamity: A Journal of Disaster Technology and Engineering*, 2(2). <https://doi.org/10.61511/calamity.v2i2.2025.1508>
- Onisi Kirubanandam, N., & Raju, G. (2019). Preliminary studies on corner reflectors responses as seen in Sentinel-1A images over Kanakapura region. *Journal of the Indian Society of Remote Sensing*, 47(1), 25–32. <https://doi.org/10.1007/s12524-018-0860-5>
- Paluba, D., Papale, L. G., Laštovička, J., Perivolioti, T.-M., Kalaitzis, P., Mouratidis, A., Karadimou, G., & Štych, P. (2024). Tracking Burned Area Progression in an Unsupervised Manner Using Sentinel-1 SAR Data in Google Earth Engine. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 17, 15612–15634. <https://doi.org/10.1109/JSTARS.2024.3427382>
- Paluba, D., Papale, L. G., Perivolioti, T.-M., Štych, P., Laštovička, J., Kalaitzis, P., Karadimou, G., Papageorgiou, E., & Mouratidis, A. (2023). *Unsupervised Burned Area Mapping in Greece: Investigating the Impact of Precipitation, Pre- and Post-Processing of Sentinel-1 Data in Google Earth Engine*. 2520–2523. <https://doi.org/10.1109/igarss52108.2023.10283130>
- Park, S.-E. (2015). The Effect of Topography on Target Decomposition of Polarimetric SAR Data. *Remote Sensing*, 7(5), 4997–5011. <https://doi.org/10.3390/rs70504997>

- Peraturan Direktur Jendral Pengendalian Perubahan Iklim Tentang Pedoman Teknis Penaksiran Kebakaran Hutan dan Lahan, Pub. L. No. P.11/PPI/PKHL/KUM.1/12/2018 (2018). https://opsroom-sipongi.menlhk.go.id/storage/files/537383_1647404256.pdf
- Perdinan, Tjahjono, R. E. P., Infrawan, D. Y. D., Armanto, A. N., Pratiwi, S. D., Putra, E. I., Yonvitner, Oktaviani, S., Lestari, K. G., Adi, R. F., Sudiarno, A. R., Kaban, E., Widyaningrum, R., & Mayor, J. (2024). Management Strategies of Tropical Savanna Ecosystem for Multiple Benefits of Community Livelihoods in Semiarid Region of Indonesia. *World Development Sustainability*, 4. <https://doi.org/10.1016/j.wds.2024.100137>
- Philipp, M. B., & Levick, S. R. (2020). Exploring the potential of C-band SAR in contributing to burn severity mapping in tropical savanna. *Remote Sensing*, 12(1). <https://doi.org/10.3390/RS12010049>
- Plank, S., Karg, S., & Martinis, S. (2018). Burn Scar Detection Using Polarimetric ALOS-2 Data. *IGARSS 2018 - 2018 IEEE International Geoscience and Remote Sensing Symposium*, 4631–4634. <https://doi.org/10.1109/IGARSS.2018.8517822>
- Plank, S., Karg, S., & Martinis, S. (2019). Full-polarimetric burn scar mapping—the differences of active fire and post-fire situations. *International Journal of Remote Sensing*, 40(1), 253–268. <https://doi.org/10.1080/01431161.2018.1512768>
- Ramadhan, L. R., & Farda, N. M. (2024). *Evaluasi Model Kebakaran Hutan dan Lahan Menggunakan Machine Learning Pada Citra Sentinel - 2 dengan Cloud Computing* [Skripsi]. Universitas Gadjah Mada.
- Rana, V. K., & Suryanarayana, T. M. V. (2019). Evaluation of SAR speckle filter technique for inundation mapping. *Remote Sensing Applications: Society and Environment*, 16. <https://doi.org/10.1016/j.rsase.2019.100271>
- Reuß, F., Navacchi, C., Greimeister-Pfeil, I., Vreugdenhil, M., Schaumberger, A., Klingler, A., Mayer, K., & Wagner, W. (2024). Evaluation of limiting factors for SAR backscatter based cut detection of alpine grasslands. *Science of Remote Sensing*, 9. <https://doi.org/10.1016/j.srs.2024.100117>
- Richards, J. A. (2009). *Remote Sensing with Imaging Radar*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-02020-9>
- Robert Cloude, S., & Pottier, E. (1997). An Entropy Based Classification Scheme for Land Applications of Polarimetric SAR. In *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING* (Vol. 35, Issue 1).
- Rosario, J., Shiroma, G. H. X., Fattahi, H., Meyer, F., & Jeong, S. (2023). Assessment of Terrain Dependence of Radiometric Terrain Corrected C-Band Sentinel-1 SAR Backscatter over Different Target Types. *International Geoscience and Remote Sensing Symposium (IGARSS), 2023-July*, 4286–4289. <https://doi.org/10.1109/IGARSS52108.2023.10281744>
- Saharjo, B. H. (2022). Have forest and land fires been controlled properly? *IOP Conference Series: Earth and Environmental Science*, 959(1). <https://doi.org/10.1088/1755-1315/959/1/012060>
- Salma, S., Keerthana, N., & Dodamani, B. M. (2022). Target decomposition using dual-polarization sentinel-1 SAR data: Study on crop growth analysis. *Remote*

- Sensing Applications: Society and Environment*, 28.
<https://doi.org/10.1016/j.rsase.2022.100854>
- Shama, A., Zhang, R., Wang, T., Liu, A., Bao, X., Lv, J., Zhang, Y., & Liu, G. (2023). Forest fire progress monitoring using dual-polarisation Synthetic Aperture Radar (SAR) images combined with multi-scale segmentation and unsupervised classification. *International Journal of Wildland Fire*, 33(1).
<https://doi.org/10.1071/WF23124>
- Shama, A., Zhang, R., Zhan, R., Wang, T., Xie, L., Bao, X., & Lv, J. (2023). A Burned Area Extracting Method Using Polarization and Texture Feature of Sentinel-1A Images. *IEEE Geoscience and Remote Sensing Letters*, 20.
<https://doi.org/10.1109/LGRS.2023.3246117>
- Shi, C., Zuo, X., Zhang, J., Zhu, D., Li, Y., & Bu, J. (2024). Accuracy Assessment of Geometric-Distortion Identification Methods for Sentinel-1 Synthetic Aperture Radar Imagery in Highland Mountainous Regions. *Sensors*, 24(9).
<https://doi.org/10.3390/s24092834>
- Shimada, M. (2010). Ortho-Rectification and Slope Correction of SAR Data Using DEM and Its Accuracy Evaluation. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 3(4), 657–671.
<https://doi.org/10.1109/JSTARS.2010.2072984>
- Shitole, S., Jain, V., & Vanama, V. S. K. (2020). De-Speckling of Synthetic Aperture Radar Using Discrete Fourier Transform. *IGARSS 2020 - 2020 IEEE International Geoscience and Remote Sensing Symposium*, 1524–1527.
<https://doi.org/10.1109/IGARSS39084.2020.9324277>
- Simes, T., Pádua, L., & Moutinho, A. (2024). Wildfire Burnt Area Severity Classification from UAV-Based RGB and Multispectral Imagery. *Remote Sensing*, 16(1). <https://doi.org/10.3390/rs16010030>
- Small, D. (2011). Flattening gamma: Radiometric terrain correction for SAR imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 49(8), 3081–3093. <https://doi.org/10.1109/TGRS.2011.2120616>
- Small, D., Miranda, N., & Meier, E. (2009). A revised radiometric normalisation standard for SAR. *2009 IEEE International Geoscience and Remote Sensing Symposium*, IV-566–IV-569. <https://doi.org/10.1109/IGARSS.2009.5417439>
- Soraya, M. (2021). Trends and Situation of Forest Fire in Indonesia 2015-2018, Based on Three Factors: Peatland, Timber Concession, and Forest Area. *The Journal of Indonesia Sustainable Development Planning*, 2(1), 15–30.
<https://doi.org/10.46456/jisdep.v2i1.89>
- Sudiana, D., Lestari, A. I., Rizkinia, M., Riyanto, I., Vetrira, Y., Bayanuddin, A. A., Putri, F. A., Kartika, T., Suhadha, A. G., Julzarika, A., Sobue, S., Prabuwo, A. S., & Sri Sumantyo, J. T. (2025). Assessing Burned Area Detection in Indonesia Using the Stacking Ensemble Neural Network (SENN): A Comparative Analysis of C- and L-Band Performance. *Computers*, 14(8).
<https://doi.org/10.3390/computers14080337>
- Suhardono, S., Fitria, L., Suryawan, I. W. K., Septiariva, I. Y., Mulyana, R., Sari, M. M., Ulhasanah, N., & Prayogo, W. (2024). Human activities and forest fires in Indonesia: An analysis of the Bromo incident and implications for

- conservation tourism. *Trees, Forests and People*, 15. <https://doi.org/10.1016/j.tfp.2024.100509>
- Sumaryati, Andarini, D. F., Cholianawati, N., & Indrawati, A. (2021). Forest Fire in East Nusa Tenggara during 2015-2019: Comparison to Forest Fire in Kalimantan and Sumatera. *IOP Conference Series: Earth and Environmental Science*, 893(1). <https://doi.org/10.1088/1755-1315/893/1/012010>
- Sun, L., & Schulz, K. (2015). Response to Johnson B.A. Scale Issues Related to the Accuracy Assessment of Land Use/Land Cover Maps Produced Using Multi-Resolution Data: Comments on “The Improvement of Land Cover Classification by Thermal Remote Sensing”. *Remote Sens.* 2015, 7, 8368–8390. *Remote Sensing*, 7(10), 13440–13447. <https://doi.org/10.3390/rs71013440>
- Sutomo, & van Etten, E. (2018). Spatial and temporal patterns of fires in tropical savannas of Indonesia. *Singapore Journal of Tropical Geography*, 39(2), 281–299. <https://doi.org/10.1111/sjtg.12243>
- Sutomo, & van Etten, E. J. B. (2023). Fire Impacts and Dynamics of Seasonally Dry Tropical Forest of East Java, Indonesia. *Forests*, 14(1). <https://doi.org/10.3390/f14010106>
- Szpakowski, D., & Jensen, J. (2019). A Review of the Applications of Remote Sensing in Fire Ecology. *Remote Sensing*, 11(22), 2638. <https://doi.org/10.3390/rs11222638>
- Tan, Z. D., Carrasco, L. R., & Taylor, D. (2020). Spatial correlates of forest and land fires in Indonesia. *International Journal of Wildland Fire*, 29(12), 1088–1099. <https://doi.org/10.1071/WF20036>
- Tanase, M. A., Belenguer-Plomer, M. A., Roteta, E., Bastarrika, A., Wheeler, J., Fernández-Carrillo, Á., Tansey, K., Wiedemann, W., Navratil, P., Lohberger, S., Siegert, F., & Chuvieco, E. (2020). Burned Area Detection and Mapping: Intercomparison of Sentinel-1 and Sentinel-2 Based Algorithms over Tropical Africa. *Remote Sensing 2020, Vol. 12, Page 334, 12(2)*, 334. <https://doi.org/10.3390/RS12020334>
- Tanase, M. A., Santoro, M., de la Riva, J., Prez-Cabello, F., & Le Toan, T. (2010). Sensitivity of X-, C-, and L-Band SAR Backscatter to Burn Severity in Mediterranean Pine Forests. *IEEE Transactions on Geoscience and Remote Sensing*, 48(10), 3663–3675. <https://doi.org/10.1109/TGRS.2010.2049653>
- Tanase, M. A., Santoro, M., Wegmüller, U., de la Riva, J., & Pérez-Cabello, F. (2010). Properties of X-, C- and L-band repeat-pass interferometric SAR coherence in Mediterranean pine forests affected by fires. *Remote Sensing of Environment*, 114, 2182–2194. <https://doi.org/10.1016/j.rse.2010.04.021>
- Tariq, A., Jiango, Y., Lu, L., Jamil, A., Al-ashkar, I., Kamran, M., & Sabagh, A. El. (2023). Integrated use of Sentinel-1 and Sentinel-2 data and open-source machine learning algorithms for burnt and unburnt scars. *Geomatics, Natural Hazards and Risk*, 14(1). <https://doi.org/10.1080/19475705.2023.2190856>
- Taylor, A., Dronova, I., Sigona, A., & Kelly, M. (2024). Using Sentinel-2 Imagery to Measure Spatiotemporal Changes and Recovery across Three Adjacent Grasslands with Different Fire Histories. *Remote Sensing*, 16(12). <https://doi.org/10.3390/rs16122232>

- Tian, B., Li, Z., Xu, J., Fu, S., & Liu, J. (2014). Mapping mountain meadow with high resolution and polarimetric SAR data. *IOP Conference Series: Earth and Environmental Science*, 012076. <https://doi.org/10.1088/1755-1315/17/1/012076>
- Tian, S., Song, J. S., Yang, T. J., Wang, L. F., & Zhou, B. S. (2013). Analysis and Model of SAR Radiometric Calibration in Near-Space. *Applied Mechanics and Materials*, 321–324, 842–846. <https://doi.org/10.4028/www.scientific.net/AMM.321-324.842>
- Tsokas, A., Rysz, M., Pardalos, P. M., & Dimple, K. (2022). SAR data applications in earth observation: An overview. *Expert Systems with Applications*, 205, 117342. <https://doi.org/10.1016/J.ESWA.2022.117342>
- Ulander, L. M. H., Barmettler, A., Flood, B., Frörlind, P.-O., Gustavsson, A., Jonsson, T., Meier, E., Rasmusson, J., & Stenström, G. (2010). Signal-to-clutter ratio enhancement in bistatic very high frequency (VHF)-band SAR images of truck vehicles in forested and urban terrain. *IET Radar, Sonar & Navigation*, 4(3), 438–448. <https://doi.org/10.1049/iet-rsn.2009.0039>
- Van Zyl, J. J. (1993). The Effect of Topography on Radar Scattering from Vegetated Areas. In *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING* (Vol. 31, Issue 1).
- Van Zyl, J. J., Arii, M., & Kim, Y. (2011). Model-based decomposition of polarimetric SAR covariance matrices constrained for nonnegative eigenvalues. *IEEE Transactions on Geoscience and Remote Sensing*, 49(9), 3452–3459. <https://doi.org/10.1109/TGRS.2011.2128325>
- van Zyl, J., & Kim, Y. (2011). *Synthetic Aperture Radar Polarimetry*. Wiley. <https://doi.org/10.1002/9781118116104>
- Verma, A., Bhattacharya, A., Dey, S., Lopez-Martinez, C., & Gamba, P. (2024). Radar surface scattering index from dual-pol Sentinel-1 SLC and GRD SAR data. *2024 International Conference on Machine Intelligence for GeoAnalytics and Remote Sensing, MIGARS 2024*. <https://doi.org/10.1109/MIGARS61408.2024.10545001>
- Vetrita, Y., Albar, I., Santoso, I., Prasasti, I., Kartika, T., Usman, A. B., Tosiani, A., Haryanto, D., Endrawati, Famurianty, E., Ulfa, K., & Purwanto, J. (2025). Monthly mapping of Indonesia's burned areas: implementation, history, techniques, and future directions. *International Journal of Remote Sensing*, 46(2), 636–660. <https://doi.org/10.1080/01431161.2024.2421942>
- Vetrita, Y., Santoso, I., Kartika, T., & Prasasti, I. (2022). Indonesian savanna fire-related spectral analysis. *IOP Conference Series: Earth and Environmental Science*, 1109(1). <https://doi.org/10.1088/1755-1315/1109/1/012076>
- Wagner, W., Raml, B., Lindorfer, R., Schobben, M., Massart, S., Vreugdenhil, M., Stachl, T., Cao, S., & Ullmann, T. (2024). Mapping subsurface scatterers from SAR backscatter time series. *EUSAR 2024; 15th European Conference on Synthetic Aperture Radar*, 93–97.
- Wang, M., Wang, L., Guo, Y., Cui, Y., Liu, J., Chen, L., Wang, T., & Li, H. (2024). A Comprehensive Evaluation of Dual-Polarimetric Sentinel-1 SAR Data for Monitoring Key Phenological Stages of Winter Wheat. *Remote Sensing*, 16(10). <https://doi.org/10.3390/rs16101659>

- Wulandari, E., Mardianto, D., Susilastuti, D. H., & Maryudi, A. (2022). Scholarly Interest in Forest Fires in Indonesia: A Bibliographical Review. In *Forest and Society* (Vol. 6, Issue 2, pp. 609–619). Hasanuddin University. <https://doi.org/10.24259/fs.v6i2.21473>
- Yamaguchi, Y., Moriyama, T., Ishido, M., & Yamada, H. (2005). Four-component scattering model for polarimetric SAR image decomposition. *IEEE Transactions on Geoscience and Remote Sensing*, 43(8), 1699–1706. <https://doi.org/10.1109/TGRS.2005.852084>
- Yi, Y., Chen, R. H., Moghaddam, M., Kimball, J. S., Jones, B. M., Jandt, R. R., Miller, E. A., & Miller, C. E. (2022). Sensitivity of Multifrequency Polarimetric SAR Data to Postfire Permafrost Changes and Recovery Processes in Arctic Tundra. *IEEE Transactions on Geoscience and Remote Sensing*, 60. <https://doi.org/10.1109/TGRS.2021.3125715>
- Zhang, L., Lv, X., & Wang, R. (2022). Soil Moisture Estimation Based on Polarimetric Decomposition and Quantile Regression Forests. *Remote Sensing*, 14(17), 4183. <https://doi.org/10.3390/rs14174183>
- Zhang, P., Hu, X., Ban, Y., Nascetti, A., & Gong, M. (2024). Assessing Sentinel-2, Sentinel-1, and ALOS-2 PALSAR-2 Data for Large-Scale Wildfire-Burned Area Mapping: Insights from the 2017–2019 Canada Wildfires. *Remote Sensing*, 16. <https://doi.org/10.3390/rs16030556>
- Zhang, X., Xu, J., Chen, Y., Xu, K., & Wang, D. (2021). Coastal Wetland Classification with GF-3 Polarimetric SAR Imagery by Using Object-Oriented Random Forest Algorithm. *Sensors*, 21(10), 3395. <https://doi.org/10.3390/s21103395>
- Zheng, Z., Zeng, Y., Zou, B., Xie, Q., Xian, W., Xu, W., Liu, Y., & Liu, Z. (2024). Assessing the burn severity of wildfires by incorporating vegetation structure information. *Geomatics, Natural Hazards and Risk*, 15(1). <https://doi.org/10.1080/19475705.2024.2401042>
- Zhou, Z., Liu, L., Jiang, L., Feng, W., & Samsonov, S. V. (2019). Using long-term SAR backscatter data to monitor post-fire vegetation recovery in tundra environment. *Remote Sensing*, 11. <https://doi.org/10.3390/rs11192230>
- Zhu, J., Wen, J., & Zhang, Y. (2013). A new algorithm for SAR image despeckling using an enhanced Lee filter and median filter. *2013 6th International Congress on Image and Signal Processing (CISP)*, 224–228. <https://doi.org/10.1109/CISP.2013.6743991>