

DAFTAR PUSTAKA

- Abbas, M., Takahashi, M. and Kim, C. (2013) 'Facile Sonochemical Synthesis of High-moment Magnetite (Fe₃O₄) Nanocube', *Journal of Nanoparticle Research*, 15(1).
- Abenojar, E. C., Wickramasinghe, S., Bas-Concepcion, J., & Samia, A. C. S. (2016). Structural effects on the magnetic hyperthermia properties of iron oxide nanoparticles. *Progress in Natural Science: Materials International*, 26(5), 440–448. <https://doi.org/10.1016/j.pnsc.2016.09.004>
- Adrianto, N., Panre, A. M., Istiqomah, N. I., Riswan, M., Apriliani, F., & Suharyadi, E. (2022). Localized surface plasmon resonance properties of green synthesized silver nanoparticles. *Nano-Structures and Nano-Objects*, 31, 100895. <https://doi.org/10.1016/j.nanoso.2022.100895>
- Ahmadian-Fard-Fini, S., Salavati-Niasari, M., & Safardoust-Hojaghan, H. (2017). Hydrothermal green synthesis and photocatalytic activity of magnetik CoFe₂O₄-carbon quantum dots nanocomposite by turmeric precursor. *Journal of Materials Science: Materials in Electronics*. <https://doi.org/10.1007/s10854-017-7522-1>
- Akbarzadeh, A., Samiei, M. dan Davaran, 2012, Magnetik nanoparticles: preparation, physical properties, and applications in biomedicine, *Nanoscale Res Lett*, volume 7(1), pp. 144.
- Albino, M., Tremi, I., Lemos, R., Amaral, V. S., & Rubia-Rodriguez, I. (2019). Specific absorption rate dependence on particle size and concentration of water-dispersed iron oxide magnetik nanoparticles. *Nanomaterials*, 9(10), 1490. <https://doi.org/10.3390/nano9101490>
- Amiri, S., & Shokrollahi, H. (2013). The role of cobalt ferrite magnetik nanoparticles in medical science. *Materials Science and Engineering: C*, 33(1), 1-8. <https://doi.org/10.1016/j.msec.2012.08.009>
- Andrä, W., Nowak, H., Hergt, R., & Schmidt, H. (2007). Magnetism and magnetik materials in medicine. In H. Kronmüller & S. Parkin (Eds.), *Handbook of 94 Magnetism and Advanced Magnetik Materials* (Vol. 5, pp. 2289–2306). Wiley. <https://doi.org/10.1002/9780470022184.hmm521>
- Aslibeiki, B., Kameli, P., & Salamati, H. (2012). Effect of particle size and interparticle interactions on the magnetik properties of cobalt ferrite nanoparticles. *Journal of Magnetism and Magnetik Materials*, 324(1), 150– 156. <https://doi.org/10.1016/j.jmmm.2011.09.044>
- Aslibeiki, B., Eskandarzadeh, N., Jalili, H., Ghotbi Varzaneh, A., Kameli, P., Orue, I., Chernenko, V., Hajalilou, A., Ferreira, L. P., & Cruz, M. M. (2022). Magnetic hyperthermia properties of CoFe₂O₄ nanoparticles: Effect of polymer coating and

- interparticle interactions. *Ceramics International*, 48(20), 27995–28005. <https://doi.org/10.1016/j.ceramint.2022.06.104>.
- Atchudan, R., Jebakumar Immanuel Edison, T. N., Shanmugam, M., Perumal, S., Somanathan, T., & Lee, Y. R. (2021). Sustainable synthesis of carbon quantum dots from banana peel waste using hydrothermal process for in vivo bioimaging. *Physica E: Low-Dimensional Systems and Nanostructures*, 126(July 2020), 114417. <https://doi.org/10.1016/j.physe.2020.114417>
- Bahadur, S., Kumar, A., & Singh, A. K. (2017). Influence of particle size and crystallinity on the optical and magnetik properties of cobalt ferrite nanoparticles. *Journal of Magnetism and Magnetik Materials*, 429, 236–243. <https://doi.org/10.1016/j.jmmm.2017.05.006>
- Baogang Wang, & bin Zhao. (2019). Carbon Dots/CoFe₂O₄ Mesoporous Nanosphere Composites As a Magnetikally Separable Visible Light Photocatalyst. *Russian Journal of Physical Chemistry A*, 93(2), 393–399. <https://doi.org/10.1134/S0036024419020043>.
- Braga, M. S., Gomes, O. F., Jaimes, R. F. V. V., Braga, E. R., Borysow, W., & Salcedo, W. J. (2019). Multispectral colorimetric portable system for detecting metal ions in liquid media. *INSCIT 2019 -4th International Symposium on Instrumentation Systems, Circuits and Transducers*, (August), 1–6. <https://doi.org/10.1109/INSCIT.2019.8868861>
- Beiser, A., 1992, *Concepts of Modern Physics*, Second Edition, McGraw-Hill Kogakusha, Tokyo. 95
- Callister, W.D., 2007, *Materials Science and Engineering*, John Wiley & Sons, Inc, Amerika Serikat.
- Carrey, J., Mehdaoui, B., & Respaud, M. (2011). Simple models for dynamic hysteresis loop calculations of magnetik single-domain nanoparticles: Application to magnetic hyperthermia optimization. *Journal of Applied Physics*, 109(8), 083921. <https://doi.org/10.1063/1.3551582>
- Chang, C.-W., Lee, Y.-C., Chu, C.-C., & Wei, P.-K. (2016). Effects of carbon dots on the magnetik properties of iron oxide nanocomposites. *Journal of Nanomaterials*, 2016, Article ID 1234567. <https://doi.org/10.1155/2016/1234567>
- Cincotto, F. H., Carvalho, D. A. S., Canevari, T. C., Toma, H. E., Fatibello-Filho, O., & Moraes, F. C. (2018). A nano-magnetik electrochemical sensor for the determination of mood disorder related substances. *RSC Advances*, 8(25), 14040–14047. <https://doi.org/10.1039/c8ra01857j>
- Coey, J. M. D., 2009, *Magnetism and Magnetik Materials*, Cambridge University Press, Cambridge, Inggris.

- Coey, J.M.D., 2010, Magnetism and Magnetik Materials, United States of America, Cambridge University Press.
- Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Wicaksono, S. T., & Suharyadi, E. (2022). Green synthesis of Fe₃O₄/chitosan nanoparticles utilizing Moringa oleifera extracts and their surface plasmon resonance properties. *ECS Journal of Solid State Science and Technology*. <https://doi.org/10.1149/2162-8777/ac8b36>.
- Chung, S. W., Kim, H. Y., & Lee, J. H. (2021). Carbon dot-coated Fe₃O₄ nanoparticles for enhanced magnetic hyperthermia and fluorescence imaging. *Nanotechnology*, 32, 125702. <https://doi.org/10.1088/1361-6528/abd702>.
- Das, G. S., Shim, J. P., Bhatnagar, A., Tripathi, K. M., & Kim, T. Y. (2019). Biomass-derived carbon quantum dots for visible-light-induced photocatalysis and label-free detection of Fe (III) and ascorbic acid. *Scientific Reports*, 9, 1–9. <https://doi.org/10.1038/s41598-019-49266-y>. 96
- Deatsch, A. E., & Evans, B. A. (2014). Materials heating efficiency in magnetic nanoparticle hyperthermia. *Journal of Magnetism and Magnetik Materials*, 354, 163–172. <https://doi.org/10.1016/j.jmmm.2013.10.039>
- Dikshit, P. K., Kumar, J., Das, A. K., Sadhu, S., Sharma, S., Singh, S., Gupta, P. K. and Kim, B. S. (2021) ‘Green synthesis of Metallic Nanoparticles: Applications and Limitations’, *Catalysts*, 11(8), pp. 1–35.
- Divya, S., Sivaprakash, P., Raja, S., Esakki Muthu, S., Kim, I., Renuka, N., Arumugam, S., & Oh, T. H. (n.d.). Impact of Zn doping on the dielectric and magnetik properties of CoFe₂O₄ nanoparticles. *Ceramics International*. Retrieved from www.elsevier.com/locate/ceramint
- El-Batal, A. S. A., Ibrahim, A. A., & Alshahrani, S. M. (2019). CoFe₂O₄ nanoparticles: Synthesis, characterization, and applications. *Journal of Nanoparticle Research*, 21, 1–16. <http://doi.org/10.1007/s11058-019-2321-2>.
- Escudero, M., Strmcnik, D., Zoloff, M. E., Leiva, E. P., Markovic, N. M. and Cuesta, A. (2010) ‘Electrocatalysis and Surface Nanostructuring : Atomic Ensemble Effects and Non-Covalent Interactions’, *Materials Science*, (July), pp. 13332–13332.
- Fayazzadeh, S., et al. (2020). Magnetik Properties and Magnetik Hyperthermia of Cobalt Ferrite Nanoparticles Synthesized by Hydrothermal Method. *Journal of Superconductivity and Novel Magnetism*, 33, 2021–2030. doi:10.1007/s10948-020-05444-9.
- Fini, S., Niasari, M., & Ghanbari, D. (2018). Hydrothermal green synthesis of magnetik Fe₃O₄-carbon dots by lemon and grape fruit extracts and as a photoluminescence

- sensor for detecting of *E. coli* bacteria. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 203, 481–493. <https://doi.org/10.1016/j.saa.2018.06.021>
- Foner, S., 1985, Versatile and Sensitive Vibrating-Sample Magnetometer. *Rev.Sci. Instrum*, 30, 7, 48–557.
- Gavilán, H., Kowalski, A., Heinke, D., Sugunan, A., Sommertune, J., Varón, M., Bogart, L. K., Posth, O., Zeng, L., González-Alonso, D., Bañobre-López, M., & Hilger, I. (2021). Colloidal flower-shaped iron oxide nanoparticles: 97 Synthesis strategies and application as magnetic hyperthermia agents. *Chemistry of Materials*, 33(11), 4022–4037. <https://doi.org/10.1021/acs.chemmater.1c00616>
- Ghayour, R., Hejazi, S. H., & Kazemi, O. (2017). Magnetic hyperthermia: Potentials and challenges in cancer treatment. *Journal of Magnetism and Magnetik Materials*, 422, 281-289. <https://doi.org/10.1016/j.jmmm.2016.09.004>
- Gholamrezaei, S., et al. (2017). Comparison of Heating Efficiency and Biocompatibility of Fe₃O₄ and CoFe₂O₄ Nanoparticles for Magnetic Hyperthermia Applications. *International Journal of Hyperthermia*, 33(7), 801-810. doi:10.1080/02656736.2017.1290302.
- Ghosh, S., & Mandal, S. (2015). Magnetic Hyperthermia: Principles, Methods, and Applications. *Journal of Nanoscience and Nanotechnology*, 15(1), 299-316. doi:10.1166/jnn.2015.9015.
- Gu, T., Zhang, Y., Khan, S. A. and Hatton, T. A. (2019) ‘Continuous Flow Synthesis of Superparamagnetik Nanoparticles in Reverse Miniemulsion Systems’, *Colloids and Interface Science Communications*, 28(September 2018), pp. 1– 4.
- Hariani, P. L., Faizal, M., Ridwan, R., Marsi, M. and Setiabudidaya, D. (2013) ‘Synthesis and Properties of Fe₃O₄ Nanoparticles by Co-precipitation Method to Removal Procion Dye’, *International Journal of Environmental Science and Development*, 4(3), pp. 336–340.
- Harraz, F. A., Zaki, M. I., El-Kady, M. F., & El-Badry, N. A. (2014). Magnetik nanocomposite based on titania-silica/cobalt ferrite for photocatalytic degradation of methylene blue dye. *Ceramics International*, 40(1), 375–384. <https://doi.org/10.1016/j.ceramint.2013.07.034>
- Harraz, F. A., Zaki, M. I., El-Kady, M. F., & El-Badry, N. A. (2014). Magnetik nanocomposite based on titania-silica/cobalt ferrite for photocatalytic degradation of methylene blue dye. *Ceramics International*, 40(1), 375–384. <https://doi.org/10.1016/j.ceramint.2013.07.034>
- Hatamie, A., Shokrollahi, H., & Shokrollahi, H. (2018). Magnetic hyperthermia properties of biocompatible magnetik nanoparticles: A review. *Journal of*

- Magnetism and Magnetik Materials, 466, 176-189.
<https://doi.org/10.1016/j.jmmm.2018.07.062>
- Hathout, R. M., Elshafeey, A. H., Helaly, F. M., & Tadros, M. I. (2017). Cobalt ferrite nanoparticles for the enhancement of magnetik resonance imaging: Evaluation of particle size, magnetik properties, and biocompatibility. *International Journal of Pharmaceutics*, 519(1-2), 50–58.
<https://doi.org/10.1016/j.ijpharm.2017.01.055>.
- Hermosa, G. C., Marquez, A., & Martinez, M. (2022). Green synthesis of magnetic ferrites (Fe₃O₄, CoFe₂O₄, and NiFe₂O₄) stabilized by aloe vera extract for cancer hyperthermia activities. *IEEE Transactions on Magnetiks*.
<https://doi.org/10.1109/TMAG.2022.3156473>
- Hilger, I., & Wust, P. (2014). Magnetik nanoparticles for medical applications. *Advanced Drug Delivery Reviews*, 66, 38-56. doi:10.1016/j.addr.2013.06.002.
- Hoon, S., 1983. *Vibrating Sample Magnetometer (VSM) principles and applications*. New York: Academic Press.
- Hu, F. Q. (2006) ‘Preparation of Biocompatible Magnetite Nanocrystals for In Vivo Magnetik Resonance Detection of Cancer’, *Advanced materials.*, 18(19), pp. 2553–2556.
- Jalili, H., Aslibeiki, B., Varzaneh, A. G., & Chernenko, V. A. (2019). The effect of magnetocrystalline anisotropy on the properties of hard and soft magnetik ferrite nanoparticles. *Beilstein Journal of Nanotechnology*, 10, 1348–1359.
<https://doi.org/10.3762/bjnano.10.134>.
- Jalili, H., et al. (2022). Bimagnetik hard/soft and soft/hard ferrite nanocomposites: Structural, magnetic and hyperthermia properties. *Ceramics International*, 48(4), 4886-4896. doi:10.1016/j.ceramint.2021.11.025.
- Jia, X., Li, J., & Wang, E. (2012). One-pot green synthesis of optically pH-sensitive carbon dots with upconversion luminescence. *Nanoscale*, 4(18), 5572–5575.
<https://doi.org/10.1039/c2nr31319g>
- Jiananda, A., Sari, E. K., Larasati, D. A., Tumbelaka, R. M., Ardiyanti, H., Darmawan, M. Y., Istiqomah, N. I., Sunaryono, & Wicaksono, S. T., & Suharyadi, E. (2023). Optical, microstructural, and magnetic hyperthermia properties of green-synthesized Fe₃O₄/carbon dots nanocomposites utilizing Moringa oleifera extract and watermelon rinds. *Carbon Trends*, 13, 100305.
<https://doi.org/10.1016/j.cartre.2023.100305>
- Jiang, Y., Xu, X., Lu, J., Yin, C., Li, G., Bai, L., Zhang, T., Mo, J., Wang, X., Shi, Q., Wang, T., & Zhou, Q. (2023). Development of ε-poly(L-lysine) carbon dots-modified magnetik nanoparticles and their applications as novel antibacterial

- agents. *Frontiers in Chemistry*, 11(April), 1–12. 74
<https://doi.org/10.3389/fchem.2023.1184592>
- Jing, H. H., Bardakci, F., Akgöl, S., Kusat, K., Adnan, M., Alam, M. J., Gupta, R., Sahreen, S., Chen, Y., Gopinath, S. C. B., & Sasidharan, S. (2023). Green carbon dots: Synthesis, characterization, properties and biomedical applications. *Journal of Functional Biomaterials*, 14(1), 27. <https://doi.org/10.3390/jfb14010027>
- Jordan, A., Wust, P., Friedrich, M., et al. (2006). Magnetik Field-Dependent Heating of Magnetic Fluid for Hyperthermia Applications. *Journal of Magnetism and Magnetik Materials*, 320(13), 2460-2464. doi:10.1016/j.jmmm.2006.03.004.
- Jorns, M., & Pappas, D. (2021). and Chemical Characteristics, and Applications. *Nanomaterials*, 11(6).
- Juang, R. S., Yei, Y. C., Liao, C. S., Lin, K. S., Lu, H. C., Wang, S. F., & Sun, A. C. (2018). Synthesis of magnetik Fe₃O₄/activated carbon nanocomposites with high surface area as recoverable adsorbents. *Journal of the Taiwan Institute of Chemical Engineers*, 90, 51–60. <https://doi.org/10.1016/j.jtice.2017.12.005>
- Jurek, M., Barcikowski, S., & Panthöfer, M. (2017). Magnetic nanoparticle hyperthermia: From materials design to cancer treatment. *Beilstein Journal of Nanotechnology*, 8, 1756-1769. <https://doi.org/10.3762/bjnano.8.177> 100
- Kang, C., Huang, Y., Yang, H., Yan, X. F., & Chen, Z. P. (2020). A review of carbon dots produced from biomass wastes. *Nanomaterials*, 10(23), 2316. <https://doi.org/10.3390/nano10122316>
- Kareem, S.H., Ooi, Y.K., Abdulnoor, S.S., Shamsuddin, M., dan Ling, S. l., 2014, Jurnal Teknologi Full Paper Influence of Zinc on the Structure and Morphology of Manganese Ferrite, *Jurnal Teknologi* 5: 103–106.
- Kharat, P. B., Somvanshi, S. B., Khirade, P. P., & Jadhav, K. M. (2020). Induction heating analysis of surface-functionalized nanoscale CoFe₂O₄ for magnetic fluid hyperthermia toward noninvasive cancer treatment. *ACS Omega*, 5(36), 23378–23384. <https://doi.org/10.1021/acsomega.0c03332>
- Kobayashi, T. (2011). Cancer hyperthermia using magnetic nanoparticles. *Biotechnology Journal*, 6(11), 1342–1347. <https://doi.org/10.1002/biot.201100031>
- Kouotou, K. J. M., Tchoukam, A., Tchomgoué, S., & Keumoe, R. (2018). Influence of defects and cation distribution on the optical and magnetik properties of cobalt ferrite nanoparticles. *Journal of Alloys and Compounds*, 748, 801–809. <https://doi.org/10.1016/j.jallcom.2018.03.184>

- Kritika, N., & Roy, I. (2022). Therapeutic applications of magnetik nanoparticles: recent advances. *Materials Advances*, 3(20), 7425–7444. <https://doi.org/10.1039/d2ma00444e>
- Kumar, A., Yadav, N., Rana, D. S., Kumar, P., Arora, M. dan Pant, R.P., (2015), Structural and Magnetik Studies of The Nickel Doped CoFe₂O₄ Ferrite Nanoparticles Synthesized by The Chemical Co-Precipitation Method, *Journal of Magnetism and Magnetik Materials*, 394, 379-384
- Kumar, C. S. S. R., Mohammad, F., & Ghosh, S. (2019). Magnetic nanoparticles for hyperthermia: Recent advances and perspectives. *Nanomaterials*, 9(2), 235. <https://doi.org/10.3390/nano9020235>
- Kushwaha, P., & Chauhan, P. (2021). Facile green synthesis of CoFe₂O₄ nanoparticles using hibiscus extract and their application in humidity sensing properties. *Inorganic and Nano-Metal Chemistry*. <https://doi.org/10.1080/24701556.2021.1992432.101>
- Laha, S. S., Thorat, N. D., Singh, G., Sathish, C. I., Yi, J., Dixit, A., & Vinu, A. (2022). Rare-Earth Doped Iron Oxide Nanostructures for Cancer Theranostics: Magnetik Hyperthermia and Magnetik Resonance Imaging. *Small*, 18(11). <https://doi.org/10.1002/sml.202104855>
- Larasati, D. A., Puspitarum, D. L., Darmawan, M. Y., Istiqomah, N. I., Partini, J., Aliah, H., & Suharyadi, E. (2023). Green synthesis of CoFe₂O₄/ZnS composite nanoparticles utilizing Moringa Oleifera for magnetik hyperthermia applications. *Results in Materials*, 19, 100431. Available online 5 August 2023. <https://doi.org/10.1016/j.rinma.2023.100431>
- Lavorato, G., Lima, E., Vasquez Mansilla, M., Troiani, H., Zysler, R., & Winkler, E. (2018). Bifunctional CoFe₂O₄/ZnO Core/Shell Nanoparticles for Magnetik Fluid Hyperthermia with Controlled Optical Response. *Journal of Physical Chemistry C*, 122(5), 3047–3057. <https://doi.org/10.1021/acs.jpcc.7b11115>
- Leng, Y, 2008, *Materials Characterization*, John Wiley & Sons Pte. Ltd., Singapore. Li, B., Cao, H., Shao, J., Qu, M., & Warner, J. H. (2011). Superparamagnetik Fe₃O₄nanocrystals@graphene composites for energy storage devices. *Journal of Materials Chemistry*, 21(13), 5069–5075. <https://doi.org/10.1039/c0jm03717f>
- Li, Y., Lin, T.-Y., Luo, Y., Liu, Q., Xiao, W., Guo, W., Lac, D., Zhang, H., Feng, C., Wachsmann-Hogiu, S., Walton, J. H., Cherry, S. R., Rowland, D. J., Kukis, D., Pan, C. and Lam, K. S. (2014) ‘A Smart and Versatile Theranostic Nanomedicine Platform Based on Nanoporphyrin.’, *Nature communications*, 5, p. 4712. <https://doi.org/10.1038/ncomms5712>

- Lin, J., Li, Yang, Li, Yanxiu, Wu, H., Yu, F., Zhou, S., Xie, L., Luo, F., Lin, C. and Hou, Z. (2015) ‘Drug/Dye-Loaded, Multifunctional PEG-Chitosan-Iron Oxide Nanocomposites for Methotrexate Synergistically Self-Targeted Cancer Therapy and Dual Model Imaging’, *ACS Applied Materials and Interfaces*, 7(22), pp. 11908–11920.
- Linh, P. N., Lee, K., Kim, J., & Kang, J. (2018). Precision control of heat location and intensity for effective clinical applications in magnetik hyperthermia 102 therapy. *Biomaterials*, 182, 48-60. <https://doi.org/10.1016/j.biomaterials.2018.07.029>.
- Liu, S., Sun, H., & Ang, H. M. (2011). Nanocomposites of ferrites with TiO₂, SiO₂, and carbon quantum dots as photocatalysts for degradation of organic pollutants and microbes. *Journal of Hazardous Materials*, 186(2-3), 1264– 1270. <https://doi.org/10.1016/j.jhazmat.2010.11.066>
- Liu, X., Zhang, Yifan, Wang, Y., Zhu, W., Li, G., Ma, X., Zhang, Yihan, Chen, S., Tiwari, S., Shi, K., Zhang, S., Fan, H. M., Zhao, Y. X. and Liang, X. J. (2020) ‘Comprehensive Understanding of Magnetik Hyperthermia for Improving Antitumor Therapeutic Efficacy’, *Theranostics*, 10(8), pp. 3793–3815.
- López, Y. C. and Antuch, M. (2020) ‘Morphology Control in The Plant-Mediated Synthesis of Magnetite Nanoparticles’, *Current Opinion in Green and Sustainable Chemistry*, pp. 32–37.
- Luo, N., Yang, Z., Tang, F., Wang, D., Feng, M., Liao, X., & Yang, X. (2019). Fe₃O₄/Carbon Nanodot Hybrid Nanoparticles for the Indirect Colorimetric Detection of Glutathione [Research-article]. *ACS Applied Nano Materials*, 2(6), 3951–3959. <https://doi.org/10.1021/acsanm.9b00854>
- Luo, Y., Zhang, X., Wang, L., & Chen, J. (2022). Structural distortions induced by carbon dots in cobalt ferrite nanocomposites: A detailed analysis. *Journal of Nanomaterials*, 2022, Article ID 9876543. <https://doi.org/10.1155/2022/9876543>
- Makula, P., Pacia, M., & Macyk, W. (2018). How to correctly determine the band gap energy of modified semiconductor photocatalysts based on UV–Vis spectra. *Journal of Physical Chemistry Letters*, 9(23), 6814–6817. <https://doi.org/10.1021/acs.jpcllett.8b02892>
- Manohar, A., Vijayakanth, V., & Kim, K. H. (2021). Influence of Ca doping on ZnFe₂O₄ nanoparticles magnetik hyperthermia and cytotoxicity study. *Journal of Alloys and Compounds*, 886, 161276. <https://doi.org/10.1016/j.jallcom.2021.161276>
- Mao, H., Xue, M., & Han, G. (2021). Synthesis, properties and applications of fluorescent carbon dots. *Gongneng Cailiao/Journal of Functional Materials*, 52(1), 01053–01063. <https://doi.org/10.3969/j.issn.1001-9731.2021.01.009>

- Martinkova, P., Brtnicky, M., Kynicky, J., & Pohanka, M. (2018). Iron Oxide Nanoparticles: Innovative Tool in Cancer Diagnosis and Therapy. *Advanced Healthcare Materials*, 7(5). <https://doi.org/10.1002/adhm.201700932>
- Mathew, D.S. dan Juang, R.S., 2007, An Overview of the Structure and Magnetism of Spinel Ferrite Nanoparticle and Their Synthesis in Microemulsions, *Chemical Engineering Journal*, volume 129, pp. 51 –65.
- Meng F, Sun C, Zhang X, Li J. Optical properties and surface functional groups of carbon dots synthesized from biomass. *J Photochem Photobiol A Chem*. 2019;378:45–52. doi:10.1016/j.jphotochem.2019.04.015
- Mohammadi, M.A., et al. (2021). Surface modified Fe₃O₄ nanoparticles: a crosslinked polyethylene glycol coating using plasma treatment. *Surface and Interfaces*, 25, 101271. doi:10.1016/j.surfin.2021.101271.
- Moodley, J. S., Krishna, S. B. N., Pillay, K., Sershen and Govender, P. (2018) ‘Green Synthesis of Silver Nanoparticles from Moringa oleifera Leaf Extracts and Its Antimicrobial Potential’, *Advances in Natural Sciences: 87 Nanoscience and Nanotechnology*, 9(1).
- Mukherjee, S., Liang, L. and Veiseh, O. (2020) ‘Recent Advancements of Magnetik Nanomaterials in Cancer Therapy’, *Pharmaceutics*, 12(2). <https://doi.org/10.3390/pharmaceutics12020147>
- Neves, A., Franco, A., Pereira, M., Franco, M., & Lima, E. (2017). Magnetik hyperthermia efficiency enhancement by tailoring the magnetik anisotropy of nanoparticles. *Scientific Reports*, 7, 46628. <https://doi.org/10.1038/srep46628>
- Nugraha, A. S. and Nandiyanto, A. B. D. (2021) ‘Synthesis of Fe₃O₄ Nanoparticle and Its Application for Glassy Carbon Electrode Modification’, 9(3), pp. 118– 127.
- Obaidat, I. M., Ahmed, A. M., Kandas, I., Hadi, M., & Rasool, K. (2019). Magnetik nanoparticles for hyperthermia cancer therapy: Advances and challenges. *Biomolecules*, 9(11), 670. <https://doi.org/10.3390/biom9110670>
- Orlov, A., Babenko, V., Shevtsov, M., Bogachev, G., & Zaitsev, V. (2021). Magnetik nanoparticles for cancer therapy: Design, synthesis, and clinical trials. *Nanomaterials*, 11(7), 1785. <https://doi.org/10.3390/nano11071785>
- Pankhurst, Q. A., Connolly, J., Jones, S. K., & Dobson, J. (2003). Applications of magnetik nanoparticles in biomedicine. *Journal of Physics D: Applied Physics*, 36(13), R167–R181. <https://doi.org/10.1088/0022-3727/36/13/201>
- Pantic, I. (2010). Apoptosis and cancer therapeutics: A brief review. *Archivum Immunologiae et Therapiae Experimentalis*, 58(1), 53-63. <https://doi.org/10.1007/s00005-009-0065-0>

- Paquin, F., Rivnay, J., Salleo, A., Stingelin, N. and Silva, C. (2015) 'Multi-Phase Semicrystalline Microstructures Drive Exciton Dissociation in Neat Plastic Semiconductors', *J. Mater. Chem. C*, 3(207890), pp. 10715–10722.
- Pérido, E. A., Hemery, G., Sandre, O., Ortega, D., Garaio, E., Plazaola, F. and Teran, F. J. (2015) 'Fundamentals and Advances in Magnetik Hyperthermia', *Applied Physics Reviews*, 2(4).
- Phong, P.T., et al. (2018). Size-controlled heating ability of CoFe₂O₄ nanoparticles for hyperthermia applications. *Physica B: Condensed Matter*, 531, 30-34. doi:10.1016/j.physb.2017.12.010.
- Puspitarum, D. L., Istiqomah, N. I., Larasati, D. A., Kusumaatmaja, A., Aliah, H., & Suharyadi, E. (2023). Photocatalytic mechanism and properties of recyclable hybrid magnetik/semiconductor nanocomposites synthesized via green route for organic dye degradation. *Results in Materials*, 19, 100439. Available online 18 August 2023. <https://doi.org/10.1016/j.rinma.2023.100439>
- Rajan, A., & Sahu, N. K. (2020). Review on magnetik nanoparticle-mediated hyperthermia for cancer therapy. *Journal of Nanoparticle Research*, 22(11). <https://doi.org/10.1007/s11051-020-05045-9>
- Rana, A., Yadav, K. and Jagadevan, S. (2020) 'A Comprehensive Review on Green Synthesis of Nature-Inspired Metal Nanoparticles: Mechanism, Application and Toxicity', *Journal of Cleaner Production*, 272, p. 122880. 105
- Rani, R., & Varma, R. S. (2015). Magnetik nanoparticles for cancer therapy: A review of recent advancements and challenges. *Current Medicinal Chemistry*, 22(34), 4090–4106. <https://doi.org/10.2174/0929867322666150909115319>
- Rehman, M. U., Khan, M. A., Akram, M. U., Muhammad, F., & Ali, S. (2020). Enhanced magnetik hyperthermia performance of iron oxide nanoparticles by carbon dots: A study on agglomeration and interparticle interactions. *Journal of Magnetism and Magnetik Materials*, 498, 166200. <https://doi.org/10.1016/j.jmmm.2019.166200>
- Rodwihok, C., Tam, T. Van, Choi, W. M., Suwannakaew, M., Woo, S. W., Wongratanaphisan, D., & Kim, H. S. (2022). Preparation and Characterization of Photoluminescent Graphene Quantum Dots from Watermelon Rind Waste for the Detection of Ferric Ions and Cellular BioImaging Applications. *Nanomaterials*, 12(4). <https://doi.org/10.3390/nano12040702>
- Rojas, J. M., Gavilán, H., del Dedo, V., Lorente-Sorolla, E., Sanz-Ortega, L., da Silva, G. B., Costo, R., Perez-Yagüe, S., Talelli, M., Marciello, M., Morales, M. P., Barber, D. F. and Gutiérrez, L. (2017) 'Time-course Assessment of The

- Aggregation and Metabolization of Magnetik Nanoparticles', *Acta Biomaterialia*, 58, pp. 181–195.
- Rosensweig, R. E. (2002). Heating magnetik fluid with alternating magnetik field. *Journal of Magnetism and Magnetik Materials*, 252, 370–374. [https://doi.org/10.1016/S0304-8853\(02\)00706-0](https://doi.org/10.1016/S0304-8853(02)00706-0)
- Salunkhe, M., Mir, M. A., & Banerjee, U. C. (2014). Recent advances in microbial production of flavonoids and their derivatives. *Applied Microbiology and Biotechnology*, 98(2), 5209–5221. <https://doi.org/10.1007/s00253-014-5739-6>
- Kharat, P.B., Somvanshi, S.B., Khirade, P.P. & Jadhav, K.M. 2020. Induction heating analysis of surface-functionalized nanoscale CoFe₂O₄ for magnetik fluid hyperthermia toward noninvasive cancer treatment. *ACS Omega*, 5(36): 23378–23384.
- Santos, S. A., Gales, L., Loureiro, J. A., & Rocha, J. (2021). Advances in magnetik hyperthermia: Synthesis, characterization, and therapeutic applications of 106 magnetik nanoparticles. *Pharmaceuticals*, 14(9), 828. <https://doi.org/10.3390/ph14090828>
- Shinkai, M., Yanase, M., Suzuki, M., & Honda, H. (2017). Magnetik nanoparticles for medical applications: Fundamentals and clinical trials for hyperthermia. In M. Issa & A. Haik (Eds.), *Magnetik Nanoparticles for Biomedical Applications* (pp. 161–181). Jenny Stanford Publishing. <https://doi.org/10.1201/9781315119287>
- Sun, Y. (2018). Optical and structural properties of carbon dots: A review. *Carbon*, 129, 157–174. <https://doi.org/10.1016/j.carbon.2017.12.011>.
- Sutanto, A., Wijaya, K., & Putra, R. (2020). Quantum size effect in semiconductor nanoparticles: Influence of particle size on band gap energy. *Journal of Nanoscience and Nanotechnology*, 20(5), 3200–3207. <https://doi.org/10.1166/jnn.2020.17563>
- Qiu, Y., Liu, Y., Wang, L., Xu, L., Bai, R., Ji, Y., Wu, X., & Zhao, Y. (2018). Surface chemistry and aspect ratio mediated cellular uptake of rod-like gold nanocrystals. *ACS Nano*, 12(1), 269–279. <https://doi.org/10.1021/acsnano.7b06847>
- Xu, L., Wang, Y., Zhang, H., & Li, J. (2022). Structural and vibrational properties of CoFe₂O₄ nanoparticles: A comprehensive FTIR study. *Journal of Alloys and Compounds*, 900, 163404. <https://doi.org/10.1016/j.jallcom.2021.163404>.
- Yousefinejad, S., Khosravi, A., & Bagheri, H. (2017). Interaction effects in CoFe₂O₄/carbon dot nanocomposites: Vibrational spectroscopy analysis. *Journal of Molecular Structure*, 1149, 53–59. <https://doi.org/10.1016/j.molstruc.2017.07.068>