

## DAFTAR PUSTAKA

- Aazza, M., Ahlafi, H., Moussout, H., and Maghat, H., 2017, Ortho-nitro-phenol adsorption onto alumina and surfactant modified alumina: kinetic, isotherm and mechanism, *J. Environ. Chem. Eng.*, 5, 3418–3428.
- Abdollahi, M. and Mohammadirad, A., 2014, Nitrophenol, 4-, In, Wexler, P. (ed), *Encyclopedia of Toxicology (Third Edition)*. Academic Press, Oxford, pp. 575–577.
- Ahmed, Y., Yaakob, Z., and Akhtar, P., 2016, Degradation and mineralization of methylene blue using a heterogeneous photo-Fenton catalyst under visible and solar light irradiation, *Catal. Sci. Technol.*, 6, 1222–1232.
- Ameta, R., Chohadia, A.K., Jain, A., and Punjabi, P.B., 2018, Fenton and Photo-Fenton Processes,. In, *Advanced Oxidation Processes for Wastewater Treatment: Emerging Green Chemical Technology*. Elsevier Inc., pp. 49–87.
- Asmare, Z.G., Aragaw, B.A., Atlabachew, M., and Dubale, A.A., 2024, Facile fabrication of Cu/kaolin nanocomposite as highly efficient heterogeneous catalyst for 4-nitrophenol reduction in aqueous solution, *Results Chem.*, 11, 101836.
- Babar, S., Gavade, N., Shinde, H., Mahajan, P., Lee, K.H., Mane, N., Deshmukh, A., Garadkar, K., and Bhuse, V., 2018, Evolution of Waste Iron Rust into Magnetically Separable g-C<sub>3</sub>N<sub>4</sub>-Fe<sub>2</sub>O<sub>3</sub> Photocatalyst: An Efficient and Economical Waste Management Approach, *ACS Appl. Nano Mater.*, 1, 4682–4694.
- Ban, F.C., Zheng, X.T., and Zhang, H.Y., 2020, Photo-assisted heterogeneous fenton-like process for treatment of pnp wastewater, *J. Water Sanit. Hyg. Dev.*, 10, 136–145.
- Cardoso Juarez, A.O., Ivan Ocampo Lopez, E., Kesarla, M.K., and Bogireddy, N.K.R., 2024, Advances in 4-Nitrophenol Detection and Reduction Methods and Mechanisms: An Updated Review, *ACS Omega*, 9, 33335–33350.
- Chakraborty, A., Chowdhury, B.R., Nandy, S., Samanta, S., Bhunia, S., and Roy, N., 2024, AOPs for municipal and tannery based industrial wastewater treatment,. In, *Dev. Wastewater Treat. Res. Processes*. Elsevier, pp. 47–73.
- Chakraborty, A.R., Zohora Toma, F.T., Alam, K., Yousuf, S.B., and Hossain, K.S., 2024, Influence of annealing temperature on Fe<sub>2</sub>O<sub>3</sub> nanoparticles: Synthesis optimization and structural, optical, morphological, and magnetic properties characterization for advanced technological applications, *Heliyon*, 10, .
- Changotra, R., Varshney, L., Paul Guin, J., and Dhir, A., 2018, Performance of hematite particles as an Iron source for the degradation of ornidazole in photo-fenton process, *J. Sol-Gel Sci. Technol.*, 85, 203–212.

- Chavan, V.D., Aziz, J., Kim, H., Patil, S.R., Ustad, R.E., Sheikh, Z.A., Patil, C.S., Chougale, M.Y., Sabale, S.R., Patil, S.A., Sutar, S.S., Kamat, R.K., Bae, J., Dongale, T.D., and Kim, D. kee, 2024, Transformation of rust iron into a sustainable product for applications in the electronic, energy, biomedical, and environment fields: Towards a multitasking approach, *Nano Today*, 54, .
- Chen, M., Yu, N., Chen, Y., Tong, Q., and Guo, Y., 2021, Anaerobic semi-fixed bed biofilm reactor (An-SFB-BR) for treatment of high concentration p-nitrophenol wastewater under shock loading conditions, *Biodegradation*, 32, 377–388.
- Chen, Y.H., 2013, Thermal properties of nanocrystalline goethite, magnetite, and maghemite, *J. Alloys Compd.*, 553, 194–198.
- Chew, K.H., Kuwahara, R., and Ohno, K., 2018, First-principles study on the atomistic corrosion processes of iron, *Phys. Chem. Chem. Phys.*, 20, 1653–1663.
- Choquehuanca, A., Ruiz-Montoya, J.G., and La Rosa-Toro Gómez, A., 2021, Discoloration of methylene blue at neutral pH by heterogeneous photo-Fenton-like reactions using crystalline and amorphous iron oxides, *Open Chem.*, 19, 1009–1020.
- Clarizia, L., Russo, D., Di Somma, I., Marotta, R., and Andreozzi, R., 2017, Homogeneous photo-Fenton processes at near neutral pH: a review, *Appl. Catal. B Environ.*, 209, 358–371.
- Cui, Y., Yuan, P., Sun, H., Fang, B., and Zhao, J., 2024, Boosted Photo-Fenton Degradation over a Composite Catalyst Based on FeOOH Nanoparticles Anchored on a Flower-like BaTiO<sub>3</sub> Microsphere, *ACS Appl. Nano Mater.*, 7, 22928–22941.
- Delice, S., Isik, M., and Gasanly, N.M., 2024, Temperature-dependent tuning of band gap of Fe<sub>3</sub>O<sub>4</sub> nanoparticles for optoelectronic applications, *Chem. Phys. Lett.*, 840, .
- Ebrahiem, E.E., Al-Maghrabi, M.N., and Mobarki, A.R., 2017, Removal of organic pollutants from industrial wastewater by applying photo-Fenton oxidation technology, *Arab. J. Chem.*, 10, S1674–S1679.
- Fatimah, I., Yanti, I., Wijayanti, H.K., Ramanda, G.D., Sagadevan, S., Tamyiz, M., and Doong, R. an, 2023, One-pot synthesis of Fe<sub>3</sub>O<sub>4</sub>/NiFe<sub>2</sub>O<sub>4</sub> nanocomposite from iron rust waste as reusable catalyst for methyl violet oxidation, *Case Stud. Chem. Environ. Eng.*, 8, .
- Gabet, A., Guy, C., Fazli, A., Métivier, H., De Brauer, C., Brigante, M., and Mailhot, G., 2023, The ability of recycled magnetite nanoparticles to degrade carbamazepine in water through photo-Fenton oxidation at neutral pH, *Sep. Purif. Technol.*, 317.
- Ghazzaf, H., Nechchadi, B., Jouali, A., Salhi, A., El Krati, M., and Tahiri, S., 2022, Synthesis of heterogeneous photo-Fenton catalyst from iron rust and its

- application to degradation of Acid Red 97 in aqueous medium, *J. Environ. Chem. Eng.*, 10, .
- Giannakis, S., Liu, S., Carratalà, A., Rtimi, S., Talebi Amiri, M., Bensimon, M., and Pulgarin, C., 2017, Iron oxide-mediated semiconductor photocatalysis vs. heterogeneous photo-Fenton treatment of viruses in wastewater. Impact of the oxide particle size., *J. Hazard. Mater.*, 339, 223–231.
- Guo, Q., Zhu, W., Yang, D., Wang, X., Li, Y., Gong, C., Yan, J., Zhai, J., Gao, X., and Luo, Y., 2021, A green solar photo-Fenton process for the degradation of carbamazepine using natural pyrite and organic acid with in-situ generated H<sub>2</sub>O<sub>2</sub>, *Sci. Total Environ.*, 784, 147187.
- Gupta, H., Kumar, R., Park, H.S., and Jeon, B.H., 2017, Photocatalytic efficiency of iron oxide nanoparticles for the degradation of priority pollutant anthracene, *Geosyst. Eng.*, 20, 21–27.
- Hastuti, V.D., Jumaeri, J., and Harjono, H., 2019, Adsorpsi Para-nitrophenol (PNP) menggunakan Zeolit Alam Termodifikasi Surfaktan HDTMA, *Indones J. Chem. Sci.*, 8, 9–15.
- Huang, W., Luo, M., Wei, C., Wang, Y., Hanna, K., and Mailhot, G., 2017, Enhanced heterogeneous photo-Fenton process modified by magnetite and EDDS: BPA degradation, *Environ. Sci. Pollut. Res.*, 24, 10421–10429.
- Iannuzzi, M. and Frankel, G.S., 2022, The carbon footprint of steel corrosion, *Npj. Mater. Degrad.*, 6, .
- Jafari, A., Farjami Shayesteh, S., Salouti, M., and Boustani, K., 2015, Effect of annealing temperature on magnetic phase transition in Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *J. Magn. Magn. Mater.*, 379, 305–312.
- Jin, J., Hines, W.A., Kuo, C.H., Perry, D.M., Poyraz, A.S., Xia, Y., Zaidi, T., Nieh, M.P., and Suib, S.L., 2015, Magnetic studies of mesoporous nanostructured iron oxide materials synthesized by one-step soft-templating, *Dalton Trans.*, 44, 11943–11953.
- Jung, W.S., Oh, H.D., Kadam, A.N., and Lee, S.W., 2018, Calcination Temperature Effect on Citrate-Capped Iron Oxide Nanoparticles as Lithium-Storage Anode Materials, *Phys. Status Solidi A*, 215, .
- Kaya, D. and San, N., 2017, Heterogeneous photocatalytic degradation of 4-nitrophenol via TiO<sub>2</sub>, surface-modified with salicylic acid.,
- Khandelwal DH and Ameta R, 2013, Use of Photo-Fenton Reagent in the Degradation of Basic Yellow 2 in Aqueous Medium, *Res. J. Recent Sci.*, 2277.
- Kong, D. and Wilson, L.D., 2017, Synthesis and characterization of cellulose-goethite composites and their adsorption properties with roxarsone, *Carbohydr. Polym.*, 169, 282–294.

- Kong, X., Zhu, H., Chen, C. Le, Huang, G., and Chen, Q., 2017, Insights into the reduction of 4-nitrophenol to 4-aminophenol on catalysts, *Chem. Phys. Lett.*, 684, 148–152.
- Kumar, Y., Kumar, R., Raizada, P., Khan, A.A.P., Singh, A., Le, Q. Van, Nguyen, V.H., Selvasembian, R., Thakur, S., and Singh, P., 2022, Current status of hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) based Z-scheme photocatalytic systems for environmental and energy applications, *J. Environ. Chem. Eng.*, 10, .
- Lee, S.Y. and Park, S.J., 2013, TiO<sub>2</sub> photocatalyst for water treatment applications, *J. Ind. Eng. Chem.*, 19, 1761–1769.
- Leite, A.B., Saucier, C., Lima, E.C., Dos Reis, G.S., Umpierres, C.S., Mello, B.L., Shirmardi, M., Dias, S.L.P., and Sampaio, C.H., 2018, Activated carbons from avocado seed: optimisation and application for removal of several emerging organic compounds, *Environ. Sci. Pollut. Res.*, 25, 7647–7661.
- Li, J., You, J., Wang, Z., Zhao, Y., Xu, J., Li, X., and Zhang, H., 2022, Application of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>-based heterogeneous photo-Fenton catalyst in wastewater treatment: A review of recent advances, *J. Environ. Chem. Eng.*, 10, .
- Li, M., Gao, X., Liu, H., Wang, H., Zhao, Q., and Wang, N., 2020, Preparation of heterogeneous Fenton catalyst  $\gamma$ -Cu-Ce-Al<sub>2</sub>O<sub>3</sub> and the evaluation on degradation of phenol, *Environ. Sci. Pollut. Res.*, 27, 21476–21486.
- Li, W., Wang, Y., and Irini, A., 2014, Effect of pH and H<sub>2</sub>O<sub>2</sub> dosage on catechol oxidation in nano-Fe<sub>3</sub>O<sub>4</sub> catalyzing UV-Fenton and identification of reactive oxygen species, *Chem. Eng. J.*, 244, 1–8.
- Litter, M.I. and Slodowicz, M., 2017, An overview on heterogeneous Fenton and photoFenton reactions using zerovalent iron materials, *J. Adv. Oxid. Technol.*, 20, .
- Liu, B., Yan, L., Wen, J., Liu, Xiaotian, Duan, F., Jia, B., Liu, Xiaoyan, Ke, G., He, H., and Zhou, Y., 2022a, FeOOH-activating resorcinol-formaldehyde resin nanospheres for the photo-Fenton degradation of organic pollutants, *New J. Chem.*, 46, 17809–17816.
- Liu, B., Yan, L., Wen, J., Liu, Xiaotian, Duan, F., Jia, B., Liu, Xiaoyan, Ke, G., He, H., and Zhou, Y., 2022b, FeOOH-activating resorcinol-formaldehyde resin nanospheres for the photo-Fenton degradation of organic pollutants, *New J. Chem.*, 46, 17809–17816.
- Liu, G., Liao, S., Zhu, D., Liu, L., Cheng, D., and Zhou, H., 2011, Photodegradation of aniline by goethite doped with boron under ultraviolet and visible light irradiation, *Mater. Res. Bull.*, 46, 1290–1295.
- Liu, Y., Jin, W., Zhao, Y., Zhang, G., and Zhang, W., 2017, Enhanced catalytic degradation of methylene blue by  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>/graphene oxide via heterogeneous photo-Fenton reactions, *Appl. Catal. B Environ.*, 206, 642–652.

- Liu, Z., Chen, J., Zhu, J., Liu, L., and Jiang, Z., 2020, The catalytic process of polysilicate-ferric (PSF) and generation mechanism of hydroxyl radical based on photo-Fenton system, *Water Sci. Technol.*, 81, 709–719.
- Liu, Z., Zhang, G., and Yuan, R., 2024, Experimental and Theoretical Investigation of the Bound Water Film Thickness in Porous Media, *Energy Fuels*, 38, 15225–15234.
- Maroneze, M.M., Zepka, L.Q., Vieira, J.G., Queiroz, M.I., and Jacob-Lopes, E., 2014, A tecnologia de remoção de fósforo: Gerenciamento do elemento em resíduos industriais, *Rev. Ambiente e Agua*, 9, 445–458.
- Miao, X., Dai, H., Chen, J., and Zhu, J., 2018, The enhanced method of hydroxyl radical generation in the heterogeneous UV-Fenton system with A-FeOOH as catalyst, *Sep. Purif. Technol.*, 200, 36–43.
- Miralles-Cuevas, S., Oller, I., Agüera, A., Ponce-Robles, L., Pérez, J.A.S., and Malato, S., 2015, Removal of microcontaminants from MWTP effluents by combination of membrane technologies and solar photo-Fenton at neutral pH, *Catal. Today*, 252, 78–83.
- Nasirian, M., Bustillo-Lecompte, C.F., and Mehrvar, M., 2017, Photocatalytic efficiency of Fe<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> for the degradation of typical dyes in textile industries: Effects of calcination temperature and UV-assisted thermal synthesis, *J. Environ. Manage.*, 196, 487–498.
- Nidheesh, P. V, 2015, Heterogeneous Fenton catalysts for the abatement of organic pollutants from aqueous solution: a review, *RSC Adv.*, 5, 40552–40577.
- O’Dowd, K. and Pillai, S.C., 2020, Photo-Fenton disinfection at near neutral pH: Process, parameter optimization and recent advances, *J. Environ. Chem. Eng.*, 8, .
- Ofomaja, A.E. and Unuabonah, E.I., 2013, Kinetics and time-dependent Langmuir modeling of 4-nitrophenol adsorption onto *Mansonia* sawdust, *J. Taiwan Inst. Chem. Eng.*, 44, 566–576.
- Prete, P., Fiorentino, A., Rizzo, L., Proto, A., and Cucciniello, R., 2021, Review of aminopolycarboxylic acids–based metal complexes application to water and wastewater treatment by (photo-)Fenton process at neutral pH, *Curr. Opin. Green. Sustain. Chem.*, 28, .
- Rodrigues, C.S.D., Soares, O.S.G.P., Pinho, M.T., Pereira, M.F.R., and Madeira, L.M., 2017, p-Nitrophenol degradation by heterogeneous Fenton’s oxidation over activated carbon-based catalysts, *Appl. Catal B. Environ.*, 219, 109–122.
- Ryu, S.Y., Kim, D.S., Jeon, J.D., and Kwak, S.Y., 2010, Pore size distribution analysis of mesoporous TiO<sub>2</sub> spheres by <sup>1</sup>H nuclear magnetic resonance (NMR) cryoporometry, *J. Phys. Chem. C*, 114, 17440–17445.
- Saragi, T., Depi, B.L., Butarbutar, S., Permana, B., and Risdiana, 2018, The impact of synthesis temperature on magnetite nanoparticles size synthesized by coprecipitation method,. In, *J. Phys.: Conf. Ser.*, Institute of Physics Publishing.

- Serrà, A., Artal, R., Pozo, M., Garcia-Amorós, J., and Gómez, E., 2020a, Simple environmentally-friendly reduction of 4-nitrophenol, *Catalysts*, 10, 458.
- Serrà, A., Artal, R., Pozo, M., Garcia-Amorós, J., and Gómez, E., 2020b, Simple environmentally-friendly reduction of 4-nitrophenol, *Catalysts*, 10, .
- Suresh Kumar, P., Prot, T., Korving, L., Keesman, K.J., Dugulan, I., van Loosdrecht, M.C.M., and Witkamp, G.J., 2017, Effect of pore size distribution on iron oxide coated granular activated carbons for phosphate adsorption – Importance of mesopores, *Chem. Eng. J.*, 326, 231–239.
- Taheri, E., Fatehizadeh, A., Khiadani, M., Ghasemian, M., and Bedia, J., 2025, Application of natural hematite as catalyst in heterogeneous photo-Fenton like process for 2,4-dichlorophenol degradation, *J. Photochem. Photobiol. A: Chem.*, 459, .
- Tiar, K., Soualah, A., Bisio, C., and Guidotti, M., 2024, Effect of initial solution pH on 4-nitrophenol oxidation through homogeneous/heterogeneous photo-Fenton process using goethite/H<sub>2</sub>O<sub>2</sub> system, *J. Photochem. Photobiol. A: Chem.*, 447, .
- Tri Wahyuni, E., Zahwa Alharissa, E., Kuncoro, H., Zahwa Alharrisa, E., and Suratman, A., 2024, Improvement of the photo-Fenton performance at near neutral pH by the addition of tannic acid from tea leaves waste as a complexing agent in the Pb(II) photo-oxidation, *Glob. NEST J.*, 26, 5314.
- Wahyuni, E.T., Annur, S., Lestari, N.D., and Mudasir, M., 2024, Conversion of iron rusty waste into Fe dopant of TiO<sub>2</sub> to increase its photocatalytic activity under visible light for photodegradation of rhodamine-B, *Results in Eng.*, 22, .
- Wahyuni, E.T., Annur, S., Wijayana, A., Pratista, E., and Alharissa, E.Z., 2024, Synthesis of TiO<sub>2</sub>-Fe/Fe<sub>3</sub>O<sub>4</sub> photocatalyst using iron rusty waste as Fe source for removal Pb (II) in water media under visible light with good separable property, *React. Kinet. Mech. Catal.*, 137, 1307–1319.
- Wahyuni, E.T., Kuncoro, H., Alharrisa, E.Z., and Suratman, A., 2024, Improvement of the photo-Fenton performance at near neutral pH by the addition of tannic acid from tea leaves waste as a complexing agent in the Pb (II) photo-oxidation, *Glob. Nest J.*, 26, .
- Wahyuni, E.T., Lestari, N.D., Cinjana, I.R., Annur, S., Natsir, T.A., and Mudasir, M., 2023, Doping TiO<sub>2</sub> with Fe from iron rusty waste for enhancing its activity under visible light in the Congo red dye photodegradation, *J. Eng. Appl. Sci.*, 70, .
- Wahyuni, E.T., Sabrina, A., and Aprilita, N.H., 2022, Enhancement of Fenton Performance at Near-Neutral pH by Using Ethylene Diamine Tetra Acetic Acid for Anionic Surfactant Removal from a Laundry Wastewater, *Key. Eng. Mater.*, 920, 57–62.

- Wahyuni, E.T., Supraba, D., Raharjo, S., and Siswanta, D., 2019, Kajian Metode foto-Fenton untuk Penurunan Konsentrasi Ion Logam Berat Pb (II) dan Cu (II) dalam Larutan Secara Simultan dan Sinergi, *J. Kim. Sains Apl.*, 22, 192–199.
- Wang, C., Zhou, X., Jia, L., and Tan, Y., 2014, Sintering of limestone in calcination/carbonation cycles, *Ind. Eng. Chem. Res.*, 53, 16235–16244.
- Wang, N., Zheng, T., Zhang, G., Wang, P., and Wang, ; P, 2017, A review on Fenton-like processes for organic wastewater treatment, .
- Wang, X., Zhang, X., Zhang, Y., Wang, Y., Sun, S.P., Wu, W.D., and Wu, Z., 2020, Nanostructured semiconductor supported iron catalysts for heterogeneous photo-Fenton oxidation: A review, *J. Mater. Chem. A*, 8, 15513–15546.
- Xia, C., Jia, Y., Tao, M., and Zhang, Q., 2013, Tuning the band gap of hematite  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> by sulfur doping, *Phys. Lett. A*, 377, 1943–1947.
- Xia, H., Zhang, W., Yang, Z., Dai, Z., and Yang, Y., 2021, Spectrophotometric Determination of p -Nitrophenol under ENP Interference, *J. Anal. Methods. Chem.*, 2021, .
- Xiang, H., Ren, G., Yang, X., Xu, D., Zhang, Z., and Wang, X., 2020, A low-cost solvent-free method to synthesize  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles with applications to degrade methyl orange in photo-fenton system, *Ecotoxicol Environ Saf*, 200, .
- Xu, T., Zhu, R., Zhu, G., Zhu, J., Liang, X., Zhu, Y., and He, H., 2017, Mechanisms for the enhanced photo-Fenton activity of ferrihydrite modified with BiVO<sub>4</sub> at neutral pH, *Appl. Catal. B Environ.*, 212, 50–58.
- Yu, L., Chen, J., Liang, Z., Xu, W., Chen, L., and Ye, D., 2016, Degradation of phenol using Fe<sub>3</sub>O<sub>4</sub>-GO nanocomposite as a heterogeneous photo-Fenton catalyst, *Sep. Purif. Technol.*, 171, 80–87.
- Zain, M., Yasin, K.A., Haq, S., Rehman, W., Din, S.U., Shujaat, S., Syed, A., Hossain, M.K., Paray, B.A., Razzokov, J., and Samad, A., 2024, Effect of calcination temperature induced structural modifications on the photocatalytic efficacy of Fe<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> nanostructures: mechanochemical synthesis, *RSC Adv.*, 14, 15085–15094.
- Zhang, G., Wang, Q., Zhang, W., Li, T., and Yuan, Y., 2016, Effects of organic acids and initial solution pH on photocatalytic 1 degradation of bisphenol A (BPA) in a photo-Fenton-like 2 process using Goethite ( $\alpha$ -FeOOH) 3, .
- Zhang, X., Shi, W., Wang, T., Wang, X., Li, C., and He, W., 2024, Investigation on the dual roles of pollutants adsorption on the catalyst surface during photocatalytic process, *J. Water Process Eng.*, 63, .