

DAFTAR PUSTAKA

- Abu-Salah, K. M., Alrokyan, S. A., Khan, M. N., & Ansari, A. A. (2010). *Nanomaterials as analytical tools for genosensors* *Sensors*, 10(1), 963–993. <https://doi.org/10.3390/s100100963>
- Adeyeye, A. O., & Shimon, G. (2015). *Growth and Characterization of Magnetic Thin Film and Nanostructures*. In *Handbook of Surface Science* (1st ed., Vol. 5). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-62634-9.00001-1>
- Ahmed, M. K., Zayed, M. A., El-dek, S. I., Hady, M. A., El Sherbiny, D. H., dan Uskoković, V. (2021). Nanofibrous ϵ -polycaprolactone scaffolds containing Ag-doped magnetite nanoparticles: Physicochemical characterization and biological testing for wound dressing applications in vitro and in vivo. *Bioactive Materials*, 6(7), 2070–2088. <https://doi.org/10.1016/j.bioactmat.2020.12.026>
- Altaf, S., Zafar, R., Zaman, W. Q., Ahmad, S., Yaqoob, K., Syed, A., Khan, A. J., Bilal, M., dan Arshad, M. (2021). Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe₃O₄) nanoparticles using Moringa olifera: Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, 226, 112826. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Antarnusa, G., dan Suharyadi, E. (2020). A synthesis of polyethylene glycol (PEG)-coated magnetite Fe₃O₄ nanoparticles and their characteristics for enhancement of biosensor. *Material Research Express*, 7, 056103.
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Caballero, A. H., dan Acosta, N. (2021). Chitosan: An overview of its properties and applications. *Polymers*, 13(19), 53–79.
- Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Bashir, M. I., Waqas, M., Hussain, M. N., dan Abbas, N. (2017). Eco-friendly synthesis of magnetite (Fe₃O₄) nanoparticles with tunable size: Dielectric, magnetic, thermal and optical studies. *Materials Chemistry and Physics*, 198, 229–235.
- Baibich, M. N., Broto, J. M., Fert, A., Van Dau, F. N., Petroff, F., Eitenne, P., Creuzet, G., Friederich, A., & Chazelas, J. (1988). Giant magnetoresistance of (001)Fe/(001)Cr magnetic superlattices. *Physical Review Letters*, 61(21), 2472–2475. <https://doi.org/10.1103/PhysRevLett.61.2472>
- Barnaś, J., & Dugaev, V. K. (2015). Giant Magnetoresistance and Applications. In *Handbook of Surface Science* (Vol. 5). <https://doi.org/10.1016/B978-0-444-62634-9.00009-6>

- Baselt, D. R., Lee, G. U., Natesan, M., Metzger, S. W., Sheehan, P. E., & Colton, R. J. (1998). A biosensor based on magnetoresistance technology. *Biosensors and Bioelectronics*, 13(7–8), 731–739. <http://linkinghub.elsevier.com/retrieve/pii/S0956566398000372>
- Bose, C. K. (2007). Possible role of *Moringa oleifera* Lam. Root in epithelial ovarian cancer. *MedGenMed Medscape General Medicine*, 9(1).
- Callister Jr, W. D., & Rethwisch, D. G. (2018). Characteristics, Application, and Processing of Polymers. In *Materials Science and Engineering—An Introduction*.
- Carneiro, P., Morais, S., & Pereira, M. do C. (2023). Biosensors for α -synuclein detection: Towards an improved diagnosis of Parkinson's disease. *TrAC Trends in Analytical Chemistry*, 166, 117150. <https://doi.org/10.1016/j.trac.2023.117150>
- Castro, H. F., Correia, V., Pereira, N., Costab, P., Oliveiraa, J., & Lanceros-Méndez, S. (2018). Printed Wheatstone bridge with embedded polymer based piezoresistive sensors for strain sensing applications. *Additive Manufacturing*, 20(December 2017), 119–125. <https://doi.org/10.1016/j.addma.2018.01.004>
- Dhar, P.K., Prianka Saha, Md. Kamrul Hasan, Md. Khairul Amin, Md. Rezaul Haque. (2021). Green synthesis of magnetite nanoparticles using *Lathyrus sativus* peel extract and evaluation of their catalytic activity. *Cleaner Engineering and Technology* (Vol. 3)
- Dong, Y., Yang, Z., Sheng, Q., dan Zheng, J. (2018). Solvothermal synthesis of Ag Fe₃O₄ nanosphere and its application as hydrazine sensor. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 538 (2017), 371–377.
- Getzlaff, M. (2016). Fundamental Magnetism. In *Angewandte Chemie International Edition*, 6(11), 951–952. (Vol. 3, Issue 1).
- Gui-yin Li, Yu-ren Jiang, Ke-long Huang, Ping Ding, Jie Chen. (2008) Preparation and properties of magnetic Fe₃O₄–chitosan nanoparticles. *Journal of Alloys and Compounds*, Volume 466, Issues 1–2. <https://doi.org/10.1016/j.jallcom.2007.11.100>. <https://doi.org/10.1016/j.clet.2021.100117>.
- Indrayana, I. P. T., Tuny, M. T., Putra, R. A., Istiqomah, N. I., Juharni, dan Suharyadi, E. (2021). Optical properties of Fe₃O₄/chitosan and its applications for signal amplifier in surface plasmon resonance sensor. *Proceedings of the 2nd International Conference on Science, Technology, and Modern Society (ICSTMS 2020)*, 576(Icstms 2020), 424–429.

Inoue, J. ichiro. (2009). GMR, TMR and BMR. In Nanomagnetism and Spintronics. <https://doi.org/10.1016/B978-0-444-53114-8.00002-9>

Jannah, W. N., Taufiq, A., Zulaikah, S., Hidayat, A., Suharyadi, E., Wicaksono, S. T., dan Sunaryono, S. (2023). Fe₃O₄–graphene/polyethylene glycol–SiO₂ as a phase change material for thermal energy storage. *Materials Chemistry and Physics*, 310(5). <https://doi.org/10.1016/j.matchemphys.2023.12845>

Jesus, A. C. B., Jesus, J. R., Lima, R. J. S., Moura, K. O., Almeida, J. M. A., Duque, J. G. S., dan Meneses, C. T. (2020). Synthesis and magnetic interaction on concentrated Fe₃O₄ nanoparticles obtained by the co-precipitation and hydrothermal chemical methods. *Ceramics International*, 46(8), 11149–11153.

Jiahui Kou., Rajender S. Varma. (2012). Beet Juice-Induced Green Fabrication of Plasmonic AgCl/Ag Nanoparticles <https://doi.org/10.1002/cssc.201200477>

Jogschies, L., Klaas, D., Kruppe, R., Rittinger, J., Taptimthong, P., Wienecke, A., Rissing, L., & Wurz, M. C. (2015). Recent developments of magnetoresistive sensors for industrial applications. *Sensors (Switzerland)*, 15(11), 28665–28689. <https://doi.org/10.3390/s151128665>

Jordán, D., González-Chávez, D., Laura, D., León Hilario, L. M., Montebanco, E., Gutarra, A., & Avilés-Félix, L. (2018). Detection of magnetic moment in thin films with a home-made vibrating sample magnetometer. *Journal of Magnetism and Magnetic Materials*, 456, 56–61. <https://doi.org/10.1016/j.jmmm.2018.01.088>

Kamalzare, M., Ahghari, M. R., Bayat, M., dan Maleki, A. (2021). Fe₃O₄@chitosan-tannic acid bionanocomposite as a novel nanocatalyst for the synthesis of pyranopyrazoles. *Scientific Reports*, 11(1), 1–10.

Kgatitsoe, M. M., Ncube, S., Tutu, H., Nyambe, I. A., dan Chimuka, L. (2019). Synthesis and characterization of a magnetic nanosorbent modified with Moringa oleifera leaf extracts for removal of nitroaromatic explosive compounds in water samples. *Journal of Environmental Chemical Engineering*, 7(3), 103128.

Kgatitsoe, M. M., Ncube, S., Tutu, H., Nyambe, I. A., dan Chimuka, L. (2019). Synthesis and characterization of a magnetic nanosorbent modified with Moringa oleifera leaf extracts for removal of nitroaromatic explosive compounds in water samples. *Journal of Environmental Chemical Engineering*, 7(3), 103128.

Kolhatkar, A. G., Jamison, A. C., Litvinov, D., Willson, R. C., dan Lee, T. R. (2013). Tuning the magnetic properties of nanoparticles. *International Journal of Molecular Sciences*, 14(8), 15977–16009.

- Kumirska, J., Czerwicka, M., Kaczyński, Z., Bychowska, A., Brzozowski, K., Thöming, J., dan Stepnowski, P. (2010). Application of spectroscopic methods for structural analysis of chitin and chitosan. *Marine Drugs*, 8(5), 1567–1636.
- Li, G., Sun, S., Wilson, R. J., White, R. L., Pourmand, N., & Wang, S. X. (2006). Spin valve sensors for ultrasensitive detection of superparamagnetic nanoparticles for biological applications. *Sensors and Actuators, A: Physical*, 126(1), 98–106. <https://doi.org/10.1016/j.sna.2005.10.001>
- Lin, Y., Liu, X., Xing, Z., Geng, Y., Wilson, J., Wu, D., dan Kong, H. (2017). Preparation and characterization of magnetic Fe₃O₄–chitosan nanoparticles for cellulase immobilization. *Cellulose*, 24(12), 5541–5550.
- Liu, A., Zhang, H., Ding, J., Kou, W., Yan, F., Huang, K., dan Chen, H. (2020). Enrichment of phospholipids using magnetic Fe₃O₄/TiO₂ nanoparticles for quantitative detection at single cell levels by electrospray ionization mass spectrometry. *Talanta*, 212, 120769.
- Madubuonu, N., Aisida, S. O., Ali, A., Ahmad, I., Zhao, T. kai, Botha, S., Maaza, M., & Ezema, F. I. (2019). Biosynthesis of iron oxide nanoparticles via a composite of Psidium guavaja-Moringa oleifera and their antibacterial and photocatalytic study. *Journal of Photochemistry and Photobiology B: Biology*, 199(June), 111601. <https://doi.org/10.1016/j.jphotobiol.2019.111601>
- Makarov, V. ., Love, A. J., Sinitsyna, O. V., Makarova, S. ., Yaminsky, I. ., M.E., T., dan Kalinina, N. . (2014). “Green” nanotechnologies: Synthesis of metal nanopartikel using plant. *Acta Naturae*, 6(20), 40–61
- Maruthupandy, M., Muneeswaran, T., Vennila, T., Anand, M., Cho, W. S., dan Quero, F. (2022). Development of chitosan decorated Fe₃O₄ nanospheres for potential enhancement of photocatalytic degradation of Congo red dye molecules. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 267, 120511
- Negm, N. A., Abubshait, H. A., Abubshait, S. A., Abou Kana, M. T. H., Mohamed, E. A., dan Betiha, M. M. (2020). Performance of chitosan polymer as platform during sensors fabrication and sensing applications. *International Journal of Biological Macromolecules*, 165, 402–435.
- Nguyen, H. H., Lee, S. H., Lee, U. J., Fermin, C. D., & Kim, M. (2019). Immobilizedenzymes in biosensor applications. *Materials*, 12(1), 1–34.
- Nguyen, H. H., Park, J., Kang, S., dan Kim, M. (2015). Surface plasmon resonance: A versatile technique for biosensor applications. *Sensors*, 15(5), 10481– 10510.

- Nguyen, M. D., Tran, H. V., Xu, S., dan Lee, T. R. (2021). Fe₃O₄ nanoparticles: Structures, synthesis, magnetic properties, surface functionalization, and emerging applications. *Applied Sciences*, 11(23), 11301.
- Niculescu, A. G., Chircov, C., dan Grumezescu, A. M. (2021). Magnetite nanoparticles: Synthesis methods – A comparative review. *Methods*, 199, 16– 27
- Panre, A. M., Yahya, I. M., Juharni, J., dan Suharyadi, E. (2021). Magneto-optic surface plasmon resonance properties of core-shell Fe₃O₄ Ag nanoparticles . *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 12(4), 045011.
- Patra, J. K., dan Baek, K. H. (2014). Green nanobiotechnology: Factors affecting synthesis and characterization techniques. *Journal of Nanomaterials*, 2014, 1– 12.
- Patrizi, B., De Cumis, M. S., Viciani, S., & D’Amato, F. (2019). Dioxin and related compound detection: Perspectives for optical monitoring. *International Journal of Molecular Sciences*, 20(11), 1–19. <https://doi.org/10.3390/ijms20112671>
- Petit, S., & Madejova, J. (2013). Fourier Transform Infrared Spectroscopy. In *Developments in Clay Science* (2nd ed., Vol. 5, Issue C). Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-098259-5.00009-3>
- Polte, J. (2015). Fundamental growth principles of colloidal metal nanoparticles - a new perspective. *CrystEngComm*, 17(36), 6809–6830.
- Pourmortazavi, S. M., Sahebi, H., Zandavar, H., dan Mirsadeghi, S. (2019). Fabrication of Fe₃O₄ nanoparticles coated by extracted shrimp peels chitosan as sustainable adsorbents for removal of chromium contaminates from wastewater: The design of experiment. *Composites Part B: Engineering*, 175(July), 107130.
- Prabakaran, M., Kim, S. H., Sasireka, A., Chandrasekaran, M., dan Chung, I. M. (2018). Polyphenol composition and antimicrobial activity of various solvent extracts from different plant parts of *Moringa oleifera*. *Food Bioscience*, 26(September), 23–29.
- Qu, J., Liu, G., Wang, Y., dan Hong, R. (2010). Preparation of Fe₃O₄-chitosan nanoparticles used for hyperthermia. *Advanced Powder Technology*, 21(4), 461–467.
- Rahmayanti, M. (2020). Sintesis Dan Karakterisasi Magnetit (Fe₃O₄): Studi Komparasi Metode Konvensional Dan Metode Sonokimia. *Al Ulum: Jurnal Sains Dan Teknologi*, 6(1), 26. <https://doi.org/10.31602/ajst.v6i1.3659>
- Ramesh, A. V., Rama Devi, D., Mohan Botsa, S., & Basavaiah, K. (2018).

Facile green synthesis of Fe₃O₄ nanoparticles using aqueous leaf extract of *Zanthoxylum armatum* DC. for efficient adsorption of methylene blue. *Journal of Asian Ceramic Societies*, 6(2), 145–155.
<https://doi.org/10.1080/21870764.2018.1459335>

Ramesh, A. V., Rama Devi, D., Mohan Botsa, S., dan Basavaiah, K. (2018). Facile green synthesis of Fe₃O₄ nanoparticles using aqueous leaf extract of *Zanthoxylum armatum* DC. for efficient adsorption of methylene blue. *Journal of Asian Ceramic Societies*, 6(2), 145–155.

Rastogi A, Zivcak M, Sytar O, Kalaji HM, He X, Mbarki S and Brestic M (2017) Impact of Metal and Metal Oxide Nanoparticles on Plant: A Critical Review. *Chem.* 5:78.
<https://doi.org/10.3389/fchem.2017.00078>

Reig, C., Cubells-Beltrán, M. D., & Muñoz, D. R. (2009). Magnetic field sensors based on Giant Magnetoresistance (GMR) technology: Applications in electrical current sensing. *Sensors*, 9(10), 7919–7942.
<https://doi.org/10.3390/s91007919>

Reig, C., Cubells-Beltrán, M. D., & Muñoz, D. R. (2009). Magnetic field sensors based on Giant Magnetoresistance (GMR) technology: Applications in electrical current sensing. *Sensors*, 9(10), 7919–7942.
<https://doi.org/10.3390/s91007919>

Reig, C., Freitas, S. C. de, & Mukhopadhyay, S. C. (2013). Giant Magnetoresistance (GMR) Sensors.

Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. *Progress in Polymer Science (Oxford)*, 31(7), 603–632.

Rochelle M. Cornell, U. S. (2006). The iron oxides: Structure, properties, reactions, occurrences and uses. Completely Revised and Extended Edition. John Wiley & Sons.

Rochelle M. Cornell, U. S. (2006). The iron oxides: Structure, properties, reactions, occurrences and uses. Completely Revised and Extended Edition. John Wiley & Sons.

Romero-Arismendi, N. O., Pérez-Benítez, J. A., Ramírez-Pacheco, E., & EspinaHernández, J. H. (2020). Design method for a GMR-based eddy current sensor with optimal sensitivity. *Sensors and Actuators, A: Physical*, 314. <https://doi.org/10.1016/j.sna.2020.112348>

I. Saleh, H. (2020). Green synthesis of magnetite nanoparticles using *Myrtuscommunis* L. Grown in Egypt. *International Research Journal of Innovations in Engineering and Technology*, 4(9), 06–13.

Samal, D., & Anil Kumar, P. S. (2008). Giant magnetoresistance. *Resonance*, 13(4), 343–354. <https://doi.org/10.1007/s12045-008-0015-z>

- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & 63 Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe₃O₄/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & 63 Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe₃O₄/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Seenuvasan, M., Kumar, K. S., Malar, C. G., Preethi, S., Kumar, M. A., dan Balaji, N. (2014). Characterization, analysis, and application of fabricated Fe₃O₄- chitosan-pectinase nanobiocatalyst. *Applied Biochemistry and Biotechnology*, 172(5), 2706–2719.
- Shukla, S. K., Mishra, A. K., Arotiba, O. A., dan Mamba, B. B. (2013). Chitosanbased nanomaterials: A state-of-the-art review. *International Journal of Biological Macromolecules*, 59, 46–58.
- Singh, J., Dutta, T., Kim, K. H., Rawat, M., Samddar, P., & Kumar, P. (2018). “Green” synthesis of metals and their oxide nanoparticles: Applications for environmental remediation. *Journal of Nanobiotechnology*, 16(1), 1–24. <https://doi.org/10.1186/s12951-018-0408-4>
- Tan, X., Huang, D., Zhao, M., Cheng, Q., Ren, Y., Chen, Y., Yi, M., Ding, Q., Zuo, X., Wang, Y., Song, Y., Lu, Q., Han, G., & Li, H. (2023). Research about passivation layer of SiO₂ in GMR sensors for magnetic bead detection. *Journal of Magnetism and Magnetic Materials*, 585(June), 170912. <https://doi.org/10.1016/j.jmmm.2023.170912>
- Tiama, T. M., dan Elhaes, H. (2021). Application of chitosan/ Fe₃O₄ nanocomposite as biosensor. *Letters in Applied NanoBioScience*, 10(3), 2438–2445.
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., dan Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of Moringa oleifera leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566–571.
- Vunain, E., Mishra, A. K., dan Mamba, B. B. (2017). Fundamentals of chitosan for biomedical applications. *Chitosan Based Biomaterials* (Vol. 1). Elsevier.
- Wang, W., Wang, Y., Tu, L., Feng, Y., Klein, T., & Wang, J. P. (2014). Magnetoresistive performance and comparison of supermagnetic

nanoparticles

- Wen, W., Wu, L., Chen, Y., Qi, X., Cao, J., Zhang, X., Ma, W., Ge, Y., dan Shen, S. (2020). Ultra-small Fe₃O₄ nanoparticles for nuclei targeting drug delivery and photothermal therapy. *Journal of Drug Delivery Science and Technology*, 58(March), 101782.
- William D. Callister, & David G. Rethwisch. (2015). *Fundamentals of Materials Science and Engineering: An Integrated Approach* (Fifth Edition). Wiley, 964
- Xu, J., Li, Q., Gao, X. Y., Leng, F. F., Lu, M., Guo, P. Z., Zhao, G. X., & Li, S. D. (2016). Detection of the Concentration of MnFe₂O₄ Magnetic Microparticles Using Giant Magnetoresistance Sensors. *IEEE Transactions on Magnetics*, 52(4), 48–51. <https://doi.org/10.1109/TMAG.2015.2497249>
- Xu, J., Li, Q., Gao, X. Y., Leng, F. F., Lu, M., Guo, P. Z., Zhao, G. X., & Li, S. D. (2016). Detection of the Concentration of MnFe₂O₄ Magnetic Microparticles Using Giant Magnetoresistance Sensors. *IEEE Transactions on Magnetics*, 52(4), 48–51. <https://doi.org/10.1109/TMAG.2015.2497249>
- Yew, Y. P., Shameli, K., Miyake, M., Ahmad Khairudin, N. B. B., Mohamad, S. E. B., Naiki, T., & Lee, K. X. (2020). Green biosynthesis of superparamagnetic magnetite Fe₃O₄ nanoparticles and biomedical applications in targeted anticancer drug delivery system: A review. *Arabian Journal of Chemistry*, 13(1), 2287–2308. <https://doi.org/10.1016/j.arabjc.2018.04.013>
- Yew, Y. P., Shameli, K., Miyake, M., Ahmad Khairudin, N. B. B., Mohamad, S. E. B., Naiki, T., & Lee, K. X. (2020). Green biosynthesis of superparamagnetic magnetite Fe₃O₄ nanoparticles and biomedical applications in targeted anticancer drug delivery system: A review. *Arabian Journal of Chemistry*, 13(1), 2287–2308. <https://doi.org/10.1016/j.arabjc.2018.04.013>
- Yew, Y. P., Shameli, K., Miyake, M., Kuwano, N., Bt Ahmad Khairudin, N. B., Bt Mohamad, S. E., dan Lee, K. X. (2016). Green synthesis of magnetite (Fe₃O₄) nanoparticles using seaweed (*Kappaphycus alvarezii*) extract. *Nanoscale Research Letters*, 11(1), 276–283.
- Yusefi, M., Shameli, K., Hedayatnasab, Z., Teow, S. Y., Ismail, U. N., Azlan, C. A., dan Rasit Ali, R. (2021). Green synthesis of Fe₃O₄ nanoparticles for hyperthermia, magnetic resonance imaging and 5-fluorouracil carrier in potential colorectal cancer treatment. *Research on Chemical Intermediates*, 47(5), 1789–1808. <https://doi.org/10.1007/s11164-020-04388-1>
- Zhang, J., Xia, W., Liu, P., Cheng, Q., Tahirou, T., Gu, W., dan Li, B. (2010).

Chitosan modification and pharmaceutical/biomedical applications. *Marine Drugs*, 8(7), 1962–1987.

Zhang, M., Li, M., Zhao, Y., Xu, N., Peng, L., Wang, Y., dan Wei, X. (2021). Novel monoclonal antibody-sandwich immunochromatographic assay based on Fe₃O₄/Au nanoparticles for rapid detection of fish allergen parvalbumin. *Food Research International*, 142(January), 110102

Zhang, Y., Xu, J., Cao, D., Li, Q., Zhao, G., Sun, N. X., & Li, S. (2018). The influence of bias magnetization of nanoparticles on GMR sensor signal and sensitivity for the ultra-low concentration detection. *Journal of Magnetism and Magnetic Materials*, 453, 132–136. <https://doi.org/10.1016/j.jmmm.2018.01.010>

Zhou, X., Mai, E., Sveiven, M., Pochet, C., Jiang, H., Huang, C. C., & Hall, D. A. (2021). A 9.7-nT, 704-ms Magnetic Biosensor Front-End for Detecting Magneto-Relaxation. *IEEE Journal of Solid-State Circuits*, 56(7), 2171–2181. <https://doi.org/10.1109/JSSC.2020.3043669>

Zhu, X., Pathakoti, K., & Hwang, H. M. (2018). Green synthesis of titanium dioxide and zinc oxide nanoparticles and their usage for antimicrobial applications and 65 environmental remediation. In *Green Synthesis, Characterization and Applications of Nanoparticles* (Issue August). <https://doi.org/10.1016/B978-0-08-102579-6.00010-1>

Zulfiqar, Afzal, S., Khan, R., Zeb, T., Rahman, M., Burhanullah, Ali, S., Khan, G., Rahman, Z. ur, dan Hussain, A. (2018). Structural, optical, dielectric and magnetic properties of PVP coated magnetite (Fe₃O₄) nanoparticles. *Journal of Materials Science: Materials in Electronics*, 29(23), 20040–20050.

Prijamboedi, B., et al. (2015). "Synthesis and characterization of chitosan-coated Fe₃O₄ nanoparticles for biomedical applications." *Journal of Materials Science*.

Ding, Y., et al. (2014). "Fe₃O₄ chitosan nanocomposites as labels for immunosensor detection of biomolecules." *Biosensors and Bioelectronics*, 60, 1–6.