

## DAFTAR PUSTAKA

- [1] M. Ayi, S. Ajrieh, dan Miswanto, “Penerimaan Limbah Radioaktif Hasil Clean Up dari Perumahan Batan Indah,” dalam *Prosiding Hasil Penelitian dan Kegiatan PTLR Tahun 2020*, Tangerang Selatan, 2020, hlm. 195–204.
- [2] P. Dzulfikri dan S. Ajrieh, “Desain Awal Transit Shelter untuk Penyimpanan Sementara Limbah Radioaktif Hasil Clean Up Kontaminasi Radioaktif Batan Indah,” dalam *Prosiding Hasil Penelitian dan Kegiatan PTLR Tahun 2019*, Tangerang Selatan, 2020, hlm. 61–70.
- [3] BAPETEN, *Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 16 Tahun 2012*. Jakarta, Jakarta, 2012. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://jdih.bapeten.go.id/unggah/dokumen/peraturan/206-full.pdf>
- [4] A. Cremers, A. Elsen, P. De Preter, dan A. Maes, “Quantitative analysis of radiocaesium retention in soils,” *Nature*, vol. 335, no. 6187, hlm. 247–249, Sep 1988, doi: 10.1038/335247a0.
- [5] G. Elio Poma, L. Cosentino, F. Longhitano, dan P. Finocchiaro, “Hot-spots finding with modular gamma-ray system for sort and segregate activities,” *EPJ Web Conf*, vol. 288, hlm. 06007, 2023, doi: 10.1051/epjconf/202328806007.
- [6] I.-H. Yoon, C. Woo Park, I. Kim, H.-M. Yang, S.-M. Kim, dan J.-H. Kim, “Characteristic and remediation of radioactive soil in nuclear facility sites: a critical review,” *Environmental Science and Pollution Research*, doi: 10.1007/s11356-021-16782-2/Published.
- [7] O. Frindik dan S. Vollmer, “Particle-size dependent distribution of thorium and uranium isotopes in soil,” *J Radioanal Nucl Chem*, vol. 241, hlm. 291–296, 1999, doi: 10.1007/BF02347464.
- [8] M. I. Ojovan dan W. Lee, *An Introduction to Nuclear Waste Immobilisation*, 1st ed. Oxford: Elsevier, 2005.
- [9] Alexandra. Bot dan J. . Benites, *The Importance of Soil Organic Matter : Key to Drought-resistant Soil and Sustained Food Production*. Rome: Food and Agriculture Organization of the United Nations, 2005.
- [10] F. Mendes, M. Barros, A. Vale, dan B. Goncalves, “Radioactive hot-spot localisation and identification using deep learning,” *Journal of Radiological Protection*, vol. 42, no. 1, Mar 2022, doi: 10.1088/1361-6498/ac1a5c.
- [11] I. K. Mitsios, D. J. Karangelos, dan M. J. Anagnostakis, “Investigation of the dependence of the activity concentration of natural and artificial



- radionuclides on particle size in surface soil,” *HNPS Proceedings*, vol. 24, hlm. 217, Apr 2019, doi: 10.12681/hnps.1868.
- [12] Japan Atomic Energy Agency, “Investigation of Radiocesium Volatilization from Soil by In-situ Ground Heating,” Agu 2011. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://doi.org/10.11484/jaea-research-2011-026>
- [13] M. A. Ashraf, S. Akib, M. J. Maah, I. Yusoff, dan K. S. Balkhair, “Cesium-137: Radio-chemistry, fate, and transport, remediation, and future concerns,” *Crit Rev Environ Sci Technol*, vol. 44, no. 15, hlm. 1740–1793, Agu 2014, doi: 10.1080/10643389.2013.790753.
- [14] S. Min, H. Kang, B. Seo, C. Roh, S. Hong, dan J. Cheong, “Integrated and portable probe based on functional plastic scintillator for detection of radioactive cesium,” *Applied Sciences (Switzerland)*, vol. 11, no. 11, Jun 2021, doi: 10.3390/app11115210.
- [15] S. C. Gad dan T. Pham, “Cesium,” dalam *Encyclopedia of Toxicology: Third Edition*, Elsevier, 2014, hlm. 776–778. doi: 10.1016/B978-0-12-386454-3.00827-7.
- [16] K. Iwamoto dan Y. Shiraiwa, “Accumulation of Cesium by Aquatic Plants and Algae,” dalam *Impact of Cesium on Plants and the Environment*, Dhanmendra. K. Gupta dan C. Walther, Ed., Hannover: Springer, 2017, hlm. 171–186.
- [17] J. Talapko *dkk.*, “Health Effects of Ionizing Radiation on the Human Body,” 1 April 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/medicina60040653.
- [18] Y. Cho, C. Jeong, dan P. Hahn, “Sorption characteristics of 137Cs onto clay minerals: Effect of mineral structure and ionic strength,” *J Radioanal Nucl Chem*, no. 204, hlm. 33–43, 1996, doi: 10.1007/BF02060865.
- [19] S. M. Park, D. S. Alessi, dan K. Baek, “Selective adsorption and irreversible fixation behavior of cesium onto 2:1 layered clay mineral: A mini review,” *J Hazard Mater*, vol. 369, hlm. 569–576, Mei 2019, doi: 10.1016/j.jhazmat.2019.02.061.
- [20] J.-Y. Goo, B.-J. Kim, J.-S. Kwon, dan H. Y. Jo, “Bentonite alteration and retention of cesium and iodide ions by Ca-bentonite in alkaline and saline solutions,” *Appl Clay Sci*, vol. 245, hlm. 107141, Des 2023, doi: 10.1016/j.clay.2023.107141.
- [21] D. L. Spark, B. Singh, dan G. Matthew, “Chemistry of Soil Organic Matter,” dalam *Environmental Soil Chemistry*, 3 ed., S. Valentino, Ed., London: Elsevier, 2024, 3, hlm. 105–168.



- [22] J. Lehmann dan M. Kleber, “The contentious nature of soil organic matter,” 3 Desember 2015, *Nature Publishing Group*. doi: 10.1038/nature16069.
- [23] H. P. Lieberman, C. von Sperber, dan C. M. Kallenbach, “Soil Phosphorus Dynamics are an Overlooked but Dominant Control on Mineral-Associated Organic Matter,” *Glob Chang Biol*, vol. 31, no. 7, Jul 2025, doi: 10.1111/gcb.70307.
- [24] K. Fang, S. Qin, L. Chen, Q. Zhang, dan Y. Yang, “Al/Fe Mineral Controls on Soil Organic Carbon Stock Across Tibetan Alpine Grasslands,” *J Geophys Res Biogeosci*, vol. 124, no. 2, hlm. 247–259, Feb 2019, doi: 10.1029/2018JG004782.
- [25] V. V. Matichenkov dan E. A. Bocharnikova, “The relationship between silicon and soil physical and chemical properties,” dalam *Silicon in Agriculture*, vol. 8, L. E. Datnoff, Ed., 2001, 13, hlm. 209–219. doi: 10.1016/S0928-3420(01)80017-3.
- [26] M. C. Rowley, S. Grand, dan É. P. Verrecchia, “Calcium-mediated stabilisation of soil organic carbon,” *Biogeochemistry*, vol. 137, no. 1–2, hlm. 27–49, Jan 2018, doi: 10.1007/s10533-017-0410-1.
- [27] K. Kaiser dan G. Guggenberger, “Mineral surfaces and soil organic matter,” *Eur J Soil Sci*, vol. 54, no. 2, hlm. 219–236, Jun 2003, doi: 10.1046/j.1365-2389.2003.00544.x.
- [28] A. J. Plater, J. R. Kirby, J. F. Boyle, T. Shaw, dan H. Mills, “Loss on ignition and organic content,” dalam *Handbook of Sea-Level Research*, Oxford: John Wiley & Sons, 2015, hlm. 312–330. doi: 10.1002/9781118452547.ch21.
- [29] E. E. Schulte dan B. G. Hopkins, “Estimation of Soil Organic Matter by Weight Loss-On-Ignition,” dalam *Soil Organic Matter: Analysis and Interpretation*, vol. 46, Madison: Soil Science Society of America, Inc, 2015, 3, hlm. 21–31. doi: 10.2136/sssaspecpub46.c3.
- [30] A. Walkley, “An Examination of Methods for Determining Organic Carbon and Nitrogen in Soils. (With One Text-figure.),” *J Agric Sci*, vol. 25, no. 4, hlm. 598–609, Okt 1935, doi: 10.1017/S0021859600019687.
- [31] D. F. Ball, “Loss on Ignition as an Estimate of Organic Matter and Organic Carbon in Non-Calcareous Soils,” *Journal of Soil Science*, vol. 15, hlm. 84–92, 1964, doi: 10.1111/j.1365-2389.1964.tb00247.x.
- [32] Menteri Hukum dan Hak Asasi Manusia, *Peraturan Pemerintah Nomor 61 Tahun 2013 Tentang Pengelolaan Limbah Radioaktif*. Jakarta, 2013. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://jdih.bapeten.go.id/unggah/dokumen/peraturan/273-full.pdf>



- [33] BAPETEN, *Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 8 Tahun 2016 tentang Pengolahan Limbah Radioaktif Tingkat Rendah dan Tingkat Sedang*. Jakarta, 2016. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://jdih.bapeten.go.id/unggah/dokumen/peraturan/336-full.pdf>
- [34] “IAEA Safety Standards Classification of Radioactive Waste for protecting people and the environment No. GSG-1 General Safety Guide”, Diakses: 10 Agustus 2025. [Daring]. Tersedia pada: <http://www-ns.iaea.org/standards/>
- [35] “segregation, n.,” Oxford English Dictionary. Diakses: 20 Agustus 2025. [Daring]. Tersedia pada: <https://www.oxfordlearnersdictionaries.com/definition/english/segregation>
- [36] IAEA, “Techniques and Practices for Pretreatment of Low and Intermediate Level Solid and Liquid Radioactive Wastes,” Vienna, 1987. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://inis.iaea.org/records/jefrx-zyg49/files/18066245.pdf>
- [37] M. Laraia, “Remediation of radioactively contaminated sites and management of the resulting waste,” dalam *Radioactive Waste Management and Contaminated Site Clean-Up*, Philadelphia: Elsevier, 2013, hlm. 301–326. doi: 10.1533/9780857097446.1.301.
- [38] L. C. Scholten dan J. Van Der Steen, “Approaches for Regulating Management of Large Volumes of Waste Containing Natural Radionuclides in Enhanced Concentrations,” dalam *Nuclear Safety and Civil Protection*, Netherland: Directorate-General Environment, Apr 1996.
- [39] K. Arima, E. Minari, K. Endo, dan M. Osako, “Mass balance and economic analysis of volume reduction treatment for final disposal of radiocesium-contaminated incineration residues,” *Process Safety and Environmental Protection*, vol. 187, hlm. 1150–1160, Jul 2024, doi: 10.1016/j.psep.2024.05.029.
- [40] J. Robertson, C. J. Thomas, B. Caddy, dan A. J. M. Lewis, “Particle size analysis of soils — A comparison of dry and wet sieving techniques,” *Forensic Sci Int*, vol. 24, no. 3, hlm. 209–217, Jan 1984, doi: 10.1016/0379-0738(84)90186-5.
- [41] S. Aluvihara dan C. S. Kalpage, “Comparison of the Precision of Dry Sieve Analysis versus Wet Sieve Analysis for Some Selected Natural Clay Varieties,” *International Scientific Journals of Scientific Technical Union of Mechanical Engineering*, vol. 14, no. 7, hlm. 262–267, 2020.
- [42] L. Fuks, I. Herdzyk-Koniecko, K. Kiegiel, A. Miskiewicz, dan G. Zakrzewska-Koltuniewicz, “Methods of Thermal Treatment of Radioactive



- Waste,” *Energies (Basel)*, vol. 15, no. 1, hlm. 375, Jan 2022, doi: 10.3390/en15010375.
- [43] F. Jiao *dkk.*, “Use of thermal treatment with CaCl<sub>2</sub> and CaO to remove 137Cs in the soil collected from the area near the Fukushima Daiichi Nuclear Power Plant,” *J Hazard Mater*, vol. 401, hlm. 123364, Jan 2021, doi: 10.1016/J.JHAZMAT.2020.123364.
- [44] Y. Yang *dkk.*, “Thermal evolution effects on the properties of converting Cs-polluted soil into pollucite-base glass-ceramics for radioactive cesium immobilization,” *Journal of Materiomics*, vol. 7, no. 6, hlm. 1335–1343, Nov 2021, doi: 10.1016/j.jmat.2021.01.001.
- [45] N. Tsoufanidis dan S. Landsberger, *Measurement & Detection of Radiation*, 4th ed. Boca Raton: CRC Press, 2015.
- [46] N. Hafizoğlu, “Efficiency and energy resolution of gamma spectrometry system with HPGe detector depending on variable source-to-detector distances,” *The European Physical Journal Plus*, vol. 139, no. 2, hlm. 134, Feb 2024, doi: 10.1140/epjp/s13360-024-04903-y.
- [47] Ministry of the Environment, “Progress in Off-site Environmental Remediation in Japan,” Tokyo, Sep 2024. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://www.meti.go.jp/english/earthquake/nuclear/decommissioning/pdf/241015e.pdf>
- [48] Y. Manmpuku, “Heat Treatments of the Contaminated Soils for Volume Reduction and Mineralogical and Chemical Characteristics of the Products,” *Agro-Environmental Sciences*, vol. 40, hlm. 1–35, 2019, doi: <https://doi.org/10.24514/00001283>.
- [49] IAEA, “IAEA assistance to the Ministry of the Environment, Japan on ‘volume reduction and recycling of removed soil arising from decontamination activities after the Accident of the Fukushima Daiichi Nuclear Power Station,’” Tokyo, 2022. Diakses: 2 Oktober 2025. [Daring]. Tersedia pada: <https://www.iaea.org/sites/default/files/23/08/summary-report-140823.pdf>
- [50] Y. Yamashita, N. Yanase, T. Nagano, H. Mitamura, dan H. Naganawa, “Decontamination and volume reduction of cesium-contaminated soil by combining soil solidification with interpolyelectrolyte complex and wet classification,” *J Radioanal Nucl Chem*, vol. 305, no. 2, hlm. 583–587, Agu 2015, doi: 10.1007/s10967-015-4016-6.



- [51] F. J. Schultz dan J. T. Caldwell, “DOE Assay Methods Used for Characterization of Contact-Handled Transuranic Waste,” Washington, DC, Agu 1991.
- [52] S. M. Park *dkk.*, “Adsorption characteristics of cesium on the clay minerals: Structural change under wetting and drying condition,” *Geoderma*, vol. 340, hlm. 49–54, Apr 2019, doi: 10.1016/j.geoderma.2018.12.002.
- [53] S. Aluvihara, C. S. Kalpage, dan B. S. Chauhan, “Comparison of the Precision of Dry Sieve Analysis versus Wet Sieve Analysis for Some Selected Natural Clay Varieties,” *International Scientific Journals of Machines, Technologies, and Materials*, vol. 14, no. 7, hlm. 262–267, 2020.
- [54] K. Fujii, S. Ikeda, A. Akama, M. Komatsu, M. Takahashi, dan S. Kaneko, “Vertical migration of radiocesium and clay mineral composition in five forest soils contaminated by the Fukushima nuclear accident,” *Soil Sci Plant Nutr*, vol. 60, no. 6, hlm. 751–764, Nov 2014, doi: 10.1080/00380768.2014.926781.
- [55] A. Seiphoori, X. Ma, P. E. Arratia, dan D. J. Jerolmack, “Formation of stable aggregates by fluid-assembled solid bridges,” *Proceedings of the National Academy of Sciences*, vol. 117, no. 7, hlm. 3375–3381, Feb 2020, doi: 10.1073/pnas.1913855117.
- [56] B. E. Davies, “Loss-on-Ignition as an Estimate of Soil Organic Matter,” *Soil Science Society of America Journal*, vol. 38, no. 1, hlm. 150–151, Jan 1974, doi: 10.2136/sssaj1974.03615995003800010046x.

