

DAFTAR PUSTAKA

- Abdelbaki, Y., De Arriba, A., Solsona, B., Delgado, D., García-González, E., Issaadi, R., López Nieto, J.M., 2021. The nickel-support interaction as determining factor of the selectivity to ethylene in the oxidative dehydrogenation of ethane over nickel oxide/alumina catalysts. *Appl. Catal. Gen.* 623, 118242. <https://doi.org/10.1016/j.apcata.2021.118242>
- Alashek, F., Keshe, M., Alhassan, G., 2022. Preparation of glycerol derivatives by entered of glycerol in different chemical organic reactions: A review. *Results Chem.* 4, 100359. <https://doi.org/10.1016/j.rechem.2022.100359>
- Balopi, B., Joshua, G., Moyo, M., Liu, X., 2024. Dry reforming of model-biogas over ceria-supported nickel catalyst: the effect of charge enhanced dry impregnation on the catalytic performance and coke resistance. *Res. Chem. Intermed.* 50, 4175–4198. <https://doi.org/10.1007/s11164-024-05362-x>
- Barclay, J.D., Okobiah, O., Deng, L., Sengphanlaya, T., Du, J., Reidy, R.F., 2018. High temperature water as a clean and etch of low-k and SiO₂ films. *Microelectron. Eng.* 196, 54–58. <https://doi.org/10.1016/j.mee.2018.04.016>
- Ben, Z.Y., Samsudin, H., Yhaya, M.F., 2022. Glycerol: Its properties, polymer synthesis, and applications in starch based films. *Eur. Polym. J.* 175, 111377. <https://doi.org/10.1016/j.eurpolymj.2022.111377>
- Boukha, Z., Jiménez-González, C., Gil-Calvo, M., De Rivas, B., González-Velasco, J.R., Gutiérrez-Ortiz, J.I., López-Fonseca, R., 2016. MgO/NiAl₂O₄ as a new formulation of reforming catalysts: Tuning the surface properties for the enhanced partial oxidation of methane. *Appl. Catal. B Environ.* 199, 372–383. <https://doi.org/10.1016/j.apcatb.2016.06.045>
- Brugger, J., Armbruster, T., Meisser, N., Hejny, C., Grobety, B., 2001. Description and crystal structure of turtmannite, a new mineral with a 68 Å period related to mcgovernite. *Am. Mineral.* 86, 1494–1505. <https://doi.org/10.2138/am-2001-11-1218>
- De Andrade, T.S., Souza, M.M.V.M., Manfro, R.L., 2020a. Hydrogenolysis of glycerol to 1,2-propanediol without external H₂ addition in alkaline medium using Ni-Cu catalysts supported on Y zeolite. *Renew. Energy* 160, 919–930. <https://doi.org/10.1016/j.renene.2020.06.060>

- De Andrade, T.S., Souza, M.M.V.M., Manfro, R.L., 2020b. Hydrogenolysis of glycerol to 1,2-propanediol without external H₂ addition in alkaline medium using Ni-Cu catalysts supported on Y zeolite. *Renew. Energy* 160, 919–930. <https://doi.org/10.1016/j.renene.2020.06.060>
- Dele-Afolabi, T.T., Hanim, M.A.A., Norkhairunnisa, M., Sobri, S., Calin, R., Ojo-Kupoluyi, O.J., 2019. Effect of nickel addition on the microstructure and corrosion resistance properties of porous alumina composites shaped with sugarcane bagasse pore-forming agent. *IOP Conf. Ser. Mater. Sci. Eng.* 469, 012019. <https://doi.org/10.1088/1757-899x/469/1/012019>
- Fiume, M.M., Bergfeld, W.F., Belsito, D.V., Hill, R.A., Klaassen, C.D., Liebler, D., Marks, J.G., Shank, R.C., Slaga, T.J., Snyder, P.W., Andersen, F.A., 2012. Safety Assessment of Propylene Glycol, Tripropylene Glycol, and PPGs as Used in Cosmetics. *Int. J. Toxicol.* 31, 245S-260S. <https://doi.org/10.1177/1091581812461381>
- Freitas, I.C., Manfro, R.L., Souza, M.M.V.M., 2018a. Hydrogenolysis of glycerol to propylene glycol in continuous system without hydrogen addition over Cu-Ni catalysts. *Appl. Catal. B Environ.* 220, 31–41. <https://doi.org/10.1016/j.apcatb.2017.08.030>
- Freitas, I.C., Manfro, R.L., Souza, M.M.V.M., 2018b. Hydrogenolysis of glycerol to propylene glycol in continuous system without hydrogen addition over Cu-Ni catalysts. *Appl. Catal. B Environ.* 220, 31–41. <https://doi.org/10.1016/j.apcatb.2017.08.030>
- Gandarias, I., Arias, P.L., Requies, J., Güemez, M.B., Fierro, J.L.G., 2010. Hydrogenolysis of glycerol to propanediols over a Pt/ASA catalyst: The role of acid and metal sites on product selectivity and the reaction mechanism. *Appl. Catal. B Environ.* 97, 248–256. <https://doi.org/10.1016/j.apcatb.2010.04.008>
- Gandarias, I., Fernández, S.G., El Doukkali, M., Requies, J., Arias, P.L., 2013. Physicochemical Study of Glycerol Hydrogenolysis Over a Ni–Cu/Al₂O₃ Catalyst Using Formic Acid as the Hydrogen Source. *Top. Catal.* 56, 995–1007. <https://doi.org/10.1007/s11244-013-0063-9>
- Gao, W., Zhou, T., Wang, Q., 2018. Controlled synthesis of MgO with diverse basic sites and its CO₂ capture mechanism under different adsorption conditions. *Chem. Eng. J.* 336, 710–720. <https://doi.org/10.1016/j.cej.2017.12.025>

- Gatti, M.N., Perez, F.M., Santori, G.F., Nichio, N.N., Pompeo, F., 2023. Heterogeneous Catalysts for Glycerol Biorefineries: Hydrogenolysis to 1,2-Propylene Glycol. *Materials* 16, 3551. <https://doi.org/10.3390/ma16093551>
- Główka, M., Krawczyk, T., 2023. New Trends and Perspectives in Production of 1,2-Propanediol. *ACS Sustain. Chem. Eng.* 11, 7274–7287. <https://doi.org/10.1021/acssuschemeng.3c01018>
- Gonzalez-Garay, A., Gonzalez-Miquel, M., Guillen-Gosalbez, G., 2017. High-Value Propylene Glycol from Low-Value Biodiesel Glycerol: A Techno-Economic and Environmental Assessment under Uncertainty. *ACS Sustain. Chem. Eng.* 5, 5723–5732. <https://doi.org/10.1021/acssuschemeng.7b00286>
- Grevel, K.-D., Majzlan, J., 2009. Internally consistent thermodynamic data for magnesium sulfate hydrates. *Geochim. Cosmochim. Acta* 73, 6805–6815. <https://doi.org/10.1016/j.gca.2009.08.005>
- Haque, M.E., Tripathi, N., Palanki, S., 2021. Development of an Integrated Process Plant for the Conversion of Shale Gas to Propylene Glycol. *Ind. Eng. Chem. Res.* 60, 399–411. <https://doi.org/10.1021/acs.iecr.0c02792>
- Kalekar, V.N., Vaidya, P.D., 2024. Hydrogen production from aqueous-phase reforming of polyols over Ru/Al₂O₃ catalyst in a fixed-bed reactor. *J. Indian Chem. Soc.* 101, 101268. <https://doi.org/10.1016/j.jics.2024.101268>
- Khadzhev, V.I., Dmitriev, G.S., Mel'chakov, I.S., Shorina, T.E., Zhanavskii, L.N., Maksimov, A.L., 2019. Kinetics of Hydrogenolysis of Glycerol into 1,2-Propylene Glycol on a Copper Catalyst. *Kinet. Catal.* 60, 802–807. <https://doi.org/10.1134/S0023158419060053>
- Korneeva, E.V., Ivanova, A.S., Bondareva, V.M., Plyasova, L.M., Glazneva, T.S., 2015. Structural, textural, and acid–base properties of layered Mg–Al oxides modified with a tungstate or phosphate and their activity and selectivity in gas-phase glycerol dehydration. *Kinet. Catal.* 56, 605–616. <https://doi.org/10.1134/s0023158415050109>
- Kumar, L., Sleiti, A.K., 2025. A comprehensive review of hydrogen safety through a metadata analysis framework. *Renew. Sustain. Energy Rev.* 214, 115509. <https://doi.org/10.1016/j.rser.2025.115509>
- Kumar, P., Shah, A.K., Lee, J.-H., Park, Y.H., Štanger, U.L., 2020. Selective Hydrogenolysis of Glycerol over Bifunctional Copper–Magnesium-Supported

- Catalysts for Propanediol Synthesis. *Ind. Eng. Chem. Res.* 59, 6506–6516.
<https://doi.org/10.1021/acs.iecr.9b06978>
- Li, X.-L., Zhou, Q., Pan, S.-X., He, Y., Chang, F., 2020. A Review of Catalytic Upgrading of Biodiesel Waste Glycerol to Valuable Products. *Curr. Green Chem.* 7, 259–266. <https://doi.org/10.2174/2213346107666200108114217>
- Lif, J., Skoglundh, M., Löwendahl, L., 2004. Stabilising alumina supported nickel particles against sintering in ammonia/hydrogen atmosphere. *Appl. Catal. Gen.* 274, 61–69. <https://doi.org/10.1016/j.apcata.2004.05.022>
- Liu, D., Dou, B., Zhang, H., Wu, K., Luo, C., Du, J., Gao, D.X., Chen, H., Xu, Y., 2023. Sorption enhanced aqueous phase reforming of biodiesel byproduct glycerol for hydrogen production over Cu-Ni bimetallic catalysts supported on gelatinous MgO. *J. Clean. Prod.* 383, 135491. <https://doi.org/10.1016/j.jclepro.2022.135491>
- Liu, Y., Guo, X., Rempel, G., Ng, F., 2019. The Promoting Effect of Ni on Glycerol Hydrogenolysis to 1,2-Propanediol with In Situ Hydrogen from Methanol Steam Reforming Using a Cu/ZnO/Al₂O₃ Catalyst. *Catalysts* 9, 412. <https://doi.org/10.3390/catal9050412>
- Mane, R., Jeon, Y., Rode, C., 2022. A review on non-noble metal catalysts for glycerol hydrodeoxygenation to 1,2-propanediol with and without external hydrogen. *Green Chem.* 24, 6751–6781. <https://doi.org/10.1039/D2GC01879A>
- Mangolini, B., Palin, L., Milanesio, M., Lopresti, M., 2021. XRF and XRPD data sets in ternary mixtures with high level micro-absorption and/or preferred orientations problems for phase quantification analysis. *Data Brief* 36, 107043. <https://doi.org/10.1016/j.dib.2021.107043>
- Martin, A., Armbruster, U., Gandarias, I., Arias, P.L., 2013. Glycerol hydrogenolysis into propanediols using in situ generated hydrogen – A critical review. *Eur. J. Lipid Sci. Technol.* 115, 9–27. <https://doi.org/10.1002/ejlt.201200207>
- Matsumoto, A., Ozawa, H., Inumaru, A., Soai, K., 2015. Asymmetric induction by retgersite, nickel sulfate hexahydrate, in conjunction with asymmetric autocatalysis. *New J. Chem.* 39, 6742–6745. <https://doi.org/10.1039/C5NJ01459J>
- Mccabe, R.W., Adams, J.M., 2013. Clay Minerals as Catalysts, in: *Developments in Clay Science*. Elsevier, pp. 491–538. <https://doi.org/10.1016/B978-0-08-098259-5.00019-6>
- Mihályi, R.M., Kollár, M., Király, P., Karoly, Z., Mavrodinova, V., 2012. Effect of extra-

- framework Al formed by successive steaming and acid leaching of zeolite MCM-22 on its structure and catalytic performance. *Appl. Catal. Gen.* 417–418, 76–86. <https://doi.org/10.1016/j.apcata.2011.12.029>
- Minh Loy, A.C., Ng, W.L., Samudrala, S.P., Bhattacharya, S., 2023. Technical, economic, and environmental potential of glycerol hydrogenolysis: a roadmap towards sustainable green chemistry future. *Sustain. Energy Fuels* 7, 2653–2669. <https://doi.org/10.1039/D3SE00219E>
- Miranda, B.C., Chimentão, R.J., Szanyi, J., Braga, A.H., Santos, J.B.O., Gispert-Guirado, F., Llorca, J., Medina, F., 2015. Influence of copper on nickel-based catalysts in the conversion of glycerol. *Appl. Catal. B Environ.* 166–167, 166–180. <https://doi.org/10.1016/j.apcatb.2014.11.019>
- Mitta, H., Seelam, P.K., Ojala, S., Keiski, R.L., Balla, P., 2018. Tuning Y-zeolite based catalyst with copper for enhanced activity and selectivity in vapor phase hydrogenolysis of glycerol to 1,2-propanediol. *Appl. Catal. Gen.* 550, 308–319. <https://doi.org/10.1016/j.apcata.2017.10.019>
- Mondal, S., Malviya, H., Biswas, P., 2019. Kinetic modelling for the hydrogenolysis of bio-glycerol in the presence of a highly selective Cu–Ni–Al₂O₃ catalyst in a slurry reactor. *React. Chem. Eng.* 4, 595–609. <https://doi.org/10.1039/C8RE00138C>
- Nachtergaele, P., De Meester, S., Dewulf, J., 2019. Environmental sustainability assessment of renewables-based propylene glycol at full industrial scale production. *J. Chem. Technol. Biotechnol.* 94, 1808–1815. <https://doi.org/10.1002/jctb.5951>
- Naik, J., Desai, S., Ramani, V., 2021. Application of Augmented Simplex Centroid Design for Optimization of HPLC Mobile Phase for Estimation of Curcumin and Piperine. *Indian J. Pharm. Educ. Res.* 55, 1164–1172. <https://doi.org/10.5530/ijper.55.4.216>
- Oliveira, G.N., Barbosa, N.C., Araújo, F.C., Souza, P.H.G., Soares, A.V.H., Peixoto, F.C., Carneiro, J.W.M., Passos, F.B., 2019. Conversion of Glycerine into 1,2-Propanediol for Industrial Applications, in: Mulpuri, S., Carels, N., Bahadur, B. (Eds.), *Jatropha, Challenges for a New Energy Crop*. Springer Singapore, Singapore, pp. 383–414. https://doi.org/10.1007/978-981-13-3104-6_19
- Pandhare, N.N., Pudi, S.M., Mondal, S., Pareta, K., Kumar, M., Biswas, P., 2018. Development of Kinetic Model for Hydrogenolysis of Glycerol over Cu/MgO

- Catalyst in a Slurry Reactor. *Ind. Eng. Chem. Res.* 57, 101–110.
<https://doi.org/10.1021/acs.iecr.7b03684>
- Papas, B.N., Whitten, J.L., 2016. Adsorption of copper on a γ -alumina support. *Surf. Sci.* 651, 22–27. <https://doi.org/10.1016/j.susc.2016.03.019>
- Penkova, A., Bobadilla, L.F., Romero-Sarria, F., Centeno, M.A., Odriozola, J.A., 2014. Pyridine adsorption on NiSn/MgO–Al₂O₃: An FTIR spectroscopic study of surface acidity. *Appl. Surf. Sci.* 317, 241–251.
<https://doi.org/10.1016/j.apsusc.2014.08.093>
- Pipitone, G., Pirone, R., Bensaid, S., 2024. Aqueous Phase Reforming of Dairy Wastewater for Hydrogen Production: An Experimental and Energetic Assessment. *Sustainability* 16, 1743. <https://doi.org/10.3390/su16051743>
- Pipitone, G., Zoppi, G., Pirone, R., Bensaid, S., 2022. A critical review on catalyst design for aqueous phase reforming. *Int. J. Hydrog. Energy* 47, 151–180.
<https://doi.org/10.1016/j.ijhydene.2021.09.206>
- Postels, S., Abánades, A., Von Der Assen, N., Rathnam, R.K., Stückrad, S., Bardow, A., 2016. Life cycle assessment of hydrogen production by thermal cracking of methane based on liquid-metal technology. *Int. J. Hydrog. Energy* 41, 23204–23212. <https://doi.org/10.1016/j.ijhydene.2016.09.167>
- Reynoso, A.J., Iriarte-Velasco, U., Gutiérrez-Ortiz, M.A., Ayastuy, J.L., 2024. Hydrogenolysis of glycerol without external H₂ over Nb-doped Ni catalysts supported on ordered mesoporous alumina. *Catal. Today* 434, 114668.
<https://doi.org/10.1016/j.cattod.2024.114668>
- Rodrigues, M.H.R., Silva, T.O.D., Pitanga, H.N., Pedroti, L.G., Rodrigues, K.H.D.P., Lopes, E.C., Nalon, G.H., 2024. Efficacy of the Simplex-Centroid Method for Optimization of Mixtures of Soil, Ladle Furnace Slag and Fly Ash Applied in Pavement Construction. *Sustainability* 16, 7726.
<https://doi.org/10.3390/su16177726>
- Rothenberg, G., 2008. *Catalysis: concepts and green applications*. Wiley-VCH, Weinheim.
- Roy, D., Subramaniam, B., Chaudhari, R.V., 2010. Aqueous phase hydrogenolysis of glycerol to 1,2-propanediol without external hydrogen addition. *Catal. Today* 156, 31–37. <https://doi.org/10.1016/j.cattod.2010.01.007>
- Ruppert, A.M., Weinberg, K., Palkovits, R., 2012. *Hydrogenolysis Goes Bio: From*

- Carbohydrates and Sugar Alcohols to Platform Chemicals. *Angew. Chem. Int. Ed.* 51, 2564–2601. <https://doi.org/10.1002/anie.201105125>
- S, S., 2024. Perspectives on CO₂ -Free Hydrogen Production: Insights and Strategic Approaches. *Energy Fuels* 38, 20033–20056. <https://doi.org/10.1021/acs.energyfuels.4c03156>
- Seretis, A., Tsiakaras, P., 2016a. Hydrogenolysis of glycerol to propylene glycol by in situ produced hydrogen from aqueous phase reforming of glycerol over SiO₂–Al₂O₃ supported nickel catalyst. *Fuel Process. Technol.* 142, 135–146. <https://doi.org/10.1016/j.fuproc.2015.10.013>
- Seretis, A., Tsiakaras, P., 2016b. Hydrogenolysis of glycerol to propylene glycol by in situ produced hydrogen from aqueous phase reforming of glycerol over SiO₂–Al₂O₃ supported nickel catalyst. *Fuel Process. Technol.* 142, 135–146. <https://doi.org/10.1016/j.fuproc.2015.10.013>
- Shaikhutdinov, R.Z., Petukhov, L.A., Sapunov, N.V., Kharlampidi, Kh.E., Petukhov, A.A., 2010. Kinetics and mechanism of the catalytic hydration of propylene oxide. *Kinet. Catal.* 51, 50–55. <https://doi.org/10.1134/S002315841001009X>
- Song, X., Pan, D., Wu, Y., Cheng, P., Wei, R., Gao, L., Zhang, J., Xiao, G., 2018. Synthesis of glycerol carbonate over porous La-Zr based catalysts: The role of strong and super basic sites. *J. Alloys Compd.* 750, 828–837. <https://doi.org/10.1016/j.jallcom.2018.03.392>
- Števkó, M., Sejkora, J., n.d. *Retgersit z ložiska Rudňany (Slovenská republika)*.
- Sun, D., Yamada, Y., Sato, S., Ueda, W., 2016. Glycerol hydrogenolysis into useful C₃ chemicals. *Appl. Catal. B Environ.* 193, 75–92. <https://doi.org/10.1016/j.apcatb.2016.04.013>
- Sun, P., Zhang, W., Yu, X., Zhang, J., Xu, N., Zhang, Z., Liu, M., Zhang, D., Zhang, G., Liu, Z., Yang, C., Yan, W., Jin, X., 2022. Hydrogenolysis of Glycerol to Propylene Glycol: Energy, Tech-Economic, and Environmental Studies. *Front. Chem.* 9, 778579. <https://doi.org/10.3389/fchem.2021.778579>
- Wu, F., Jiang, H., Zhu, X., Lu, R., Shi, L., Lu, F., 2021. Effect of Tungsten Species on Selective Hydrogenolysis of Glycerol to 1,3-Propanediol. *ChemSusChem* 14, 569–581. <https://doi.org/10.1002/cssc.202002405>
- Xia, S., Zheng, L., Wang, L., Chen, P., Hou, Z., 2013. Hydrogen-free synthesis of 1,2-propanediol from glycerol over Cu–Mg–Al catalysts. *RSC Adv.* 3, 16569.

<https://doi.org/10.1039/c3ra42543f>

- Yu, Y., Zhang, J., Chen, C., He, C., Miao, J., Li, H., Chen, J., 2020. Effects of calcination temperature on physicochemical property and activity of CuSO₄/TiO₂ ammonia-selective catalytic reduction catalysts. *J. Environ. Sci.* 91, 237–245. <https://doi.org/10.1016/j.jes.2020.01.010>
- Zhang, X., n.d. Calcination temperature-dependent surface structure and physicochemical properties of magnesium oxide.
- Zhao, Z., Xiao, D., Chen, K., Wang, R., Liang, L., Liu, Z., Hung, I., Gan, Z., Hou, G., 2022. Nature of Five-Coordinated Al in γ -Al₂O₃ Revealed by Ultra-High-Field Solid-State NMR. *ACS Cent. Sci.* 8, 795–803. <https://doi.org/10.1021/acscentsci.1c01497>
- Zhuzhgov, A.V., Kruglyakov, V.Y., Glazneva, T.S., Suprun, E.A., Isupova, L.A., 2022. Wasteless Synthesis and Properties of Highly Dispersed MgAl₂O₄ Based on Product of Thermal Activation of Gibbsite. *Chemistry* 4, 316–328. <https://doi.org/10.3390/chemistry4020024>