

DAFTAR PUSTAKA

- [1] Q. Peng, H. Liu, H. Huang, Q. Yang, and M. Shao, "A survey on llm-powered agents for recommender systems," *arXiv preprint arXiv:2502.10050*, 2024. [Online]. Available: <https://arxiv.org/abs/2502.10050>
- [2] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Lukasz Kaiser, and I. Polosukhin, "Attention is all you need," *arXiv preprint arXiv:1706.03762*, 2017. [Online]. Available: <https://arxiv.org/abs/1706.03762>
- [3] Langchain. (2025) How and when to build multi-agent systems. Accessed: 2025-11-10. [Online]. Available: <https://blog.langchain.com/how-and-when-to-build-multi-agent-systems/>
- [4] Openrouter. (2025) Openrouter. Accessed: 2025-11-10. [Online]. Available: <https://openrouter.ai/>
- [5] E. Adamopoulou and L. Moussiades, "Chatbots: History, technology, and applications," *Machine Learning with Applications*, vol. 2, p. 100006, 2020, accessed: 2025-11-09. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2666827020300062?via%3Dihub>
- [6] J. D. Freitas, A. K. Uguralp, Z. O. Uguralp, and P. Stefano, "Ai companions reduce loneliness," *Working Paper 24-078*, 2024. [Online]. Available: <https://arxiv.org/pdf/2407.19096>
- [7] H.-Y. Shum, X. He, and D. Li, "From eliza to xiaoice: Challenges and opportunities with social chatbots," *arXiv preprint arXiv:1801.01957*, 2018. [Online]. Available: <https://arxiv.org/pdf/1801.01957>
- [8] S. Zhang, Y. Lu, J. Liu, J. Yu, H. Qiu, Y. Yan, and Z. Lan, "Unveiling the secrets of engaging conversations: Factors that keep users hooked on role-playing dialog agents," *arXiv preprint arXiv:2402.11522*, 2024. [Online]. Available: <https://arxiv.org/abs/2402.11522>
- [9] B. S. Al-Oraini, "Chatbot dynamics: trust, social presence and customer satisfaction in ai-driven services," *Journal of Innovative Digital Transformation*, vol. 2, no. 2, pp. 109–130, 2025. [Online]. Available: <https://www.emerald.com/jidt/article/2/2/109/1253257/Chatbot-dynamics-trust-social-presence-and>
- [10] T. Sun and S. J. Taylor, "Displaying things in common to encourage friendship formation: A large randomized field experiment," *arXiv preprint arXiv:1905.02762*, 2019. [Online]. Available: <https://arxiv.org/pdf/1905.02762>
- [11] M. Sharma and S. Mann, "A survey of recommender systems: Approaches and limitations," *International Journal of Innovations in Engineering and Technology*, vol. Special Issue - ICAECE-2013, pp. 1–9, 2013, accessed: Nov. 9, 2025. [Online]. Available: <https://ijiet.com/wp-content/uploads/2013/03/1.pdf>
- [12] Z. Niu, Z. Xie, S. Cao, C. Lu, Z. Ye, T. Xu, Z. Liu, Y. Gao, J. Chen, Z. Xu, Y. Wu, and Y. Hu, "Part: Enhancing proactive social chatbots with personalized

- real-time retrieval,” *arXiv preprint arXiv:2504.20624*, 2025. [Online]. Available: <https://arxiv.org/abs/2504.20624>
- [13] C. Wu, F. Wu, Y. Huang, and X. Xie, “Personalized news recommendation: Methods and challenges,” *ACM Computing Surveys*, vol. 1, no. 1, pp. 1–49, 2021. [Online]. Available: <https://arxiv.org/pdf/2106.08934>
- [14] S. Shehmir and R. Kashef, “Llm4rec: A comprehensive survey on the integration of large language models in recommender systems—approaches, applications, and challenges,” *Future Internet*, vol. 17, no. 6, p. 252, 2025. [Online]. Available: <https://doi.org/10.3390/fi17060252>
- [15] X. Huang, J. Lian, Y. Lei, J. Yao, D. Lian, and X. Xie, “Recommender ai agent: Integrating large language models for interactive recommendations,” *arXiv preprint arXiv:2308.16505*, 2023. [Online]. Available: <https://arxiv.org/abs/2308.16505>
- [16] S. Raza, “A news recommender system considering temporal dynamics and diversity,” in *Proceedings of the 2021 IEEE International Conference on Big Data*. IEEE, 2021, pp. 920–929. [Online]. Available: <https://arxiv.org/pdf/2103.12537>
- [17] S. Raza and C. Ding, “News recommender system: A review of recent progress, challenges, and opportunities,” *arXiv preprint*, no. arXiv:2009.04964, 2020. [Online]. Available: <https://arxiv.org/pdf/2009.04964>
- [18] F. Wu, Y. Qiao, J.-H. Chen, C. Wu, T. Qi, J. Lian, D. Liu, X. Xie, J. Gao, W. Wu, and M. Zhou, “Mind: A large-scale dataset for news recommendation,” in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, Online, July 2020, pp. 3597–3606, ©2020 Association for Computational Linguistics. [Online]. Available: <https://aclanthology.org/2020.acl-main.331.pdf>
- [19] S. Sanner, K. Balog, F. Radlinski, B. Wedin, and L. Dixon, “Large language models are competitive near cold-start recommenders for language- and item-based preferences,” in *Seventeenth ACM Conference on Recommender Systems (RecSys ’23)*. Singapore, Singapore: ACM, Sep 2023, pp. 1–11. [Online]. Available: <https://doi.org/10.1145/3604915.3608845>
- [20] Z. Yue, S. Rabhi, G. de Souza Pereira Moreira, D. Wang, and E. Oldridge, “Llamarec: Two-stage recommendation using large language models for ranking,” *arXiv preprint arXiv:2311.02089*, 2023. [Online]. Available: <https://arxiv.org/pdf/2311.02089>
- [21] L. Wang and E.-P. Lim, “Zero-shot next-item recommendation using large pretrained language models,” *arXiv preprint arXiv:2304.03153*, 2023. [Online]. Available: <https://arxiv.org/pdf/2304.03153>
- [22] Y. Hou, J. Zhang, Z. Lin, H. Lu, R. Xie, J. McAuley, and W. X. Zhao, “Large language models are zero-shot rankers for recommender systems,” *arXiv preprint arXiv:2305.08845*, 2024. [Online]. Available: <https://arxiv.org/pdf/2305.08845v2>
- [23] Q. Liu, N. Chen, T. Sakai, and X. Wu, “Once: Boosting content-based recommendation with both open- and closed-source large language models,” *arXiv preprint arXiv:2305.06566*, 2023. [Online]. Available: <https://arxiv.org/pdf/2305.06566>

- [24] K. Bao, M. Yan, Y. Zhang, J. Zhang, W. Wang, F. Feng, and X. He, "Real-time personalization for llm-based recommendation with customized in-context learning," *arXiv preprint arXiv:2410.23136*, 2024. [Online]. Available: <https://arxiv.org/abs/2410.23136>
- [25] D. Liu, B. Yang, H. Du, D. Greene, N. Hurley, A. Lawlor, R. Dong, and I. Li, "Recprompt: A self-tuning prompting framework for news recommendation using large language models," *arXiv preprint arXiv:2312.10463*, 2024. [Online]. Available: <https://arxiv.org/abs/2312.10463>
- [26] Z. Wang, Y. Yu, W. Zheng, W. Ma, and M. Zhang, "Macrec: a multi-agent collaboration framework for recommendation," *arXiv preprint arXiv:2402.15235*, 2024. [Online]. Available: <https://arxiv.org/pdf/2402.15235>
- [27] Y. Wang, Z. Jiang, Z. Chen, F. Yang, Y. Zhou, E. Cho, X. Fan, X. Huang, Y. Lu, and Y. Yang, "Recmind: Large language model powered agent for recommendation," *arXiv preprint arXiv:2308.14296*, 2023. [Online]. Available: <https://arxiv.org/abs/2308.14296>
- [28] J. Fang, S. Gao, P. Ren, X. Chen, S. Verberne, and Z. Ren, "A multi-agent conversational recommender system," *arXiv preprint arXiv:2402.01135*, 2024. [Online]. Available: <https://arxiv.org/pdf/2402.01135>
- [29] S. eun Yoon, X. Wei, Y. Jiang, R. Pareek, F. Ong, K. Gao, J. McAuley, and M. Gong, "Omulet: Orchestrating multiple tools for practicable conversational recommendation," *arXiv preprint arXiv:2411.19352*, 2024. [Online]. Available: <https://arxiv.org/abs/2411.19352>
- [30] X. Huang, J. Lian, Y. Lei, J. Yao, D. Lian, and X. Xie, "Recommender ai agent: Integrating large language models for interactive recommendations," *arXiv preprint arXiv:2308.16505*, 2024. [Online]. Available: <https://arxiv.org/abs/2308.16505>
- [31] S. Cai, J. Zhang, K. Bao, C. Gao, Q. Wang, F. Feng, and X. He, "Agentic feedback loop modeling improves recommendation and user simulation," *arXiv preprint arXiv:2410.20027*, 2025. [Online]. Available: <https://arxiv.org/pdf/2410.20027>
- [32] A. Zhang, Y. Chen, L. Sheng, X. Wang, and T.-S. Chua, "On generative agents in recommendation," *arXiv preprint arXiv:2308.16505*, 2024. [Online]. Available: <https://arxiv.org/abs/2308.16505>
- [33] C. Feng, M. Khan, A. U. Rahman, and A. Ahmad, "News recommendation systems - accomplishments, challenges & future directions," *IEEE Access*, vol. 8, pp. 16 702–16 716, 2020.
- [34] P. Sahoo, A. K. Singh, S. Saha, V. Jain, S. Mondal, and A. Chadha, "A systematic survey of prompt engineering in large language models: Techniques and applications," *arXiv preprint arXiv:2402.07927v2*, 2024. [Online]. Available: <https://arxiv.org/abs/2402.07927v2>
- [35] M. Syed and V. Gadesha. (2024) What is zero-shot prompting? Accessed: 2025-11-10. [Online]. Available: <https://www.ibm.com/think/topics/zero-shot-prompting>

- [36] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. H. Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. M. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, “Language models are few-shot learners,” *arXiv preprint arXiv:2005.14165*, 2020. [Online]. Available: <https://arxiv.org/pdf/2005.14165>
- [37] M. Shanahan, K. McDonell, and L. Reynolds, “Role-play with large language models,” *arXiv preprint arXiv:2305.16367*, 2023. [Online]. Available: <https://arxiv.org/pdf/2305.16367>
- [38] J. Wei, B. Ichter, X. Wang, F. Xia, D. Schuurmans, E. H. Chi, Q. V. Le, M. Bosma, and D. Zhou, “Chain-of-thought prompting elicits reasoning in large language models,” *arXiv preprint arXiv:2201.11903*, 2022. [Online]. Available: <https://arxiv.org/abs/2201.11903>
- [39] J. Varughese. (2025) What is meta prompting? Accessed: 2025-11-10. [Online]. Available: <https://www.ibm.com/think/topics/meta-prompting>
- [40] G. F. Geeks. (2025) History of python. Accessed: 2025-11-10. [Online]. Available: <https://www.geeksforgeeks.org/python/history-of-python/>
- [41] ——. (2025) Python features. Accessed: 2025-11-10. [Online]. Available: <https://www.geeksforgeeks.org/python/python-features/>
- [42] Langchain. (2025) Langchain. Accessed: 2025-11-10. [Online]. Available: <https://docs.langchain.com/oss/python/>
- [43] LangChain. (2025) How to think about agent frameworks. Accessed: 2025-11-10. [Online]. Available: <https://docs.langchain.com/oss/python/>
- [44] Langfuse. (2025) Langfuse documentation. Accessed: 2025-11-10. [Online]. Available: <https://langfuse.com/>
- [45] OpenAI. (2024) Introducing structured outputs in the api. Accessed: 2025-11-10. [Online]. Available: <https://openai.com/index/introducing-structured-outputs-in-the-api/>
- [46] Anthropic. (2025) Writing effective tools for agents with agents. Accessed: 2025-11-10. [Online]. Available: <https://www.anthropic.com/engineering/writing-tools-for-agents>
- [47] ——. (2025) Building effective agents. Accessed: 2025-11-10. [Online]. Available: <https://www.anthropic.com/engineering/building-effective-agent>
- [48] S. Yao, J. Zhao, D. Yu, N. Du, I. Shafran, K. Narasimhan, and Y. Cao, “React: Synergizing reasoning and acting in language models,” *arXiv preprint arXiv:2210.03629*, 2023. [Online]. Available: <https://arxiv.org/abs/2210.03629>
- [49] G. Cloud. (2025) Guide to multi-agent systems (mas). Accessed: 2025-11-10. [Online]. Available: <https://cloud.google.com/discover/what-is-a-multi-agent-system>

- [50] Langchain. (2025) Langgraph overview. Accessed: 2025-11-10. [Online]. Available: <https://docs.langchain.com/oss/python/langgraph/graph-api>
- [51] S. Zhang, E. Dinan, J. Urbanek, A. Szlam, D. Kiela, and J. Weston, “Personalizing dialogue agents: I have a dog, do you have pets too?” *arXiv preprint arXiv:1801.07243*, 2018. [Online]. Available: <https://arxiv.org/abs/1801.07243>
- [52] Anthropic. (2025) How we built our multi-agent research system. Accessed: 2025-11-10. [Online]. Available: <https://www.anthropic.com/engineering/multi-agent-research-system>
- [53] M. Kim, M. Kim, H. Kim, B. woo Kwak, S. Chun, H. Kim, S. Kang, Y. Yu, J. Yeo, and D. Lee, “Pearl: A review-driven persona-knowledge grounded conversational recommendation dataset,” *arXiv preprint arXiv:2403.04460*, 2024. [Online]. Available: <https://arxiv.org/abs/2403.04460>
- [54] J.-E. Han and Y. Heo, “Not all personas are worth it: Culture-reflective persona data augmentation,” *arXiv preprint arXiv:2503.16520*, 2025. [Online]. Available: <https://arxiv.org/abs/2503.16520>
- [55] Langchain. (2025) Langchain structured output. Accessed: 2025-11-10. [Online]. Available: https://python.langchain.com/docs/concepts/structured_outputs/
- [56] W. Seo and S. Lee, “Qa-expand: Multi-question answer generation for enhanced query expansion in information retrieval,” *arXiv preprint arXiv:2502.08557*, 2025. [Online]. Available: <https://arxiv.org/abs/2502.08557>
- [57] T. E. Kolb, I. Nalis, and J. Neidhardt, “Like a skilled dj - an expert study on news recommendations beyond accuracy,” in *Proceedings of the 11th International Workshop on News Recommendation and Analytics in conjunction with ACM RecSys 2023*. Singapore: CEUR Workshop Proceedings, 2023, accessed: 2023-11-10. [Online]. Available: <https://ceur-ws.org/Vol-3561/paper6.pdf>
- [58] J. Gu, X. Jiang, Z. Shi, H. Tan, X. Zhai, C. Xu, W. Li, Y. Shen, S. Ma, H. Liu, S. Wang, K. Zhang, Y. Wang, W. Gao, L. Ni, and J. Guo, “A survey on llm-as-a-judge,” *arXiv preprint arXiv:2411.15594*, 2025. [Online]. Available: <https://arxiv.org/abs/2411.15594>
- [59] H. A. Rahmani, E. Yilmaz, N. Craswell, and B. Mitra, “Judgeblender: Ensembling judgments for automatic relevance assessment,” *arXiv preprint arXiv:2412.13268*, 2024. [Online]. Available: <https://arxiv.org/abs/2412.13268>