

## DAFTAR PUSTAKA

- Abad P, Gouzy J, Aury JM, Castagnone-Sereno P, Danchin EGJ, Deleury E, Perfus-Barbeoch L, Anthouard V, Artiguenave F & Blok VC. 2008. Genome sequence of the metazoan plant-parasitic nematode *Meloidogyne incognita*. J.Nat.Biotechnol 26 : 909–915.
- Allwood, W., D. I. Ellis, Jim K. Heald , R. Goodacre and Luis A. J. Mur. 2006. Metabolomic Approaches Reveal That Phosphatidic And Phosphatidyl Glycerol Phospholipids Are Major Discriminatory Non-Polar Metabolites In Responses By *Brachypodium istachyon* To Challenge By *Magnaporthe grisea*. The Plant Journal 46: 351–368.
- Amin, N., G. Sarbini, dan P.O. Putra. 2003. Siklus Hidup *Meloidogyne incognita* pada Tanaman Ma rkisa (*Passiflora edulis*) dan Tanaman Tomat (*Lycopersicon esculentum*). Journal of Phytomedicine 5: 20-23.
- Anand T., A. Chandrasekaran, S. Kuttalam ,T. Raguchander ,V. Prakasam & R. Samiyappan. 2007. Association of Some Plant Defense Enzyme Activities with Systemic Resistance to Early Leaf Blight and Leaf Spot Induced In Tomato Plants by Azoxystrobin and *Pseudomonas fluorescens*. Journal of Plant Interactions; 2(4): 233- 244.
- Antonio J., Michelle, Isgouhi, Antoon. 2005. Differential response of Migene-resistant tomato rootstocks to root-knot nematodes (*Meloidogyne incognita*). Crop Protection 25: 382–388.
- Arie T, H. Takahashi, M. Kodama, T. Teraoka. 2007. Tomato as A Model Plant for Plant–Pathogen Interactions. Plant Biotechnol 24: 135–147.
- Backer C.A and Backhuizen Van Den Brink.1965. Flora of Java. Groningen, Netherlands.
- Badan Pusat Statistik. 2015. <https://www.bps.go.id>. Diakses pada tanggal 10 Mei 2016.
- Birch A. N. E, W. M. Roberson, I. E. Geoghegan, W. J M. C-Gavin, J.W. Alpheyt, E. A. Porter.1993. DMDP – a plant-derived sugar analogue with systemic activity against plant parasitic nematodes. Nematologica 39: 521–535.
- Buddy, D., Kosasih, I. Birsyam, N. Yuli. 1980. Pengujian Beberapa Tumbuhan Ekonomi terhadap Serangan suatu Nematoda Puru Akar. ProceedingsITB 13: 3.
- Calvin and Cook. 2005. North American Green House Tomatoes Emerge as a Major Market Force. Amber Waves 3: 20-27.
- Campbell, J. B. Reece, L. G. dan Mitchell. 2004. Biologi. Edisi kelima. Jilid 3. Erlangga, Jakarta.

- Carniero FF., Ramalho MAP, Pereira MJZ. 2010. *Fusarium oxysporum* f. sp. *phaseoli* and *Meloidogyne incognita* Interaction in Common Bean. *Crop Breeding and Applied Biotechnology* 10: 271-274.
- Caswell, E.P., J.L. Sarah, dan W.J. Apt. 1995. Nematoda Parasitik pada Nenas dalam Nematoda Parasitik Tumbuhan di Pertanian Subtropik dan Tropik. (M. Luc, R. A. Sikora, dan J. Bridge, ed. Gadjah Mada University Press, Yogyakarta.
- Chen, Z., Z. Zheng, J. Huang, Zhibing Lai and B. FanHua Lu. 2009. Biosynthesis of salicylic acid in plants. *Plant Signaling & Behavior* 4 (6): 493-496.
- Dadan, S. 1991. Evaluasi Pengaruh Getah Pepaya terhadap *Meloidogyne* spp. Penyebab Puru Akar pada Tanaman Tomat *Lycopersicum esculentum* Mill.
- Djarmiko, H. A., T. Arwiyanto., B. Hadisutrisno., dan B. H. Sunarminto. 2007. Potensi Tiga Genus Bakteri dari Tiga Rizosfer Tanaman sebagai Agen Pengendali Hayati Penyakit Lincat. *Jurnal Ilmu-ilmu Pertanian Indonesia* 9(1) :40-47.
- Dropkin V.H. 1991. *Introduction of Plant Nematology* (2nd edn). A. Wiley Interscience Publication. John Wiley and Sons, New York.
- Dropkin V. H. 1992. *Pengantar Nematologi Tumbuhan*. Gadjah Mada University, Yogyakarta.
- Eisenback JD, Hirschmann H, Sasser JN, and Triantaphyllou HH. 1994. *Guide to the Most Common Species of Root-knot Nematodes (Meloidogyne species)*, with a Pictorial Key. International Meloidogyne Project, Dept. Plant Pathol. NC State Univ., Raleigh.
- Eloh, K., N. Sasanelli, A. Maxia and, P. Caboni. 2016. Untargeted Metabolomics of Tomato Plants after Root-Knot. *Journal of Agricultural and Food Chemistry*.
- El-Argawy, E. and I.A. Adss. 2016. Quantitative Gene Expression of Peroxidase, Polyphenoloxidase and Catalase as Molecular Markers for Resistance against *Ralstonia solanacearum*. *American Journal of Molecular Biology* 6: 8-100.
- Escudero N., • F. C. Marhuenda-Egea, R. Ibanco-Can ete• E. A. Zavala-Gonzalez, L. V. Lopez-Llorca. 2014. A metabolomic approach to study the rhizodeposition in the tritrophic interaction: tomato, *Pochonia chlamydosporia* and *Meloidogyne javanica*. Springer Science+Business Media, New York.
- Evans, K. 1982. Water use, calcium uptake and tolerance of cyst nematode attack in potatoes. *Potato Research* 25 : 71-88.
- Ferris H. 2008. *Meloidogyne* hapla. <http://www.nematode.unl.edu/mhap.htm>. Diakses pada tanggal 11 Mei 2015.

- Gao-Qiang, G. M. Ashraf, X. Liu J. Adamec, F. E. Regnier. 2010. Coupling Protein Complex Analysis to Peptide Based Proteomics. *Journal of Chromatography* 1217: 7661–7668.
- Gillivary, J. M. 1961. *Vegetable Production*. McGraw-Hill Book Co., New York.
- Ginanjari, E. E. 2016. Kajian Ketahanan Padi Berpigmen (*Oryza sativa* L.) terhadap Penyakit Blas Melalui Pendekatan Transkriptomik dan Metabolomik. Tesis. Universitas Gadjah Mada, Yogyakarta.
- Grundler, F.M.W., & Bockenhoff A. 1997. Physiology of nematode feeding and feeding sites. In *Cellular and Molecular Aspects of Plant Nematode Interaction*. Fenoll C, Grundler, F.M.W., Ohi, S.A. eds. Kluwer Academic Publishers, Nederland.
- Hadisoeganda, A.W. 1991. Pencaran, identifikasi dan prevalensi nematoda bengkok akar di sentra daerah penanaman sayuran dataran tinggi di Indonesia. *Buletin Penelitian Hortikultura* 20: 62-71.
- Hankemeier, T. 2007. Medical system biology. In *Abstracts Book*. The 11th International Congress, Phytopharm. Leiden, The Netherlands.
- Harni R. 2014. *Resistensi Tanaman Terhadap Nematoda Parasit*. Balai Penelitian Tanaman Industri dan Penyegar, Sukabumi.
- Harni, R., Supramana, M. S. Sinaga, Giyanto dan Supriadi. 2012. Mekanisme Bakteri Endofit Mengendalikan Nematoda *Pratylenchus brachyurus* pada Tanaman Nilam. *Bul. Littro*. 23: 102 – 114.
- Hasky-Gunther, K., S. HoffmannHergarten, dan R.A. Sikora. 1998. Resistance against the potato cyst nematode *Globodera pallida* systemically induced by the rhizobacteria *Agrobacterium radiobacter* (G12) and *Bacillus sphaericus* (B43). *Fundam. Appl. Nematol.* 21 : 511-517.
- Hua Lu. 2009. Dissection of Salicylic Acid-Mediated Defense Signaling Networks. *Plant Signaling & Behavior* 4 (8): 713-717.
- Huang, J.S. 2001. *Plant Pathogenesis and Resistance; Biochemistry and Physiology of Plant–Microbe Interactions*. Kluwer Academic Publishers, London.
- Huang, J.S., & Baker K.R. 1991. Glyceollin I in soybean-cyst nematode interaction. Spatial and temporal distribution in root of resistant and susceptible soybeans. *Plant Physio.* 96: 1302-1310.
- Jacquet, M., M. Bongiovanni, M. Martinez, P. Verschave, E. Wajnberg, and P. Castagnone-Sereno. 2005. Variation in Resistance to the Root-Knot Nematode *Meloidogyne incognita* Tomato Genotypes Bearing the Mi Gene. *Journal of Plant Pathology* (54); 93– 99.

- Jahangir M, HK. Kim, YH. Choi, R. Verpoorte. 2008. Metabolomic Response of Brassica Rapasubmitted to Pre-Harvest Bacterial Contamination. Food Chem 107: 362–368.
- Januar, H.I., B. Hendrarto, dan E. Chasanah. 2010. Kelayakan Metode Metabolomik pada Pengkajian Lingkungan Terumbu Karang. Squalen 5: 2.
- Keen CL and Gerswhin ME. 1990. Zinc deficiency and immune function. Annu Rev Nutr10: 415-431.
- Keng H. 1978. Orders and families of Malayan Seed. Singapore University, Singapore.
- Kim, H.K., , Y. H. Choi and R. Verpoorte. 2010. NMR-based metabolomic analysis of plants. Nature Protocols 5: 536-549.
- Krishnan, P., N. J. Kruger and R. G. Ratcliffe. 2004. Metabolite fingerprinting and profiling in plants using NMR. Journal of Experimental Botany 56: 410.
- Kruger N.J., RG. Ratcliffe, A. Roscher.2003. Quantitative Approaches for Analysing Fluxes Through Plant Metabolic Networks Using NMR and Stable Isotope Labelling. Phytochemistry Reviews 2: 17–30.
- Kurniawan, A. 2014. Distribusi Dan Tingkat Serangan Nematoda Puru Akar (*Meloidogyne incognita*) serta Asosiasi dengan Bakteri *Pasteuria* penetrans pada beberapa Tanaman Inang Di Kabupaten Jember. Skripsi. Universitas Jember, Jember.
- Lambert K.N. 1995. Isolation of genes induced early in the resistance response to *Meloidogyne javanicain* *Lycopersicon esculentum*. Ph.D. thesis, University of California, Davis, USA, 180 pp.
- Lin, C.Y., Viant, M.R., and Tjeerdema, R.S. 2006. Metabolomics: methodologies and application in the environmental sciences. Journal of Pesticides Science.31: 245–251.
- Lisnawita. 2003. Penggunaan Tanaman Resisten: Suatu Strategi Pengendalian Nematoda Parasit Tanaman. Fakultas Pertanian, Universitas Sumatera Utara.
- Liu, X., K. Vrieling and P. G.L. Klinkhamer. 2017. Interactions between Plant Metabolites Affect Herbivores: A Study with Pyrrolizidine Alkaloids and Chlorogenic Acid. Plant Science 8: 1-14.
- Lopez G., Federica M., Jose M.B. 2009. Metabolic Response of Tomato Leaves Upon Different Plant–Pathogen Interactions. Phytochem. Anal 21: 89–94.
- Lorito M, Woo SL, Iaccarino M, Scala F, 2006. Microrganismi antagonisti. In: Iaccarino, M. (Ed.), Microrganismi Benefici per le Piante. Idelson-Gnocchi s.r.l. Napoli, Italia.146–175.

- Luc, M., Sikora R.A., and Bridge J. 1990. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture. CAB International, Wallingfords.
- Malik, M.S., Pal, V., Sangwan, N.K., Dhindsa, K.S., Verma, K.K. and Bhatti, D.S. 1989. Nematicidal Efficacy of Substituted Phenols, Phenoxyacetic Acid Esters and Hydrazides: A Structure-activity Relationship study. *Nematology*, 35: 366-370.
- Manosalva P., M. Manohar, Stephan H.Reuss, S. Chen, A. Koch, Fatma Kaplan, Andrea Choe, Robert J. Micikas, Xiaohong Wang, Karl-Heinz Kogel, Paul W. Sternberg, Valerie M. Williamson, Frank C. Schroeder, Daniel F. Klessig Conserved nematode signalling molecules elicit plant defenses and pathogen resistance. *J. Nature Communication*: 1-8.
- Marwoto, B. 1996. Nematoda bentuk ginjal (*Rotylenchulus reniformis* Linford & Olivera) patogen potensial pada tanaman tomat di Indonesia. Program Pascasarjana Institut Pertanian Bogor, Bogor.
- Maskar dan S. Gafur. 2006. Budidaya Tomat. Badan Penelitian dan Pengembangan Pertanian, Sulawesi Tengah.
- Medeiros H.A., R. S. Resende, F. C. Ferreira, L. G. Freitas and F. A. Rodrigues. 2015. Induction of Resistance in Tomato Against *Meloidogyne Javanica* by *Pochonia chlamydosporia*. *Nematoda Journal* 2.
- Mehta A, ACM. Brasileiro, DSL.Souza, E. Romano, MA. Campos, Grossi, MS. Silva, OL. Franco, RR. Fragoso, R. Bevitori, TL. Rocha. 2008. Plant– pathogen interactions: what is Proteomics Telling us? *FEBS J* 275: 3731–3746.
- Melakeberhan, H., J.W. Webster, R.C. Brook, J.M. D'Auria and M. Cacckette. 1987. Effect of *Meloidogyne incognita* on plant nutrient concentration and its influence on plant physiology of bean . *J. of Nematol.* 19 : 324-330.
- Moghaddam, M. R. B. and W. V. den Ende. 2012. Sugars and Plant Innate Immunity. *Journal of Experimental Botany*. 1-10.
- Morkunas, I. and L. Ratajczak. 2014. The Role of Sugar Signaling in Plant Defense Responses Against Fungal Pathogens. *Acta Physiol Plant* 36:1607–1619.
- Mou Z. 2011. Salicylic Acid and Its Function in Plant Immunity. *J Integr Plant Biol.* 53(6): 412-28.
- Mukhriani. 2014. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan* 7: 2.
- Murti, R.H., F. Muamiroh, and T.R.W. Pujiati and S. Indarti. 2012. Early steps of tomato breeding resist to Root-knot nematode *Agrivita* 34(3):267-274.
- Mustika. 1992. Plant parasitic nematodes associated with ginger (*Zingiber officinale* Rosch.) in North Sumatera. *J. of Spice and Medicinal Crops* 1: 38-42.

- Mustika. 2005. Konsepsi dan Strategi Pengendalian Nematoda Parasit Tanaman Perkebunan di Indonesia. J. Prospektif 4: 20-32.
- Nandi, B., R. K. Nandy, S. Mukhopadhyay, G. Balakrish Nair, T. Shimada, and A. C. Ghose. 2000. Rapid Method for Species-Specific Identification of *Vibrio cholerae* Using Primers Targeted to the Gene of Outer Membrane Protein OmpW. J Clin Microbiol 38(11): 4145–4151.
- Nikoo F.S., N. Sahebani, H. Aminian, L. Mokhtarnejad and R. Ghaderi. 2014. Induction of Systemic Resistance and Defense-Related Enzymes in Tomato Plants Using *Pseudomonas fluorescens* CHAO and Salicylic Acid Against Root-Knot Nematode *Meloidogyne javanica*. Journal of Plant Protection Research 54 (4): 384-389.
- Nugrohorini. 2000. Monograf Nematoda Parasit Tanaman. UPN Press, Surabaya.
- Nuringtyas, T.R. 2013. Pyrrolizidine alkaloid variation in Jacobaea plants : from plant organ to cell level. Leiden University dissertation, Leiden University.
- Ohri P., and Satinder. 2010. Effect of phenolic compounds on nematodes- A Review Journal of Applied and Natural Science 2: 344-350.
- Pegard, G. Brizzard, A. Fazari, O. Soucaze, P. Abad, and C. Djian-Caporalino. 2004. Histological Characterization of Resistance to Different Root-Knot Nematode Species Related to Phenolics Accumulation in *Capsicum annuum*. J. Phytopathology 95 (2): 158-165.
- Philip. A.R, William. C.M & John. C.V. Genetic Mechanism of Host - Plant Resistance to nematodes. In Barker. K.R, Gary. A.P & Gary. L.W (eds.). 1998. Plant and Nematode Interactions. Madison, Wisconsin, USA.
- Pieterse, C. M. J. and L. Van Loon. 1999. Salicylic Acid-Independent Plant Defence Pathways. J. plant science, 4 (2): 52-58.
- Pradana, A.P., D. Putri, A. Munif. 2014. Analisis Populasi Nematoda Parasit pada Lahan Tanaman Tomat dengan Sistem Tanam Monokultur an Polikultur. Institut Pertanian Bogor, Bogor.
- Price, T.V. 2000. Plant-parasitic nematodes. Integrated Pest Management for Smallholder Estate Crops Project. Plant Quarantine Component-Nematology.
- Raamsdonk L.M., B Teusink, Broadhurst. 2001. A Functional Genomics Strategy that Uses Metabolome Data To Reveal The Phenotype of Silent Mutations. Nature Biotechnology 19: 45–50.
- Robert PA. Concepts and Consequences of Resistance. 1999. In. Starr. J.L ; R. Cook & J Bridge (eds.). 2002. Plant Resistance to Parasitic *Nematodes*. CABI Publishing. Journal of Nematology 25 : 383-394.



- Roessner U, A. Luedemann, D. Brust, O. Fiehn, T. Linke, L. Willmitzer, Fernie. 2001. Metabolic Profiling Allows Comprehensive Phenotyping of Genetically or Environmentally. Modified Plant Systems. The Plant Cell 13: 11–29.
- Roman, R., M. Mirnezhad, K. A. Leiss, Y. Hae Choi, R. Verpoorte, Peter G.L. Klinkhamer 2010. A Metabolomics Approach To Thrips Resistance in Tomato. Proefschrift.
- Sasser, J.N. and D.W. Freckman. 1987. World perspective on nematology : the role of the society. p. 17 – 14. In J.A. Veech & D.M. Dickson (ed.). Visitation on nematology : a Commemoration in the Twenty – fifth Anniversary of the society of nematologists. Society of Nematologists.
- Sastrahidayat, I.R. 1990. Ilmu Penyakit Tumbuhan. Usaha Nasional, Surabaya.
- Saxena G. & KG Mukerji. 2007. Management of Nematode and Insect-Borne Plant Disease. The Haworth Press, Science Publisher, New York.
- Shivanna dan Sawhney. 1997. Pollen Biotechnology for Crop Production and Improvement. Cambridge University Press, New York.
- Simoh, S., A. Zainal dan Z. Rahman. 2014. Teknologi metabolomik dalam pertanian (Metabolomic technology in agriculture). Buletin Teknologi MARDI, Bil. 5: 85-93.
- Singh, R.S., and K. Sitaramaiah, 1994. Plant Pathogen. The Nematodes. International Science Publisher, New York.
- Sirohi, A. and Pankaj. (2005). Bare Root Dip Application of SAR Inducing Chemicals in Tomato Against Root-Knot Nematode, *Meloidogyne incognita*. Indian Journal of Nematology, 35: 195-198.
- Sitepu, D. and I. Mustika. 2000. Disease of black pepper and their management in Indonesia. p. 297-308. In P.N. Ravindran (Ed.). Black Pepper Piper nigrum. Medicinal and Aromatic Plants Industrial Profiles. Harwood Academic Publishers, USA.
- Soosaar J. L., Burch-Smith T. M., Dinesh-Kumar S. P. (2005). Mechanisms of plant resistance to viruses. *Nat. Rev. Microbiol.* 3 789–798.
- Sumner, L.W., Mendes, Dixon. 2003. Plant metabolomics: Large-scale phytochemistry in the functional genomics era. *Phytochemistry* 62: 817–836.
- Sunarto, T., L. Djaja, Hersanti. 2005. Pengujian Ketahanan Kultivar Kentang terhadap Nematoda Sista Kuning (*Globodera rostochiensis*). Laporan Penelitian Universitas Padjadjaran, Bandung.
- Taylor, A.L. and J.N. Sasser. 1978. Biologi, identification and control of root knot nematodes (*Meloidogyne* spp) International Carolina Meloidogyne Project. Printed by Nor Carolina State University Graphics.

- Tindall, H. D., 1968. Commercial Vegetable Growing. Oxford University Press, England.
- Tugiyono. 2005. Tanaman tomat. Agromedia Pustaka, Jakarta.
- Underwood N., K. Anderson, A.B.D. Inouye. 2005. Induced Vs. Constitutive Resistance and The Spatial Distribution of Insect Herbivores Among Plants, Florida USA. Ecology Journal 86(3): 594-602.
- Urbanczyk-Wochniak E., A. Luedemann, J. Kopka, J. Selbig, Roessner-Tunali U, Willmitzer L, AR. Fernie. 2003. Parallel Analysis Of Transcript And Metabolic Profiles: A New Approach In Systems Biology. EMBO Reports 4: 989–993.
- Verpoorte R, YH. Choi, HK. Kim. 2007. NMR-Based Metabolomics at Work in Phytochemistry. Phytochem Rev 6: 3–14.
- Wallace, H.R. 1987. Effects of nematode parasites on photosynthesis. Vistas on Nematology. A commemoration of the Twenty-fifth Anniversary. Soc. of Nematology.
- Wardhiany, C.K., M. Sritamin, K.A. Yuliadhi. 2014. Studi Uji Ekstrak Beberapa Jenis Gulma dalam Menekan Nematoda Puru Akar *Meloidogyne* spp. pada Tanaman Tomat (*Lycopersicum esculentum* Mill). E-Jurnal Agroekoteknologi Tropika 3: 32-40.
- Williamson, V.M. and R.S. Hussey. 1996. Nematode Pathogenesis and Resistance in Plants. Plant Cell Journal 8(10): 1735–1745.
- Winarto. 2008. Nematology Tumbuhan. Jurusan Hama dan Penyakit Tumbuhan. Fakultas Pertanian Universitas Andalas, Padang.
- Wiryadiputra, S. 1992. Strategi dan hasil penelitian nematoda parasit pada tanaman kopi di Indonesia. Makalah pada Seminar Nematologi Se-Jawa, Fakultas Pertanian Universitas Gadjah Mada, Yogyakarta.
- Zinoviev aS.V.1986.Relationship in plant parasitic nematodes system from aphytoimmunity position.In:Questions of abiocenology of helminthes, Moscow,Nauka: 41-49.