

DAFTAR PUSTAKA

- Akhtar, J., Amin, N. A. S. & Shahzad, K. (2016). A review on removal of pharmaceuticals from water by adsorption. *Desalination and Water Treatment*, 57(27), 12842–12860. <https://doi.org/10.1080/19443994.2015.1051121>
- Albanjari, M. T. & Naniek Ratni, J. A. R. (2023). Perencanaan Sistem Pengelolaan Air Limbah Domestik di Unit Pengembangan (UP) I Rungkut, Kota Surabaya. *Jurnal Teknologi dan Manajemen Sistem Industri*, 2(1), 37–45. <https://doi.org/10.56071/jtmsi.v2i1.472>
- Arias, C. A., Cabello, A., Brix, H., & Johansen, N. H. (2003). Removal of indicator bacteria from municipal wastewater in an experimental two-stage vertical flow constructed wetland system. *Water science and technology : a journal of the International Association on Water Pollution Research*, 48(5), 35–41.
- BORDA. (2017). *Design Workbook – DEWATS: Design of Decentralized Wastewater Treatment System – Part I*. Bremen Overseas Research and Development Association.
- Caravelli, A. H., Montoya, J. C., & Zaritzky, N. E. (2019). Disinfection in Wastewater Treatment Plants: Evaluation of Effectiveness and Acute Toxicity Effects. *Sustainability*, 9(10), 1704.
- Datta, A., Singh, H. O., Raja, S. K. & Dixit, S. (2021). Constructed wetland for improved wastewater management and increased water use efficiency in resource scarce SAT villages: a case study from Kothapally village, in India. *International Journal of Phytoremediation*, 23(10), 1067–1076. <https://doi.org/10.1080/15226514.2021.1876627>
- Davis, M. L. (2010). *Water and wastewater engineering: design principles and practice*. McGraw-Hill.
- Faradila, R., Huboyo, H. S. & Syakur, A. (2023). Rekayasa Pengolahan Air Limbah Domestik Dengan Metode Kombinasi Filtrasi Untuk Menurunkan Tingkat Polutan Air. *Jurnal Kesehatan Lingkungan Indonesia*, 22(3), 342–350. <https://doi.org/10.14710/jkli.22.3.342-350>
- Garibay, M. V., del Castillo, A. F., Torres, O. D., de Anda, J., Yebra-Montes, C., Senés-Guerrero, C. & Gradilla-Hernández, M. S. (2021). Characterization of the spatial variation of microbial communities in a decentralized subtropical wastewater treatment plant using passive methods. *Water (Switzerland)*, 13(9). <https://doi.org/10.3390/w13091157>
- Harahap, J., Yuri, A. S. & Ishak, B. (2023). PERENCANAAN CONSTRUCTED WETLAND SEBAGAI ALTERNATIF PENGOLAHAN AIR LIMBAH DOMESTIK DI PERUMAHAN LAM TRIENG MADANI KABUPATEN ACEH BESAR. *AMINA*, 5(1), 1–10.
- Haritash, A. K., Sharma, A. & Bahel, K. (2015). The Potential of Canna lily for Wastewater Treatment Under Indian Conditions. *International Journal of Phytoremediation*, 17(10), 999–1004. <https://doi.org/10.1080/15226514.2014.1003790>
- Hoffmann, H., Platzer, C., Winker, M. & von Muench, E. (2011. Februari). Technology review of constructed wetlands Subsurface flow constructed wetlands for greywater and domestic wastewater treatment. *Matthias Hartmann (GIZ)*. www.gtz.de/ecosan
- Husnabilah, A. (2016). Perencanaan constructed wetland untuk pengolahan greywater menggunakan tumbuhan *Canna indica* (Studi kasus: Kelurahan Keputih Surabaya). Dalam *Institut Teknologi Sepuluh Nopember, Surabaya*. Institut Teknologi Sepuluh Nopember.
- Jamwal, P., Raj, A. V., Raveendran, L., Shirin, S., Connelly, S., Yeluripati, J., Richards, S., Rao, L., Helliwell, R. & Tamburini, M. (2021). Evaluating the performance of horizontal

- sub-surface flow constructed wetlands: A case study from southern India. *Ecological Engineering*, 162, 106170.
- Kadlec, R. H., & Wallace, S. D. (2009). *Treatment Wetlands* (2nd ed.). CRC Press.
- Karunganye, P. N. (2022). Potential of *Canna indica* in Constructed Wetlands for Wastewater Treatment: A Review. Dalam *Conservation* (Vol. 2, Nomor 3, hlm. 499–513). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/conservation2030034>
- Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia. (2016). *Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor P.68/MENLHK/Setjen/Kum.1/8/2016 tentang Baku Mutu Air Limbah Domestik*. <https://ppkl.menlhk.go.id>
- Konnerup, D. & Brix, H. (2010). Nitrogen nutrition of *Canna indica*: Effects of ammonium versus nitrate on growth, biomass allocation, photosynthesis, nitrate reductase activity and N uptake rates. *Aquatic Botany*, 92(2), 142–148. <https://doi.org/10.1016/j.aquabot.2009.11.004>
- Kurniawan, A. & Wirayudhatama, A. (2021). *Penentuan parameter desain unit sedimentasi berdasarkan model tipe pengendapan hasil proses koagulasi-flokulasi pada air limbah industri kertas*. IPB University.
- Lens, P., et al. (2003). The anaerobic baffled reactor (ABR) as decentralized wastewater treatment system in the tropics. *SSWM Library*.
- Lusiana, N., Widiatmono, B. R. & Luthfiyana, H. (2020). Beban Pencemaran BOD dan Karakteristik Oksigen Terlarut di Sungai Brantas Kota Malang. *Jurnal Ilmu Lingkungan*, 18(2), 354–366. <https://doi.org/10.14710/jil.18.2.354-366>
- Lüthi, C., Morel, A., Tilley, E., & Ulrich, L. (2011). *Community-Led Urban Environmental Sanitation Planning (CLUES)*. Eawag-Sandec.
- Matolisi, E., Damiri, N., Imanudin, M. S. & Hasyim, H. (2024). Performance of Horizontal Subsurface Flow Constructed Wetland in Domestic Wastewater Treatment Using Different Media. *Journal of Ecological Engineering*, 25(3), 107–119. <https://doi.org/10.12911/22998993/178273>
- Metcalf, E. (2003). Inc., wastewater engineering, treatment and reuse. *New York: McGraw-Hill*.
- Metcalf, E. (2014). Inc., wastewater engineering, treatment and reuse. *New York: McGraw-Hill*.
- Metcalf, L. (2003). *Wastewater engineering: treatment and reuse*. Metcalf & Eddy Inc. *McGraw-Hill Inc., New York*. Mohammed, AN and ElBably, MA (2016). *Technologies of domestic wastewater treatment and reuse: options of application in developing countries*. *JSM Environ Sci Ecol*, 4(3), 1033.
- Munazah, Ashila Rieska & Suwondo, P. (2008). Penyisihan Organik Melalui Dua Tahap Pengolahan dengan Modifikasi ABR dan Constructed Wetland Pada Industri Rumah Tangga. Institut Teknologi Bandung. *Jurnal Garuda Kementerian Pendidikan dan Kebudayaan* Vol 4 No 4
- Nguyen, H., Turgeon, S., Matte, J., & Bergendahl, J. (2010). The Anaerobic Baffled Reactor. *Water Practice in Science*, 5 (1), 1-19.
- Nsavyimana, G., Kaboneka, S., Bigumandondera, P., Ngahane, E. L., Ndikumana, T. & Vasel, J. L. (2020). Exploring a New Approach of the Population Equivalent Concept through a Detailed Characterization of Grey and Black Waters. *International Journal of Advances in Scientific Research and Engineering*, 06(01), 32–49. <https://doi.org/10.31695/ijasre.2020.33674>



- Nuraini, A. & Dwi Indarti, F. (2024). Inovasi Arsitektur Hijau dengan Sistem Pengolahan Air Limbah Terintegrasi dalam Upaya Penyediaan Sanitasi Layak di Kawasan Perkotaan Semarang. *In Prosiding Seminar Nasional Unimus*, 7, 975–985.
- Oliveira, S. C. & von Sperling, M. (2011). Performance evaluation of different wastewater treatment technologies operating in a developing country. *Journal of Water, Sanitation and Hygiene for Development*, 1(1), 37–56. DOI:10.2166/washdev.2011.022
- Oliveira, S. C. & von Sperling, M. (2008). Elements for setting up discharge standards in developing countries based on actual wastewater treatment plant performance. *Water Science and Technology*, 58(10), 2001–2008. DOI:10.2166/wst.2008.756
- Prasetyo, D., Rokhmawati, A. & Rahmawati, A. (2022). STUDI PERENCANAAN IPAL LIMBAH DOMESTIK PERUMAHAN PERMATA TUNGGULWULUNG KOTA MALANG DENGAN TEKNOLOGI CONSTRUCTED WETLAND. *Jurnal Rekayasa Sipil*, 13(1), 117–282.
- Quartaroli, A., Molinari, A., & Capodaglio, A. G. (2022). Disinfection of Constructed Wetland Effluent by In-Situ Electrochemical Chlorine Production for Water Reuse. *Environmental Science: Water Research & Technology*, 8(1), 123–133.
- Rarasari, D. M. G., Restu, I. W. & Ernawati, N. M. (2018). Efektivitas Pengolahan Limbah Domestik di Instalasi Pengolahan Air Limbah (IPAL) Suwung-Denpasar, Bali. *Journal of Marine and Aquatic Sciences*, 5(2), 153. <https://doi.org/10.24843/jmas.2019.v05.i02.p01>
- Riandraswari, A., Herumurti, Dr. S. & Suprayogi, Dr. S. (2019). *KAJIAN KERUSAKAN LINGKUNGAN PERAIRAN SUNGAI GAJAH WONG BAGIAN TENGAH AKIBAT PEMBUANGAN LIMBAH DOMESTIK DI KOTA YOGYAKARTA* [UNIVERSITAS GADJAH MADA YOGYAKARTA]. <http://etd.repository.ugm.ac.id/>
- Saif, Y., Ali, M., Jones, I. M., & Ahmed, S. (2021). Performance Evaluation of a Field-Scale Anaerobic Baffled Reactor as an Economic and Sustainable Solution for Domestic Wastewater Treatment. *Sustainability*, 13(18), 10461.
- Sathe, S. R., & Munavalli, G. R. (2019). Field-scale anaerobic baffled reactor for domestic wastewater treatment. *Water Practice & Technology*, 16(1), 42–50.
- Sharma, G., Priya & Brighu, U. (2014). Performance Analysis of Vertical Up-flow Constructed Wetlands for Secondary Treated Effluent. *APCBEE Procedia*, 10, 110–114. <https://doi.org/10.1016/j.apcbee.2014.10.026>
- Šíma, J., Svoboda, L., Šeda, M., Krejsa, J. & Jahodová, J. (2019). The fate of selected heavy metals and arsenic in a constructed wetland. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering*, 54(1), 56–64. <https://doi.org/10.1080/10934529.2018.1515519>
- Sonune, A. & Ghate, R. (2004). Developments in wastewater treatment methods. *Desalination*, 167, 55–63. <https://doi.org/10.1016/3.desal.2004.06.113>
- Suswati, A. & Wibisono, G. (2013). Indonesian Green Technology Journal PENGOLAHAN LIMBAH DOMESTIK DENGAN TEKNOLOGI TAMAN TANAMAN AIR (Constructed Wetlands). *The Indonesian Green Technology Journal*, 2(2), 70–77.
- Takeda, S., Inaba, A., & Iwahori, K. (2000). Removal Characteristics of Coliform Bacteria in Chlorination Processes at Domestic Wastewater Treatment Plants. *Japanese Journal of Water Treatment Biology*, 36(2), 71–80.
- Taufikurahman, T., Pradisa, M. A. S., Amalia, S. G. & Hutahaean, G. E. M. (2019). Phytoremediation of chromium (Cr) using *Typha angustifolia* L., *Canna indica* L. and *Hydrocotyle umbellata* L. in surface flow system of constructed wetland. *IOP Conference Series: Earth and Environmental Science*, 308(1). <https://doi.org/10.1088/1755-1315/308/1/012020>



- Tilley, E., Ulrich, L., Lüthi, C., Reymond, P., & Zurbrügg, C. (2014). *Compendium of Sanitation Systems and Technologies* (2nd ed.). Swiss Federal Institute of Aquatic Science and Technology (Eawag).
- UN-HABITAT, C. W. M. (2008). *UN-HABITAT Water for Asian Cities Programme Nepal*. Kathmandu.
- U.S. Environmental Protection Agency (EPA). (2000). *Manual: Constructed Wetlands Treatment of Municipal Wastewaters*. <https://doi.org/EPA/832/S-99/002>
- U.S. EPA. (2000). *Wastewater Technology Fact Sheet Wetlands: Subsurface Flow*.
- Valerio Soyan, R., Siti Sofiyah, E. & Listyendah Zahra, N. (2022). Perancangan Instalasi Pengolahan Air Limbah Domestik pada Industri Pertambangan PT X. *Journal of Sustainable Infrastructure*, 1(1), 13–23.
- Vymazal, J., Zhao, Y. & Mander, Ü. (2021). Recent research challenges in constructed wetlands for wastewater treatment: A review. *Ecological Engineering*, 169, 106318.
- Waly, M. M., Ahmed, T., Abunada, Z., Mickovski, S. B. & Thomson, C. (2022). Constructed Wetland for Sustainable and Low-Cost Wastewater Treatment: Review Article. *Land*, 11(9). <https://doi.org/10.3390/land11091388>
- World Health Organization (WHO). (2017). *Guidelines for Drinking-Water Quality* (4th ed.). Retrieved from <https://www.who.int/publications/i/item/9789241549950>
- Wu, Y., He, T., Chen, C., Fang, X., Wei, D., Yang, J., Zhang, R. & Han, R. (2019). Impacting microbial communities and absorbing pollutants by *Canna Indica* and *Cyperus Alternifolius* in a full-scale constructed wetland system. *International Journal of Environmental Research and Public Health*, 16(5). <https://doi.org/10.3390/ijerph16050802>
- Yadav, A. K., Kumar, N., Sreekrishnan, T. R., Satya, S. & Bishnoi, N. R. (2010). Removal of chromium and nickel from aqueous solution in constructed wetland: Mass balance, adsorption-desorption and FTIR study. *Chemical Engineering Journal*, 160(1), 122–128. <https://doi.org/10.1016/j.cej.2010.03.019>
- Yu, Y., Lu, X., & Wu, Y. (2014). Performance of an anaerobic baffled filter reactor in the treatment of algae-laden water and the contribution of granular sludge. *Water*, 6(1), 122-138.
- Zhang, Z., Rengel, Z. & Meney, K. (2008). Interactive effects of N and P on growth but not on resource allocation of *Canna indica* in wetland microcosms. *Aquatic Botany*, 89(3), 317–323. <https://doi.org/10.1016/j.aquabot.2008.03.007>
- Zhu, H., Zhou, Q., Yan, B., Liang, Y., Yu, X., Gerchman, Y. & Cheng, X. (2018). Influence of vegetation type and temperature on the performance of constructed wetlands for nutrient removal. *Water Science and Technology*, 77(3), 829–837.
- Zuhri, M. S., Noerhayati, E. & Rahmawati, A. (2025). STUDI PERENCANAAN PENGOLAHAN AIR LIMBAH DOMESTIK DI SHANAYA RESORT KARANGPLOSO. *Jurnal Rekayasa Sipil*, 15(1), 230–237.