

## DAFTAR PUSTAKA

- [1] IEA, “Share of energy demand growth by source, 2024,” <https://www.iea.org/data-and-statistics/charts/share-of-energy-demand-growth-by-source-2024>.
- [2] IEA, “Global Energy Review 2025,” <https://www.iea.org/reports/global-energy-review-2025>.
- [3] IRENA, Renewable Energy Statistics 2022, The International Renewable Energy Agency, Abu Dhabi, 2022, 2022
- [4] K. Siala, J. Stich, Estimation of the PV potential in ASEAN with a high spatial and temporal resolution, *Renew. Energy* 88 (2016) 445–456, 2016/04/01/.
- [5] J. Luo, I.B. Mansir, K. Sharma, I. Mahariq, F. Jarad, M.M. Youshanlouei, H. Moria, F. Aldawi, S.A. Reda, Profit and efficiency enhancement of a cylindrical solar collector by structural modification of helical tube, *Case Stud. Therm. Eng.* 34 (2022), 101982, 2022/06/01/.
- [6] L. Zhang, I.B. Mansir, M. Salem, I. Mahariq, A. Rezaei Gorjaei, Heat transfer and exergy destruction analyses with ferrofluid in LS-3 solar collector under dipole magnetic field, *Sustain. Energy Technol. Assessments* 51 (2022), 101952, 2022/ 06/01/.
- [7] N. Mukisa and R. Zamora, “Optimal tilt angle for solar photovoltaic modules on pitched rooftops: A case of low latitude equatorial region,” *Sustainable Energy Technologies and Assessments*, vol. 50, Mar. 2022, doi: 10.1016/j.seta.2021.101821.
- [8] M. Tamoor, A. R. Bhatti, and M. Farhan, “An improved approach for enhancing the PV system efficiency through optimization of tilt angle,” *Solar Energy*, vol. 297, Sep. 2025, doi: 10.1016/j.solener.2025.113607.
- [9] S. Bouguerra, M. R. Yaiche, O. Gassab, A. Sangwongwanich, and F. Blaabjerg, “The Impact of PV Panel Positioning and Degradation on the PV Inverter Lifetime and Reliability,” *IEEE J Emerg Sel Top Power Electron*, vol. 9, no. 3, pp. 3114–3126, Jun. 2021, doi: 10.1109/JESTPE.2020.3006267.
- [10] H. Imad Hazim, K. Azmi Baharin, C. Kim Gan, and A. H. Sabry, “Techno-economic optimization of photovoltaic (PV)-inverter power sizing ratio for grid-connected PV systems,” *Results in Engineering*, vol. 23, Sep. 2024, doi: 10.1016/j.rineng.2024.102580.
- [11] A. G. Abo-Khalil, K. Sayed, A. Radwan, and I. I. A. El-Sharkawy, “Analysis of the PV system sizing and economic feasibility study in a grid-connected PV system,” *Case Studies in Thermal Engineering*, vol. 45, May 2023, doi: 10.1016/j.csite.2023.102903.
- [12] E. M. Abd Elsadek, H. Kotb, A. S. Abdel-Khalik, Y. Aboelmagd, and A. H. Abdelbaky Elbatran, “Experimental and Techno-Economic Analysis of Solar PV System for Sustainable Building and Greenhouse Gas Emission Mitigation in Harsh Climate: A Case Study of Aswan Educational Building,” *Sustainability (Switzerland)*, vol. 16, no. 13, Jul. 2024, doi: 10.3390/su16135315.
- [13] Aripriharta, D. A. Putri, A. P. Wibawa, Sujito, M. C. Bagaskoro, and S. Omar, “Techno economic analysis of PV pumping system for rural village in East Java,”

- e-Prime - Advances in Electrical Engineering, Electronics and Energy*, vol. 10, Dec. 2024, doi: 10.1016/j.prime.2024.100779.
- [14] J. Väisänen, A. Kosonen, J. Ahola, T. Sallinen, and T. Hannula, “Optimal sizing ratio of a solar PV inverter for minimizing the levelized cost of electricity in Finnish irradiation conditions,” *Solar Energy*, vol. 185, pp. 350–362, Jun. 2019, doi: 10.1016/j.solener.2019.04.064.
- [15] A. V. Menezes, J. de A. A. Vieira Filho, and W. N. Macedo, “Challenges and Opportunities in ILR Selection for Photovoltaic System: Evaluation in Brazilian Cities,” *Energies (Basel)*, vol. 18, no. 9, May 2025, doi: 10.3390/en18092203.
- [16] E. Martins Deschamps and R. Rüther, “Optimization of inverter loading ratio for grid connected photovoltaic systems,” *Solar Energy*, vol. 179, pp. 106–118, Feb. 2019, doi: 10.1016/j.solener.2018.12.051.
- [17] D. Díaz-Bello, C. Vargas-Salgado, J. Águila-León, and F. Lara-Vargas, “Methodology to Estimate the Impact of the DC to AC Power Ratio, Azimuth, and Slope on Clipping Losses of Solar Photovoltaic Inverters: Application to a PV System Located in Valencia Spain,” *Sustainability (Switzerland)*, vol. 15, no. 3, Feb. 2023, doi: 10.3390/su15032797.
- [18] K. Osmani, M. Ramadan, T. Lemenand, B. Castanier, and A. Haddad, “Optimization of PV array tilt angle for minimum levelized cost of energy,” *Computers and Electrical Engineering*, vol. 96, Dec. 2021, doi: 10.1016/j.compeleceng.2021.107474.
- [19] O. Nkuriyngoma, E. Özdemir, and S. Sezen, “Techno-economic analysis of a PV system with a battery energy storage system for small households: A case study in Rwanda,” *Front Energy Res*, vol. 10, Aug. 2022, doi: 10.3389/fenrg.2022.957564.
- [20] T. Gurupira, A. J. Rix, T. Gurupira, and A. J. Rix, “PHOTOVOLTAIC SYSTEM MODELLING USING PVLIB-PYTHON,” 2016. [Online]. Available: <https://www.researchgate.net/publication/313249264>.
- [21] J. A. Duffie and W. A. Beckman, *Solar Engineering of Thermal Processes*, 4th ed. Hoboken, NJ, USA: Wiley, 2013.
- [22] J. A. Duffie and W. A. Beckman, *Solar Engineering of Thermal Processes*, 4th ed. Hoboken, NJ, USA: Wiley, 2013.
- [23] Kipp & Zonen, “CMP10 Pyranometer – Product Specifications,” KippZonen.com. [Online]. Tersedia: <https://www.kippzonen.com/Product/276/CMP10-Pyranometer>. Diakses: 09-Okt-2025.
- [24] IMT Technology, *Si-RS485 Table DS* [PDF]. IMT-Technology.com. [Online]. Tersedia: [https://imt-technology.com/fileadmin/docs/en/products/Si-RS485-Table\\_DS\\_EN.pdf](https://imt-technology.com/fileadmin/docs/en/products/Si-RS485-Table_DS_EN.pdf). Diakses: 09-Okt-2025.
- [25] Trina Solar, “Vertex DEG21C.20 Datasheet,” Trina Solar, 2022. [Online]. Available: [https://static.trinasolar.com/sites/default/files/Datasheet\\_Vertex\\_DEG21C.20\\_EN\\_2022\\_A\\_0.pdf](https://static.trinasolar.com/sites/default/files/Datasheet_Vertex_DEG21C.20_EN_2022_A_0.pdf). Accessed: Dec. 20, 2024.
- [26] Huawei Technologies Co., Ltd., “SUN2000-200KTL-M1 Smart PV String Inverter Datasheet,” Huawei, 2022. [Online]. Available: <https://solar.huawei.com/admin/asset/v1/pro/view/7c8beabf12ab40e3a53df66a2e07c35f.pdf>. Accessed: Dec. 20, 2024.

- [27] SmartLogger Inc., SmartLogger3000 User Manual, Issue 03, SmartLogger Inc., Jan. 10, 2020. [Online]. Available: <https://support.huawei.com/enterprise/en/doc/EDOC1100108365>. Accessed: Dec. 20, 2024.
- [28] Burger, B., Rüther, R., 2006. Inverter sizing of grid-connected photovoltaic systems in the light of local solar resource distribution characteristics and temperature. *Solar Energy* 80 (1), 32–45.
- [29] R. Perez, P. Ineichen, R. Seals, A. Zelenka, and E. Maxwell, “Dynamic global-to-direct irradiance conversion models,” *ASHRAE Transactions*, vol. 96, no. 1, pp. 354–369, 1990.
- [30] Iusola Bamisile, Caroline Acen, Dongsheng Cai, Qi Huang, Iain Staffell, The environmental factors affecting solar photovoltaic output, *Renewable and Sustainable Energy Reviews*, Volume 208, 2025,115073, ISSN 1364-0321, <https://doi.org/10.1016/j.rser.2024.115073>.
- [31] L. P. B. Yasmini, D. N. Valentina, dan N. Risha, “Effectiveness of Monocrystalline Solar Panel Tilt Angle to Output Power and Efficiency: Case study for Singaraja-Bali,” *JST (Jurnal Sains dan Teknologi)*, vol. 14, no. 1, pp. 168–177, Apr. 2025. doi: 10.23887/jstundiksha.v14i1.94203.