

DAFTAR PUSTAKA

- Abdolah Zadeh, M., van der Zwaag, S., & Garcia, S. J. (2013). Routes to extrinsic and intrinsic self-healing corrosion protective sol-gel coatings: a review. *Self-Healing Materials*, 1, 1–18. <https://doi.org/10.2478/shm-2013-0001>
- Agustinus, E. T. S., Syafri, I., Rosana, M. F., & Zulkarnain, I. (2018). Scale Prevention Technique to Minimized Scaling on Re-Injection Pipes in Dieng Geothermal Field, Central Java Province, Indonesia. *Indonesian Journal on Geoscience*, 5(2), 129–136. <https://doi.org/10.17014/ijog.5.2.129-136>
- Ai, C., Zhang, D., Chen, H., Cheng, M., Jiang, H., Sun, S., & Li, C. (2023). Facile Preparation of a Robust Superhydrophobic SiO₂/Epoxy Composite Coating with Favorable Corrosion and Scale Inhibition Performance. *Advanced Engineering Materials*, 25(6). <https://doi.org/10.1002/adem.202201328>
- AKIRA FUJISHIMA, & KENICHI HONDA. (1972). Electrochemical Photolysis of Water at a Semiconductor Electrode. *Nature*, 37–38.
- Amiri, Sahar, Azam, & Rahimi. (2016). Hybrid nanocomposite coating by sol-gel method: a review. In *Iranian Polymer Journal (English Edition)* (Vol. 25, Issue 6, pp. 559–577). Springer London. <https://doi.org/10.1007/s13726-016-0440-x>
- Antony, A., Low, J. H., Gray, S., Childress, A. E., Le-Clech, P., & Leslie, G. (2011). Scale formation and control in high pressure membrane water treatment systems: A review. In *Journal of Membrane Science* (Vol. 383, Issues 1–2, pp. 1–16). <https://doi.org/10.1016/j.memsci.2011.08.054>

- Artur Goldschmidt, & Hans-Joachim Streitberger. (2003). *BASF handbook on basics of coating technology*. William Andrew.
- ASTM Standard A516. (2015). *Specification for Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service*. ASTM International. https://doi.org/10.1520/A0516_A0516M-10R15
- ASTM Standard D2240. (2015). *Test Method for Rubber Property--Durometer Hardness*. ASTM International. <https://doi.org/10.1520/D2240-15>
- ASTM Standard D4541. (2022). *Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers*. ASTM International. <https://doi.org/10.1520/D4541-22>
- ASTM Standard D5946. (2009). *Standard Test Method for Corona-Treated Polymer Films Using Water Contact Angle Measurements 1*. <http://www.ansi.org>.
- Azimi, G., Cui, Y., Sabanska, A., & Varanasi, K. K. (2014). Scale-resistant surfaces: Fundamental studies of the effect of surface energy on reducing scale formation. *Applied Surface Science*, 313, 591–599. <https://doi.org/10.1016/j.apsusc.2014.06.028>
- B. Ellis. (1993). Chemistry and Technology of Epoxy Resins. In *Chemistry and Technology of Epoxy Resins*. Springer Netherlands. <https://doi.org/10.1007/978-94-011-2932-9>
- Balasubramanian, M. (2014). *COMPOSITE MATERIALS AND PROCESSING*.
- Beketov, G. V., & Shynkarenko, O. V. (2022). SURFACE WETTING AND CONTACT ANGLE: BASICS AND CHARACTERISATION. In *Himia, Fizika ta Tehnologija Poverhni* (Vol. 13, Issue 1, pp. 3–35). Chuiko Institute of Surface Chemistry of National Academy of Sciences of Ukraine. <https://doi.org/10.15407/HFTP13.01.003>

- Bertani, R. (n.d.). *I.1. GEOTHERMAL ENERGY: AN OVERVIEW ON RESOURCES AND POTENTIAL.*
- Bhuvanendran Nair Jayakumari, A., Malik, N. G., Mittal, G., Martelo, D., Kale, N., & Paul, S. (2023). A Review on Geothermal Heat Exchangers: Challenges, Coating Methods, and Coating Materials. In *Coatings* (Vol. 13, Issue 12). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/coatings13121988>
- Bott, T. R. . (1995). *Fouling of heat exchangers.* Elsevier.
- Cai, Y., Quan, X., Li, G., & Gao, N. (2016a). Anticorrosion and Scale Behaviors of Nanostructured ZrO₂-TiO₂ Coatings in Simulated Geothermal Water. *Industrial & Engineering Chemistry Research*, 55(44), 11480–11494. <https://doi.org/10.1021/acs.iecr.6b02920>
- Cai, Y., Quan, X., Li, G., & Gao, N. (2016b). Anticorrosion and scale behaviors of nanostructured zro₂-TiO₂ Coatings in simulated geothermal water. *Industrial and Engineering Chemistry Research*, 55(44), 11480–11494. <https://doi.org/10.1021/acs.iecr.6b02920>
- Callister Jr, W. D., & Rethwisch, D. G. (2020). *Fundamentals of Materials Science and Engineering* (John Wiley & Sons, Ed.).
- Chen, H., Su, F., Wang, Z., Li, C., Fan, Z., Zhang, D., Liu, G., & Chen, H. (2024). Facile construction of hydrophobically modified epoxy coatings with excellent anti-corrosion, abrasion resistance and self-cleaning performances. *Materials Today Communications*, 41, 111057. <https://doi.org/10.1016/j.mtcomm.2024.111057>
- Clyne, T. W., & Hull, D. (2019). *An introduction to composite materials.* Cambridge university press.

- Darma, S., & Wirakusumah, A. D. (2015). Energy Security and the Role of Geothermal Development in Indonesia. In *Proceedings World Geothermal Congress*.
- Dehghanhadikolaei, A., Ansary, J., & Ghoreishi, R. (2018). Sol-gel process applications: A mini-review. *Proceedings of the Nature Research Society*, 2, 02008. <https://doi.org/10.11605/j.pnrs.201802008>
- Dickson, M. H., & Fanelli, M. (2004). *What is Geothermal Energy?* <http://iga.igg.cnr.it/index.php>
- Emarati, S. M., & Mozammel, M. (2020). Efficient one-step fabrication of superhydrophobic nano-TiO₂/TMPSi ceramic composite coating with enhanced corrosion resistance on 316L. *Ceramics International*, 46(2), 1652–1661. <https://doi.org/10.1016/j.ceramint.2019.09.137>
- Fotovvati, B., Namdari, N., & Dehghanhadikolaei, A. (2019a). On coating techniques for surface protection: A review. *Journal of Manufacturing and Materials Processing*, 5(3), 299–312.
- Fotovvati, B., Namdari, N., & Dehghanhadikolaei, A. (2019b). On coating techniques for surface protection: A review. In *Journal of Manufacturing and Materials Processing* (Vol. 3, Issue 1). MDPI Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/jmmp3010028>
- Fridleifsson, I. B. (2001). *GEOHERMAL ENERGY FOR THE BENEFIT OF THE PEOPLE*.
- Gibson, R. F. (2007). *Principles of Composite Material Mechanics*. CRC Press. <https://doi.org/10.1201/9781420014242>
- Guglielmi, M. (1996). Sol-Gel Coatings on Metals. In *Journal of Sol-Gel Science and Technology* (Vol. 26). Kluwer Academic Publishers.
- Gupta, V. B., Drzal, L. T., Adams, W. W., & Omlor, R. (1985). An electron microscopic study of the morphology of cured epoxy resin. *Journal of*

Materials Science, 20(10), 3439–3452.
<https://doi.org/10.1007/BF01113751>

Gurav, A. B., Xu, Q., Latthe, S. S., Vhatkar, R. S., Liu, S., Yoon, H., & Yoon, S. S. (2015). Superhydrophobic coatings prepared from methyl-modified silica particles using simple dip-coating method. *Ceramics International*, 41(2), 3017–3023. <https://doi.org/10.1016/j.ceramint.2014.10.137>

Hamad, S., Catlow, C. R. A., Woodley, S. M., Lago, S., & Mejías, J. A. (2005). Structure and stability of small TiO₂ nanoparticles. *Journal of Physical Chemistry B*, 109(33), 15741–15748. <https://doi.org/10.1021/jp0521914>

Hsieh, C. Te, Lai, M. H., & Cheng, Y. S. (2009). Fabrication and superhydrophobicity of fluorinated titanium dioxide nanocoatings. *Journal of Colloid and Interface Science*, 340(2), 237–242. <https://doi.org/10.1016/j.jcis.2009.08.029>

Huddleston-Holmes, C., & Hayward, J. A. (2011). *The potential of geothermal energy*. <https://www.researchgate.net/publication/228591316>

Idumah, C. I., Obele, C. M., Emmanuel, E. O., & Hassan, A. (2020). Recently Emerging Nanotechnological Advancements in Polymer Nanocomposite Coatings for Anti-corrosion, Anti-fouling and Self-healing. *Surfaces and Interfaces*, 21, 100734. <https://doi.org/10.1016/j.surfin.2020.100734>

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024a). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO₂/SA hybridization: CFD simulation and particle image velocimetry. *Progress in Organic Coatings*, 197. <https://doi.org/10.1016/j.porgcoat.2024.108865>

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024b). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO₂/SA hybridization: CFD simulation and particle image

velocimetry. *Progress in Organic Coatings*, 197.
<https://doi.org/10.1016/j.porgcoat.2024.108865>

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024c). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO₂/SA hybridization: CFD simulation and particle image velocimetry. *Progress in Organic Coatings*, 197.
<https://doi.org/10.1016/j.porgcoat.2024.108865>

Jones, R., & Chiu, W. K. (1999). Composite repairs to cracks in thick metallic components. *Composite Structures*, 44(1), 17–29.
[https://doi.org/10.1016/S0263-8223\(98\)00108-1](https://doi.org/10.1016/S0263-8223(98)00108-1)

Juhri, S., Yonezu, K., Yokoyama, T., Harijoko, A., & Nurpratama, M. I. (2021). *Study on Silica Scaling at Open Canal System, Dieng Geothermal Power Plant, Indonesia*.

Kashpura VN, & Potapov VV. (2000a). STUDY OF THE AMORPHOUS SILICA SCALES FORMATION AT THE MUTNOVSKOE HYDROTHERMAL FIELD (RUSSIA). In *PROCEEDINGS, Twenty-Fifth Workshop on Geothermal Reservoir Engineering*.

Kashpura VN, & Potapov VV. (2000b). STUDY OF THE AMORPHOUS SILICA SCALES FORMATION AT THE MUTNOVSKOE HYDROTHERMAL FIELD (RUSSIA). In *PROCEEDINGS, Twenty-Fifth Workshop on Geothermal Reservoir Engineering*.

Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier transform infrared spectroscopy: Fundamentals and application in functional groups and nanomaterials characterization. In *Handbook of Materials Characterization* (pp. 317–344). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_9

- Khan, W. S., Hamadneh, N. N., & Khan, W. A. (2016). Polymer nanocomposites– synthesis techniques, classification and properties. *Science and Applications of Tailored Nanostructures*, 50.
- Li, C., Sun, Y., Cheng, M., Sun, S., & Hu, S. (2018). Fabrication and characterization of a TiO₂/polysiloxane resin composite coating with full-thickness super-hydrophobicity. *Chemical Engineering Journal*, 333, 361–369. <https://doi.org/10.1016/j.cej.2017.09.165>
- Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022a). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO₂@EP composites. *Applied Surface Science*, 601, 154109. <https://doi.org/10.1016/j.apsusc.2022.154109>
- Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022b). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO₂@EP composites. *Applied Surface Science*, 601. <https://doi.org/10.1016/j.apsusc.2022.154109>
- Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022c). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO₂@EP composites. *Applied Surface Science*, 601. <https://doi.org/10.1016/j.apsusc.2022.154109>
- Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024a). TiO₂/EP superhydrophobic composite coating with excellent mechanical and chemical stability. *Surface and Coatings Technology*, 481. <https://doi.org/10.1016/j.surfcoat.2024.130641>
- Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024b). TiO₂/EP superhydrophobic composite coating with excellent mechanical and

- chemical stability. *Surface and Coatings Technology*, 481.
<https://doi.org/10.1016/j.surfcoat.2024.130641>
- Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024c). TiO₂/EP superhydrophobic composite coating with excellent mechanical and chemical stability. *Surface and Coatings Technology*, 481.
<https://doi.org/10.1016/j.surfcoat.2024.130641>
- Liu, H. dong, Zhang, H., Pang, J., Ning, Y. J., Jia, F., Yuan, W. F., Gu, B., & Zhang, Q. P. (2019). Superhydrophobic property of epoxy resin coating modified with octadecylamine and SiO₂ nanoparticles. *Materials Letters*, 247, 204–207. <https://doi.org/10.1016/j.matlet.2019.03.128>
- Liu, X., Liu, H., Li, Y., Teng, F., & Liang, C. (2023). Superhydrophobic surface of hybrid nanocomposites made of TiO₂ and multi-walled carbon nanotubes: Photothermal ice removal performance and wear resistance. *Applied Surface Science*, 640.
<https://doi.org/10.1016/j.apsusc.2023.158318>
- Longval, R., Meirbekova, R., Fisher, J., & Maignot, A. (2024). An Overview of Silica Scaling Reduction Technologies in the Geothermal Market. *Energies*, 17(19), 4825. <https://doi.org/10.3390/en17194825>
- Lorensen, L. E., Walkup, C. M., & Mones, E. T. (1975). *Present status of the polymeric-materials screening program for the LLL geothermal project*.
<https://doi.org/10.2172/5135406>
- Lyukschin, V., Shatko, D., & Strelnikov, P. (2021). Methods and approaches to the surface roughness assessment. *Materials Today: Proceedings*, 38, 1441–1444. <https://doi.org/10.1016/j.matpr.2020.08.122>
- Mahadik, S. A., Mahadik, D. B., Kavale, M. S., Parale, V. G., Wagh, P. B., Barshilia, H. C., Gupta, S. C., Hegde, N. D., & Rao, A. V. (2012). Thermally stable and transparent superhydrophobic sol-gel coatings by

spray method. *Journal of Sol-Gel Science and Technology*, 63(3), 580–586. <https://doi.org/10.1007/s10971-012-2798-3>

Mburu, M. (2009). *GEOTHERMAL ENERGY UTILISATION*.

McKee, L. W. (2015). *Fluorinated coatings and finishes handbook: The definitive user's guide*.

Mittal, G., Malik, N. G., Bhuvanendran Nair Jayakumari, A., Martelo, D., Kale, N., & Paul, S. (2023). Spray Parameters and Coating Microstructure Relationship in Suspension Plasma Spray TiO₂ Coatings. *Coatings*, 13(12). <https://doi.org/10.3390/coatings13121984>

Nasruddin, Idrus Alhamid, M., Daud, Y., Surachman, A., Sugiyono, A., Aditya, H. B., & Mahlia, T. M. I. (2016a). Potential of geothermal energy for electricity generation in Indonesia: A review. In *Renewable and Sustainable Energy Reviews* (Vol. 53, pp. 733–740). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2015.09.032>

Nasruddin, Idrus Alhamid, M., Daud, Y., Surachman, A., Sugiyono, A., Aditya, H. B., & Mahlia, T. M. I. (2016b). Potential of geothermal energy for electricity generation in Indonesia: A review. *Renewable and Sustainable Energy Reviews*, 53, 733–740. <https://doi.org/10.1016/j.rser.2015.09.032>

Okpala, C. C. (2013). Nanocomposites—an overview. *International Journal of Engineering Research and Development*, 8(11), 17–23.

Pambudi, N. A. (2018). Geothermal power generation in Indonesia, a country within the ring of fire: Current status, future development and policy. In *Renewable and Sustainable Energy Reviews* (Vol. 81, pp. 2893–2901). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2017.06.096>

Pambudi, N. A., Itoi, R., Yamashiro, R., CSS Syah Alam, B. Y., Tusara, L., Jalilinasrabady, S., & Khasani, J. (2015). The behavior of silica in geothermal brine from Dieng geothermal power plant, Indonesia.

Geothermics, 54, 109–114.

<https://doi.org/10.1016/j.geothermics.2014.12.003>

Peters, S. T. (2013). *Handbook of composites*. Springer Science & Business Media.

Pratapa, s. (n.d.). *Prinsip-Prinsip Difraksi Sinar-X. Makalah Seminar XRD di sampaikan di Padang*.

Pulickel M. Ajayan, Paul V. Braun, & Linda S. Schadler. (2006). *Nanocomposite Science and Technology*. John Wiley & Sons.

Qian, H., Zhu, M., Song, H., Wang, H., Liu, Z., & Wang, C. (2020). Anti-scaling of superhydrophobic poly(vinylidene fluoride) composite coating: Tackling effect of carbon nanotubes. *Progress in Organic Coatings*, 142, 105566. <https://doi.org/10.1016/j.porgcoat.2020.105566>

Raharjo. (2016). *CALCIUM CARBONATE SCALE FORMATION IN COPPER PIPES ON LAMINAR FLOW*. <https://doi.org/10.1051/conf/2016>

Rothbaum, H. P., Anderton, B. H., Harrison, R. F., Rohde, A. G., & Slatter, A. (1979). Effect of silica polymerisation and pH on geothermal scaling. *Geothermics*, 8(1), 1–20. [https://doi.org/10.1016/0375-6505\(79\)90062-2](https://doi.org/10.1016/0375-6505(79)90062-2)

Scriven, L. E. (1988). Physics and applications of dip coating and spin coating. *MRS Online Proceedings Library*, 121(1), 717–729.

Shafaamri, A., Cheng, C. H., Wonnie Ma, I. A., Baig, S. B., Kasi, R., Subramaniam, R., & Balakrishnan, V. (2020). Effects of TiO₂ Nanoparticles on the Overall Performance and Corrosion Protection Ability of Neat Epoxy and PDMS Modified Epoxy Coating Systems. *Frontiers in Materials*, 6. <https://doi.org/10.3389/fmats.2019.00336>

Shahid, M. K., Pyo, M., & Choi, Y.-G. (2019). Inorganic fouling control in reverse osmosis wastewater reclamation by purging carbon dioxide.

Environmental Science and Pollution Research, 26(2), 1094–1102.
<https://doi.org/10.1007/s11356-017-9008-3>

Sittner, F., & Ensinger, W. (2007). Electrochemical investigation and characterization of thin-film porosity. *Thin Solid Films*, 515(11), 4559–4564. <https://doi.org/10.1016/j.tsf.2006.11.031>

Song, J., Liu, M., Sun, X., Wang, J., & Zhu, J. (2018a). Antifouling and anticorrosion behaviors of modified heat transfer surfaces with coatings in simulated hot-dry-rock geothermal water. *Applied Thermal Engineering*, 132, 740–759. <https://doi.org/10.1016/j.applthermaleng.2017.12.071>

Song, J., Liu, M., Sun, X., Wang, J., & Zhu, J. (2018b). Antifouling and anticorrosion behaviors of modified heat transfer surfaces with coatings in simulated hot-dry-rock geothermal water. *Applied Thermal Engineering*, 132, 740–759. <https://doi.org/10.1016/j.applthermaleng.2017.12.071>

Song, X., Jiang, N., Li, Y., Xu, D., & Qiu, G. (2008). Synthesis of CeO₂-coated SiO₂ nanoparticle and dispersion stability of its suspension. *Materials Chemistry and Physics*, 110(1), 128–135. <https://doi.org/10.1016/j.matchemphys.2008.01.042>

Subramanian, A., & Rodriguez-Saona, L. (2009). Fourier Transform Infrared (FTIR) Spectroscopy. In *Infrared Spectroscopy for Food Quality Analysis and Control* (pp. 145–178). Elsevier. <https://doi.org/10.1016/B978-0-12-374136-3.00007-9>

Sun, S., Deng, T., Ding, H., Chen, Y., & Chen, W. (2017). Preparation of nano-TiO₂-coated SiO₂ microsphere composite material and evaluation of its self-cleaning property. *Nanomaterials*, 7(11). <https://doi.org/10.3390/nano7110367>

The Behavior of Silica in Geothermal Brine from Dieng Geothermal Power Plant, Indonesia, 109 (2015).

<https://doi.org/https://doi.org/10.1016/j.geothermics.2014.12.003>

Tyona, M. D. (2013). A theoretical study on spin coating technique. *Advances in Materials Research*, 2(4), 195–208.
<https://doi.org/10.12989/amr.2013.2.4.195>

van den Heuvel, D. B., Gunnlaugsson, E., Gunnarsson, I., Stawski, T. M., Peacock, C. L., & Benning, L. G. (2018). Understanding amorphous silica scaling under well-constrained conditions inside geothermal pipelines. *Geothermics*, 76, 231–241.
<https://doi.org/10.1016/j.geothermics.2018.07.006>

Van Riessen, A., Rickard, W., & Sanjayan, J. (2009). *Thermal properties of geopolymers*. Woodhead Pub. ; CRC Press.

Voevodin, N. N., Grebasch, N. T., Soto, W. S., Arnold, F. E., & Donley, M. S. (2001). Potentiodynamic evaluation of sol–gel coatings with inorganic inhibitors. *Surface and Coatings Technology*, 140(1), 24–28.
[https://doi.org/10.1016/S0257-8972\(01\)00999-9](https://doi.org/10.1016/S0257-8972(01)00999-9)

Vyazovkin, S. (2018). Handbook of thermal analysis and calorimetry: recent advances, techniques and applications. In *Handbook of Thermal Analysis and Calorimetry* (Vol. 6, pp. 131–172). Elsevier B.V.
<https://doi.org/10.1016/B978-0-444-64062-8.00008-5>

Wang, H., Chen, E., Jia, X., Liang, L., & Wang, Q. (2015). Superhydrophobic coatings fabricated with polytetrafluoroethylene and SiO₂ nanoparticles by spraying process on carbon steel surfaces. *Applied Surface Science*, 349, 724–732. <https://doi.org/10.1016/j.apsusc.2015.05.068>

Wang, T., Guo, Q., Zhang, T. C., Zhang, Y. X., & Yuan, S. (2022). Large-scale prepared superhydrophobic HDTMS-modified diatomite/epoxy resin composite coatings for high-performance corrosion protection of

- magnesium alloys. *Progress in Organic Coatings*, 170. <https://doi.org/10.1016/j.porgcoat.2022.106999>
- Wang, Y., Wang, L. L., & Liu, M. Y. (2007). Antifouling and enhancing pool boiling by TiO₂ coating surface in nanometer scale thickness. *AIChE Journal*, 53(12), 3062–3076. <https://doi.org/10.1002/aic.11345>
- Xu, P., & Li, X. (2021). Fabrication of TiO₂/SiO₂superhydrophobic coating for efficient oil/water separation. *Journal of Environmental Chemical Engineering*, 9(4). <https://doi.org/10.1016/j.jece.2021.105538>
- Xu, Y., Kim, C., Saylor, D. M., & Koo, D. (2017). Polymer degradation and drug delivery in <scp>PLGA</scp> -based drug–polymer applications: A review of experiments and theories. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 105(6), 1692–1716. <https://doi.org/10.1002/jbm.b.33648>
- Yu, L., Ma, K., Yin, H., Zhou, C., He, W., Yu, G., Zhang, Q., Liu, Q., & Zhao, Y. (2024a). Superhydrophobic Coating Based on Nano-Silica Modification for Antifog Application of Partition Glass. *Coatings*, 14(11). <https://doi.org/10.3390/coatings14111375>
- Yu, L., Ma, K., Yin, H., Zhou, C., He, W., Yu, G., Zhang, Q., Liu, Q., & Zhao, Y. (2024b). Superhydrophobic Coating Based on Nano-Silica Modification for Antifog Application of Partition Glass. *Coatings*, 14(11). <https://doi.org/10.3390/coatings14111375>
- Zarrouk, S. J., Woodhurst, B. C., & Morris, C. (2014a). Silica scaling in geothermal heat exchangers and its impact on pressure drop and performance: Wairakei binary plant, New Zealand. *Geothermics*, 51, 445–459. <https://doi.org/10.1016/j.geothermics.2014.03.005>
- Zarrouk, S. J., Woodhurst, B. C., & Morris, C. (2014b). Silica scaling in geothermal heat exchangers and its impact on pressure drop and

- performance: Wairakei binary plant, New Zealand. *Geothermics*, 51, 445–459. <https://doi.org/10.1016/j.geothermics.2014.03.005>
- Zeng, Q., Kang, L., Fan, J., Song, L., Wan, S., Liao, B., & Guo, X. (2022). Durable superhydrophobic silica/epoxy resin coating for the enhanced corrosion protection of steel substrates in high salt and H₂S environments. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 654. <https://doi.org/10.1016/j.colsurfa.2022.130137>
- Zhan, K., Ding, R., Liu, Z., Yang, Q., & Ji, V. (2024). Preparation and Corrosion Resistance of Superhydrophobic Composite Coatings on Shot-Peened AA 7075-T6 Aluminum Alloy. *Journal of Composites Science*, 8(12), 502. <https://doi.org/10.3390/jcs8120502>
- Zhang, F., Liu, M. Y., & Zhou, W. D. (2017). *INHIBITION OF FOULING WITH TITANIA AND SILICA COATINGS ON PLATE HEAT EXCHANGER IN 80°C SIMULATED GEOTHERMAL WATER*. www.heatexchanger-fouling.com
- Zhang, X. F., Li, X. D., Wang, N., Liu, Y. J., Tian, F., & Wang, C. X. (2023). Robust superhydrophobic SiO₂/epoxy composite coating prepared by one-step spraying method for corrosion protection of aluminum alloy: Experimental and theoretical studies. *Materials and Design*, 228. <https://doi.org/10.1016/j.matdes.2023.111833>
- Zhang, Z., Tang, S., Ge, K., Wang, K., & Ji, Y. (2024). High-Efficiency Terpolymer Scale Inhibitor for Obstructing the Formation of Calcium Sulfate by Preventing Crystallization. *Industrial & Engineering Chemistry Research*, 63(26), 11463–11471. <https://doi.org/10.1021/acs.iecr.4c01040>
- Zhao, H., Huang, Y., Deng, S., Wang, L., Peng, H., Shen, X., Ling, D., Liu, L., & Liu, Y. (2023). Research progress on scaling mechanism and anti-

scaling technology of geothermal well system. *Journal of Dispersion Science and Technology*, 44(9), 1657–1670.
<https://doi.org/10.1080/01932691.2022.2033625>

Zhao, W., Zhu, R., Jiang, J., & Wang, Z. (2019). Environmentally-friendly superhydrophobic surface based on Al₂O₃@KH560/SiO₂ electrokinetic nanoparticle for long-term anti-corrosion in sea water. *Applied Surface Science*, 484, 307–316.
<https://doi.org/10.1016/j.apsusc.2019.04.012>

Zhao, X., Li, Y., Li, B., Hu, T., Yang, Y., Li, L., & Zhang, J. (2019). Environmentally benign and durable superhydrophobic coatings based on SiO₂ nanoparticles and silanes. *Journal of Colloid and Interface Science*, 542, 8–14. <https://doi.org/10.1016/j.jcis.2019.01.115>

Zheng, Q., & Lü, C. (2014). Size effects of surface roughness to superhydrophobicity. *Procedia IUTAM*, 10, 462–475.
<https://doi.org/10.1016/j.piutam.2014.01.041>

Zhi, D., Wang, H., Jiang, D., Parkin, I. P., & Zhang, X. (2019). Reactive silica nanoparticles turn epoxy coating from hydrophilic to super-robust superhydrophobic. *RSC Advances*, 9(22), 12547–12554.
<https://doi.org/10.1039/c8ra10046b>