UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdolah Zadeh, M., van der Zwaag, S., & Garcia, S. J. (2013). Routes to extrinsic and intrinsic self-healing corrosion protective sol-gel coatings: a review. *Self-Healing Materials*, *1*, 1–18. https://doi.org/10.2478/shm-2013-0001

Agustinus, E. T. S., Syafri, I., Rosana, M. F., & Zulkarnain, I. (2018). Scale Prevention Technique to Minimized Scaling on Re-Injection Pipes in Dieng Geothermal Field, Central Java Province, Indonesia. *Indonesian Journal on Geoscience*, *5*(2), 129–136. https://doi.org/10.17014/ijog.5.2.129-136

Ai, C., Zhang, D., Chen, H., Cheng, M., Jiang, H., Sun, S., & Li, C. (2023). Facile Preparation of a Robust Superhydrophobic SiO2/Epoxy Composite Coating with Favorable Corrosion and Scale Inhibition Performance. *Advanced Engineering Materials*, *25*(6). https://doi.org/10.1002/adem.202201328

AKIRA FUJISHIMA, & KENICHI HONDA. (1972). Electrochemical Photolysis of Water at a Semiconductor Electrode. *Nature*, 37–38.

Amiri, Sahar, Azam, & Rahimi. (2016). Hybrid nanocomposite coating by sol–gel method: a review. In *Iranian Polymer Journal (English Edition)* (Vol. 25, Issue 6, pp. 559–577). Springer London. https://doi.org/10.1007/s13726-016-0440-x

Antony, A., Low, J. H., Gray, S., Childress, A. E., Le-Clech, P., & Leslie, G. (2011). Scale formation and control in high pressure membrane water treatment systems: A review. In *Journal of Membrane Science* (Vol. 383, Issues 1–2, pp. 1–16). https://doi.org/10.1016/j.memsci.2011.08.054

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Artur Goldschmidt, & Hans-Joachim Streitberger. (2003). *BASF handbook on basics of coating technology*. William Andrew.

ASTM Standard A516. (2015). *Specification for Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service*. ASTM International. https://doi.org/10.1520/A0516_A0516M-10R15

ASTM Standard D2240. (2015). *Test Method for Rubber Property--Durometer Hardness*. ASTM International. https://doi.org/10.1520/D2240-15

ASTM Standard D4541. (2022). *Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers*. ASTM International. https://doi.org/10.1520/D4541-22

ASTM Standard D5946. (2009). *Standard Test Method for Corona-Treated Polymer Films Using Water Contact Angle Measurements 1*. http://www.ansi.org.

Azimi, G., Cui, Y., Sabanska, A., & Varanasi, K. K. (2014). Scale-resistant surfaces: Fundamental studies of the effect of surface energy on reducing scale formation. *Applied Surface Science*, *313*, 591–599. https://doi.org/10.1016/j.apsusc.2014.06.028

B. Ellis. (1993). Chemistry and Technology of Epoxy Resins. In *Chemistry and Technology of Epoxy Resins*. Springer Netherlands. https://doi.org/10.1007/978-94-011-2932-9

Balasubramanian, M. (2014). *COMPOSITE MATERIALS AND PROCESSING*.

Beketov, G. V., & Shynkarenko, O. V. (2022). SURFACE WETTING AND CONTACT ANGLE: BASICS AND CHARACTERISATION. In *Himia, Fizika ta Tehnologia Poverhni* (Vol. 13, Issue 1, pp. 3–35). Chuiko Institute of Surface Chemistry of National Academy of Sciences of Ukraine. https://doi.org/10.15407/HFTP13.01.003

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bertani, R. (n.d.). *I.1. GEOTHERMAL ENERGY: AN OVERVIEW ON RESOURCES AND POTENTIAL*.

Bhuvanendran Nair Jayakumari, A., Malik, N. G., Mittal, G., Martelo, D., Kale, N., & Paul, S. (2023). A Review on Geothermal Heat Exchangers: Challenges, Coating Methods, and Coating Materials. In *Coatings* (Vol. 13, Issue 12). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/coatings13121988

Bott, T. R. . (1995). *Fouling of heat exchangers*. Elsevier.

Cai, Y., Quan, X., Li, G., & Gao, N. (2016a). Anticorrosion and Scale Behaviors of Nanostructured ZrO 2 –TiO 2 Coatings in Simulated Geothermal Water. *Industrial & Engineering Chemistry Research*, *55*(44), 11480–11494. https://doi.org/10.1021/acs.iecr.6b02920

Cai, Y., Quan, X., Li, G., & Gao, N. (2016b). Anticorrosion and scale behaviors of nanostructured zro2−TiO2 Coatings in simulated geothermal water. *Industrial and Engineering Chemistry Research*, *55*(44), 11480–11494. https://doi.org/10.1021/acs.iecr.6b02920

Callister Jr, W. D., & Rethwisch, D. G. (2020). *Fundamentals of Materials Science and Engineering* (John Wiley & Sons, Ed.).

Chen, H., Su, F., Wang, Z., Li, C., Fan, Z., Zhang, D., Liu, G., & Chen, H. (2024). Facile construction of hydrophobically modified epoxy coatings with excellent anti-corrosion, abrasion resistance and self-cleaning performances. *Materials Today Communications*, *41*, 111057. https://doi.org/10.1016/j.mtcomm.2024.111057

Clyne, T. W., & Hull, D. (2019). *An introduction to composite materials*. Cambridge university press.

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Darma, S., & Wirakusumah, A. D. (2015). Energy Security and the Role of Geothermal Development in Indonesia. In *Proceedings World Geothermal Congress*.

Dehghanghadikolaei, A., Ansary, J., & Ghoreishi, R. (2018). Sol-gel process applications: A mini-review. *Proceedings of the Nature Research Society*, *2*, 02008. https://doi.org/10.11605/j.pnrs.201802008

Dickson, M. H., & Fanelli, M. (2004). *What is Geothermal Energy?* http://iga.igg.cnr.it/index.php

Emarati, S. M., & Mozammel, M. (2020). Efficient one-step fabrication of superhydrophobic nano-TiO2/TMPSi ceramic composite coating with enhanced corrosion resistance on 316L. *Ceramics International*, *46*(2), 1652–1661. https://doi.org/10.1016/j.ceramint.2019.09.137

Fotovvati, B., Namdari, N., & Dehghanghadikolaei, A. (2019a). On coating techniques for surface protection: A review. *Journal of Manufacturing and Materials Processing*, *5*(3), 299–312.

Fotovvati, B., Namdari, N., & Dehghanghadikolaei, A. (2019b). On coating techniques for surface protection: A review. In *Journal of Manufacturing and Materials Processing* (Vol. 3, Issue 1). MDPI Multidisciplinary Digital Publishing Institute. https://doi.org/10.3390/jmmp3010028

Fridleifsson, I. B. (2001). *GEOTHERMAL ENERGY FOR THE BENEFIT OF THE PEOPLE*.

Gibson, R. F. (2007). *Principles of Composite Material Mechanics*. CRC Press. https://doi.org/10.1201/9781420014242

Guglielmi, M. (1996). Sol-Gel Coatings on Metals. In *Journal of Sol-Gel Science and Technology* (Vol. 26). Kluwer Academic Publishers.

Gupta, V. B., Drzal, L. T., Adams, W. W., & Omlor, R. (1985). An electron microscopic study of the morphology of cured epoxy resin. *Journal of*

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Materials Science, *20*(10), 3439–3452. https://doi.org/10.1007/BF01113751

Gurav, A. B., Xu, Q., Latthe, S. S., Vhatkar, R. S., Liu, S., Yoon, H., & Yoon, S. S. (2015). Superhydrophobic coatings prepared from methyl-modified silica particles using simple dip-coating method. *Ceramics International*, *41*(2), 3017–3023. https://doi.org/10.1016/j.ceramint.2014.10.137

Hamad, S., Catlow, C. R. A., Woodley, S. M., Lago, S., & Mejías, J. A. (2005). Structure and stability of small TiO2 nanoparticles. *Journal of Physical Chemistry B*, *109*(33), 15741–15748. https://doi.org/10.1021/jp0521914

Hsieh, C. Te, Lai, M. H., & Cheng, Y. S. (2009). Fabrication and superhydrophobicity of fluorinated titanium dioxide nanocoatings. *Journal of Colloid and Interface Science*, *340*(2), 237–242. https://doi.org/10.1016/j.jcis.2009.08.029

Huddlestone-Holmes, C., & Hayward, J. A. (2011). *The potential of geothermal energy*. https://www.researchgate.net/publication/228591316

Idumah, C. I., Obele, C. M., Emmanuel, E. O., & Hassan, A. (2020). Recently Emerging Nanotechnological Advancements in Polymer Nanocomposite Coatings for Anti-corrosion, Anti-fouling and Self-healing. *Surfaces and Interfaces*, *21*, 100734. https://doi.org/10.1016/j.surfin.2020.100734

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024a). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO2/SA hybridization: CFD simulation and particle image velocimetry. *Progress in Organic Coatings*, *197*. https://doi.org/10.1016/j.porgcoat.2024.108865

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024b). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO2/SA hybridization: CFD simulation and particle image

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

velocimetry. *Progress in Organic Coatings*, *197*. https://doi.org/10.1016/j.porgcoat.2024.108865

Jiang, X., Zhou, C., Su, J., Li, N., & Tang, S. (2024c). Enhanced drag reduction of superhydrophobic coatings with femtosecond laser processing and TEOS/KH-SiO2/SA hybridization: CFD simulation and particle image velocimetry. *Progress in Organic Coatings*, *197*. https://doi.org/10.1016/j.porgcoat.2024.108865

Jones, R., & Chiu, W. K. (1999). Composite repairs to cracks in thick metallic components. *Composite Structures*, *44*(1), 17–29. https://doi.org/10.1016/S0263-8223(98)00108-1

Juhri, S., Yonezu, K., Yokoyama, T., Harijoko, A., & Nurpratama, M. I. (2021). *Study on Silica Scaling at Open Canal System, Dieng Geothermal Power Plant, Indonesia*.

Kashpura VN, & Potapov VV. (2000a). STUDY OF THE AMORPHOUS SILICA SCALES FORMATION AT THE MUTNOVSKOE HYDROTHERMAL FIELD (RUSSIA). In *PROCEEDINGS, Twenty-Fifth Workshop on Geothermal Reservoir Engineering*.

Kashpura VN, & Potapov VV. (2000b). STUDY OF THE AMORPHOUS SILICA SCALES FORMATION AT THE MUTNOVSKOE HYDROTHERMAL FIELD (RUSSIA). In *PROCEEDINGS, Twenty-Fifth Workshop on Geothermal Reservoir Engineering*.

Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier transform infrared spectroscopy: Fundamentals and application in functional groups and nanomaterials characterization. In *Handbook of Materials Characterization* (pp. 317–344). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_9

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Khan, W. S., Hamadneh, N. N., & Khan, W. A. (2016). Polymer nanocomposites– synthesis techniques, classification and properties. *Science and Applications of Tailored Nanostructures*, *50*.

Li, C., Sun, Y., Cheng, M., Sun, S., & Hu, S. (2018). Fabrication and characterization of a TiO2/polysiloxane resin composite coating with full-thickness super-hydrophobicity. *Chemical Engineering Journal*, *333*, 361–369. https://doi.org/10.1016/j.cej.2017.09.165

Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022a). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO2@EP composites. *Applied Surface Science*, *601*, 154109. https://doi.org/10.1016/j.apsusc.2022.154109

Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022b). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO2@EP composites. *Applied Surface Science*, *601*. https://doi.org/10.1016/j.apsusc.2022.154109

Li, H., Lai, J., Yao, M., Leng, Y., Wu, Z., Zhang, J., Peng, H., & Qiu, Z. (2022c). Development of high performance superhydrophobic coating with excellent corrosion resistance, durability, and self-cleaning properties using M-TiO2@EP composites. *Applied Surface Science*, *601*. https://doi.org/10.1016/j.apsusc.2022.154109

Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024a). TiO2/EP superhydrophobic composite coating with excellent mechanical and chemical stability. *Surface and Coatings Technology*, *481*. https://doi.org/10.1016/j.surfcoat.2024.130641

Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024b). TiO2/EP superhydrophobic composite coating with excellent mechanical and

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

chemical stability. *Surface and Coatings Technology*, *481*. https://doi.org/10.1016/j.surfcoat.2024.130641

Liang, C., Liu, X., Teng, F., Li, Y., & Gao, S. (2024c). TiO2/EP superhydrophobic composite coating with excellent mechanical and chemical stability. *Surface and Coatings Technology*, *481*. https://doi.org/10.1016/j.surfcoat.2024.130641

Liu, H. dong, Zhang, H., Pang, J., Ning, Y. J., Jia, F., Yuan, W. F., Gu, B., & Zhang, Q. P. (2019). Superhydrophobic property of epoxy resin coating modified with octadecylamine and SiO 2 nanoparticles. *Materials Letters*, *247*, 204–207. https://doi.org/10.1016/j.matlet.2019.03.128

Liu, X., Liu, H., Li, Y., Teng, F., & Liang, C. (2023). Superhydrophobic surface of hybrid nanocomposites made of TiO2 and multi-walled carbon nanotubes: Photothermal ice removal performance and wear resistance. *Applied Surface Science*, *640*. https://doi.org/10.1016/j.apsusc.2023.158318

Longval, R., Meirbekova, R., Fisher, J., & Maignot, A. (2024). An Overview of Silica Scaling Reduction Technologies in the Geothermal Market. *Energies*, *17*(19), 4825. https://doi.org/10.3390/en17194825

Lorensen, L. E., Walkup, C. M., & Mones, E. T. (1975). *Present status of the polymeric-materials screening program for the LLL geothermal project*. https://doi.org/10.2172/5135406

Lyukshin, V., Shatko, D., & Strelnikov, P. (2021). Methods and approaches to the surface roughness assessment. *Materials Today: Proceedings*, *38*, 1441–1444. https://doi.org/10.1016/j.matpr.2020.08.122

Mahadik, S. A., Mahadik, D. B., Kavale, M. S., Parale, V. G., Wagh, P. B., Barshilia, H. C., Gupta, S. C., Hegde, N. D., & Rao, A. V. (2012). Thermally stable and transparent superhydrophobic sol-gel coatings by

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

spray method. *Journal of Sol-Gel Science and Technology*, *63*(3), 580–586. https://doi.org/10.1007/s10971-012-2798-3

Mburu, M. (2009). *GEOTHERMAL ENERGY UTILISATION*.

McKeen, L. W. (2015). *Fluorinated coatings and finishes handbook: The definitive user's guide*.

Mittal, G., Malik, N. G., Bhuvanendran Nair Jayakumari, A., Martelo, D., Kale, N., & Paul, S. (2023). Spray Parameters and Coating Microstructure Relationship in Suspension Plasma Spray TiO2 Coatings. *Coatings*, *13*(12). https://doi.org/10.3390/coatings13121984

Nasruddin, Idrus Alhamid, M., Daud, Y., Surachman, A., Sugiyono, A., Aditya, H. B., & Mahlia, T. M. I. (2016a). Potential of geothermal energy for electricity generation in Indonesia: A review. In *Renewable and Sustainable Energy Reviews* (Vol. 53, pp. 733–740). Elsevier Ltd. https://doi.org/10.1016/j.rser.2015.09.032

Nasruddin, Idrus Alhamid, M., Daud, Y., Surachman, A., Sugiyono, A., Aditya, H. B., & Mahlia, T. M. I. (2016b). Potential of geothermal energy for electricity generation in Indonesia: A review. *Renewable and Sustainable Energy Reviews*, *53*, 733–740. https://doi.org/10.1016/j.rser.2015.09.032

Okpala, C. C. (2013). Nanocomposites–an overview. *International Journal of Engineering Research and Development*, *8*(11), 17–23.

Pambudi, N. A. (2018). Geothermal power generation in Indonesia, a country within the ring of fire: Current status, future development and policy. In *Renewable and Sustainable Energy Reviews* (Vol. 81, pp. 2893–2901). Elsevier Ltd. https://doi.org/10.1016/j.rser.2017.06.096

Pambudi, N. A., Itoi, R., Yamashiro, R., CSS Syah Alam, B. Y., Tusara, L., Jalilinasrabady, S., & Khasani, J. (2015). The behavior of silica in geothermal brine from Dieng geothermal power plant, Indonesia.

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Geothermics, *54*, 109–114. https://doi.org/10.1016/j.geothermics.2014.12.003

Peters, S. T. (2013). *Handbook of composites*. Springer Science & Business Media.

Pratapa, s. (n.d.). *Prinsip-Prinsip Difraksi Sinar-X. Makalah Seminar XRD di sampaikan di Padang*.

Pulickel M. Ajayan, Paul V. Braun, & Linda S. Schadler. (2006). *Nanocomposite Science and Technology*. John Wiley & Sons.

Qian, H., Zhu, M., Song, H., Wang, H., Liu, Z., & Wang, C. (2020). Anti-scaling of superhydrophobic poly(vinylidene fluoride) composite coating: Tackling effect of carbon nanotubes. *Progress in Organic Coatings*, *142*, 105566. https://doi.org/10.1016/j.porgcoat.2020.105566

Raharjo. (2016). *CALCIUM CARBONATE SCALE FORMATION IN COPPER PIPES ON LAMINAR FLOW*. https://doi.org/10.1051/conf/2016

Rothbaum, H. P., Anderton, B. H., Harrison, R. F., Rohde, A. G., & Slatter, A. (1979). Effect of silica polymerisation and pH on geothermal scaling. *Geothermics*, *8*(1), 1–20. https://doi.org/10.1016/0375-6505(79)90062-2

Scriven, L. E. (1988). Physics and applications of dip coating and spin coating. *MRS Online Proceedings Library*, *121*(1), 717–729.

Shafaamri, A., Cheng, C. H., Wonnie Ma, I. A., Baig, S. B., Kasi, R., Subramaniam, R., & Balakrishnan, V. (2020). Effects of TiO2 Nanoparticles on the Overall Performance and Corrosion Protection Ability of Neat Epoxy and PDMS Modified Epoxy Coating Systems. *Frontiers in Materials*, *6*. https://doi.org/10.3389/fmats.2019.00336

Shahid, M. K., Pyo, M., & Choi, Y.-G. (2019). Inorganic fouling control in reverse osmosis wastewater reclamation by purging carbon dioxide.

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Environmental Science and Pollution Research, *26*(2), 1094–1102. https://doi.org/10.1007/s11356-017-9008-3

Sittner, F., & Ensinger, W. (2007). Electrochemical investigation and characterization of thin-film porosity. *Thin Solid Films*, *515*(11), 4559–4564. https://doi.org/10.1016/j.tsf.2006.11.031

Song, J., Liu, M., Sun, X., Wang, J., & Zhu, J. (2018a). Antifouling and anticorrosion behaviors of modified heat transfer surfaces with coatings in simulated hot-dry-rock geothermal water. *Applied Thermal Engineering*, *132*, 740–759. https://doi.org/10.1016/j.applthermaleng.2017.12.071

Song, J., Liu, M., Sun, X., Wang, J., & Zhu, J. (2018b). Antifouling and anticorrosion behaviors of modified heat transfer surfaces with coatings in simulated hot-dry-rock geothermal water. *Applied Thermal Engineering*, *132*, 740–759. https://doi.org/10.1016/j.applthermaleng.2017.12.071

Song, X., Jiang, N., Li, Y., Xu, D., & Qiu, G. (2008). Synthesis of CeO2-coated SiO2 nanoparticle and dispersion stability of its suspension. *Materials Chemistry and Physics*, *110*(1), 128–135. https://doi.org/10.1016/j.matchemphys.2008.01.042

Subramanian, A., & Rodriguez-Saona, L. (2009). Fourier Transform Infrared (FTIR) Spectroscopy. In *Infrared Spectroscopy for Food Quality Analysis and Control* (pp. 145–178). Elsevier. https://doi.org/10.1016/B978-0-12-374136-3.00007-9

Sun, S., Deng, T., Ding, H., Chen, Y., & Chen, W. (2017). Preparation of nano-TiO2-coated SiO2 microsphere composite material and evaluation of its self-cleaning property. *Nanomaterials*, *7*(11). https://doi.org/10.3390/nano7110367

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

The Behavior of Silica in Geothermal Brine from Dieng Geothermal Power Plant, Indonesia, 109 (2015). https://doi.org/https://doi.org/10.1016/j.geothermics.2014.12.003

Tyona, M. D. (2013). A theoritical study on spin coating technique. *Advances in Materials Research*, *2*(4), 195–208. https://doi.org/10.12989/amr.2013.2.4.195

van den Heuvel, D. B., Gunnlaugsson, E., Gunnarsson, I., Stawski, T. M., Peacock, C. L., & Benning, L. G. (2018). Understanding amorphous silica scaling under well-constrained conditions inside geothermal pipelines. *Geothermics*, *76*, 231–241. https://doi.org/10.1016/j.geothermics.2018.07.006

Van Riessen, A., Rickard, W., & Sanjayan, J. (2009). *Thermal properties of geopolymers*. Woodhead Pub. ; CRC Press.

Voevodin, N. N., Grebasch, N. T., Soto, W. S., Arnold, F. E., & Donley, M. S. (2001). Potentiodynamic evaluation of sol–gel coatings with inorganic inhibitors. *Surface and Coatings Technology*, *140*(1), 24–28. https://doi.org/10.1016/S0257-8972(01)00999-9

Vyazovkin, S. (2018). Handbook of thermal analysis and calorimetry: recent advances, techniques and applications. In *Handbook of Thermal Analysis and Calorimetry* (Vol. 6, pp. 131–172). Elsevier B.V. https://doi.org/10.1016/B978-0-444-64062-8.00008-5

Wang, H., Chen, E., Jia, X., Liang, L., & Wang, Q. (2015). Superhydrophobic coatings fabricated with polytetrafluoroethylene and SiO 2 nanoparticles by spraying process on carbon steel surfaces. *Applied Surface Science*, *349*, 724–732. https://doi.org/10.1016/j.apsusc.2015.05.068

Wang, T., Guo, Q., Zhang, T. C., Zhang, Y. X., & Yuan, S. (2022). Large-scale prepared superhydrophobic HDTMS-modified diatomite/epoxy resin composite coatings for high-performance corrosion protection of

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

magnesium alloys. *Progress in Organic Coatings*, *170*. https://doi.org/10.1016/j.porgcoat.2022.106999

Wang, Y., Wang, L. L., & Liu, M. Y. (2007). Antifouling and enhancing pool boiling by TiO2 coating surface in nanometer scale thickness. *AIChE Journal*, *53*(12), 3062–3076. https://doi.org/10.1002/aic.11345

Xu, P., & Li, X. (2021). Fabrication of TiO2/SiO2superhydrophobic coating for efficient oil/water separation. *Journal of Environmental Chemical Engineering*, *9*(4). https://doi.org/10.1016/j.jece.2021.105538

Xu, Y., Kim, C., Saylor, D. M., & Koo, D. (2017). Polymer degradation and drug delivery in <scp>PLGA</scp> -based drug–polymer applications: A review of experiments and theories. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, *105*(6), 1692–1716. https://doi.org/10.1002/jbm.b.33648

Yu, L., Ma, K., Yin, H., Zhou, C., He, W., Yu, G., Zhang, Q., Liu, Q., & Zhao, Y. (2024a). Superhydrophobic Coating Based on Nano-Silica Modification for Antifog Application of Partition Glass. *Coatings*, *14*(11). https://doi.org/10.3390/coatings14111375

Yu, L., Ma, K., Yin, H., Zhou, C., He, W., Yu, G., Zhang, Q., Liu, Q., & Zhao, Y. (2024b). Superhydrophobic Coating Based on Nano-Silica Modification for Antifog Application of Partition Glass. *Coatings*, *14*(11). https://doi.org/10.3390/coatings14111375

Zarrouk, S. J., Woodhurst, B. C., & Morris, C. (2014a). Silica scaling in geothermal heat exchangers and its impact on pressure drop and performance: Wairakei binary plant, New Zealand. *Geothermics*, *51*, 445–459. https://doi.org/10.1016/j.geothermics.2014.03.005

Zarrouk, S. J., Woodhurst, B. C., & Morris, C. (2014b). Silica scaling in geothermal heat exchangers and its impact on pressure drop and

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

performance: Wairakei binary plant, New Zealand. *Geothermics*, *51*, 445–459. https://doi.org/10.1016/j.geothermics.2014.03.005

Zeng, Q., Kang, L., Fan, J., Song, L., Wan, S., Liao, B., & Guo, X. (2022). Durable superhydrophobic silica/epoxy resin coating for the enhanced corrosion protection of steel substrates in high salt and H2S environments. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *654*. https://doi.org/10.1016/j.colsurfa.2022.130137

Zhan, K., Ding, R., Liu, Z., Yang, Q., & Ji, V. (2024). Preparation and Corrosion Resistance of Superhydrophobic Composite Coatings on Shot-Peened AA 7075-T6 Aluminum Alloy. *Journal of Composites Science*, *8*(12), 502. https://doi.org/10.3390/jcs8120502

Zhang, F., Liu, M. Y., & Zhou, W. D. (2017). *INHIBITION OF FOULING WITH TITANIA AND SILICA COATINGS ON PLATE HEAT EXCHANGER IN 80℃SIMULATED GEOTHERMAL WATER*. www.heatexchanger-fouling.com

Zhang, X. F., Li, X. D., Wang, N., Liu, Y. J., Tian, F., & Wang, C. X. (2023). Robust superhydrophobic SiO2/epoxy composite coating prepared by one-step spraying method for corrosion protection of aluminum alloy: Experimental and theoretical studies. *Materials and Design*, *228*. https://doi.org/10.1016/j.matdes.2023.111833

Zhang, Z., Tang, S., Ge, K., Wang, K., & Ji, Y. (2024). High-Efficiency Terpolymer Scale Inhibitor for Obstructing the Formation of Calcium Sulfate by Preventing Crystallization. *Industrial & Engineering Chemistry Research*, *63*(26), 11463–11471. https://doi.org/10.1021/acs.iecr.4c01040

Zhao, H., Huang, Y., Deng, S., Wang, L., Peng, H., Shen, X., Ling, D., Liu, L., & Liu, Y. (2023). Research progress on scaling mechanism and anti-

UNIVERSITAS
GADJAH MADA
**Pengembangan dan optimasi lapisan nanocomposites epoksi/SiO2/TiO2 untuk pengendalian silica scaling
dan ketahanan panas pada aplikasi perpipaan geothermal**
KADEK WAHYUDI, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

scaling technology of geothermal well system. *Journal of Dispersion Science and Technology*, *44*(9), 1657–1670. https://doi.org/10.1080/01932691.2022.2033625

Zhao, W., Zhu, R., Jiang, J., & Wang, Z. (2019). Environmentally-friendly superhydrophobic surface based on Al 2 O 3 @KH560@SiO 2 electrokinetic nanoparticle for long-term anti-corrosion in sea water. *Applied Surface Science*, *484*, 307–316. https://doi.org/10.1016/j.apsusc.2019.04.012

Zhao, X., Li, Y., Li, B., Hu, T., Yang, Y., Li, L., & Zhang, J. (2019). Environmentally benign and durable superhydrophobic coatings based on SiO 2 nanoparticles and silanes. *Journal of Colloid and Interface Science*, *542*, 8–14. https://doi.org/10.1016/j.jcis.2019.01.115

Zheng, Q., & Lü, C. (2014). Size effects of surface roughness to superhydrophobicity. *Procedia IUTAM*, *10*, 462–475. https://doi.org/10.1016/j.piutam.2014.01.041

Zhi, D., Wang, H., Jiang, D., Parkin, I. P., & Zhang, X. (2019). Reactive silica nanoparticles turn epoxy coating from hydrophilic to super-robust superhydrophobic. *RSC Advances*, *9*(22), 12547–12554. https://doi.org/10.1039/c8ra10046b