



## DAFTAR PUSTAKA

- Adeyeye, E.I. (2016). Proximate, Mineral and Antinutrient Compositions of Natural Cocoa Cake, Cocoa Liquor and Alkalized Cocoa Powders Sourced in Nigeria. *Journal of Advanced Pharmaceutical Science and Technology*, **1**: 12–28.
- Akouz, A., Hasib, A., Fernández-Trujillo, J.P., Elbatal, H., Elkacmi, R., Boulli, A. (2023). Optimization of Carob (*Ceratonia siliqua* L.) Pulp Powder Roasting to Improve Its Quality by Using Central Composite Design. *Food and Bioprocess Technology*, **16**: 1292–1302.
- Alasti, F.M., Asefi, N., Maleki, R., SeiedlouHeris, S.S. (2020). The influence of three different types and dosage of alkaline on the inherent properties in cocoa powder. *Journal of Food Science and Technology*, **57**: 2561–2571.
- Aliakbarian, B., Casazza, A.A., Nani, A., Perego, P. (2017). Production of chocolate powdered beverage with enhanced instant properties. *Chemical Engineering Transactions*, **57**: 877–882.
- Aprotosoai, A.C., Luca, S.V., Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products—An Overview. *Comprehensive Reviews in Food Science and Food Safety*, **15**: 73–91.
- Awlia, Abdul Azizi, Mohamed Salem E, Al-Madani. (2008). *Preparation and Evaluation of Some Food Products by Adding Powder of Carob Pods*. University of Om Alqura, University of Om Alqura, Makka.
- Ayanwale, B.A., Ocheme, O.B., OO, O. (2007). The Effect of Sun-Drying and Oven-Drying on the. *Pakistan Journal of Nutrition*, **6**: 370–374.
- Badan Standarisasi Nasional. (2020). SNI 8898:2020 tentang Bubuk Minuman Berbasis Kakao.
- Bastos, D.M., Monaro, É., Siguemoto, É., Séfora, M. (2012). *Maillard Reaction Products in Processed Food: Pros and Cons*. INTECH Open Access Publisher London.
- Belščak-Cvitanović, A., Benković, M., Komes, D., Bauman, I., Horžić, D., Dujmić, F., Matijašec, M. (2010). Physical Properties and Bioactive Constituents of Powdered Mixtures and Drinks Prepared with Cocoa and Various Sweeteners. *Journal of Agricultural and Food Chemistry*, **58**: 7187–7195.
- Benković, M., Radić, K., Vitali Čepo, D., Jaškūnas, E., Janutis, L., Morkunaite, M., Srećec, S. (2018). Production of cocoa and carob-based drink powders by foam mat drying. *Journal of Food Process Engineering*, **41**: e12825.



- Berna, A., Pérez-Gago, M.B., Guardiola, V.G., Salazar, D., Mulet, A. (1997). Effect of Temperature on Isobutyric Acid Loss during Roasting of Carob Kibble. *Journal of Agricultural and Food Chemistry*, **45**: 4084–4087.
- Bhattacharya, S. (2014). Roasting and Toasting Operations in Food: Process Engineering and Applications. *Conventional and Advanced Food Processing Technologies*. John Wiley & Sons, Ltd, pp. 221–248.
- Biner, B., Gubbuk, H., Karhan, M., Aksu, M., Pekmezci, M. (2007). Sugar profiles of the pods of cultivated and wild types of carob bean (*Ceratonia siliqua* L.) in Turkey. *Food Chemistry*, **100**: 1453–1455.
- Blenford, D. (1988). A carob coat. **10**: 43–45.
- Boublenza, I., Lazouni, H.A., Ghaffari, L., Ruiz, K., Fabiano-Tixier, A.-S., Chemat, F. (2017). Influence of Roasting on Sensory, Antioxidant, Aromas, and Physicochemical Properties of Carob Pod Powder (*Ceratonia siliqua* L.). *Journal of Food Quality*, **2017**: 4193672.
- Brandt, L.A. (2002). Carob fibre offers health benefits. *Prepared foods*, **171**: 51.
- Brassesco, M.E., Brandão, T.R.S., Silva, C.L.M., Pintado, M. (2021). Carob bean (*Ceratonia siliqua* L.): A new perspective for functional food. *Trends in Food Science & Technology*, **114**: 310–322.
- Bulca, S. (2016). Some properties of carob pod and its use in different areas including food technology. *Scientific Bulletin Series F. Biotechnologies*, **20**.
- Dyer, B. (2003). Alkalized cocoa powders. *Manufacturing Confectioner*, **83**: 47–54.
- Eduardo, M.F., Correa De Mello, K.G.P., Polakiewicz, B., Da Silva Lannes, S.C. (2014). Evaluation of chocolate milk beverage formulated with modified chitosan. *Journal of Agricultural Science and Technology*, **16**: 1301–1312.
- Eldeeb, G.S.S., Mosilhey, S.H. (2022). Roasting temperature impact on bioactive compounds and PAHs in Carob powder (*Ceratonia siliqua* L.). *Journal of Food Science and Technology*, **59**: 105–113.
- Elfazazi, K., Harrak, H., Achchoub, M., Benbati, M. (2020). Physicochemical criteria, bioactive compounds and sensory quality of Moroccan traditional carob drink. *Materials Today: Proceedings*, **27**: 3249–3253.
- FAOSTAT. (2020). FAOSTAT (Diakses pada 5 Juli 2025) <http://www.fao.org/faostat/en/#data/QC>.
- Fellows, P.J. (2022). *Food Processing Technology: Principles and Practice*. Woodhead Publishing, 806 pp.



- Fortunata, G. (2021). Preferensi Konsumen Terhadap Pembelian Cokelat di Daerah Istimewa Yogyakarta. *Agrista*, **9**.
- Garcia, M., Ambat, S., Adao, R. (2019). Tomayto, Tomahto: A Machine Learning Approach for Tomato Ripening Stage Identification Using Pixel-Based Color Image Classification.
- García-Díez, E., Sánchez-Ayora, H., Blanch, M., Ramos, S., Martín, M.Á., Pérez-Jiménez, J. (2022). Exploring a cocoa–carob blend as a functional food with decreased bitterness: Characterization and sensory analysis. *LWT*, **165**: 113708.
- Gunel, Z., Torun, M., Sahin-Nadeem, H. (2020). Sugar, D -pinitol, volatile composition, and antioxidant activity of carob powder roasted by microwave, hot air, and combined microwave/hot air. *Journal of Food Processing and Preservation*, **44**.
- Haber, B. (2002). Carob fiber benefits and applications. *Cereal Foods World*, **47**: 365.
- Harriman, N.A. (1998). Promoting the conservation and use of underutilized and neglected crops. 13. Sago palm, Metroxylon sagu. *Economic Botany*, **52**: 77–77.
- Harwood, M.L., Hayes, J.E. (2017). Sensory evaluation of chocolate and cocoa products.
- Ibrahim, R.M., Abdel-Salam, F.F., Farahat, E. (2020). Utilization of Carob (*Ceratonia siliqua* L.) Extract as Functional Ingredient in Some Confectionery Products. *Food and Nutrition Sciences*, **11**: 757–772.
- Ipumbu, L. (2008). *Compositional Analysis of Locally Cultivated Carob (*Ceratonia Siliqua*) Cultivars and Development of Nutritional Food Products for a Range of Market Sectors*. Stellenbosch: Stellenbosch University.
- Kanakis, C.D., Hasni, I., Bourassa, P., Tarantilis, P.A., Polissiou, M.G., Tajmir-Riahi, H.-A. (2011). Milk  $\beta$ -lactoglobulin complexes with tea polyphenols. *Food Chemistry*, **127**: 1046–1055.
- Keen, C.L., Holt, R.R., Oteiza, P.I., Fraga, C.G., Schmitz, H.H. (2005). Cocoa antioxidants and cardiovascular health. *The American journal of clinical nutrition*, **81**: 298S-303S.
- Khider, M., Seliem, K.A.E.-H., Ebid, W.M.A. (2022). Development of Functional Synbiotic Flavored Fermented Skim Milk Drinks Supplemented with Doum (*Hyphaene thebaica* L.) and Carob (*Ceratonia siliqua*) Fruits Powder for



- Nutritional, Antimicrobial and High Antioxidant Activities. *Food and Nutrition Sciences*, **13**: 878–905.
- Kroh, L.W. (1994). Caramelisation in food and beverages. *Food chemistry*, **51**: 373–379.
- Krokou, A., Stylianou, M., Agapiou, A. (2019). Assessing the volatile profile of carob tree (*Ceratonia siliqua* L.). *Environmental Science and Pollution Research*, **26**: 35365–35374.
- Le Bourvellec, C., Renard, C.M.G.C. (2012). Interactions between Polyphenols and Macromolecules: Quantification Methods and Mechanisms. *Critical Reviews in Food Science and Nutrition*, **52**: 213–248.
- Li, Y., Feng, Y., Zhu, S., Luo, C., Ma, J., Zhong, F. (2012). The effect of alkalization on the bioactive and flavor related components in commercial cocoa powder. *Journal of Food Composition and Analysis*, **25**: 17–23.
- Loullis, A., Pinakoulaki, E. (2018). Carob as cocoa substitute: a review on composition, health benefits and food applications. *European Food Research and Technology*, **244**: 959–977.
- Marakis, S. (1996). Carob bean in food and feed: current status and future potentials-a critical appraisal.
- Meilgaard, M.C., Carr, B.T., Civille, G.V. (2006). *Sensory Evaluation Techniques, Fourth Edition*. CRC Press, 478 pp.
- Miller, G.L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, **31**: 426–428.
- Modgil, R., Sood, P. (2017). Effect of Roasting and Germination on Carbohydrates and Anti-nutritional Constituents of Indigenous and Exotic Cultivars of Pseudo-cereal (*Chenopodium*). *Journal of Life Sciences*, **9**: 64–70.
- Nasar-Abbas, S.M., e-Huma, Z., Vu, T., Khan, M.K., Esbenshade, H., Jayasena, V. (2016). Carob Kibble: A Bioactive-Rich Food Ingredient. *Comprehensive Reviews in Food Science and Food Safety*, **15**: 63–72.
- Nisa, K. nisa. (2018). Kualitas Kakao BUbuk Dipasaran Kota Makassar. *Indonesian Journal of Industrial Research*, **10**: 48–52.
- Oktarani, S.L.T., Bahua, H., Wijayanti, S.P., Ariyani, N.R., Renaldy, N.A., Djarot, I.N., Widyastuti, N. (2023). Karakteristik Limbah Cair Proses Produksi Kulit Sintetis dari Miselium Jamur: Wastewater Characteristics in the Synthetic Leather Production Process from Mushroom Mycelium. *Jurnal Teknologi Lingkungan*, **24**: 250–257.



- Owen, R.W., Haubner, R., Hull, W.E., Erben, G., Spiegelhalter, B., Bartsch, H., Haber, B. (2003). Isolation and structure elucidation of the major individual polyphenols in carob fibre. *Food and chemical toxicology*, **41**: 1727–1738.
- Papadakis, S., Abdul Malek, S., Kamdem, R.E., Yam, K. (2000). A Versatile and Inexpensive Technique for Measuring Color of Foods. **54**: 48–51.
- Peryam, D.R., Pilgrim, F.J. (1957). Hedonic scale method of measuring food preferences. *Food technology*.
- Powitz, R., Balsamo, J. (2001). Measuring water activity in foods: The Pawkit AquaLab. *Journal of environmental health. Journal of environmental health*, **63**: 35–36.
- Prasad, J.A. (2009). Convective heat transfer in herb and spices during open sundrying. *International Journal of Food Science & Technology*, **44**: 657–665.
- Quan, T.H., Benjakul, S., Sae-leaw, T., Balange, A.K., Maqsood, S. (2019). Protein–polyphenol conjugates: Antioxidant property, functionalities and their applications. *Trends in Food Science & Technology*, **91**: 507–517.
- Revulaningtyas, I.R., Norsita, D.I. (2020). PENENTUAN ATRIBUT MUTU UNTUK PENGEMBANGAN PRODUK MINUMAN COKELAT BUBUK BERDASARKAN TINGKAT KEBUTUHAN KONSUMEN. *JURNAL PERTANIAN CEMARA*, **17**: 7–13.
- Rohmah, Y. (2023). *Buku Outlook Komoditas Perkebunan Kakao*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal - Kementerian Pertanian.
- Sahin, E., Ceylan, F.D., Demirköz, A.B., Karaca, A.C., Capanoglu, E. (2024). Comparison of Physicochemical Properties, Antioxidants, and Aroma Profiles of Water- and Sodium-Hydroxide-Treated Natural Cocoa Powder. *ACS Omega*, **9**: 35730–35743.
- Şahin, H., Topuz, A., Pischetsrieder, M., Özdemir, F. (2009). Effect of roasting process on phenolic, antioxidant and browning properties of carob powder. *European Food Research and Technology*, **230**: 155–161.
- Samokhvalova, O., Shydakova-Kameniuka, O., Labazov, M. (2021). Technological features of carob powder of different degrees of roasting.
- Sandon, F. (1958). *Experimental Designs*. By W. G. Cochran and G. M. Cox. 2nd ed. Pp. xiv, 611. 82s. 1957. (John Wiley and Sons, New York; Chapman and Hall, London). *The Mathematical Gazette*, **42**: 334–334.



- Santos, D., Queiroz, A., Maria Feitosa de Figueirêdo, R., Oliveira, E. (2015). Sun drying of residual annatto seed powder. *Acta Scientiarum. Technology*, **37**: 161.
- Santoso, U., Setyaningsih, W., Ningrum, A., Ardhi, A., Sudarmanto. (2021). *Analisis Pangan*. UGM PRESS, 318 pp.
- Sari, A.R., Hardiyanti, R., Wijanarti, S. (2020). POTENTIAL OF ANTIMICROBIAL AND ANTIOXIDANT ACTIVITIES ON CHOCOLATE BEVERAGE WITH GARAM MASALA ADDITION. *Jurnal Agroindustri*, **10**: 99–106.
- Shittu, T.A., Lawal, M.O. (2007). Factors affecting instant properties of powdered cocoa beverages. *Food Chemistry*, **100**: 91–98.
- Siagan. (2016). *Outlook Kakao (L. Nuryati & A. Yasin (Eds.))*. Pusat Data dan Sistem Informasi Pertanian.
- Sjahwil, L.N., Andarwulan, N., Hariyadi, P. (2014). Tren Flavor Produk Pangan di Indonesia, Malaysia, Filipina, dan Thailand. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, **1**: 9–18.
- Smeds, J., Öquist, M., Nilsson, M.B., Bishop, K. (2022). A Simplified Drying Procedure for Analysing Hg Concentrations. *Water, Air, & Soil Pollution*, **233**: 1–9.
- Srour, N., Daroub, H., Toufeili, I., Olabi, A. (2016). Developing a carob-based milk beverage using different varieties of carob pods and two roasting treatments and assessing their effect on quality characteristics. *Journal of the Science of Food and Agriculture*, **96**: 3047–3057.
- Sruthi, N.U., Premjit, Y., Pandiselvam, R., Kothakota, A., Ramesh, S.V. (2021). An overview of conventional and emerging techniques of roasting: Effect on food bioactive signatures. *Food Chemistry*, **348**: 129088.
- von Staszewski, M., Jagus, R.J., Pilosof, A.M.R. (2011). Influence of green tea polyphenols on the colloidal stability and gelation of WPC. *Food Hydrocolloids*, **25**: 1077–1084.
- T., S., Al-Ismaili, A.M., Janitha Jeewantha, L.H., Al-Habsi, N.A. (2019). Effect of solar drying methods on color kinetics and texture of dates. *Food and Bioproducts Processing*, **116**: 227–239.
- Thonabut, J., Yaisumlee, T., Kuntawang, V. (2020). Product development of germinated brown rice drink mixed with instant beetroot powder. *วารสารวิทยาศาสตร์และเทคโนโลยี หัวเฉียวเฉลิมพระเกียรติ*, **6**: 8–20.



- Tous, J., Romero, A., Batlle, I. (2013). The Carob Tree: Botany, Horticulture, and Genetic Resources. *Horticultural Reviews Volume 41*. John Wiley & Sons, Ltd, pp. 385–456.
- Tuyen, C.K., Nguyen, M.H., Roach, P.D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *Journal of food engineering*, **98**: 385–392.
- Umali, A.B., Largado, A.A., Menia, J.J.C., Flandez, L.E.L., Felismino, R.M., Castillo-Israel, K.A.T., Duque, S.M.M. (2025). Comparative evaluation of the physicochemical properties and prebiotic potential of cocoa (*Theobroma cacao* L.) bean shell and commercial cocoa powders with varying degrees of alkalization. *Discover Food*, **5**: 85.
- Vissotto, F.Z., Montenegro, F.M., Santos, J.M. dos, Oliveira, S.J.R. de. (2006). Evaluation of the influence of lecithination and agglomeration on the physical properties of a cocoa powder beverage (cocoa powder beverage lecithination and agglomeration). *Food Science and Technology*, **26**: 666–671.
- Vitali Čepo, D., Mornar, A., Nigović, B., Kremer, D., Radanović, D., Vedrına Dragojević, I. (2014). Optimization of roasting conditions as an useful approach for increasing antioxidant activity of carob powder. *LWT - Food Science and Technology*, **58**: 578–586.
- Widayat, H.P. (2013). Perbaikan mutu bubuk kakao melalui proses ekstraksi lemak dan alkalisasi. *Jurnal Teknologi dan Industri Pertanian Indonesia*, **5**.
- Yousif, A.K., Alghzawi, H.M. (2000). Processing and characterization of carob powder. *Food chemistry*, **69**: 283–287.
- Youssef, S.M., El-Malak, G.A.A., Moussa, M.E. (2009). Utilization of carob pods in the production of alternative to cocoa powder.
- Yu, Z., Zhan, J., Wang, H., Zheng, H., Xie, J., Wang, X. (2020). Analysis of Influencing Factors on Viscosity of Agar Solution for Capsules. *Journal of Physics: Conference Series*, **1653**: 012059.
- Zhang, X., Do, M.D., Casey, P., Sulistio, A., Qiao, G.G., Lundin, L., Lillford, P., Kosaraju, S. (2010). Chemical Cross-Linking Gelatin with Natural Phenolic Compounds as Studied by High-Resolution NMR Spectroscopy. *Biomacromolecules*, **11**: 1125–1132.