

## DAFTAR PUSTAKA

- Abdul Kadir, K. A., Nazmi, N., Mohamad, N., Shabdin, M. K., Adiputra, D., Mazlan, S. A., Nordin, N. A., Mohd Yusuf, S., & Ubaidillah. (2022). Effect of Magnetorheological Grease's Viscosity to the Torque Performance in Magnetorheological Brake. *Materials (Basel, Switzerland)*, 15. <https://doi.org/10.3390/ma15165717>
- Alamu, G. A., Ayanlola, P. S., Babalola, K. K., Adedokun, O., Sanusi, Y. K., & Fajinmi, G. R. (2024). Green synthesis and characterizations of magnetic iron oxide nanoparticles using Moringa oleifera extract for improved performance in dye-sensitized solar cell. *Chemical Physics Impact*, 8. <https://doi.org/10.1016/j.chphi.2024.100542>
- Alfansuri, T., Handriani, L. S., Wibowo, N. A., Sabarman, H., & Suharyadi, E. (2021). Detection of Fe<sub>3</sub>O<sub>4</sub>/PEG nanoparticles using one and two spin-valve GMR sensing elements in wheatstone bridge circuit. *Journal of Materials Science: Materials in Electronics*, 32(19), 23958–23967. <https://doi.org/10.1007/s10854-021-06859-6>
- Altaf, S., Zafar, R., Zaman, W. Q., Ahmad, S., Yaqoob, K., Syed, A., Khan, A. J., Bilal, M., & Arshad, M. (2021). Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanoparticles using Moringa olifera: Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, 226. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Amirabadizadeh, A., Zelati, A., & Lotfollahi, Z. (2017). Studying the temperature effect on the magnetic behavior of Fe<sub>3</sub>O<sub>4</sub> water based ferrofluid. *Key Engineering Materials*, 744 744 KEM, 468–472. <https://doi.org/10.4028/www.scientific.net/KEM.744.468>
- Arana, M., Bercoff, P. G., Jacobo, S. E., Zélis, P. M., & Pasquevich, G. A. (2016). Mechanochemical synthesis of MnZn ferrite nanoparticles suitable for biocompatible ferrofluids. *Ceramics International*, 42(1), 1545–1551. <https://doi.org/10.1016/j.ceramint.2015.09.103>
- Ardiyanti, H., Mabarroh, N., Wibowo, N. A., Istiqomah, N. I., Tumbelaka, R. M., Ulil Absor, M. A., & Suharyadi, E. (2023). New design of a commercial chip-based GMR sensor with magnetite nanoparticles for biosensing applications. *Journal of Science: Advanced Materials and Devices*, 8(2). <https://doi.org/10.1016/j.jsamd.2023.100556>
- Asri, N. S., Tetuko, A. P., Esmawan, A., Addin, M., Setiadi, E. A., Putri, W. B. K., Ginting, M., & Sebayang, P. (2021). Syntheses of ferrofluids using polyethylene glycol (PEG) coated magnetite (Fe<sub>3</sub>O<sub>4</sub>), citric acid, and water as the working liquid in a cylindrical heat pipe. *Nano-Structures and Nano-Objects*, 25. <https://doi.org/10.1016/j.nanoso.2020.100654>

- Banerjee, H., Shen, S., & Ren, H. (2018). *Magnetically Actuated Minimally Invasive Microbots for Biomedical Applications* (hlm. 11–41). [https://doi.org/10.1007/978-981-10-6035-9\\_2](https://doi.org/10.1007/978-981-10-6035-9_2)
- Baselt, D. R., Lee, G. U., Natesan, M., Metzger, S. W., Sheehan, P. E., & Colton, R. J. (1998). A biosensor based on magnetoresistance technology 1. Dalam *Biosensors & Bioelectronics* (Vol. 13).
- Biedermann, A. R., & Parés, J. M. (2022). Magnetic Properties of Ferrofluid Change Over Time: Implications for Magnetic Pore Fabric Studies. *Journal of Geophysical Research: Solid Earth*, 127(10). <https://doi.org/10.1029/2022JB024587>
- Bijelic, A., & Rompel, A. (2018). Polyoxometalates: more than a phasing tool in protein crystallography. *ChemTexts*, 4(3). <https://doi.org/10.1007/s40828-018-0064-1>
- Bindhu, M. R., Umadevi, M., Esmail, G. A., Al-Dhabi, N. A., & Arasu, M. V. (2020). Green synthesis and characterization of silver nanoparticles from *Moringa oleifera* flower and assessment of antimicrobial and sensing properties. *Journal of Photochemistry and Photobiology B: Biology*, 205. <https://doi.org/10.1016/j.jphotobiol.2020.111836>
- Callister, W. D., & Rethwisch, D. G. (2015). *Fundamentals of Materials Science and Engineering An Integrated Approach* (5 ed.). Wiley.
- Chokkareddy, R., & Redhi, G. G. (2018). Green Synthesis of Metal Nanoparticles and its Reaction Mechanisms. Dalam *Green Metal Nanoparticles* (hlm. 113–139). John Wiley & Sons, Ltd. <https://doi.org/https://doi.org/10.1002/9781119418900.ch4>
- Creutzburg, M., Konuk, M., Tober, S., Chung, S., Arndt, B., Noei, H., Meißner, R. H., & Stierle, A. (2022). Adsorption of oleic acid on magnetite facets. *Communications Chemistry*, 5(1), 1–9. <https://doi.org/10.1038/s42004-022-00741-0>
- Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2022). Green Synthesis of Fe<sub>3</sub>O<sub>4</sub>/Chitosan Nanoparticles Utilizing *Moringa Oleifera* Extracts and Their Surface Plasmon Resonance Properties. *ECS Journal of Solid State Science and Technology*, 11(8), 083015. <https://doi.org/10.1149/2162-8777/ac8b36>
- Darmawan, M. Y., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe<sub>3</sub>O<sub>4</sub>/Ag composite nanoparticles using *Moringa oleifera*: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, 6. <https://doi.org/10.1016/j.rechem.2023.100999>
- Darminto, Cholishoh, M. N., Perdana, F. A., Baqiya, M. A., Mashuri, & Cahyono, Y. (2011). *Various pH Preparing Fe<sub>3</sub>O<sub>4</sub> Nanoparticles from Fe<sup>2+</sup> + Ions Source by Co-precipitation Process in Various pH*. 234(1415), 2–6. <https://doi.org/10.1063/1.3667264>

- Daughton, J., Brown, J., Chen, E., Beech, R., Pohm, A., & Kude, W. (1994). Magnetic Field Sensors Using GMR Multilayer. Dalam *IEEE TRANSACTIONS ON MAGNETICS* (Vol. 30, Nomor 6).
- Dinarvand, M., & Abolhasani, M. (2024). Iranian Journal of Chemical Engineering Investigating the Effect of Magnetic Field on the Thermal Conductivity of Ferrofluid Containing Fe<sub>3</sub>O<sub>4</sub> and CoFe<sub>2</sub>O<sub>4</sub> Spinel Ferrite Nanoparticles and Presenting a New Correlation. *Iranian Journal of Chemical Engineering*, 21(4), 20–36. <https://doi.org/10.22034/ijche.2024.476528.1540>
- Djamal, M., & Ramli, R. (2017). Giant Magnetoresistance Sensors Based on Ferrite Material and Its Applications. Dalam *Magnetic Sensors - Development Trends and Applications*. InTech. <https://doi.org/10.5772/intechopen.70548>
- Fan, S., Zhou, C., Xu, H., Xu, J., Wen, H. M., Xiao, J. Q., & Hu, J. (2022). A novel strategy to improve giant magnetoresistance effect of Co/Cu multilayered nanowires arrays. *Journal of Alloys and Compounds*, 910. <https://doi.org/10.1016/j.jallcom.2022.164729>
- Famarzi, B., Moggio, M., Diano, N., Portaccio, M., & Lepore, M. (2023). A Brief Review of FT-IR Spectroscopy Studies of Sphingolipids in Human Cells. Dalam *Biophysica* (Vol. 3, Nomor 1, hlm. 158–180). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/biophysica3010011>
- Fatima, A., Younas, I., & Ali, M. W. (2022). An Overview on Recent Advances in Biosensor Technology and its Future Application. *Archives Of Pharmacy Practice*, 13(1), 5–10. <https://doi.org/10.51847/ltogi43jil>
- Feng, J., Wang, Y. Q., Li, F. Q., Shi, H. P., & Chen, X. (2011). Detection of magnetic microbeads and ferrofluid with giant magnetoresistance sensors. *Journal of Physics: Conference Series*, 263(1). <https://doi.org/10.1088/1742-6596/263/1/012002>
- Gharby, S., Harhar, H., Bouzoubaa, Z., Asdadi, A., El Yadini, A., & Charrouf, Z. (2017). Chemical characterization and oxidative stability of seeds and oil of sesame grown in Morocco. *Journal of the Saudi Society of Agricultural Sciences*, 16(2), 105–111. <https://doi.org/10.1016/j.jssas.2015.03.004>
- Gopika, M. S., Lahiri, B. B., Anju, B., Philip, J., & Savitha Pillai, S. (2021). Magnetic hyperthermia studies in magnetite ferrofluids based on bio-friendly oils extracted from Calophyllum inophyllum, Brassica juncea, Ricinus communis and Madhuca longifolia. *Journal of Magnetism and Magnetic Materials*, 537. <https://doi.org/10.1016/j.jmmm.2021.168134>
- Graham, D. L., Ferreira, H. A., & Freitas, P. P. (2004). Magnetoresistive-based biosensors and biochips. Dalam *Trends in Biotechnology* (Vol. 22, Nomor 9, hlm. 455–462). <https://doi.org/10.1016/j.tibtech.2004.06.006>
- Guan, M., Mu, X., Zhang, H., Zhang, Y., Xu, J., Li, Q., Wang, X., Cao, D., & Li, S. (2019). Spindle-like Fe<sub>3</sub>O<sub>4</sub> nanoparticles for improving sensitivity and repeatability of giant magnetoresistance biosensors. *Journal of Applied Physics*, 126. <https://doi.org/10.1063/1.5096345>

- Gyergyek, S., Makovec, D., & Drofenik, M. (2011). Colloidal stability of oleic- and ricinoleic-acid-coated magnetic nanoparticles in organic solvents. *Journal of colloid and interface science*, 354, 498–505. <https://doi.org/10.1016/j.jcis.2010.11.043>
- Iskandar, D., Suprpto, Y. K., & Purnama, I. K. E. (2016). Determination of priority parameter for classification of poverty using Chi-square method and Crammer's V correlation. *2016 International Seminar on Application for Technology of Information and Communication (ISEmantic)*, 247–252. <https://doi.org/10.1109/ISEMANTIC.2016.7873846>
- Kazeminezhad, I., & Mosivand, S. (2014). Phase transition of electrooxidized Fe<sub>3</sub>O<sub>4</sub> to  $\gamma$  and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles using sintering treatment. *Acta Physica Polonica A*, 125(5), 1210–1214. <https://doi.org/10.12693/APhysPolA.125.1210>
- Kharissova, O. V., Dias, H. V. R., Kharisov, B. I., Pérez, B. O., & Pérez, V. M. J. (2013). The greener synthesis of nanoparticles. Dalam *Trends in Biotechnology* (Vol. 31, Nomor 4, hlm. 240–248). <https://doi.org/10.1016/j.tibtech.2013.01.003>
- Kim, S., Kim, J., Im, J., Kim, M., Kim, T., Wang, S. X., Kim, D., & Lee, J. R. (2022). Magnetic supercluster particles for highly sensitive magnetic biosensing of proteins. *Microchimica Acta*, 189(7). <https://doi.org/10.1007/s00604-022-05354-x>
- Kowalczyk, A. (2020). Trends and perspectives in DNA biosensors as diagnostic devices. Dalam *Current Opinion in Electrochemistry* (Vol. 23, hlm. 36–41). Elsevier B.V. <https://doi.org/10.1016/j.coelec.2020.03.003>
- Lahiri, B. B., Ranoo, S., Zaibudeen, A. W., & Philip, J. (2017). Magnetic hyperthermia in magnetic nanoemulsions: Effects of polydispersity, particle concentration and medium viscosity. *Journal of Magnetism and Magnetic Materials*, 441, 310–327. <https://doi.org/10.1016/j.jmmm.2017.05.076>
- Li, L., Li, D., & Zhang, Z. (2022). Colloidal Stability of Magnetite Nanoparticles Coated by Oleic Acid and 3-(N,N-Dimethylmyristylammonio)propanesulfonate in Solvents. *Frontiers in Materials*, 9(June), 1–10. <https://doi.org/10.3389/fmats.2022.893072>
- Li, Z., Chanéac, C., Berger, G., Delaunay, S., Graff, A., & Lefèvre, G. (2019). Mechanism and kinetics of magnetite oxidation under hydrothermal conditions. *RSC Advances*, 9, 33633–33642. <https://doi.org/10.1039/c9ra03234g>
- Mabarroh, N., Alfansuri, T., Aji Wibowo, N., Imani Istiqomah, N., Marsel Tumbelaka, R., & Suharyadi, E. (2022). Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, 560. <https://doi.org/10.1016/j.jmmm.2022.169645>

- Martinez, L., Cecelja, F., & Rakowski, R. (2005). A novel magneto-optic ferrofluid material for sensor applications. *Sensors and Actuators, A: Physical*, 123–124, 438–443. <https://doi.org/10.1016/j.sna.2005.05.003>
- Mohammed, E., Assaj, A., Patil, P. B., Chaudhari, Y. A., Jagtap, P. P., & Bendre, S. T. (2013). GMR Materials: A New Generation of Miniaturized Technology. *IOSR Journal of Applied Physics (IOSR-JAP)*, 5(1), 76–81. [www.iosrjournals.org](http://www.iosrjournals.org)[www.iosrjournals.org](http://www.iosrjournals.org)76|
- Morris, A. S., & Langari, R. (2021). Measurement and Instrumentation Theory and Application Third Edition. Dalam *Elsevier Inc.* (3 ed.). Katey Birtcher.
- Nalle, F. C., Wahid, R., Wulandari, I. O., & Sabarudin, A. (2019). Synthesis and characterization of magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles using oleic acid as stabilizing agent. *Rasayan Journal of Chemistry*, 12(1), 14–21. <https://doi.org/10.31788/RJC.2019.1214082>
- Nogue's, J. N., & Schuller, I. K. (1999). Exchange bias. Dalam *Journal of Magnetism and Magnetic Materials* (Vol. 192).
- Oehlsen, O., Cervantes-Ramírez, S. I., Cervantes-Avilés, P., & Medina-Velo, I. A. (2022). Approaches on Ferrofluid Synthesis and Applications: Current Status and Future Perspectives. *ACS Omega*, 7(4), 3134–3150. <https://doi.org/10.1021/acsomega.1c05631>
- Oladeji, O. S., Odelade, K. A., & Oloke, J. K. (2020). Phytochemical screening and antimicrobial investigation of Moringa oleifera leaf extracts. *African Journal of Science, Technology, Innovation and Development*, 12(1), 79–84. <https://doi.org/10.1080/20421338.2019.1589082>
- Panhwar, T., Ahmed Mahesar, S., Ahmed Kandhro, A., Tufial Hussain Sheerazi, S., Hameed Kori, A., Hussain Laghari, Z., & Memon, J.-R. (2019). Physicochemical composition and FTIR characterization of castor seed oil. *Technology — Ukrainian Food Journal*. 2019, 8. <https://doi.org/10.24263/2304>
- Perumalsamy, H., Balusamy, S. R., Sukweenadhi, J., Nag, S., MubarakAli, D., El-Agamy Farh, M., Vijay, H., & Rahimi, S. (2024). A comprehensive review on Moringa oleifera nanoparticles: importance of polyphenols in nanoparticle synthesis, nanoparticle efficacy and their applications. Dalam *Journal of Nanobiotechnology* (Vol. 22, Nomor 1). BioMed Central Ltd. <https://doi.org/10.1186/s12951-024-02332-8>
- Prayoga, G. A., Oktarisa, Y., Antarnusa, G., Fitriani, N. S., Aryani, R. M., Suherman, A., & Guntara, Y. (2024). The Effect of Chitosan Addition on Phase Composition and Detection Sensitivity of Fe<sub>3</sub>O<sub>4</sub>/Chitosan Magnetic Label Nanoparticles Based on Giant Magnetoresistance Sensor. *Journal of Energy, Material, and Instrumentation Technology*, 5(4), 153–160.
- Rafique, M. (2014). *Study of the Magnetoelectric Properties of Multiferroic Thin Films and Composites for Device Applications*. <https://doi.org/10.13140/RG.2.2.23827.94245>

- Reig, C., Cubells-Beltrán, M. D., & Muñoz, D. R. (2009). Magnetic field sensors based on Giant Magnetoresistance (GMR) technology: Applications in electrical current sensing. Dalam *Sensors* (Vol. 9, Nomor 10, hlm. 7919–7942). <https://doi.org/10.3390/s91007919>
- Scherer, C., & Figueiredo Neto, A. M. (2005). Ferrofluids: Properties and Applications. Dalam *Brazilian Journal of Physics* (Vol. 35, Nomor 3A).
- Scherer, C., & Neto, A. M. F. (2005). Ferrofluids: Properties and applications. *Brazilian Journal of Physics*, 35(3A), 718–727. [https://doi.org/10.1016/0261-3069\(87\)90139-7](https://doi.org/10.1016/0261-3069(87)90139-7)
- Schwaminger, S. P., Bauer, D., Fraga-García, P., Wagner, F. E., & Berensmeier, S. (2017). Oxidation of magnetite nanoparticles: impact on surface and crystal properties. *CrystEngComm*, 19, 246–255. <https://doi.org/10.1039/c6ce02421a>
- Shirzadfar, H., Nadi, M., Kourtiche, D., Yamada, S., & Hauet, T. (2015). Needle-type GMR sensor to estimate the magnetic properties of diluted ferrofluid for biomedicine application. *IRBM*, 36(3), 178–184. <https://doi.org/10.1016/j.irbm.2015.01.014>
- Silveira, C., Shimabuku, Q. L., Fernandes Silva, M., & Bergamasco, R. (2018). Iron-oxide nanoparticles by the green synthesis method using Moringa oleifera leaf extract for fluoride removal. *Environmental Technology (United Kingdom)*, 39(22), 2926–2936. <https://doi.org/10.1080/09593330.2017.1369582>
- Song, M., Lin, X., Peng, Z., Xu, S., Jin, L., Zheng, X., & Luo, H. (2021). Materials and Methods of Biosensor Interfaces With Stability. Dalam *Frontiers in Materials* (Vol. 7). Frontiers Media S.A. <https://doi.org/10.3389/fmats.2020.583739>
- Sutton, C. C. R., Da Silva, G., & Franks, G. V. (2015). Modeling the IR spectra of aqueous metal carboxylate complexes: Correlation between bonding geometry and stretching mode wavenumber shifts. *Chemistry - A European Journal*, 21, 6801–6805. <https://doi.org/10.1002/chem.201406516>
- Taufiq, A., Saputro, R. E., Sunaryono, Hariyanto, Y. A., Hidayat, N., Hidayat, A., Mufti, N., Susanto, H., & Mujamilah. (2018a). Functional Group and Magnetic Properties of Fe<sub>3</sub>O<sub>4</sub> Ferrofluids: The Impact of Dispersion Agent Composition. *Journal of Physics: Conference Series*, 1093(1). <https://doi.org/10.1088/1742-6596/1093/1/012010>
- Taufiq, A., Saputro, R. E., Sunaryono, Hariyanto, Y. A., Hidayat, N., Hidayat, A., Mufti, N., Susanto, H., & Mujamilah. (2018b). Functional Group and Magnetic Properties of Fe<sub>3</sub>O<sub>4</sub> Ferrofluids: The Impact of Dispersion Agent Composition. *Journal of Physics: Conference Series*, 1093. <https://doi.org/10.1088/1742-6596/1093/1/012010>
- Tetuko, A. P., Asri, N. S., Estellé, P., Fachredzy, A., Sebayang, A. M. S., Rinjani, D. F., Setiadi, E. A., Sari, A. Y., & Sebayang, P. (2024). Synthesis of ferrofluid using magnetite (Fe<sub>3</sub>O<sub>4</sub>), citric acid and deionized water and its

characterizations for the application of a non-uniform magnetic thermosyphon. *Nano-Structures and Nano-Objects*, 40. <https://doi.org/10.1016/j.nanoso.2024.101417>

Thompson, S. M. (2008). The discovery, development and future of GMR: The Nobel Prize 2007. Dalam *Journal of Physics D: Applied Physics* (Vol. 41, Nomor 9). <https://doi.org/10.1088/0022-3727/41/9/093001>

Tondra, M., Porter, M., & Lipert, R. J. (2000). Model for detection of immobilized superparamagnetic nanosphere assay labels using giant magnetoresistive sensors. *Journal of Vacuum Science & Technology A*, 18(4), 1125–1129. <https://doi.org/10.1116/1.582476>

Urian, Y. A., Atoche-Medrano, J. J., Quispe, L., Félix, L., & Coaquira, J. (2021). Study of the surface properties and particle-particle interactions in oleic acid-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Journal of Magnetism and Magnetic Materials*, 525, 167686. <https://doi.org/10.1016/j.jmmm.2020.167686>

Vordos, N., Gkika, D. A., & Bandekas, D. V. (2020). Wheatstone Bridge and Bioengineering. *Journal of Engineering Science and Technology Review*, 13(5), 4–6. <https://doi.org/10.25103/jestr.135.02>

Wang, H., Bi, C., Zhang, Y., Zhang, L., & Zhou, F. (2021). Compressions of magnetorheological fluids under instantaneous magnetic field and constant area. *Scientific reports*, 11(1), 8887. <https://doi.org/10.1038/s41598-021-88407-0>

Wibowo, N. A., Juharni, J., Sabarman, H., & Suharyadi, E. (2021a). A Spin-Valve GMR Based Sensor with Magnetite@silver Core-Shell Nanoparticles as a Tag for Bovine Serum Albumin Detection. *ECS Journal of Solid State Science and Technology*, 10(10), 107002. <https://doi.org/10.1149/2162-8777/ac2d4e>

Wibowo, N. A., Juharni, J., Sabarman, H., & Suharyadi, E. (2021b). A Spin-Valve GMR Based Sensor with Magnetite@silver Core-Shell Nanoparticles as a Tag for Bovine Serum Albumin Detection. *ECS Journal of Solid State Science and Technology*, 10, 107002. <https://doi.org/10.1149/2162-8777/ac2d4e>

Wu, X., Lu, C., Zhou, Z., Yuan, G., Xiong, R., & Zhang, X. (2014). Green synthesis and formation mechanism of cellulose nanocrystal-supported gold nanoparticles with enhanced catalytic performance. *Environ. Sci.: Nano*, 1(1), 71–79. <https://doi.org/10.1039/C3EN00066D>

Xiong, H., Wang, Q., Yuan, L., Liang, J., & Lin, J. (2023). Modeling and Experiments of Droplet Evaporation with Micro or Nano Particles in Coffee Ring or Coffee Splat. *Nanomaterials*, 13(10). <https://doi.org/10.3390/nano13101609>

Xu, J., Li, Q., Zong, W., Zhang, Y., & Li, S. (2016). Ultra-wide detectable concentration range of GMR biosensors using Fe<sub>3</sub>O<sub>4</sub> microspheres. *Journal of Magnetism and Magnetic Materials*, 417, 25–29. <https://doi.org/10.1016/j.jmmm.2016.05.059>

- Yang, J., Zou, P., Yang, L., Cao, J., Sun, Y., Han, D., Yang, S., Wang, Z., Chen, G., Wang, B., & Kong, X. (2014). A comprehensive study on the synthesis and paramagnetic properties of PEG-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Applied Surface Science*, 303, 425–432. <https://doi.org/10.1016/j.apsusc.2014.03.018>
- Ying, S., Guan, Z., Ofoegbu, P. C., Clubb, P., Rico, C., He, F., & Hong, J. (2022). Green synthesis of nanoparticles: Current developments and limitations. Dalam *Environmental Technology and Innovation* (Vol. 26). Elsevier B.V. <https://doi.org/10.1016/j.eti.2022.102336>
- Yu, X., Huo, C. F., Li, Y. W., Wang, J., & Jiao, H. (2012). Fe<sub>3</sub>O<sub>4</sub> surface electronic structures and stability from GGA + U. *Surface Science*, 606(9–10), 872–879. <https://doi.org/10.1016/j.susc.2012.02.003>
- Zurnansyah, Jayanti, P. D., Mahardhika, L. J., Kusumah, H. P., Ardiyanti, H., Wibowo, N. A., Istiqomah, N. I., Asri, N. S., Angel, J., & Suharyadi, E. (2024). Real-time biomolecule detection using GMR chip-based sensor with green-synthesized Fe<sub>3</sub>O<sub>4</sub>/rGO nanocomposites as magnetic labels. *Sensors and Actuators A: Physical*, 375. <https://doi.org/10.1016/j.sna.2024.115493>