

DAFTAR PUSTAKA

- ACI Committee 233, "Ground Granulated Blast-Furnace Slag as a Cementitious Constituent in Concrete," *ACI Materials Journal*, V. 84. No. 4, July-Aug. 1987, p.330.
- Amin-Yavari, S., Ziaei-Moayed, A.A , Madaah-Hoseini, H.R., 2008, *Influence of shot peening treatment on the fatigue life of Ti-6Al-4V ELI biomedical alloy*, Materials Science and Engineering Department, Sharif University of Technology, Iran.
- Anderson, A.B., Dallmier, A.W., Chudzik, S.J., Duran L.W., Guire, P.E., Hergenrother, R.W., Lodhi, M.A., Novak, A.E. , Ofstead, R.F. dan Wormuth K., 2004, *Biomaterials in Orthopedics : Technologies for the Surface Modification of Biomaterials*, Marcel Dekker,Inc., New York.
- Arifvianto, B., Suyitno, Mahardika, M. , 2011, *The Effect of Sandblasting and Surface Mechanical Attrition Treatment on Surface Roughness, Wettability, and Microhardness Distribution of AISI 316L*, Key Engineering Materials, Vol. 462 - 463, pp 738-743.
- Arifvianto, B., Suyitno, Mahardika, M., Dewo, P., Iswanto, P.T, Salim, U.A., 2011, *Effect of Surface Mechanical Attrition Treatment (SMAT) on Microhardness, Surface Roughness and Wettability of AISI 316L*, Materials Chemistry and Physics, Vol.125, pp 418-426.
- Arola, D., Alade, A.E., dan Weber, W., 2006, *Improving Fatigue Strength of Metals Using Abrasive Waterjet Peening*, Machining Science and Technology, Taylor & Francis Group, USA, pp 198.
- Azar, V., Hashemi, B., Yazdi, MR., 2010, *The effect of shot peening on fatigue and corrosion behavior of 316L stainless steel in Ringer's solution*, Surface & Coating Technology 204 (2010) 3546-3551.
- Bagherifard, S., Fernandez Pariente, I., Ghelichi, R., Guagl, M., 2010, *Fatigue properties of nanocrystallized surfaces obtained by high energy shot peening*, Procedia Engineering 2 (2010) 1683–1690.

- Bloyce, A., Qi, P.Y., Dong, H., Bell, T., 1998, *Surface modification of titanium alloys for combined improvements in corrosion and wear resistance*, Surface and Coatings Technology 107, 125–132.
- Boyer, R., Welsh, G., Collings, E.W., 1994, *Materials Properties Handbook-Titanium Alloys*, ASM International, Materials Park, OH.
- Callister Jr, William D, 2003, *Material Science and Engineering*, sixth edition, John Wiley & Sons, Inc.
- De los Rios, E.R., Walley, A., Milan, M.T., Hammersley, G., 1995, *Shot-peened surfaces in A316 stainless steel*, Int. J. Fatigue Vol. 17, No. 7, pp. 493-499, 1995.
- Elias, C.N., Lima, J.H.C., Valiev, R., dan Meyers, M.A., 2008, *Biomedical Applications of Titanium and its Alloys*, a literature review, *Journal of Metals*, New York.
- Förch, R., Schönherr, H., A.T.A. Jenkins, 2009. *Surface design: applications in bioscience and nanotechnology*. Wiley-VCH. p.471. ISBN3-527-40789-8.
- Jiang, X.P., Wang, X.Y., Li, J.X., Li, D.Y., Man, C.S., Shepard, M.J., Zhai, T., 2006, *Enhancement of fatigue and corrosion properties of pure Ti by sandblasting*, Materials Science and Engineering A 429 (2006) 30–35.
- Klokkevold, P, Nishimura, R.D., Adachi, M, Caputo, A., *Ossteointegration enhanced by chemical etching of titanium surface. A torque removal study in the rabbit. Clin Oral Implant Res.* 1997;8;442-447.
- Kobayashi, M., Matsui, T., Murakami, Y., 1997, *Mechanism of creation of compressive residual stress by shot peening*, Int. J. Fatigue Vol. 20, No. 5, pp. 351–357.
- Korkusuz, P., Korkusuz, P., 2004, *Biomaterials in Orthopedics: Hard Tissue-Biomaterial Interaction*, Marcel Dekker, Inc., New York.
- Kostilnik, T., Cotell, C.M., Sprague, J.A., 1994, *Shot Peening*, ASM Handbook, Surface Engineering, Eds Vol 5.
- Lee, Han-sang., Kim, Doo-Soo., Jung, Jine-sung., Pyoun, Young-shik., Shin, Keesam., 2009, *Influence of peening on the corrosion properties of AISI 304 stainless steel*, Corrosion Science 51 (2009) 2826–2830.

- Le Gu´ehennec, L., Soueidan, A., Layrolle, P, Amouriq, Y.,2007, *Surface treatments of titanium dental implants for rapid osseointegration*, dental materials 23,844-854.
- Maková, I., Sopko, M.,2010, *Effect of blasting material on surface morphology of steel sheets*, Acta Metallurgica Slovaca, Vol. 16, 2010, No.2, p. 109-115.
- Multigner, M., Frutos, E., González, J.L., Carrasco., Jiménez, J.A., Marín, P., dan Ibáñez, J., 2009, *Influence of the Sandblasting on the Subsurface Microstructure of 316LVM Stainless Steel: Implications on the Magnetic and Mechanical Properties*, Materials Science and Engineering ,Vol. 29, pp 1357-1360.
- Piattelli, M., Scarano, A., Paolantonio, M., Iezzi, G., Petrone, G., Piattelli, A., 2002, *Bone Response to Machined and Resorbable Blast Material Titanium Implants: an Experimental Study in Rabbit*, Journal of Oral Implantology, Vol. 28, pp2-8.
- Ratner, B.D, Hoffman, A.S., Schoen, S.J., Lemons, J.E., 2004, *Biomaterial Science: An Introduction to Materials in Medicine*, 2nd Ed., Elsevier Inc.,UK.
- Roland, T., Retraint, D., Lu, K., Lu, J., 2006, *Fatigue life improvement through surface nanostructuring of stainless steel by means of surface mechanical attrition treatment*, Scripta Materialia 54 (2006) 1949-1954.
- Roland, T., Retraint, D., Lu, K., Lu, J., 2007, *Enhanced mechanical behavior of a nanocrystallised stainless steel and its thermal stability*, Materials Science and Engineering A 445–446 (2007) 281–288
- Sato, H., Yamada, K., Pezzotti, G., Nawa, M., Ban, S., 2008, *Mechanical Properties of Dental Zirconia Ceramics Changed with Sandblasting and Heat Treatment*, Dental Materials Journal, Vol. 27,pp 408–414.
- Schutz, R.W., *Titanium '95: Science and Technology*,1995, Proc. 8th World Conf. on Titanium, Birmingham, UL, pp. 1860–1870.
- Sundararajan, M.A., 2010, *Principles of Biomedical Engineering*, Artech House, London.
- Torres, M.A.S., Voorwald, H.J.C., 2001, *An evaluation of shot peening, residual stress and stress relaxation on the fatigue life of AISI 4340 steel*, International Journal of Fatigue 24 (2002) 877–886.

Wang, Shengping., Li, Yongjun., Yao, Mei., Wang, Renzhi., 1996, *Compressive residual stress introduced by shot peening*, Journal of Materials Processing Technology 73 (1998) 64–73.

Wennerberg A., Albrektsson T, Lausmaa J. *Torque an histomorphometric evaluation of C.P. titanium screws blasted with 25- and 75 μm -sized particles of Al_2O_3* . J Biomed Mater Res, 1996;30:251-260.