

## DAFTAR PUSTAKA

- Abramson, L. W., Lee, T. S., Sharma, S., & Boyce, G. M. (2002). *Slope stability and stabilization methods*. New York: John Willey & Sons, Inc. 712 hal.
- Aksoy, C. O., Ogul, K., Topal, I., Ozer, S. C., Ozacar, V., & Posluk, E. (2012). Numerical modeling of non-deformable support in swelling and squeezing rock. *International Journal of Rock Mechanics and Mining Sciences*, 52, 61–70. <https://doi.org/10.1016/j.ijrmms.2012.02.008>
- Alonso, E. E., Berdugo, I. R., & Ramon, A. (2013). Extreme expansive phenomena in anhydritic-gypsiferous claystone: the case of Lilla tunnel. *International Journal of Rock Mechanics and Mining Sciences*, 63(7), 584–612. <https://doi.org/10.1680/geot.12.p.143>
- Badan Meteorologi, Klimatologi, dan Geofisika Stasiun Klimatologi Aceh. (2025). *Data curah hujan Bendungan Rukoh Kab. Pidie, Provinsi Aceh, Tahun 2022 s/d 2024*. (Tidak diterbitkan). 2 hal.
- Badan Standardisasi Nasional. (2002). *Baja tulangan beton. (SNI 07-2052-2002)*. 13 hal.
- Badan Standarisasi Nasional (BSN). (2008). *Cara uji potensi pengembangan atau penurunan satu dimensi tanah kohesif (SNI 6424:2008)*. 21 hal.
- Badan Standarisasi Nasional (BSN). (2017). *Persyaratan perancangan geoteknik (SNI 8460:2017)*. 303 hal.
- Bailey, S. W. (1981). A system of nomenclature for regular interstratifications. *The Canadian Mineralogist*, 19(4), 651–655.
- Barla, M. (2008). Numerical simulation of the swelling behaviour around tunnels based on special triaxial tests. *Tunnelling and Underground Space Technology*, 23(5), 508–521. <https://doi.org/10.1016/j.tust.2007.09.002>
- Barton, N. (2002). Some new Q-value correlations to assist in site characterisation and tunnel design. *International Journal of Rock Mechanics and Mining Sciences*, 39(2), 185–216. [https://doi.org/10.1016/s1365-1609\(02\)00011-4](https://doi.org/10.1016/s1365-1609(02)00011-4)
- Barton, N., Lien, R., & Lunde, J. (1974). Engineering classification of rock masses for the design of tunnel support. *Rock Mechanics and Rock Engineering: Springer – Verlag*, 6(4), 189–236. <https://doi.org/10.1007/bf01239496>
- Barton, N., Lien, R., & Lunde, J. (1977). Estimation of support requirements for underground excavations. *Proceeding of 16th Symposium on Design Methods in Rock Mechanics*, 163–177.
- Bennet, J. D., Bridge, D. McC., Cameron, N. R., Djunuddin, A., Ghazali, S. A., Jeffery, D. H., dan Whandoyo, R. (1981). *Peta Geologi Lembar Bandaaceh, Sumatra*. Bandung: Pusat Penelitian dan Pengembangan Geologi. 1 lembar.

Bergaya, F., Theng, B. K. G., & Lagaly, G. (2006). *Handbook of Clay Science* (first edition). Elsevier. 1224 halaman.

Bernard, E. S., & Thomas, A. H. (2020). Fibre reinforced sprayed concrete for ground support. *Tunnelling and Underground Space Technology*, 99, 103302. <https://doi.org/10.1016/j.tust.2020.103302>

Bieniawski, Z. T. (1989). *Engineering rock mass classifications: a complete manual for engineers and geologists in mining, civil, and petroleum engineering*. New York: John Willey & Sons, Inc. 251 hal.

Bilir, M. E., & Sarigül, G. (2021). Stability assessment of Terzili tunnel in swelling rock mass. *Arabian Journal of Geosciences*, 14(11). <https://doi.org/10.1007/s12517-021-07325-7>

Brahmanty, B., & Bando. (2006). Klasifikasi Bentuk Muka Bumi (Landform) untuk Pemetaan Geomorfologi pada Skala 1:25.000 dan Aplikasinya untuk Penataan Ruang. *Jurnal Geoaplika*, 1(2), 71–78. <https://doi.org/10.31227/osf.io/8ah6v>

Brekke, T. L., & Selmer-Olsen, R. (1965). Stability problems in underground constructions caused by montmorillonite-carrying joints and faults. *Engineering Geology*, 1(1), 3–19. [https://doi.org/10.1016/0013-7952\(65\)90004-9](https://doi.org/10.1016/0013-7952(65)90004-9)

Brindley, G. W., & Comer, J. J. (1955). The Structure and Morphology of a Kaolin Clay from Les Eyzies (France). *Clays and Clay Minerals (National Conference on Clays and Clay Minerals)*, 4, 61–66. <https://doi.org/10.1346/ccmn.1955.0040109>

Brindley, G. W., & Goodyear, J. (1948). X-ray studies of halloysite and metahalloysite. *Mineralogical Magazine and Journal of the Mineralogical Society*, 28(203), 407–422. <https://doi.org/10.1180/minmag.1948.028.203.02>

Bureau of Indian Standards. (1978). *Indian Standard Methods of Test for Soils Part XL Determination of Free Swell Index of Soils (IS:2720 Part XL - 1977)*. 5 hal.

Chaudhary, B. (2024). *Testing the swelling potential of selected intact rocks and stability evaluation of a hydropower tunnel passing through weak swelling rocks* (Master Thesis). Norwegian University of Science and Technology. 113 hal.

Chen, P.-Y. (1977). *Table of Key Lines in X-ray Powder Diffraction Patterns of Mineral in Clays and Associated Rocks*. Indiana: Department of Natural Resources Geological Survey. 67 hal.

CV. Geotama Multi Resource. (2024). *Laporan Penyelidikan Tanah Bendungan Pengarah, Kec. Tiro, Pidie*. (Tidak diterbitkan). 38 hal.

Das, B. M. (2002). *Soil mechanics laboratory manual* (sixth edition). New York: Oxford University Press. 215 hal.

Das, B. M. (2010). *Principles of geotechnical engineering* (seventh edition). Stamford: Cengage Learning. 666 hal.

de Souza Santos, P., de Souza Santos, H., & Brindley, G. W. (1966). Mineralogical

- Dearman, W. R. (2013). *Engineering Geological Mapping*. Kent: Elsevier Science. 387 hal.
- Deer, W. A., Howie, R. A., & Zussman, J. (2013). *An introduction to the rock-forming minerals* (third edition). London: The Mineralogical Society. 498 hal.
- Deere, D. U. (1968). Geological considerations. In K. G. Stagg & O. C. Zienkiewicz (Eds.), *Rock Mechanics in Engineering Practice*. New York: John Wiley & Sons Inc. 455 hal.
- Einstein, H. H. (1996). Tunnelling in difficult ground-Swelling behaviour and identification of swelling rocks. *Rock Mechanics and Rock Engineering*, 29(3), 113–124. <https://doi.org/10.1007/bf01032649>
- Etame, J., Gerard, M., Suh, C. E., & Bilong, P. (2009). Halloysite neoformation during the weathering of nephelinitic rocks under humid tropical conditions at Mt Etinde, Cameroon. *Geoderma*, 154(1-2), 59–68. <https://doi.org/10.1016/j.geoderma.2009.09.013>
- Ford, T. D., & Pedley, H. M. (1996). A review of tufa and travertine deposits of the world. *Earth-Science Reviews*, 41(3-4), 117–175. [https://doi.org/10.1016/s0012-8252\(96\)00030-x](https://doi.org/10.1016/s0012-8252(96)00030-x)
- Franklin, J. A., & Chandra, R. (1972). The slake-durability test. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 9(3), 325–328. [https://doi.org/10.1016/0148-9062\(72\)90001-0](https://doi.org/10.1016/0148-9062(72)90001-0)
- Goel, R. K., & Swarup, A. (2006). A case history of tunnelling through difficult ground. *Tunnelling and Underground Space Technology*, 21(3-4), 362. <https://doi.org/10.1016/j.tust.2005.12.179>
- Harwinda, Z. B. (2023). *Evaluasi Geologi Teknik Dan Analisis Kestabilan Pada Portal Terowongan Suplesi Bendungan Rukoh Kabupaten Pidie Provinsi Aceh* (Master Thesis). Universitas Gadjah Mada. 112 hal.
- Hefny, A. M., Tan, W. L., Ranjith, P. G., Sharma, J., & Zhao, J. (2004). Numerical analysis for umbrella arch method in shallow large scale excavation in weak rock. *Tunnelling and Underground Space Technology*, 19(4-5), 500. <https://doi.org/10.1016/j.tust.2004.02.097>
- Hoek, E. (1999). Support for very weak rock associated with faults and shear zones. *International Symposium on Rock Support and Reinforcement Practice in Mining*. Australia.

Hoek, E. (2000a). Numerical modelling for shallow tunnels in weak rock. *Unpublished Noted*. Retrieved from <https://www.rocsience.com/assets/resources/learning/papers/Numerical-Modelling-for-Shallow-Tunnels-in-Weak-Rock.pdf>. Diakses pada 11 September 2025

Hoek, E. (2000b). *Practical rock engineering*. S.L.: S.N.

Hoek, E. (2001). Big Tunnels in Bad Rock. *Journal of Geotechnical and Geoenvironmental Engineering*, 127(9), 726–740. [https://doi.org/10.1061/\(asce\)1090-0241\(2001\)127:9\(726\)](https://doi.org/10.1061/(asce)1090-0241(2001)127:9(726))

Hoek, E., & Brown, E. T. (1988). The Hoek-Brown failure criterion - a 1988 update. In J. C. Curran (Ed.), *Rock engineering for underground excavations, proc. 15th Canadian rock mech. symp.*, (pp. 31–38). Toronto: Dept. Civ. Engineering, University of Toronto.

Hoek, E., & Brown, E. T. (1997). Practical estimates of rock mass strength. *International Journal of Rock Mechanics and Mining Sciences*, 34(8), 1165–1186. [https://doi.org/10.1016/S1365-1609\(97\)80069-X](https://doi.org/10.1016/S1365-1609(97)80069-X)

Hoek, E., & Brown, E. T. (2019). The Hoek–Brown failure criterion and GSI – 2018 edition. *Journal of Rock Mechanics and Geotechnical Engineering*, 11, 445–463. <https://doi.org/10.1016/j.jrmge.2018.08.001>

Hoek, E., Carter, T. G., & Diederichs, M. S. (2013). Quantification of the Geological Strength Index chart. *47th US Rock Mechanics / Geomechanics Symposium*. San Francisco, USA: ARMA, American Rock Mechanics Association.

Hoek, E., & Diederichs, M. S. (2006). Empirical estimation of rock mass modulus. *International Journal of Rock Mechanics and Mining Sciences*, 43(2), 203–215. <https://doi.org/10.1016/j.ijrmms.2005.06.005>

Hoek, E., Kaiser, P. K., & Bawden, W. F. (1995). *Support of underground excavations in hard rock*. Balkema.

Hoek, E., & Marinos, P. (2000). Predicting tunnel squeezing problems in weak heterogeneous rock masses. *Tunnels and Tunnelling International*, 1–21.

Hoek, E., Marinos, P., & Benissi, M. (1998). Applicability of the geological strength index (GSI) classification for very weak and sheared rock masses. The case of the Athens Schist Formation. *Bulletin of Engineering Geology and the Environment*, 57(2), 151–160. <https://doi.org/10.1007/s100640050031>

Holtz, W. G., & Gibbs, H. J. (1956). Engineering Properties of Expansive Clays. *Transactions of the American Society of Civil Engineers*, 121(1), 641–663. <https://doi.org/10.1061/taceat.0007325>

Hussain, S., Ur Rehman, Z., Mohammad, N., Tahir, M., Shahzada, K., Wali Khan, S., ... Gul, A. (2018). Numerical Modeling for Engineering Analysis and Designing of Optimum Support Systems for Headrace Tunnel. *Advances in Civil Engineering*,

- ISRM. (1978). Suggested methods for the quantitative description of discontinuities in rock masses. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 16(2), 22. [https://doi.org/10.1016/0148-9062\(79\)91476-1](https://doi.org/10.1016/0148-9062(79)91476-1)
- ISRM. (1979). Suggested methods for determining water content, porosity, density, absorption and related properties and swelling and slake-durability index properties. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 16(5), 143–156. [https://doi.org/10.1016/0148-9062\(79\)90287-0](https://doi.org/10.1016/0148-9062(79)90287-0)
- Joussein, E., Petit, S., Churchman, J., Theng, B., Righi, D., & Delvaux, B. (2005). *Halloysite* clay minerals — a review. *Clay Minerals*, 40(4), 383–426. <https://doi.org/10.1180/0009855054040180>
- Joussein, E., Petit, S., Fialips, C.-I., Vieillard, P., & Righi, D. (2006). Differences in the DehydRatio-RehydRatio Behavior of *Halloysites*: New Evidence and Interpretations. *Clays and Clay Minerals*, 54(4), 473–484. <https://doi.org/10.1346/ccmn.2006.0540408>
- Kumari, N., & Mohan, C. (2021). Basics of Clay Minerals and Their Characteristic Properties. *Clay and Clay Minerals*. <https://doi.org/10.5772/intechopen.97672>
- Larive, C., Bouteille, S., Berthoz, N., & Zappelli, S. (2020). Fiber-Reinforced Sprayed Concrete as a Permanent Tunnel Lining. *Structural Engineering International*, 30(4), 498–505. <https://doi.org/10.1080/10168664.2020.1735981>
- Leong, T. W. (2005). *Numerical analysis for shallow tunnels in weak ground supported by umbrella arch method* (Master Thesis). Nanyang Technological University. 179 hal.
- Madsen, F. T., & Müller-Vonmoos, M. (1989). The swelling behaviour of clays. *Applied Clay Science*, 4(2), 143–156. [https://doi.org/10.1016/0169-1317\(89\)90005-7](https://doi.org/10.1016/0169-1317(89)90005-7)
- Maidl, B., Thewes, M., & Maidl, U. (2013). *Handbook of tunnel engineering volume I: structures and methods*. Berlin: Ernst & Sohn. 454 hal.
- Mao, D., Nilsen, B., & Lu, M. (2011). Analysis of loading effects on reinforced *shotcrete* ribs caused by weakness zone containing swelling clay. *Tunnelling and Underground Space Technology*, 26(3), 472–480. <https://doi.org/10.1016/j.tust.2011.01.004>
- Marhaendra, M. O. (2024). *Evaluasi Kondisi Geologi Teknik dan Kestabilan Lereng pada Portal Inlet Terowongan Suplesi Bendungan Rukoh, Kabupaten Pidie, Provinsi Aceh* (Master Thesis). Universitas Gadjah Mada. 91 hal.
- Marhaendra, M. O., Setiawan, H., & Karnawati, D. (2024). Rock mass identification using MASW method at Rukoh supplementation tunnel, Pidie district, Aceh Regency. *AIP Conference Proceedings*, 3110(1). AIP Publishing. Retrieved from