

DAFTAR PUSTAKA

- A. O. Ayeleso. (2012a). Effects of dietary intake of red palm oil on fatty acid composition and lipid profiles in male Wistar rats. *AFRICAN JOURNAL OF BIOTECHNOLOGY*, *11*(33). <https://doi.org/10.5897/ajb11.4080>
- A. O. Ayeleso. (2012b). Effects of dietary intake of red palm oil on fatty acid composition and lipid profiles in male Wistar rats. *AFRICAN JOURNAL OF BIOTECHNOLOGY*, *11*(33). <https://doi.org/10.5897/ajb11.4080>
- Abed, H. M., & Luma Khairy, H. (2023). The Effect of Adding Pumpkin Seed Oil on Physicochemical and Sensory Properties of the Mayonnaise. *IOP Conference Series: Earth and Environmental Science*, *1214*(1). <https://doi.org/10.1088/1755-1315/1214/1/012037>
- Adhikari, P., Shin, J. A., Lee, J. H., Hu, J. N., Zhu, X. M., Akoh, C. C., & Lee, K. T. (2010). Production of trans-free margarine stock by enzymatic interesterification of rice bran oil, palm stearin and coconut oil. *Journal of the Science of Food and Agriculture*, *90*(4), 703–711. <https://doi.org/10.1002/jsfa.3872>
- Akeda, S. T., Imura, M. K., Arushima, R. M., Akeuchi, A. T., Akizawa, K. T., Gino, Y. O., Asuda, Y. M., Unou, M. K., Asegawa, M. H., & Aruyama, C. M. (2011). Mayonnaise Contributes to Increasing Postprandial Serum-Carotene Concentration through the Emulsifying Property of Egg Yolk in Rats and Humans. In *J Nutr Sci Vitaminol* (Vol. 57).
- Altunkaya, A., Hedegaard, R. V., Harholt, J., Brimer, L., Gökmen, V., & Skibsted, L. H. (2013). Oxidative stability and chemical safety of mayonnaise enriched with grape seed extract. *Food and Function*, *4*(11), 1647–1653. <https://doi.org/10.1039/c3fo60204d>
- Anand, R., Mohan, L., & Bharadvaja, N. (2022). Disease Prevention and Treatment Using β -Carotene: the Ultimate Provitamin A. In *Revista Brasileira de Farmacognosia* (Vol. 32, Issue 4, pp. 491–501). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s43450-022-00262-w>
- Arshad, M. T., Ikram, A., Ahmad, M., Maqsood, S., Hossain, M. S., & Gnedeka, K. T. (2025). Sensory characteristics, quality attributes, and storage stability of mayonnaise: A review. In *International Journal of Food Science and Technology* (Vol. 60, Issue 2). Oxford University Press. <https://doi.org/10.1093/ijfood/vvaf148>
- Ayu, D. F., Juarsa, R. P., Diharmi, A., Diarti, M. W., Herawati, N., Pato, U., & Abdel-Wahhab, M. A. (2025). Effect of shark catfish oil, red, and yellow palm olein on the oil mixture oxidation and sensory characteristics of the mayonnaise. *Food Research*, *9*(3), 172–181. [https://doi.org/10.26656/fr.2017.9\(3\).394](https://doi.org/10.26656/fr.2017.9(3).394)

- Benadé, A. J. S. (2001). *The potential of red palm oil-based shortening as a food fortifi cant for vitamin A in the baking industry.*
- Bredikhin, S. A., Martekha, A. N., Andreev, V. N., Kaverina, Y. E., & Korotkiy, I. A. (2022). Rheological Properties of Mayonnaise with Non-Traditional Ingredients. *Food Processing: Techniques and Technology*, 52(4), 739–749. <https://doi.org/10.21603/2074-9414-2022-4-2402>
- Chetana, R., Bhavana, K. P., Babylatha, R., Geetha, V., & Suresh Kumar, G. (2019). Studies on eggless mayonnaise from rice bran and sesame oils. *Journal of Food Science and Technology*, 56(6), 3117–3125. <https://doi.org/10.1007/s13197-019-03819-1>
- Chirinos, R., Zuloeta, G., Pedreschi, R., Mignolet, E., Larondelle, Y., & Campos, D. (2013). Sacha inchi (*Plukenetia volubilis*): A seed source of polyunsaturated fatty acids, tocopherols, phytosterols, phenolic compounds and antioxidant capacity. *Food Chemistry*, 141(3), 1732–1739. <https://doi.org/10.1016/j.foodchem.2013.04.078>
- Colussi, G., Catena, C., Novello, M., Bertin, N., & Sechi, L. A. (2017). Impact of omega-3 polyunsaturated fatty acids on vascular function and blood pressure: Relevance for cardiovascular outcomes. In *Nutrition, Metabolism and Cardiovascular Diseases* (Vol. 27, Issue 3, pp. 191–200). Elsevier B.V. <https://doi.org/10.1016/j.numecd.2016.07.011>
- Depree, J. A., & Savage, G. P. (2001). Physical and flavour stability of mayonnaise. *Trends in Food Science & Technology*, 12(5–6), 157–163. [https://doi.org/10.1016/S0924-2244\(01\)00079-6](https://doi.org/10.1016/S0924-2244(01)00079-6)
- Di Mattia, C., Balestra, F., Sacchetti, G., Neri, L., Mastrocola, D., & Pittia, P. (2015). Physical and structural properties of extra-virgin olive oil based mayonnaise. *LWT - Food Science and Technology*, 62(1), 764–770. <https://doi.org/10.1016/J.LWT.2014.09.065>
- Dickinson, E. (2010). Flocculation of protein-stabilized oil-in-water emulsions. *Colloids and Surfaces B: Biointerfaces*, 81(1), 130–140. <https://doi.org/10.1016/J.COLSURFB.2010.06.033>
- Dinicolantonio, J. J., O’keefe, J., & O’keefe, J. H. (2021). *The importance of Maintaining a Low omega-6/omega-3 Ratio for Reducing the Risk of autoimmune diseases, asthma, and allergies* (Vol. 118).
- Dos Passos, R. B., Bazzo, G. C., Almeida, A. da R., Noronha, C. M., & Barreto, P. L. M. (2019). Evaluation of oxidative stability of mayonnaise containing poly ϵ -caprolactone nanoparticles loaded with thyme essential oil. *Brazilian Journal of Pharmaceutical Sciences*, 55. <https://doi.org/10.1590/s2175-97902019000118177>
- DP. (2000). *F&N Bulletin Vol 21 No 2.*
- El-Waseif, M., Saed, B., Fahmy, H., Sabry, A., Shaaban, H., Abdelgawad, M., Amin, A., & Farouk, A. (2022). Mayonnaise Enriched with Flaxseed Oil:

- Omega-3 Fatty Acids Content, Sensory Quality and Stability during the Storage. *Foods*, 11(15). <https://doi.org/10.3390/foods11152288>
- Fanali, C., Dugo, L., Cacciola, F., Beccaria, M., Grasso, S., Dachà, M., Dugo, P., & Mondello, L. (2011). Chemical characterization of Sacha inchi (*Plukenetia volubilis* L.) oil. *Journal of Agricultural and Food Chemistry*, 59(24), 13043–13049. <https://doi.org/10.1021/jf203184y>
- Fernández-López, J. A., Fernández-Lledó, V., & Angosto, J. M. (2020). New insights into red plant pigments: More than just natural colorants. In *RSC Advances* (Vol. 10, Issue 41, pp. 24669–24682). Royal Society of Chemistry. <https://doi.org/10.1039/d0ra03514a>
- García, P., Quinteros, A., García, P., Chumacero, J., & Castro, P. (2018). Storage evaluation of a functional food with skimmed milk enriched with fatty acids of Sacha Inchi (*Plukenetia volubilis* L.). *Agroindustrial Science*, 8(1), 39–43. <https://doi.org/10.17268/agroind.sci.2018.01.06>
- Golchoobi, L., Alimi, M., Shokoohi, S., & Yousefi, H. (2016). Interaction between Nanofibrillated Cellulose with Guar Gum and Carboxy Methyl Cellulose in Low-Fat Mayonnaise. *Journal of Texture Studies*, 47(5), 403–412. <https://doi.org/10.1111/jtxs.12183>
- Gülen, S., Günal-Köroğlu, D., & Turan, S. (2025). Effects of cold-pressed oil additives in varying proportions: Physico-chemical characteristics of mayonnaises. *Food Chemistry*, 469, 142576. <https://doi.org/10.1016/J.FOODCHEM.2024.142576>
- Hamka, H., Saragih, B., Sumarna, D., P. Candra, K., Agustin, S., & Marwati, M. (2024). Review: The Potential for Development of Red Palm Oil Industry in East Kalimantan. *Journal of World Science*, 3(5), 573–586. <https://doi.org/10.58344/jws.v3i5.606>
- Haniff, M., Yahaya, S. A., Aziz, N. S., Wan Mustapha, W. A., Sofian-Seng, N. S., Rahman, H. A., Mohd Razali, N. S., & Lim, S. J. (2020). Development of carotenoid-rich mayonnaise using Carotino oil. *Journal of Food Processing and Preservation*, 44(9). <https://doi.org/10.1111/jfpp.14688>
- Harianti, R., Marliyati, S. A., Rimbawan, R., & Sukandar, D. (2018a). Development of High Antioxidant Red Palm Oil Cake as a Potential Functional Food. *Jurnal Gizi Dan Pangan*, 13(2), 63–70. <https://doi.org/10.25182/jgp.2018.13.2.63-70>
- Harianti, R., Marliyati, S. A., Rimbawan, R., & Sukandar, D. (2018b). Development of High Antioxidant Red Palm Oil Cake as a Potential Functional Food. *Jurnal Gizi Dan Pangan*, 13(2), 63–70. <https://doi.org/10.25182/jgp.2018.13.2.63-70>
- Hong, Z., Kong, Y., Guo, R., & Huang, Q. (2024). Stabilizing effect of silver carp myofibrillar protein modified by high intensity ultrasound on high internal phase emulsions: Protein denaturation, interfacial adsorption and reconfiguration. *International Journal of Biological Macromolecules*, 265, 130896. <https://doi.org/10.1016/J.IJBIOMAC.2024.130896>

- Jacobsen, C., Xu, X., Nielsen, N. S., & Timm-Heinrich, M. (2003). Oxidative stability of mayonnaise containing structured lipids produced from sunflower oil and caprylic acid. *European Journal of Lipid Science and Technology*, 105(8), 449–458. <https://doi.org/10.1002/ejlt.200300796>
- Katsaros, G., Tsoukala, M., Giannoglou, M., & Taoukis, P. (2020). Effect of storage on the rheological and viscoelastic properties of mayonnaise emulsions of different oil droplet size. *Heliyon*, 6(12). <https://doi.org/10.1016/j.heliyon.2020.e05788>
- Khalid, M. U., Shabbir, M. A., Mustafa, S., Hina, S., Quddoos, M. Y., Mahmood, S., Maryam, Y., Faisal, F., & Rafique, A. (2021). Effect of Apple peel as an antioxidant on the quality characteristics and oxidative stability of mayonnaise. *Applied Food Research*, 1(2). <https://doi.org/10.1016/j.afres.2021.100023>
- Khushbu, S., & Sunil, C. K. (2020). Effect of particle size, concentration, temperature and pH on rheological properties of shallots flour. *Journal of Food Science and Technology*, 57(10), 3601–3610. <https://doi.org/10.1007/s13197-020-04392-8>
- Ko, S. N., Kim, C. J., Kim, C. T., Kim, Y., & Kim, I. H. (2010). Effects of tocopherols and tocotrienols on the inhibition of autoxidation of conjugated linoleic acid. *European Journal of Lipid Science and Technology*, 112(4), 496–501. <https://doi.org/10.1002/ejlt.200900177>
- Kong, Y., Guo, R., Xiong, J., Li, P., Ma, C., He, Y., & Huang, Q. (2025). Yeast protein as a sustainable fat replacer in reduced-fat mayonnaise: Impact on rheological properties, emulsion stability, and microstructure. *Food Chemistry*, 493. <https://doi.org/10.1016/j.foodchem.2025.145729>
- Labrousse, V. F., Leyrolle, Q., Amadieu, C., Aubert, A., Sere, A., Coutureau, E., Grégoire, S., Bretillon, L., Pallet, V., Gressens, P., Joffre, C., Nadjar, A., & Layé, S. (2018). Dietary omega-3 deficiency exacerbates inflammation and reveals spatial memory deficits in mice exposed to lipopolysaccharide during gestation. *Brain, Behavior, and Immunity*, 73, 427–440. <https://doi.org/10.1016/j.bbi.2018.06.004>
- Langton, M., Jordansson, E., Altskär, A., Sørensen, C., & Hermansson, A.-M. (1999). *Microstructure and image analysis of mayonnaises*.
- Lu, K., Du, Z., Chen, J., Kong, Y., & Huang, Q. (2024). Radio frequency air cold plasma pretreatment to enhance 3D printing performance of tapioca starch by altering its rheological behavior and water migration. *Food Hydrocolloids*, 153, 110032. <https://doi.org/10.1016/J.FOODHYD.2024.110032>
- Luterotti, S., Bicanic, D., & Požgaj, R. (2006). New simple spectrophotometric assay of total carotenes in margarines. *Analytica Chimica Acta*, 573–574, 466–473. <https://doi.org/10.1016/j.aca.2006.04.017>
- M. Rossi, M. Gianazza, & C. Alampresse. (2001). *The Effect of Bleaching and Physical Refining on Color*.

- Ma, L., & Barbosa-Chovas, G. V. (1995). Rheological Characterization of Mayonnaise. Part II: Flow and Viscoelastic Properties at Different Oil and Xanthan Gum Concentrations. In *Journal of Food Engineering* (Vol. 25).
- Ma, Z., & Boye, J. I. (2013). Advances in the Design and Production of Reduced-Fat and Reduced-Cholesterol Salad Dressing and Mayonnaise: A Review. In *Food and Bioprocess Technology* (Vol. 6, Issue 3, pp. 648–670). Springer Science and Business Media, LLC. <https://doi.org/10.1007/s11947-012-1000-9>
- Mba, O. I., Dumont, M. J., & Ngadi, M. (2015). Palm oil: Processing, characterization and utilization in the food industry – A review. *Food Bioscience*, 10, 26–41. <https://doi.org/10.1016/J.FBIO.2015.01.003>
- Mirhosseini, H., Tan, C. P., Hamid, N. S. A., & Yusof, S. (2008). Effect of Arabic gum, xanthan gum and orange oil contents on ζ -potential, conductivity, stability, size index and pH of orange beverage emulsion. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 315(1–3), 47–56. <https://doi.org/10.1016/J.COLSURFA.2007.07.007>
- Mokrzycki Cardinal Stefan, W., & Tatol, M. (2011). *Color difference Delta E-A survey Colour difference $\Delta E-A$ survey*. <https://www.researchgate.net/publication/236023905>
- Mozafari, H. R., Hosseini, E., Hojjatoleslami, M., Mohebbi, G. H., & Jannati, N. (2017). Optimization low-fat and low cholesterol mayonnaise production by central composite design. *Journal of Food Science and Technology*, 54(3), 591–600. <https://doi.org/10.1007/s13197-016-2436-0>
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. In *International Journal of Molecular Sciences* (Vol. 22, Issue 7). MDPI AG. <https://doi.org/10.3390/ijms22073380>
- Niu, H., Wang, W., Dou, Z., Chen, X., Chen, X., Chen, H., & Fu, X. (2023). Multiscale combined techniques for evaluating emulsion stability: A critical review. *Advances in Colloid and Interface Science*, 311, 102813. <https://doi.org/10.1016/J.CIS.2022.102813>
- Norouzzadeh, S., Ghasemzadeh, M., Akhavan, H. R., & Adhami, K. (2024). Effect of Pistacia atlantica kernel oil on the quality characteristics of mayonnaise during the storage period. *Food Science and Nutrition*, 12(10), 7968–7976. <https://doi.org/10.1002/fsn3.4353>
- Olsen, P., Meyer, O., Bille, N., & Würtzen, G. (1986). Carcinogenicity study on butylated hydroxytoluene (BHT) in Wistar rats exposed in utero. *Food and Chemical Toxicology*, 24(1), 1–12. [https://doi.org/10.1016/0278-6915\(86\)90256-5](https://doi.org/10.1016/0278-6915(86)90256-5)
- Pérez, M. P., Tesei, M. F., Wagner, J. R., & Márquez, A. L. (2014). Partial coalescence in cream-like emulsions prepared with alternative fats: Effect of controlled stirring and temperature cycles. *Journal of Texture Studies*, 45(5), 396–407. <https://doi.org/10.1111/jtxs.12090>

- Prasert, W., Pantoa, T., Chitisankul, W. T., & Pengpinij, W. (2022). Effects of Sacha inchi (*Plukenetia volubilis* L.) oil and extrusion process conditions on physicochemical properties of fortified omega-3 fibrous high moisture meat analogs. *Journal of Food Processing and Preservation*, 46(12). <https://doi.org/10.1111/jfpp.17227>
- Purnama, K. O., Setyaningsih, D., Hambali, E., & Taniwiryo, D. (2020a). Processing, Characteristics, and Potential Application of Red Palm Oil - A review. *International Journal of Oil Palm*, 3(2), 40–55. <https://doi.org/10.35876/ijop.v3i2.47>
- Purnama, K. O., Setyaningsih, D., Hambali, E., & Taniwiryo, D. (2020b). Processing, Characteristics, and Potential Application of Red Palm Oil - A review. *International Journal of Oil Palm*, 3(2), 40–55. <https://doi.org/10.35876/ijop.v3i2.47>
- Quratul Marjan, A., Marliyati, A., Ekayanti, I., Masyarakat, D. G., & Manusia, F. E. (2016). Nomor 2, Juli. *J. Gizi Pangan*, 11(2), 91–98.
- Rabiej-Kozioł, D., Krzemiński, M. P., & Szydłowska-Czerniak, A. (2020). Synthesis of steryl hydroxycinnamates to enhance antioxidant activity of rapeseed oil and emulsions. *Materials*, 13(20), 1–13. <https://doi.org/10.3390/ma13204536>
- Ravera, F., Dziza, K., Santini, E., Cristofolini, L., & Liggieri, L. (2021). Emulsification and emulsion stability: The role of the interfacial properties. *Advances in Colloid and Interface Science*, 288, 102344. <https://doi.org/10.1016/J.CIS.2020.102344>
- Richard, D., Kefi, K., Barbe, U., Bausero, P., & Visioli, F. (2008). Polyunsaturated fatty acids as antioxidants. *Pharmacological Research*, 57(6), 451–455. <https://doi.org/10.1016/J.PHRS.2008.05.002>
- Scholtz, S. C., Pieters, M., Oosthuizen, W., Jerling, J. C., Bosman, M. J. C., & Vorster, H. H. (2004). The effect of red palm olein and refined palm olein on lipids and haemostatic factors in hyperfibrinogaemic subjects. *Thrombosis Research*, 113(1), 13–25. <https://doi.org/10.1016/J.THROMRES.2004.02.004>
- Shabbir, M. A., Iftikhar, F., Rafiq Khan, M., Anjum Murtaza, M., Saeed, M., Mahmood, S., & Siraj, N. (2015). Effect of Sesame Sprouts Powder on the Quality and Oxidative Stability of Mayonnaise. *Journal of Food and Nutrition Research*, 3(3), 138–145. <https://doi.org/10.12691/jfnr-3-3-2>
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18, 757–781. <https://doi.org/10.1016/J.JFF.2015.01.047>
- Shen, R., Luo, S., & Dong, J. (2011). Application of oat dextrin for fat substitute in mayonnaise. *Food Chemistry*, 126(1), 65–71. <https://doi.org/10.1016/J.FOODCHEM.2010.10.072>
- Simopoulos, A. P. (2011). Evolutionary aspects of diet: The omega-6/omega-3 ratio and the brain. *Molecular Neurobiology*, 44(2), 203–215. <https://doi.org/10.1007/s12035-010-8162-0>

- Sinsuwan, S. (2024). Effect of Inulin on Rheological Properties and Emulsion Stability of a Reduced-Fat Salad Dressing. *International Journal of Food Science*, 2024. <https://doi.org/10.1155/2024/4229514>
- Surin, S., Pattarathitawat, P., Phongthai, S., Donlao, N., Kingwascharapong, P., Onsaard, E., Park, S., Zhang, W., & Issara, U. (2025). Valorization of avocado seeds (*Persea americana* Mill.): An alternative oil source for mayonnaise prototype production and its natural quality attribute. *Applied Food Research*, 5(1), 100695. <https://doi.org/10.1016/J.AFRES.2025.100695>
- Suwannasang, S., Zhong, Q., Thumthanaruk, B., Vatanyoopaisarn, S., Uttapap, D., Puttanlek, C., & Rungsardthong, V. (2022). Physicochemical properties of yogurt fortified with microencapsulated Sacha Inchi oil. *LWT*, 161, 113375. <https://doi.org/10.1016/J.LWT.2022.113375>
- Tadros, T. (2004). Application of rheology for assessment and prediction of the long-term physical stability of emulsions. *Advances in Colloid and Interface Science*, 108–109, 227–258. <https://doi.org/10.1016/J.CIS.2003.10.025>
- Tan, C. H., Lee, C. J., Tan, S. N., Poon, D. T. S., Chong, C. Y. E., & Pui, L. P. (2021). Red palm oil: A review on processing, health benefits and its application in food. In *Journal of Oleo Science* (Vol. 70, Issue 9, pp. 1201–1210). Japan Oil Chemists Society. <https://doi.org/10.5650/jos.ess21108>
- Tananuwong, K., & Tewaruth, W. (2010). Extraction and application of antioxidants from black glutinous rice. *LWT - Food Science and Technology*, 43(3), 476–481. <https://doi.org/10.1016/J.LWT.2009.09.014>
- Tao, Y., Cai, J., Wang, P., Chen, J., Zhou, L., Zhang, W., & Xu, X. (2024). Application of rheology and interfacial rheology to investigate the emulsion stability of ultrasound-assisted cross-linked myofibrillar protein: Effects of oil phase types. *Food Hydrocolloids*, 154, 110086. <https://doi.org/10.1016/J.FOODHYD.2024.110086>
- Tasliikh, M., Mollakhalili-Meybodi, N., Alizadeh, A. M., Mousavi, M. M., Nayebzadeh, K., & Mortazavian, A. M. (2022). Mayonnaise main ingredients influence on its structure as an emulsion. In *Journal of Food Science and Technology* (Vol. 59, Issue 6, pp. 2108–2116). Springer. <https://doi.org/10.1007/s13197-021-05133-1>
- Tekin, Z. H., & Karasu, S. (2020a). Cold-pressed flaxseed oil by-product as a new source of fat replacers in low-fat salad dressing formulation: Steady, dynamic and 3-ITT rheological properties. *Journal of Food Processing and Preservation*, 44(9). <https://doi.org/10.1111/jfpp.14650>
- Tekin, Z. H., & Karasu, S. (2020b). Cold-pressed flaxseed oil by-product as a new source of fat replacers in low-fat salad dressing formulation: Steady, dynamic and 3-ITT rheological properties. *Journal of Food Processing and Preservation*, 44(9). <https://doi.org/10.1111/jfpp.14650>
- Thakur, K., Kapoor, S., Kapoor, A., Aggarwal, P., Kumar, V., & Tyagi, S. K. (2023). Tomato seed oil enriched mayonnaise: structural, rheological, and

- biochemical characterization. *Journal of Food Science and Technology*, 60(9), 2486–2496. <https://doi.org/10.1007/s13197-023-05771-7>
- Wang, S., Zhu, F., & Kakuda, Y. (2018). Sacha inchi (*Plukenetia volubilis* L.): Nutritional composition, biological activity, and uses. *Food Chemistry*, 265, 316–328. <https://doi.org/10.1016/J.FOODCHEM.2018.05.055>
- Wiguna, B., Kahfi, J., Aji, G. K., Rachman, D., Nasori, A. S., Muhamaludin, Maryana, E., Atmaji, P., Taniwiryono, D., Purwanto, W., & Susetyo, I. B. (2023). The Influence of Virgin Red Palm Oil on the Physical and Textural Properties of Various Vegetable Full-Fat Mayonnaise. *Sains Malaysiana*, 52(10), 2843–2854. <https://doi.org/10.17576/jsm-2023-5210-09>
- Witasari, L. D., Jason, B., Salim, J. S., Pratama, Y., & Nusantoro, B. P. (2025). Enzymatic synthesis of zero-trans structured lipids from red palm oil (*Elaeis guineensis*) and sachal inchi oil (*Plukenetia volubilis*) blends. *Food Bioscience*, 69, 106981. <https://doi.org/10.1016/J.FBIO.2025.106981>
- Xiao, T., Ma, X., Hu, H., Xiang, F., Zhang, X., Zheng, Y., Dong, H., Adhikari, B., Wang, Q., & Shi, A. (2025). Advances in emulsion stability: A review on mechanisms, role of emulsifiers, and applications in food. In *Food Chemistry: X* (Vol. 29). Elsevier Ltd. <https://doi.org/10.1016/j.fochx.2025.102792>
- Xie, Y., Chen, J., Zhang, S., Fan, K., Chen, G., Zhuang, Z., Zeng, M., Chen, D., Lu, L., Yang, L., & Yang, F. (2016). The research about microscopic structure of emulsion membrane in O/W emulsion by NMR and its influence to emulsion stability. *International Journal of Pharmaceutics*, 500(1–2), 110–119. <https://doi.org/10.1016/j.ijpharm.2016.01.032>
- Xiong, Y., Chen, Y., Yi, X., Li, Z., & Luo, Y. (2022a). Effect of four plant oils on the stability of high internal phase Pickering emulsions stabilized by ovalbumin-tannic acid complex. *International Journal of Biological Macromolecules*, 222, 1633–1641. <https://doi.org/10.1016/J.IJBIOMAC.2022.10.098>
- Xiong, Y., Chen, Y., Yi, X., Li, Z., & Luo, Y. (2022b). Effect of four plant oils on the stability of high internal phase Pickering emulsions stabilized by ovalbumin-tannic acid complex. *International Journal of Biological Macromolecules*, 222, 1633–1641. <https://doi.org/10.1016/j.ijbiomac.2022.10.098>
- Yildirim, M., Sumnu, G., & Sahin, S. (2016). Rheology, particle-size distribution, and stability of low-fat mayonnaise produced via double emulsions. *Food Science and Biotechnology*, 25(6), 1613–1618. <https://doi.org/10.1007/s10068-016-0248-7>
- Zhang, W., Zhang, Y., He, Y., Xu, X., & Zhao, X. (2024). Oil density and viscosity affect emulsion stability and destabilization mechanism. *Journal of Food Engineering*, 366, 111864. <https://doi.org/10.1016/J.JFOODENG.2023.111864>

- Zhang, Y., Sun, Y., Yu, Q., Song, S., Thomas Brenna, J., Shen, Y., & Ye, K. (2023). *Higher ratio of plasma omega-6/omega-3 fatty acids is associated with greater risk of all-cause, cancer, and cardiovascular mortality: A population-based cohort study in UK Biobank*. 12, 90132. <https://doi.org/10.7554/eLife>
- Zhang, Y., Yang, Q., Lu, F., Wang, X., Liang, R., Pu, X., Chen, J., Zhang, D., Chen, Z., & Zhang, X. (2024). Inhibitory effects of potassium sorbate and ZnO nanoparticles on Escherichia coli and Staphylococcus aureus in milk-based beverage. *International Dairy Journal*, 159, 106073. <https://doi.org/10.1016/J.IDAIRYJ.2024.106073>
- Zhao, Y. Y., Wang, P., Zou, Y. F., Li, K., Kang, Z. L., Xu, X. L., & Zhou, G. H. (2014). Effect of pre-emulsification of plant lipid treated by pulsed ultrasound on the functional properties of chicken breast myofibrillar protein composite gel. *Food Research International*, 58, 98–104. <https://doi.org/10.1016/J.FOODRES.2014.01.024>