

DAFTAR PUSTAKA

- Agustini, N. R. (2020). Uji Aktivitas Antioksidan dan Penetapan Total Fenol Ekstrak Biji Kopi Robusta (*Coffea robusta* L.) Hasil Maserasi dan Sokletasi dengan Pereaksi DPPH (2, 2-difenil-1-pikrilhidrazil). *Jurnal Ilmiah Bakti Farmasi*, 5(1), 11-18.
- Andueza, S., De Pena, M. P., & Cid, C. (2003). Chemical and Sensorial Characteristics of Espresso Coffee As Affected by Grinding and Torrefacto Roast. *Journal of Agricultural and Food Chemistry*, 51, 7034-7039.
- Andueza, S., Maeztu, L., Pascual, L., Ibáñez, C., de Peña, M. P., & Cid, C. (2003). Influence of extraction temperature on the final quality of espresso coffee. *Journal of the Science of Food and Agriculture*, 83(3), 240-248.
- Angeloni, G., Guerrini, L., Masella, P., Bellumori, M., Daluiso, S., Parenti, A., & Innocenti, M. (2019). What kind of coffee do you drink? An investigation on effects of eight different extraction methods. *Food Research International*, 116, 1327-1335.
- Angeloni, G., Masella, P., Spadi, L., Guerrini, F., Corti, M., Bellumori, L., Calamai, & Parenti, M.I.A. (2023). Using ground coffee particle size and distribution to remodel beverage properties. *Journal of European Food Research and Technology*, 31.
- Anggara, A., & Marini, S. (2011). Kopi Si Hitam Menguntungkan Budidaya dan Pemasaran. *Yogyakarta: Cahaya Atma Pustaka*, 15-20.
- Anggia, M., & Wijayanti, R. (2023). Studi proses pengolahan kopi metode kering dan metode basah terhadap rendemen dan kadar air. *Jurnal Penelitian Dan Pengkajian Ilmiah Eksakta*, 2(2), 137-141.
- Badan Standardisasi Nasional. (2004). *Syarat Mutu Kopi Bubuk. 01-3542-2004*. Jakarta: BSN.
- Badan Standardisasi Nasional. (2004). *Standar Nasional Indonesia (SNI) 01-2907-2004: Biji kopi*. Departemen Pertanian.
- Badan Standardisasi Nasional. (2004). *Standar Nasional Indonesia (SNI) 01-3542-2004: Kopi bubuk*. Badan Standardisasi Nasional.
- Baliyan, S., Mukherjee, R., Priyadarshini, A., Vibhuti, A., Gupta, A., Pandey, R. P., & Chang, C. M. (2022). Determination of antioxidants by DPPH radical scavenging activity and quantitative phytochemical analysis of *Ficus religiosa*. *Molecules*, 27(4), 1326.
- Banks Mary, C. M. dan C. A. (2011). *The World Encyclopedia of Coffee*. Annes Publishing.
- Basse, E. J., Sun, D. W., Esua, O. J., & Cheng, J. H. (2023). Effects of freeze-thaw pretreatments on the drying characteristics, physicochemical and phytochemical composition of red dragon fruit during mid-and near-infrared drying. *Drying Technology*, 41(4), 561-576.
- Batali, M. E., Cotter, A. R., Frost, S. C., Ristenpart, W. D., & Guinard, J. X. (2021). Titratable acidity, perceived sourness, and liking of acidity in drip brewed coffee. *ACS Food Science & Technology*, 1(4), 559-569.
- Buffo, R, A and Cardelli-Freire, C., (2004), Coffee Flavour: An overview, *Flavour and Fragrance Journal*, 19, pp. 99-104.

- Cahyadi, M. D. P. A., Tarjoko, & Purwanto. (2021). Pengaruh ketinggian tempat terhadap sifat fisiologi dan hasil kopi arabika (*Coffea arabica*) di dataran tinggi desa Sarwodadi Kecamatan Pejawaran Kabupaten Banjarnegara. *Jurnal Ilmiah Media Agrosains*, 7(1), 1–7. <https://jurnal.polibara.ac.id/index.php/agrosains/article/view/215>
- Cahyono, P., Kunarto, B., & Yuliani Sani, E. (2022). Pengaruh lama penyeduhan kopi Arabika Gayo dengan metode cold brew terhadap kafein, pH, intensitas warna, dan organoleptik. *Jurnal Teknologi Hasil Pertanian*, Fakultas Teknologi Pertanian, Universitas Semarang. <https://repository.usm.ac.id/files/journalmhs/D.111.17.0082-20220919122238.pdf>
- Chen, J. H., & Ho, C. T. (1997). Antioxidant activities of caffeic acid and its related hydroxycinnamic acid compounds. *Journal of agricultural and food chemistry*, 45(7), 2374-2378.
- Chen, Y., Liu, Y., & Feng, X. (2023). Food Perception: Taste, Smell and Flavour. *Foods*, 12(19), 3628.
- Chittapun, S., Charoenrat, T., & Kongsinkaew, C. (2025). Cycles of freeze-thawing as an efficient method to microalgal cell disruption. In *Algal Bioreactors* (pp. 181-195). Elsevier Science Ltd.
- Ciptaningsih, E. (2012). Uji Aktivitas Antioksidan Dan Karakteristik Fitokimia Pada Kopi Luwak Arabika Dan Pengaruhnya Terhadap Tekanan Darah Tikus Normal Dan Tikus Hipertensi. Thesis. *Depok: Universitas Indonesia*.
- Claassen, L., Rinderknecht, M., Porth, T., Röhnisch, J., Seren, H. Y., Scharinger, A., ... & Lachenmeier, D. W. (2021). Cold brew coffee—Pilot studies on definition, extraction, consumer preference, chemical characterization and microbiological hazards. *Foods*, 10(4), 865.
- Clarke, R. J. and Macrae, R., (1987), *Coffee Technology*, Volume 2. Elsevier Applied Science, London and New York.
- Cordoba, N., Pataquiva, L., Osorio, C., Moreno, F. L. M., & Ruiz, R. Y. (2019). Effect of grinding, extraction time and type of coffee on the physicochemical and flavour characteristics of cold brew coffee. *Scientific reports*, 9(1), 8440.
- Damayanti, J. D., Sukasri, A., & Nurdin, M. I. (2020). The Decaffeination of Robusta Coffee Beans through Extraction Process with Distilled Wate. *Indonesian Journal of Chemical Technology*, 1(1), 38-45.
- de Azevedo Mendes, G., de Oliveira, M. A. L., Rodarte, M. P., dos Anjos, V. D. C., & Bell, M. J. V. (2024). Determination of Arabica and Robusta species in blends of roasted coffee by Mid Infrared spectroscopy in association with mixture design. *Food Chemistry Advances*, 4, 100592.
- Di Donfrancesco, B., Gutierrez Guzman, N., & Chambers IV, E. (2014). Comparison of Results from Cupping and Descriptive Sensory Analysis of Colombian Brewed Coffee. *Journal of Sensory Studies*, 29(4), 301-311.
- Duke, B. W., Mokonon, M. A., Mekonin, N. D., & Kuffi, K. D. (2025). Effects of Roasting Degree and Grinding Size on Caffeine Content and Sensorial Quality of Coffee. *Journal of Food Quality*, 2025(1), 2405668.

- Echeverria, M, C. dan Nuti, M., (2017), Valorisation Of The Residues of Coffee Agroindustry: Perspectives and Limitations, *The Open Waste Management Journal*, 2 (10), pp. 13-22.
- Edowai, D. N. (2019). Analisis sifat kimia kopi Arabika (*Coffea arabica* L) asal Dogiyai. *Agritechnology*, 2(1), 16-22.
- Engelen, A. (2017). Analisis sensori dan warna pada pembuatan telur asin dengan cara basah. *Jurnal Technopreneur (JTech)*, 5(1), 8-12.
- Ermawati, D., & Chasanah, U. (2023). Formulation of Green Robust Coffee Bean Extract (*Coffea Canephora*) in Serum Preparation Using Gelling Agent Hidroxy Propyl Methyl Cellulose. *KnE Medicine*, 234-245.
- Fabela-Morón, M. F. (2024). Bioactive compounds, sensory attributes, and *flavor* perceptions involved in taste-active molecules in fruits and vegetables. *Frontiers in Nutrition*, 11, 1427857.
- Farida, A. E, Ristianti R, dan Kumoro, A. C., (2013), Penurunan kadar kafein dan asam total pada biji kopi robusta menggunakan teknologi fermentasi anaerob fakultatif dengan mikroba nopkor MZ-15, *Jurnal Teknologi Kimia dan Industri*, 2(2):70–75.
- Fawwaz, M., Pratama, M., Musafira, M., Wahab, I., Iriani, R., Aminah, A., ... & Arsul, M. I. (2023). Evaluation of antioxidant activity of *Vernonia amygdalina* leaves and its flavonoid-phenolic content. *Indonesian Journal of Pharmaceutical Science and Technology*, 10(2), 104-110.
- Feria-Morales, A. M. (2002). Examining the case of green coffee to illustrate the limitations of grading systems/expert tasters in sensory evaluation for quality control. *Food Quality and Preference*, 13(6), 355-367.
- Fitri, N., Nurhaliza, N., Anggraeni, E. S., Herawati, D., Hunaefi, D., & Noviasari, S. (2024). Chemical composition, antioxidant activity, and sensory profile of espresso-based Arabica coffee from different bean origins. *Beverage Plant Research*, 5(1).
- Fuller, M., & Rao, N. Z. (2017). The effect of time, roasting temperature, and grind size on caffeine and chlorogenic acid concentrations in cold brew coffee. *Scientific reports*, 7(1), 17979.
- Gardjito, Murdijati dan Rahadian D.A. 2011. Kopi. Kanisius. Yogyakarta.
- Gilson Company, Inc. (2025). *Sieve sizes: A guide to U.S. and metric sizes*. Diakses 14 Desember 2025, dari <https://www.globalgilson.com/blog/sieve-sizes>
- Gozali, T., Ikrawan, Y., Ghaffar, R. M., Nurul, G., & Ramadhan, R. M. (2024). Pengaruh Konsentrasi Sorbitol dan Variasi Tingkat Penyangraian Terhadap Karakteristik Fisikokimia dan Organoleptik Kopi Robusta Cililin. *Jurnal Penelitian Pertanian Terapan*, 24(1), 96-110.
- Grace, H. A. (2017). Inventarisasi Organoleptik, Kandungan Kafein, Dan Asam Klorogenat Pada Kopi Bubuk Robusta (*Coffea Canephora* L.) Di Kabupaten Tanggamus. *Fakultas Pertanian, Universitas Lampung, Bandar Lampung Tahun*.
- Gunning, M., & Tagkopoulos, I. (2025). A systematic review of data and models for predicting food *flavor* and texture. *Current Research in Food Science*, 101127.

- Hamidi, N., Ariyanto, A., Sasongko, M. N., & Sugiarto, S. (2014). Efek Freezing Damages dan Temperatur Distilasi terhadap Hasil Minyak Atsiri (Nilam). *Jurnal Rekayasa Mesin*, 5(2), 165-170.
- Hu, G., Peng, X., Wang, X., Li, X., Li, X., & Qiu, M. (2020). Excavation of coffee maturity markers and further research on their changes in coffee cherries of different maturity. *Food Research International*, 132, 109121. <https://doi.org/10.1016/j.foodres.2020.109121>
- Hunter Associate Laboratory. (2012). Measuring Opaque Liquids. *Technical Services Departement Hunter Associates Laboratory, Inc.*
- Ifmalinda, Setiasih, I. S., Nurjanah, S., & Muhaemin, M. (2014). Kajian Karakteristik Sifat Fisiko Kimia Kopi Arabika pada Berbagai Tingkat Kematangan. Prosiding Seminar Dan Lokakarya Nasional FKPT-TPI 2014, 30–39.
- International Organization for Standardization. (2008). *ISO 5492:2008 — Sensory analysis — Vocabulary* [Standard]. ISO. <https://www.iso.org/obp/ui/#iso:std:iso:5492:ed-2:v1:en>
- Jiao, Y., Li, D., Chang, Y., & Xiao, Y. (2018). Effect of freeze-thaw pretreatment on extraction yield and antioxidant bioactivity of corn carotenoids (Lutein and Zeaxanthin). *Journal of Food Quality*, 2018(1), 9843503.
- Johnson, J. L., Dzenolet, E., Damon, R., Sawyer, M., & Clydesdale, F. M. (1982). Psychophysical relationships between perceived sweetness and color in cherry-flavored beverages. *Journal of Food Protection*, 45(7), 601-606.
- Kementerian Pertanian Republik Indonesia. (2012). *Pedoman penanganan pasca panen kopi*. Kementerian Pertanian.
- Kementerian Pertanian. (2022). *Buku Outlook Komoditas Perkebunan Kopi*. Pusat Data Dan Sistem Informasi Pertanian Sekretariat Jenderal-Kementerian Pertanian.
- Khapre, Y., Kyamuhangire, W., Njoroge, E. K., & Kathurima, C. W. (2017). Analysis of the diversity of some Arabica and Robusta coffee from Kenya and Uganda by sensory and biochemical components and their correlation to taste. *IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT)*, 11(10), 39-43.
- Khoirunisa, S. (2021). Proses Pengilingan, Suhu, Ekstraksi dan Jenis Kopi Pada Karakteristik Cold Brew Coffee. *Jurnal Pariwisata Vokasi*, 2(2), 47-55.
- Kim, W., Kim, S. Y., Kim, D. O., Kim, B. Y., & Baik, M. Y. (2018). Puffing, a novel coffee bean processing technique for the enhancement of extract yield and antioxidant capacity. *Food chemistry*, 240, 594-600.
- Kuhn, M., Lang, S., Bezold, F., Minceva, M., & Briesen, H. (2017). Time-resolved extraction of caffeine and trigonelline from finely-ground espresso coffee with varying particle sizes and tamping pressures. *Journal of Food Engineering*, 206, 37-47.
- Kurniawan, M. F., Andarwulan, N., Wulandari, N., & Rafi, M. (2017). Metabolomic approach for understanding phenolic compounds and melanoidin roles on antioxidant activity of Indonesia robusta and arabica coffee extracts. *Food science and biotechnology*, 26(6), 1475-1480.

- Kyroglou, S., Laskari, R., & Vareltzis, P. (2022). Optimization of sensory properties of cold brew coffee produced by reduced pressure cycles and its physicochemical characteristics. *Molecules*, 27(9), 2971.
- Latunra, A. I., Johannes, E., Mulihardianti, B., & Sumule, O. (2021). Analisis Kandungan Kafein Kopi (*Coffea arabica*) Pada Tingkat Kematangan Berbeda Menggunakan Spektrofotometer UV-VIS. 12(1), 45–50.
- Lawless, H. T., & Heymann, H. (2010). *Sensory evaluation of food: principles and practices*. Springer Science & Business Media.
- Liang, J., Batali, M. E., Routt, C., Ristenpart, W. D., & Guinard, J. X. (2024). Sensory analysis of the *flavor* profile of full immersion hot, room temperature, and cold brewed coffee over time. *Scientific Reports*, 14(1), 19298.
- Lingle, T. R., & Menon, S. N. (2017). Cupping and grading—Discovering character and quality. In *The craft and science of coffee* (pp. 181-203). Academic Press.
- Llavata, B., Mello, R. E., Quiles, A., Correa, J. L., & Cárcel, J. A. (2024). Effect of freeze-thaw and PEF pretreatments on the kinetics and microstructure of convective and ultrasound-assisted drying of orange peel. *npj Science of Food*, 8(1), 56.
- Loncaric, A., Dugalic, K., Mihaljevic, I., Jakobek, L., & Pilizota, V. (2014). Effects of sugar addition on total polyphenol content and antioxidant activity of frozen and freeze-dried apple purée. *Journal of Agricultural and Food Chemistry*, 62(7), 1674-1682.
- Mangiwa, S., & Maryuni, A. E. (2020). Pengaruh Metode Ekstraksi Terhadap Sifat Fisik dan Kimia Ekstrak Biji Kopi Sangrai Jenis Arabika (*Arabica coffea*) Asal Wamena dan Lanny Jaya. *AVOGADRO Jurnal Kimia*, 4(1), 31-40.
- Maryuna, S., Hartuti, S., & Fadhil, R. (2022). Penilaian sensori kopi arabika gayo pada berbagai ketinggian menggunakan seduhan V60. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(4), 787–790. <https://doi.org/10.17969/jimfp.v7i4.22005>
- Masek, A., Latos-Brozio, M., Kałużna-Czaplińska, J., Rosiak, A., & Chrzescijanska, E. (2020). Antioxidant properties of green coffee extract. *Forests*, 11(5), 557.
- Menis-Henrique, M. E. C. (2020). Methodologies to advance the understanding of *flavor* chemistry. *Current Opinion in Food Science*, 33, 131-135.
- Meyer, H. W., & Richter, W. (2001). Freeze-fracture studies on lipids and membranes. *Micron*, 32(6), 615-644.
- Milek, M., Młodecki, Ł., & Dżugan, M. (2021). Caffeine content and antioxidant activity of various brews of specialty grade coffee. *Acta Scientiarum Polonorum. Technologia Alimentaria*, 20(2).
- More, P., Joshi, A., Jadhav, S., Handibag, A., Singh, V., & Khodke, S. (2025). Effect of freeze-thaw pretreatment on mass transfer and overall acceptability of osmo-convectively dehydrated carrot slices. *International Journal of Environmental Sciences*, 11(14s). <https://doi.org/10.64252/gv20pm69>.

- Morresi, A. M., Truglio, K., Specchio, J., & Kerrihard, A. L. (2021). Effects of grind size and brew time upon sensory traits, consumer likability and antioxidant activity of Arabica cold brew. *International Journal of Food Science and Technology*, 56(4), 1929-1936.
- Mulangsri, D. A. K., Budiarti, A., & Saputri, E. N. (2017). Aktivitas Antioksidan Fraksi Dietileter Buah Mangga Arumanis (*Mangifera Indica* L.) dengan Metode DPPH. *Jurnal Pharmascience*, 4(1).
- Mulato, S., & Suharyanto, E. (2012). Kopi, seduhan dan kesehatan. *Jember: Pusat Penelitian Kopi dan Kakao Indonesia*.
- Najikh, A. H., Zakaria, A., Soraya, U., Kamila, N., Filardi, A., Safitri, D., & Abidin, F. (2023). Pengembangan Produksi Kopi Rumahan dalam Meningkatkan Daya Jual Kopi Hasil Panen Petani Kopi di Desa Kalibarukulon: Development of Home Coffee Production in Increasing the Selling Power of Coffee Harvested by Coffee Farmers in Kalibarukulon Village. *AMALIYYA: Community Empowerment and Development Journal*, 1(1), 42-58.
- Nebesny, E., & Budryn, G. (2003). Antioxidative activity of green and roasted coffee beans as influenced by convection and microwave roasting methods and content of certain compounds. *European Food Research and Technology*, 217(2), 157-163.
- Ni'am, S. (2020). The Debate of Orthodox Sufism and Philosophical Sufism: The Study of Maqāmāt in the Sirāj alṬālibīn of Shaykh Ihsān Jampes. *Al-Jami'ah: Journal of Islamic Studies*, 58(1), 1–34.
- Nurhayati, N. (2017). Karakteristik sensori kopi celup dan kopi instan varietas robusta dan arabika. *Jurnal Ilmiah Inovasi*, 17(2).
- Nurulhuda, A. H., & Nafi'ah, R. (2020). Uji Aktivitas Krim Ekstrak Daun Tin (*Ficus carica* Linn.) sebagai Antioksidan. *Praeparandi: Jurnal Farmasi dan Sains*, 4(1), 78-87.
- Oszmiański, J., Wojdyło, A., & Kolniak, J. (2009). Effect of L-ascorbic acid, sugar, pectin and freeze–thaw treatment on polyphenol content of frozen strawberries. *LWT-Food Science and Technology*, 42(2), 581-586.
- Panovska, T.K., Kulevanova, S., Stefova.. (2005). In Vitro Antioxidant Activity of Some Teucrium Spesies (Lamiaceae), *Acta Pharm*, 55 hal 207-214.
- Poole, R., Kennedy, O. J., Roderick, P., Fallowfield, J. A., Hayes, P. C., & Parkes, J. (2017). Coffee consumption and health: umbrella review of meta-analyses of multiple health outcomes. *bmj*, 359.
- Pramono, C., Suharno, K., & Putranto, R. A. (2018). Pengaruh Waktu Grading Terhadap Kualitas Biji Kopi Arabika. In *Prosiding Seminar Nasional & Internasional* (Vol. 1, No. 1).
- Priantari I, Andi, D. 2021. Karakterisasi Kopi Arabica (*Coffea arabica*) Varietas Komasti dan Andungsari dengan Level Sangrai. *Jurnal Biologi Universitas Andalas Vol. 10 (1): 33 – 41*.
- Purwandari, F. A., Gahari, R. S., Fogliano, V., & Capuano, E. (2024). Freeze-thaw procedure as an alternative method to reduce the cooking time of Jack bean (*Canavalia ensiformis* (L.) DC) while retaining its nutritional quality. *LWT*, 201, 116227.

- Rahmawati, M. A., & Fibrianto, K. (2018). Karakterisasi sensori kopi robusta dampit: kajian pustaka. *Jurnal Pangan dan Agroindustri*, 6(1).
- Ramadani, P. G., Suud, H. M., Arum, A. P., Savitri, D. A., Nisak, F., & Kusbianto, D. E. (2025). Pengaruh Tingkat Roasting Kopi Robusta dan Penambahan Jahe Merah Pada Aktivitas Antioksidan: The Effect of Roasting Level of Robusta Coffee and Red Ginger Addition on the Antioxidant Activities. *Atech-i*, 2(2), 7-17.
- Rao, N. Z., & Fuller, M. (2018). Acidity and antioxidant activity of cold brew coffee. *Scientific Reports*, 8(1), 16030.
- Rocha, S. M., Costa, C. P., & Martins, C. (2022). Aroma clouds of foods: a step forward to unveil food aroma complexity using GC× GC. *Frontiers in chemistry*, 10, 820749.
- Rohmah, A., (2020). *Pengaruh ukuran bubuk dan lama ekstraksi kopi Arabika (Coffea arabica L.) dan Robusta (Coffea canephora L.) dengan metoda cold brew terhadap aktivitas antioksidannya*. Skripsi. Yogyakarta: Universitas Gadjah Mada.
- Rune, C. J. B., Giacalone, D., Steen, I., Duelund, L., Münchow, M., & Clausen, M. P. (2023). Acids in brewed coffees: Chemical composition and sensory threshold. *Current research in food science*, 6, 100485.
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan: Alami dan sintetik*. Padang: Andalas University Press. ISBN 978-602-8821-97-1
- Scalbert, A., Johnson, I. T., & Saltmarsh, M. (2005). Polyphenols: antioxidants and beyond. *The American journal of clinical nutrition*, 81(1), 215S-217S.
- Sihite, L., Marbun, P., & Supriadi. (2015). Hubungan ketinggian tempat dan kemiringan lereng terhadap produksi kopi arabika sigarar utang di Kecamatan Lintong Nihuta. *Jurnal Online Agroekoteknologi*, 3(2), 666–673. <https://doi.org/10.32734/jaet.v3i2.10349>
- Silalahi, A. V., & Rosyadi, R. I. (2024). Evaluasi kesesuaian lahan kopi robusta (*Coffea canephora*) Desa Pucaksari Kecamatan Busungbiu Kabupaten Buleleng menggunakan analisis sistem informasi geografi. *Jurnal Spatial Wahana Komunikasi Dan Informasi Geografi*, 24(1), 21–30. <https://doi.org/10.21009/spatial.241.003>
- Silva, A. C. C., & Schmidt, F. C. (2022). Intensification of freeze-drying rate of coffee extract by vacuum freezing. *Innovative Food Science & Emerging Technologies*, 78, 103022.
- Specialty Coffee Association of America. (2009). *SCAA protocols: Cupping specialty coffee*. Retrieved December 4, 2025, from <http://www.scaa.org/?page=resources&d=cupping-protocols>
- Specialty Coffee Association. (2020). *Cold brew cupping protocols* (Version 1.5). Toddy, LLC.
- Specialty Coffee Association. (2021). *Towards a Definition of Specialty Coffee: A Conception Based on Attributes*. SCA, Santa Ana.
- Steger, M. C., Rigling, M., Blumenthal, P., Segatz, V., Quintanilla-Belucci, A., Beisel, J. M., ... & Zhang, Y. (2022). Coffee leaf tea from El Salvador: On-site production considering influences of processing on chemical composition. *Foods*, 11(17), 2553.

- Suhandy, D. (2018). Pengaruh Ukuran Partikel Kopi Bubuk pada Proses Diskriminasi Kopi Dekafeinasi Menggunakan Metode Ultraviolet-Visible Spectroscopy dan PLS-DA. *Jurnal Penelitian Pertanian Terapan (JPPT)*, 18(1), 46-51.
- Sulaiman, I., Irfan, I., & Syahputra, R. (2023). The influence of temperature and duration of brewing on the sensorial value of Gayo Arabica wine coffee, a comparison of hedonic and cupping test methods. *Coffee Science*, 17, 1–10. <https://doi.org/10.25186/v17i.2032>.
- Sulistiawati, E., Rochmadi, R., Hidayat, M., & Budiman, A. (2023). Enhancement of phycocyanin extraction from dry *Spirulina platensis* powder by freezing-thawing pre-treatment. *International Journal of Technology*, 14(4), 780-790.
- Sulistyaningtyas, A. R. (2017, October). Pentingnya pengolahan basah (wet processing) buah kopi robusta (*coffea robusta* Lindl. ex. de. Will) untuk menurunkan resiko kecacatan biji hijau saat coffee grading. In *prosiding seminar nasional & internasional* (Vol. 1, No. 1).
- Sulistyowati, (2002), Metode Uji Cita Rasa Kopi, (Materi Pelatihan Uji Cita Rasa Kopi, 19-21 Februari 2002). Pusat Penelitian Kopi dan Kakao, Jember, Indonesia.
- Supriana, N., Ahmad, U., Samsudin, S., & Purwanto, E. H. (2020). Pengaruh metode pengolahan dan suhu penyangraian terhadap karakter fisiko-kimia kopi robusta. *Jurnal Tanaman Industri Dan Penyegar*, 7(2), 61.
- Syska, K., Istiqomah, K., & Ropiudin, R. (2023). Formulasi dan Karakterisasi Kopi Robusta Specialty dan Gula Kelapa Kristal untuk Meningkatkan Mutu Kopi Robusta Lokal. *Jurnal Agricultural Biosystem Engineering*, 2(1), 158-167.
- Taqiyuddin, M., Budi, H., Mokoginta, M. M., Suyani, I. S., Rahmi, F., Fadli, Saleh, A. R., Damayanti, R. P., Hartanti, A., Chaniago, R., Khairiah, Bangkele, L. I., & Ridhana, F. (2023). *Perjalanan panjang secangkir kopi* (Editor A. P. Kamarudin). Gowa: CV AYRADA Mandiri.
- Tian, T., Freeman, S., Corey, M., German, J. B., & Barile, D. (2017). Chemical characterization of potentially prebiotic oligosaccharides in brewed coffee and spent coffee grounds. *Journal of Agricultural and Food Chemistry*, 65(13), 2784-2792.
- Trandafir, I., Nour, V., & Ionica, M. E. (2013). Antioxidant capacity, phenolic acids and caffeine contents of some commercial coffees available on the Romanian market. *Archivos latinoamericanos de nutricion*, 63(1), 87-94.
- Traore, T. M., Wilson, N. L., & FIELDS III, D. E. A. C. U. E. (2018). What explains specialty coffee quality scores and prices: A case study from the cup of excellence program. *Journal of Agricultural and Applied Economics*, 50(3), 349-368.
- von Blittersdorff, M., & Klatt, C. (2017). The grind—Particles and particularities. In *The craft and science of coffee* (pp. 311-328). Academic Press.
- Wahyudi, A., & Dewi, R. (2017). Upaya perbaikan kualitas dan produksi buah menggunakan teknologi budidaya sistem ToPAS pada 12 varietas semangka hibrida. *Jurnal Penelitian Pertanian*, 17(1), 17–25.

- Wang, X., & Lim, L. T. (2023). Effects of grind size, temperature, and brewing ratio on immersion cold brewed and French press hot brewed coffees. *Applied Food Research*, 3(2), 100334.
- Wearing, P., & Phillips, I. D. J. (1970). The control of growth and differentiation in plants. Pergamon Press.
- Wei, F., & Tanokura, M. (2015). Chemical Changes in the Components of Coffee Beans during Roasting. In *Coffee in Health and Disease Prevention*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409517-5.00010-3>
- Widyotomo, S., dan Mulato, S, (2007), Kafein: Senyawa penting pada biji kopi, *Warta Pusat Penelitian Kopi Dan Kakao Indonesia*, 23(1), pp. 44–50.
- Winarti, Sri. 2010. Makanan Fungsional, Yogyakarta
- Yani, M. A. (2022). Pengaruh Perbedaan Ukuran Gilingan Terhadap Seduhan Kopi Arabika Batumirah Dengan Teknik Vietnam Drip. *Jurnal Pangan dan Agroindustri*, 10(2).
- Ye, T., Chen, X., Zhu, Y., Chen, Z., Wang, Y., Lin, L., ... & Lu, J. (2022). Freeze-thawing treatment as a simple way to tune the gel property and digestibility of minced meat from red swamp crayfish (*Procambarus clarkii*). *Foods*, 11(6), 837.
- Yeager, S. E., Batali, M. E., Lim, L. X., Liang, J., Han, J., Thompson, A. N., ... & Ristenpart, W. D. (2022). Roast level and brew temperature significantly affect the color of brewed coffee. *Journal of food science*, 87(4), 1837-1850.
- Yufita, E., Maula, T. M. S., Gunawati, G., Woodfield, P. L., & Yusibani, E. (2025). Physical and Chemical Properties of Gayo Coffee Brewed by Boiling Method with Variation of Particle Coffee Ground. *JURNAL ILMU FISIKA | UNIVERSITAS ANDALAS*, 17(1), 9-18.
- Yüksela, A.N., Barutb, K.T.O., & Bayram, M. (2020). The effects of roasting, milling, brewing and storage processes on the physicochemical properties of Turkish coffee. *Journal of LWT - Food Science and Technology* 131, 109711.
- Yust, B. G., Wilkinson, F., & Rao, N. Z. (2023). Variables affecting the extraction of antioxidants in cold and hot brew coffee: A review. *Antioxidants*, 13(1), 29.
- Yuwita, F., Anis, U., & Uker, D. (2023). Analisis Kandungan Kimia Biji Kopi Arabika Solok berdasarkan Tingkat Kematangan yang Berbeda. *Jurnal Teknologi Agro-Industri*, 10(1), 1-10.
- Zady, M. F. (2025). *Z-4: Mean, standard deviation, and coefficient of variation*. Z-Stats / Basic Statistics, Westgard QC. Diakses 13 Desember 2025, dari situs Westgard QC.
- Zakaria, N. H., Whanmek, K., Thangsiri, S., Chathiran, W., Srichamnong, W., Suttisansanee, U., & Santivarangkna, C. (2023). Optimization of cold brew coffee using central composite design and its properties compared with hot brew coffee. *Foods*, 12(12), 2412.
- Zasari, M., Kartika, K., & Altin, D. (2023). Eksplorasi-karakterisasi morfologi kopi robusta lokal di pulau bangka. *Agrikultura*, 34(2), 200-209.