



DAFTAR PUSTAKA

- Anonim. 1957. Standard British 373, 1957. Methods of Testing Small Clear Specimen of Timber, London.
- Akindoyo, J. O., Beg, M. D. H., Ghazali, S., Islam, M. R., Jeyaratnam, N., & Yuvaraj, A. R. (2016). Polyurethane Types, Synthesis and Applications – A Review. *Rsc Advances*, 6(115), 114453–114482. <https://doi.org/10.1039/c6ra14525f>
- Alade, A. A., Naghizadeh, Z., & Wessels, C. B. (2022). A New Method for Estimating Wood Failure Percentage in Adhesive-Bonded Shear Specimens. *International Journal of Adhesion and Adhesives*, 112, 103028. <https://doi.org/10.1016/j.ijadhadh.2021.103028>
- Amin, Y., Adji, R. P., Lubis, M. A. R., Nugroho, N., Bahtiar, E. T., Dwianto, W., & Karlinasari, L. (2023). Effect of Glue Spread on Bonding Strength, Delamination, and Wood Failure of Jabon Wood-Based Cross-Laminated Timber Using Cold-Setting Melamine-Based Adhesive. *Polymers*, 15(10), 2349.
- Anshari, B. (2006). Pengaruh Variasi Tekanan Kempa Terhadap Kuat Lentur Kayu Laminasi dari Kayu Meranti dan Keruing. *Civil Engineering Dimension*, 8(1), 25–33.
- Badan Pusat Statistik. (2023). Statistik Perusahaan Pembudidaya Tanaman Kehutanan. Jakarta, ID: BPS RI.
- Badan Pusat Statistik. (2024). Statistik Perusahaan Pembudidaya Tanaman Kehutanan. Jakarta, ID: BPS RI
- Banea, M. D., Da Silva, L. F. M., & Campilho, R. D. S. G. (2014). The Effect of Adhesive Thickness on the Mechanical Behavior of a Structural Polyurethane Adhesive. *Journal of Adhesion*, 91(5), 331–346. <https://doi.org/10.1080/00218464.2014.903802>
- Basri, E., & Wahyudi, I. (2013). Wood Basic Properties of Jati Plus Perhutani from Different Ages and Their Relationships to Drying Properties and Qualities. *Jurnal Penelitian Hasil Hutan*, 31(2), 93–102.
- Bekhta, P., & Marutzky, R. (2007). Reduction of Glue Consumption in the Plywood Production by Using Previously Compressed Veneer. *Holz Als Roh-Und Werkstoff*, 65(1), 87–88. <https://doi.org/10.1007/s00107-006-0142-8>
- Bekhta, P., Müller, M., & Hunko, I. (2020). Properties of Thermoplastic-Bonded Plywood : Effects of the Wood Species and Types of the Thermoplastic Films. *Polymers*, 12(11), 2582.
- Bhat, K. M., Priya, P. B., & Rugmini, P. (2001). Characterisation of Juvenile Wood in Teak. *Wood Science and Technology*, 34(6), 517–532.



<https://doi.org/10.1007/s002260000067>

- Bliem, P., Herwijnen, H. W. G. Van, Meissl, R., Stadlbauer, W., & Konnerth, J. (2022). Engineering of Open Assembly Time of Water-Based Polyvinyl Acetate (PVAc) Wood Adhesives by Post-Addition of Additives. *International Journal of Adhesion and Adhesives*, 117(PB), 103011. <https://doi.org/10.1016/j.ijadhadh.2021.103011>
- Cahyono, T. D., Wahyudi, I., Priadi, T., Febrianto, F., & Ohorella, S. (2014). Analisis Modulus Geser dan Pengaruhnya terhadap Kekakuan Panel Laminasi Kayu Samama (*Antocephallus Macrophyllus*). *Jurnal Teknik Sipil*, 21(2), 121. <https://doi.org/10.5614/jts.2014.21.2.3>
- Carvalho, A. G., de Andrade, B. G., Donato, D. B., da Silva, C. M. S., de Cassia Oliveira Carneiro, A., de Castro, V. R., & Vinha Zanuncio, A. J. (2020). Bonding Performance of Structural Adhesives on Heat-Treated *Mimosa scabrella* and *Pinus oocarpa* Wood. *Cellulose Chemistry and Technology*, 54(7–8), 663–668. <https://doi.org/10.35812/CelluloseChemTechnol.2020.54.65>
- Davies, P., Blackman, B. R. ., & Brunner, A. J. (1998). Standard Test Methods for Delamination Resistance of Composite Materials : Current Status. *Applied Composite Materials*, 5(6), 345–364.
- Dimara, P. A., & Auri, A. (2023). Characteristics of Cold-Setting Adhesive Derived from Waste Styrofoam for Bonding Laminated Gmelina (*Gmelina arborea*) Wood. *Jurnal Sylva Lestari*, 11(1), 79–97. <https://doi.org/10.23960/jsl.v12i2.734>
- Gáborík, J., Gaff, M., Ruman, D., Záborsky, V., Kašičková, V., & Sikora, A. (2016). Adhesive as a Factor Affecting the Properties of Laminated Wood. *BioResources*, 11(4), 10565–10574. <https://doi.org/10.15376/BIORES.11.4.10565-10574>
- Gašparík, M., Gaff, M., Ruman, D., & Sikora, A. (2017). Shear Bond Strength of Two-Layered Hardwood Strips Bonded with Polyvinyl Acetate and Polyurethane. *BioResources*, 12(1), 495–513.
- Gunawan, P. (2009). Pengaruh Jenis Perekat Terhadap Keruntuhan Lentur Balok Laminasi Galar Dan Bilah Vertikal Bambu Petung. *Media Teknik Sipil*, 7(1), 13–20.
- Hartono, R., Iswanto, A. H., Sucipto, T., Cahyono, T. D., Dwianto, W., & Darmawan, T. (2019). The Effect of Glue Spreads and Adhesive Type on Quality of Laminated Board from Oil Palm Trunk. *IOP Conference Series: Earth and Environmental Science*, 260(1). <https://doi.org/10.1088/1755-1315/260/1/012079>
- Herawati, E., Massijaya, Y., & Nugroho Naresworo. (2008). Karakteristik Balok Laminasi dari Kayu Mangium (*Acacia mangium Willd.*). *Jurnal Ilmu Dan*



Teknologi Hasil Hutan, 1(1), 1–8.

- Hidayati, F., Fajrin, I. T., Ridho, M. R., Nugroho, W. D., Marsoem, S. N., & Na'iem, M. (2016). Sifat Fisika dan Mekanika Kayu Jati Unggul “Mega” dan Kayu Jati Konvensional yang Ditanam di Hutan Pendidikan, Wanagama, Gunungkidul, Yogyakarta. *Jurnal Ilmu Kehutanan*, 10(2), 98. <https://doi.org/10.22146/jik.16510>
- Hidayati, F., Ishiguri, F., & Marsoem, S. N. (2017). Anatomical Characteristics and Air-dry Density of Young Trees of Teak Clones Planted in Indonesia. *Journal of the Korean Wood Science and Technology*, 45(4), 463–470. <https://doi.org/10.5658/WOOD.2017.45.4.463>
- Jamala, G. Y., Olubunmi, S. O., Mada, D. A., & Abraham, P. (2013). Physical and Mechanical Properties of Selected Wood Species in Tropical Rainforest Ecosystem, Ondo State, Nigeria. *IOSR Journal of Agriculture and Veterinary Science*, 5(3), 29–33. <https://doi.org/10.9790/2380-0532933>
- Japanese Standard Association. 2007. *Glued Laminated Timber*. JAS 234. Tokyo: Ministry of Agriculture, Forestry, and Fisheries.
- Jha, K. K. (2016). What Should Be the Rotation Age and Harvest Management in Teak. *Indian Forester*, 142(4), 309–316.
- Kaboorani, A., & Riedl, B. (2011). Effects of Adding Nano-Clay on Performance of Polyvinyl Acetate (PVA) as a Wood Adhesive. *Composites Part A: Applied Science and Manufacturing*, 42(8), 1031–1039. <https://doi.org/10.1016/j.compositesa.2011.04.007>
- Kamke, F. A., & Lee, J. N. (2005). Adhesive Penetration in Wood—A Review. *Wood and Fiber Science*, 250–220.
- Kherais, M., Csébfalvi, A., Len, A., Fülöp, A., & Pál-schreiner, J. (2024). The Effect of Moisture Content on the Mechanical Properties of Wood Structure. *Pollack Periodica*, 19(1), 41–46. <https://doi.org/10.1556/606.2023.00917>
- Khoo, P. S., Chin, K. L., Lee, C. L., H, P. S., & Hafizuddin, M. S. (2021). Effect of Glue Spreads on the Structural Properties of Laminated Veneer Lumber from Spindleless Rotary Veneers Recovered from Short Rotation Hevea Plantation Logs. *Polymers*, 13(21), 3799.
- Kong, X., Liu, G., & Curtis, J. M. (2011). Characterization of Canola Oil Based Polyurethane Wood Adhesives. *International Journal of Adhesion and Adhesives*, 31(6), 559–564. <https://doi.org/10.1016/j.ijadhadh.2011.05.004>
- Lestari, A. S. R. D., Hadi, Y. S., Hermawan, D., & Santoso, A. (2015). Glulam Properties of Fast-growing Species Using Mahogany Tannin Adhesive. *BioResources*, 10(4), 7419–7433.
- Lestari, A. S. R. D., Hadi, Y. S., Hermawan, D., & Santoso, A. (2018). The Physical and Mechanical Properties of Glulam Made from Pine and Jabon Woods.



Jurnal Ilmu Dan Teknologi Kayu Tropis, 16(1), 93–101.
<http://ejournalmapeki.org/index.php/JITKT/article/view/445>

Lestari, D., Ningsih, R. V., Fahrussiam, F., & Mustamu, S. (2023). Fortification of Bioadhesive with Phenol Formaldehyde : Characteristics and its Application for Afrika Laminated Wood. *Jurnal Biologi Tropis*, 23(2), 257–262.

Liao, Y., Tu, D., Zhou, J., Zhou, H., Yun, H., Gu, J., & Hu, C. (2017). Feasibility of Manufacturing Cross-Laminated Timber Using Fast-Grown Small Diameter Eucalyptus lumbers. *Construction and Building Materials*, 132, 508–515. <https://doi.org/10.1016/j.conbuildmat.2016.12.027>

Lubis, M. A. R., Sari, F. P., Laksana, R. P. B., Fatriasari, W., & Hermiati, E. (2022). Ambient Curable Natural Rubber Latex Adhesive Cross-Linked with Polymeric Isocyanate for Bonding Wood. *Polymer Bulletin*, 79(8), 6745–6757. <https://doi.org/10.1007/s00289-021-03845-0>

Martha, R., Mubarok, M., Batubara, I., Rahayu, I. S., Setiono, L., Darmawan, W., Akong, F. O., George, B., Gérardin, C., & Gérardin, P. (2021). Effect of Furfurylation Treatment on Technological Properties of Short Rotation Teak Wood. *Journal of Materials Research and Technology*, 12, 1689–1699. <https://doi.org/10.1016/j.jmrt.2021.03.092>

Minelga, D., Ukvalbergien, K., Norvydas, V., Buika, G., & Dubininkas, M. (2010). Impact of Aliphatic Isocyanates to PVA Dispersion Gluing Properties. *Materials Science*, 16(3), 3–6.

Motohashi, K., Tomita, B., Mizumachi, H., & Sakaguchi, H. (1984). Temperature Dependency of Bond Strength of Polyvinyl Acetate Emulsion Adhesives for Wood. *Wood and Fiber Science*, 16(1), 72–85.

Nugroho, W. D., Na'iem, M., Lukmandaru, G., Widiyatno, Feriawan, Y., Prastiwi, F. W., Wibowo, A., & Puspitasari, D. (2024). Physical and Mechanical Properties of 20-Year-Old Clonal Teak Trees in Ngawi, East Java, Indonesia. *Journal of the Korean Wood Science and Technology*, 52(5), 459–472. <https://doi.org/10.5658/WOOD.2024.52.5.459>

Nurmadina, N., Prayitno, T. A., & Febrianto, F. (2016). Pengaruh Umur dan Bonita terhadap Sifat Perakatan Laminasi Kayu Jati. *Jurnal Ilmu Dan Teknologi Kayu Tropis*, 14(1), 80–86.

Park, S. H., Jang, J. H., Wistara, N. J., Hidayat, W., Lee, M., & Febrianto, F. (2018). Anatomical and Physical Properties of Indonesian Bamboos Carbonized at Different Temperatures. *Journal of the Korean Wood Science and Technology*, 46(6), 656–669. <https://doi.org/10.5658/WOOD.2018.46.6.656>

Purwanto, D. (2011). Pembuatan Balok Dan Papan Dari Limbah Industri Kayu. *Jurnal Riset Industri*, V(1), 13–20.

Ren, D., & Frazier, C. E. (2012). Wood / Adhesive Interactions and the Phase Morphology of Moisture-Cure Polyurethane Wood Adhesives. *International*



- Journal of Adhesion and Adhesives*, 34, 55–61.
<https://doi.org/10.1016/j.ijadhadh.2011.12.009>
- Risnasari, I., Azhar, I., & Sitompul, A. N. (2012). Karakteristik Balok Laminasi Dari Batang Kelapa (*Cocos Nucifera L.*) Dan Kayu Kemiri (*Aleurites Moluccana Wild.*). *FORESTA Indonesian Journal of Forestry*, 1(2), 79–87.
- Seftianingsih, D. K. (2018). Pengenalan Berbagai Jenis Kayu Solid Dan Konstruksinya Untuk Furniture Kayu. *Jurnal Universitas Sahid Surakarta*, 8(1), 1–14. <https://jurnal.usahidsolo.ac.id/index.php/kmd/issue/view/68>
- Siahaan, H., & Wahyudi, I. (2020). Keragaan Permesinan dan Keteguhan Rekat Kayu Jati Cepat Tumbuh Terdensifikasi. *Jurnal Ilmu Pertanian Indonesia*, 26(1), 1–7. <https://doi.org/10.18343/jipi.26.1.1>
- Stoeckel, F., Konnerth, J., & Gindl-almutter, W. (2013). Mechanical Properties of Adhesives for Bonding Wood — A Review. *International Journal of Adhesion and Adhesives*, 45, 32–41. <https://doi.org/10.1016/j.ijadhadh.2013.03.013>
- Sulistiyawati, I., Nugoho, N., Suryokusumo, S., & Hadi, Y. S. (2010). Kekakuan dan Kekuatan Lentur Maksimum Balok Glulam dan Utuh Kayu Akasia. *Jurnal Teknik Sipil*, 15(3), 113. <https://doi.org/10.5614/jts.2008.15.3.3>
- Tarigan, R. O., Sucipto, T., & Hartono, R. (2014). Variasi Pelapis Luar dan Berat Labur Perekat Phenol Formaldehida terhadap Kualitas Papan Lamina dengan Inti dari Batang Kelapa Sawit. *Jurnal Ilmu Kehutanan Peronema*, 4(1), 102–110.
- Tran, A., Konnerth, J., & Gindl-almutter, W. (2024). Adhesive Strength and Micromechanics of Wood Bonded at Different Moisture Contents. *International Journal of Adhesion and Adhesives*, 132, 103688. <https://doi.org/10.1016/j.ijadhadh.2024.103688>
- Utomo, R. B., & Dayadi, I. (2023). Pengaruh Jenis Perekat dan Pengerjaan Permukaan Bidang Rekat Terhadap Keteguhan Geser Rekat Laminasi Kayu Terap (*Artocarpus elasticus Reinw. ex Blume*). *Jurnal Atomik*, 08(2), 71–76.
- Vick, C. B. (1999). Adhesive Bonding of Wood Materials. *Wood Handbook - Wood as an Engineering Material*, 9-1-9–24. https://www.pdhexpress.com/pdhcourse/pdf/wood_adhesive_bonding_aia.pdf
- Vick, C. B., & Okkonen, E. A. (1998). Strength and Durability of One-Part Polyurethane Adhesive Bonds to Wood. *Forest Products Journal*, 48, 71–76.
- Wahyudi, I., Priadi, T., & Rahayu, I. S. (2014). Karakteristik Dan Sifat-Sifat Dasar Kayu Jati Unggul Umur 4 Dan 5 Tahun Asal Jawa Barat. *Jurnal Ilmu Pertanian Indonesia*, 19(1), 50–56.
- Widiati, K., Suprpto, B., & Tripraptono, A. B. Y. (2018). Karakteristik Sifat Fisika dan Mekanika Kayu Lamina Kombinasi Jenis Kayu Sengon



(*Paraserianthes falcataria* (L.) Nilsen) dan Jenis Kayu Merbau (*Intsia spp.*).
ULIN: Jurnal Hutan Tropis, 16(1), 93–97.

Wulandari, F. T., Amin, R., & Raehanayati, R. (2022). Karakteristik Sifat Fisika dan Mekanika Papan Laminasi Kayu Sengon dan Kayu Bayur. *Euler : Jurnal Ilmiah Matematika, Sains Dan Teknologi*, 10(1), 75–87. <https://doi.org/10.34312/euler.v10i1.13961>

Wulandari, F.T. (2015). Papan Komposit: Produk Hasil Hutan yang Ramah Lingkungan, *Jurnal Sangkareang Mataram*, 1(2).

Yunianti AD. (2012). Karakteristik Struktur Nano Dinding Sel dan Kaitannya dengan Sifat-Sifat Kayu (Studi Kasus Kayu Jati Klon Umur 7 Tahun). (*Disertasi Doctor*). Institut Pertanian Bogor, Bogor, Indonesia.

Yusoh, A. S., Tahir, P. M., Uyup, M. K. A., Lee, S. H., Husain, H., & Khaidzir, M. . (2021). Effect of Wood Species , Clamping Pressure and Glue Spread Rate on the Bonding Properties of Cross-Laminated Timber (CLT) Manufactured from Tropical Hardwoods. *Construction and Building Materials*, 273, 121721. <https://doi.org/10.1016/j.conbuildmat.2020.121721>