

DAFTAR PUSTAKA

- Acquaah, G. 2012. Principles of Plant Genetics and Breeding (2nd ed.). Wiley-Blackwell, John Wiley & Sons, Chichester.
- Ali, A., M.I. Ghani, Y. Li, H. Ding, H. Meng, and Z. Cheng. 2019. Hiseq base molecular characterization of soil microbial community, diversity structure, and predictive functional profiling in continuous cucumber planted soil affected by diverse cropping systems in an intensive greenhouse region of northern China. *International Journal of Molecular Sciences*, 20(2619): 1–22.
- Antara, I.P.E., A.A.M. Astiningsih, and A.A.G. Sugiarta. 2023. Identifikasi penanda masak fisiologis untuk panen benih mentimun (*Cucumis sativus* L.). *Agrotrop : Journal on Agriculture Science*, 13(1): 67–75.
- Antier, C., and P. V. Baret. 2025. Barriers to the adoption of open-pollinated varieties in the organic farming sector: a case study of small-scale vegetable production in France. *Frontiers in Sustainable Food Systems*, 9(1521332): 1–15.
- Aparicio, M.A., C. Lucena, M.J. García, F.J. Ruiz-Castilla, P. Jiménez-Adrián, M.S. López-Berges, P. Prieto, E. Alcántara, R. Pérez-Vicente, J. Ramos, and F.J. Romera. 2023. The nonpathogenic strain of *Fusarium oxysporum* FO12 induces Fe deficiency responses in cucumber (*Cucumis sativus* L.) plants. *Planta*, 257(50): 1–17.
- Ariyanti, N.A. 2012. Mekanisme infeksi virus kuning cabai (*pepper yellow leaf curl virus*) dan pengaruhnya terhadap proses fisiologi tanaman cabai. Seminar Nasional IX Pendidikan Biologi FKIP UNS, 682–686. Surakarta.
- Badan Pusat Statistik. 2024. Produksi Tanaman Sayuran, 2021-2024.
- Badran, A.E., and E.S.A. Moustafa. 2015. Genetic parameters of some wheat (*Triticum aestivum* L.) genotypes using factorial mating design. *Journal of Agricultural Science*, 7(1): 101–105.
- Bu, F., H. Chen, Q. Shi, Q. Zhou, D. Gao, Z. Zhang, and S. Huang. 2016. A major quantitative trait locus conferring subgynoecy in cucumber. *Theoretical and Applied Genetics*, 129(1): 97–104.
- Chakraborty, S., A. Chattopadhyay, and A.K. Mandal. 2022. Screening of cucumber genotypes against downy mildew disease and its relationship with biochemical parameters. *Indian Phytopathology*, 75(3): 673–680.
- Chen, H., Y. Tian, X. Lu, and X. Liu. 2011. The inheritance of two novel subgynoecious genes in cucumber (*Cucumis sativus* L.). *Scientia Horticulturae*, 127(3): 464–467.
- Chen, J., H. Zhou, W. Xie, D. Xia, G. Gao, Q. Zhang, G. Wang, X. Lian, J. Xiao, and Y. He. 2019. Genome-wide association analyses reveal the genetic basis of combining ability in rice. *Plant Biotechnology Journal*, 17: 2211–2222.
- Chen, J., and X. Zhou. 2011. *Cucumis*. In: C. Kole (Ed.), *Wild Crop Relatives: Genomic and Breeding Resources, Vegetables*. Springer-Verlag, Heidelberg. pp. 67–90.

- Chukwu, S.C., E.O. Okporie, G.C. Onyishi, L.G. Ekwu, A.C. Nwogbaga, and N.V. Ede. 2016. Application of diallel analyses in crop improvement. *Agriculture and Biology Journal of North America*, 7(2): 95–106.
- Cramer, C.S., and T.C. Wehner. 2000. Path analysis of the correlation between fruit number and plant traits of cucumber populations. *Hortscience*, 35(4): 708–711.
- Cui, J.Y., H. Miao, L.H. Ding, T.C. Wehner, P.N. Liu, Y. Wang, S.P. Zhang, and X.F. Gu. 2016. A new glabrous gene (*csgl3*) identified in trichome development in cucumber (*Cucumis sativus* L.). *PLoS ONE*, 11(2): 1–13.
- Dey, S.S., N. Singh, R. Bhatia, C. Parkash, and C. Chandel. 2014. Genetic combining ability and heterosis for important vitamins and antioxidant pigments in cauliflower (*Brassica oleracea* var. *botrytis* L.). *Euphytica*, 195(2): 169–181.
- Dey, S.S., S. Singh, A.D. Munshi, and T.K. Behera. 2022. Classical Genetics and Traditional Breeding. *In*: S. Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), *The Cucumber Genome*. Springer Nature, Switzerland. pp. 159–183.
- Dhall, R.K., H. Kaur, P. Manchanda, and Eshanee. 2023. Genetics and marker-assisted breeding for sex expression in cucumber. *Frontiers in Genetics*, 14.
- Endris, A. 2013. *Sukses Bertanam Mentimun*. Hikam Pustaka, Yogyakarta.
- Ene, C.O., P.E. Ogbonna, C.U. Agbo, and U.P. Chukwudi. 2016. Studies of phenotypic and genotypic variation in sixteen cucumber genotypes. *Chilean Journal of Agricultural Research*, 76(3): 307–313.
- Everitt, B.S., S. Landau, M. Leese, and D. Stahl. 2011. *Cluster Analysis* (5th ed.). John Wiley & Sons Ltd, Chichester.
- Falconer, D.S. 1989. *Introduction to Quantitative Genetics* (3rd ed.). John & Wiley, Inc., New York.
- Fasahat, P., A. Rajabi, J.M. Rad, and J. Derera. 2016. Principles and utilization of combining ability in plant breeding. *Biometrics & Biostatistics International Journal*, 4(1): 1-24.
- Fortes, I.M., S. Sánchez-Campos, E. Fiallo-Olivé, J.A. Díaz-Pendón, J. Navas-Castillo, and E. Moriones. 2016. A novel strain of tomato leaf curl New Delhi virus has spread to the Mediterranean basin. *Viruses*, 8(307): 1–19.
- Gebretsadik, K., D. Yu, and K. Bo. 2022. Molecular Mapping of QTLs and Genes for Plant Architecture and Fruit Traits in Cucumber. *In*: S. , Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), *The Cucumber Genome*. Springer Nature, Switzerland. pp. 37–54.
- Glimn-Lacy, J., and P.B. Kaufman. 2006. *Botany Illustrated: Introduction to Plants, Major Groups, Flowering Plant Families* (2nd ed.). Springer Science+Business Media, Inc., New York.
- Grumet, R., Y.C. Lin, S. Rett-Cadman, and A. Malik. 2023. Morphological and genetic diversity of cucumber (*Cucumis sativus* L.) fruit development. *Plants*, 12(23): 1–21.

- Haerunisa, R., G. Suastika, D. Tri, and A. Damayanti. 2016. Identifikasi *Begomovirus* yang berasosiasi dengan penyakit kuning pada mentimun di Jawa Barat dan Bali. *Jurnal Hortikultura Indonesia*, 7(1): 9–20.
- Haifa. 2011. *Nutritional Recommendations for: Cucumber in Open Fields, Tunnels and Greenhouse*. Haifa Group, Matam-Haifa.
- Hallauer, A.R., M.J. Carena, and J.B.M. Filho. 2010. *Quantitative Genetics in Maize Breeding* (3rd ed.). Springer Science+Business Media, LLC, New York.
- Ibekwe, A.M., J.A. Poss, S.R. Grattan, C.M. Grieve, and D. Suarez. 2010. Bacterial diversity in cucumber (*Cucumis sativus*) rhizosphere in response to salinity, soil pH, and boron. *Soil Biology and Biochemistry*, 42(4): 567–575.
- Ji, F., S.Q. Wei, N. Liu, L.J. Xu, and P. Yang. 2020. Growth of cucumber seedlings in different varieties as affected by light environment. *International Journal of Agricultural and Biological Engineering*, 13(5): 73–78.
- Jiao, X., H. Gong, X. Liu, Y. Xie, and X. Zhou. 2013. Etiology of ageratum yellow vein diseases in South China. *Plant Disease*, 97(11): 1497–1503.
- Jiménez-Ballesta, R., F.J. García-Navarro, R. García-Giménez, J.M. Trujillo-González, V. Iñigo, and C. Asensio. 2018. Agroecological analysis of cucumber (*Cucumis sativus* L.) crops in orchards in a Mediterranean environment. *Journal of Agriculture and Crops*, 4(3): 16–28.
- Kang, S.M., R. Radhakrishnan, Y.H. You, A.L. Khan, J.M. Park, S.M. Lee, and I.J. Lee. 2015. Cucumber performance is improved by inoculation with plant growth-promoting microorganisms. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 65(1): 36–44.
- Kaur, M., and P. Sharma. 2021. Recent advances in cucumber (*Cucumis sativus* L.). *Journal of Horticultural Science and Biotechnology*, 97(1): 1–21.
- Kearsey, M.J., and H.S. Pooni. 1996. *The Genetical Analysis of Quantitative Traits*. In: *The Genetical Analysis of Quantitative Traits*. Chapman and Hall, London.
- Kementerian Pertanian. 2024. *Statistik Konsumsi Pangan 2024*. Sekretariat Jenderal Kementerian Pertanian, Jakarta.
- Kesumawati, E., S. Okabe, M. Khalil, G. Alfian, P. Bahagia, N. Pohan, S. Zakaria, and S. Koeda. 2020. Molecular characterization of *Begomoviruses* associated with yellow leaf curl disease in solanaceae and cucurbitaceae crops from Northern Sumatra, Indonesia. *Horticulture Journal*, 89(4): 410–416.
- Khaled, G.A.A., G.A.R. Elsherbeeney, and H.M.A. El-Sayed. 2013. Estimates of genetic parameters and heterosis in maize (*Zea mays* L.) under normal and drought conditions. *Journal of Agricultural Chemistry and Biotechnology*, 4(2): 63–77.
- Li, D., Y. Sheng, H. Niu, and Z. Li. 2019. Gene interactions regulating sex determination in cucurbits. *Frontiers in Plant Science*, 10.
- Li, Z., H. Niu, and Y. Guo. 2022. Cucumber Sex Determination: Aspects of Gene Interactions. In: S. Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), *The Cucumber Genome*. Springer Nature, Switzerland. pp. 145–157.

- Liu, Z., Y. Li, C. Cao, S. Liang, Y. Ma, X. Liu, and Y. Pei. 2019. The role of H₂S in low temperature-induced cucurbitacin C increases in cucumber. *Plant Molecular Biology*, 99(6): 535–544.
- Mizuno, S., M. Sonoda, Y. Tamura, E. Nishino, H. Suzuki, T. Sato, and T. Oizumi. 2015. Chiba tendril-less locus determines tendril organ identity in melon (*Cucumis melo* L.) and potentially encodes a tendril-specific TCP homolog. *Journal of Plant Research*, 128(6): 941–951.
- Mo, C., Y. Tang, J. Chen, L. Cui, H. Xie, B. Qin, J. Cai, and Z. Li. 2023. Characteristics of the complete genome of Ageratum Yellow Vein China Virus infecting *Sonchus oleraceus*. *Plant Disease*, 107(10): 2944–2948.
- Moekasan, T.K., L. Prabaningrum, W. Adiyoga, and H. de Putter. 2023. Panduan Budidaya Mentimun: Berdasarkan Konsepsi Pengendalian Hama Terpadu (PHT). Penebar Swadaya, Depok.
- Mondal, B., C.K. Mondal, and P. Mondal. 2020. Stresses of Cucurbits: Current Status and Management. Springer Nature Singapore Pte Ltd., Singapura.
- Mukhlisin, S.H. Sutjahjo, and A.W. Ritonga. 2025. Genetic variability, characters association, and path analysis in sweet-waxy corn. *Sabrao Journal of Breeding and Genetics*, 57(1): 25–36.
- Muthoni, J., and H. Shimelis. 2020. Mating designs commonly used in plant breeding: a review. *Australian Journal of Crop Science*, 14(12): 1855–1869.
- Nayaka, S.N., O.W. Singh, P. Kumar, A. Roy, and B. Mandal. 2023. Geographical distribution of tomato-infecting *Begomoviruses* in major cucurbits in India: a diagnostic analysis using *Begomovirus* species specific PCR. *VirusDisease*, 34(3): 421–430.
- Nduwumuremyi, A., P. Tongoona, and S. Habimana. 2013. Mating designs: helpful tool for quantitative plant breeding analysis. *Journal of Plant Breeding and Genetics*, 1(3): 117–129.
- Nuryani, S. 2019. Struktur Daun Cabai Besar (*Capsicum annum* L. var. taro) Pasca Serangan Kutu Kebul (*Bemisia tabaci* Genn.) Pada Masa Vegetatif. Universitas Islam Negeri Raden Intan Lampung.
- Oppong-Sekyere, D., R. Akromah, P. Ozias-Akins, J.K. Laary, and D. Gimode. 2019. Heritability studies of drought tolerance in groundnuts using the North Carolina design II fashion and variance component method. *Journal of Plant Breeding and Crop Science*, 11(9): 234–253.
- Packer, D.J., and W.L. Rooney. 2014. High-parent heterosis for biomass yield in photoperiod-sensitive sorghum hybrids. *Field Crops Research*, 167 153–158.
- Pandey, and S.N. Kujur. 2022. Importance, Distribution, Botany and Genetics. *In: S. Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), The Cucumber Genome*. Springer Nature, Switzerland. pp. 1–13.
- Panhwar, S.A., M.J. Baloch, W.A. Jatoi, N.F. Veesar, and M.S. Majeedano. 2008. Combining ability estimates from line x tester mating design in upland cotton. *Proceeding of Pakistan Academy of Sciences*, 45(2): 69–74.

- Parker, J.B., L. James, S. Parks, L. Tesoriero, A. Ryland, J. Ekman, and J. Jarvis. 2019. Commercial greenhouse cucumber production. Department of Planning, Industry and Environment, New South Wales.
- Pii, Y., A. Penn, R. Terzano, C. Crecchio, T. Mimmo, and S. Cesco. 2015. Plant-microorganism-soil interactions influence the Fe availability in the rhizosphere of cucumber plants. *Plant Physiology and Biochemistry*, 87 45–52.
- Pirzado, A.A., S.K. Sutahar, Velo Sutahar, N.A. Qurashi, I.K. Jatoi, S.A. Khaskeli, R.A. Chandio, K. Aarain, and M.B. Peerzado. 2021. Checking the significance of correlation coefficient from the regression analysis using wheat yield. *Journal of Applied Research in Plant Sciences*, 2(2): 132–141.
- Putra, R.D.S., N. Andayani, and T.N.B. Santosa. 2024. Karakterisasi morfologi dan uji daya hasil beberapa genotipe mentimun acar (*Cucumis sativus* L.). *Agroforetech*, 2: 613–621.
- Rahimi, M., B. Rabiei, H. Samizadeh, and A.K. Ghasemi. 2010. Combining ability and heterosis in rice (*Oryza sativa* L.) cultivars. *Journal of Agricultural Science and Technology*, 12 223–231.
- Roberts, P.D., G. Vallad, S. Zhang, N. Dufault, and M. Paret. 2023. Anthracnose on Cucurbits in Florida. *EDIS*, 2023(3):.
- Ruiz, L., A. Simon, L. Velasco, and D. Janssen. 2017. Biological characterization of Tomato leaf curl New Delhi virus from Spain. *Plant Pathology*, 66(3): 376–382.
- Sahu, T., and J. Sahu. 2015. *Cucumis sativus* (cucumber): a review on its pharmacological activity. *Journal of Applied Pharmaceutical Research*, 3(1): 4–9.
- Savory, E.A., L.L. Granke, L.M. Quesada-Ocampo, M. Varbanova, M.K. Hausbeck, and B. Day. 2011. The cucurbit downy mildew pathogen *Pseudoperonospora cubensis*. *Molecular Plant Pathology*, 12(3): 217–226.
- Singh, M.C., J.P. Singh, S.K. Pandey, D. Mahay, and V. Shrivastva. 2017. Factors affecting the performance of greenhouse cucumber cultivation-a review. *International Journal of Current Microbiology and Applied Sciences*, 6(10): 2304–2323.
- Staub, J.E., M.D. Robbins, and T.C. Wehner. 2008. Cucumber. *In: J. Prohens and F. Nuez (Ed.), Vegetables I: Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. Springer Science+Business Media, LLC, New York. pp. 241–282.
- Stuber, C.W. 2004. Breeding: Mating Designs. *In: R. M. Goodman (Ed.), Encyclopedia of Plant and Crop Science*. Taylor and Francis Group, LLC, Boca Raton. pp. 225–228.
- Sun, J., D. Lv, Y. Chen, J. Pan, R. Cai, and J. Pan. 2022. QTL Mapping for disease resistance in cucumber. *In: S. , Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), The Genome Editing*. Springer Nature, Switzerland. pp. 81–92.
- Swamy, K.R.M. 2023. Origin, distribution, taxonomy, botanical description, genetics, genetic diversity and breeding of Cucumber (*Cucumis sativus* L.). *International Journal of Development Research*, 13(2): 61542–61559.

- Tan, P.H.N., S.M. Wong, M. Wu, I.D. Bedford, K. Saunders, and J. Stanley. 1995. Genome organization of ageratum yellow vein virus, a monopartite whitefly-transmitted geminivirus isolated from a common weed. *Journal of General Virology*, 76 2915–2922.
- Ullah, M.Z., M.J. Hasan, A.Z.M.K.A. Chowdhury, A.I. Saki, and A.H.M.A. Rahman. 2012. Genetic variability and correlation in exotic cucumber (*Cucumis sativus* L.) varieties. *Bangladesh Journal of Plant Breeding and Genetics*, 25(1): 17–23.
- UPOV. 2023. Cucumber, Gherkin (*Cucumis sativus* L.). International Union for the Protection of New Varieties, Switzerland.
- Verma, O.P., and H.K. Srivastava. 2004. Genetic component and combining ability analyses in relation to heterosis for yield and associated traits using three diverse rice-growing ecosystems. *Field Crops Research*, 88: 91–102.
- Vivekananthan, N., and A.S. Geetanjali. 2025. Simultaneous detection of multiple *Begomoviruses* in individual whitefly (*Bemisia tabaci*) using multiplex PCR and identification of whitefly cryptic species. *Physiological and Molecular Plant Pathology*, 139: 1–8.
- Whitaker, T.W., and G.N. Davis. 1962. Cucurbits: Botany, Cultivation, and Utilization. Interscience Publisher, New York.
- Wilcox, M.D., J.A. Shelbourne, and A. Firth. 1975. General and specific combining ability in eight selected clones of radiata pine. *New Zealand Journal of Forestry Science*, 5(2): 219–255.
- Xu, X., K. Gebretsadik, and X. Chen. 2022. QTL Mapping for Abiotic Stress. In: S. Pandey, Y. Weng, T. K. Behera, and K. Bo (Eds.), *The Cucumber Genome* (pp. 71–80). Springer Nature, Switzerland. pp. 71–80.
- Xue, S., M. Dong, X. Liu, S. Xu, J. Pang, W. Zhang, Y. Weng, and H. Ren. 2019. Classification of fruit trichomes in cucumber and effects of plant hormones on type II fruit trichome development. *Planta*, 249(2): 407–416.
- Yu, B., S. Yan, H. Zhou, R. Dong, J. Lei, C. Chen, and B. Cao. 2018. Overexpression of CsCaM3 improves high temperature tolerance in cucumber. *Frontiers in Plant Science*, 9(797): 1–14.
- Zaidi, S.S.E.A., D.P. Martin, I. Amin, M. Farooq, and S. Mansoor. 2017. Tomato leaf curl New Delhi virus: a widespread bipartite *Begomovirus* in the territory of monopartite *Begomoviruses*. *Molecular Plant Pathology*, 18(7): 901–911.
- Zha, G., J. Yin, F. Cheng, M. Song, M. Zhang, H.O. Obel, Y. Wang, J. Chen, and Q. Lou. 2022. Fine mapping of CscpFtsY, a gene conferring the yellow leaf phenotype in cucumber (*Cucumis sativus* L.). *BMC Plant Biology*, 22(570): 1–12.
- Zhang, J., S. Feng, J. Yuan, C. Wang, T. Lu, H. Wang, and C. Yu. 2021. The formation of fruit quality in *Cucumis sativus* L. *Frontiers in Plant Science*, 12 1–10.
- Zyada, H.G., and H.E.M.A. Ismail. 2018. Genetical studies of some morphological traits and yield of balady cabbage using North Carolina Design II. *Zagazig Journal of Agricultural Research*, 45(1): 137–143.