

DAFTAR PUSTAKA

- Akbarzadeh, A., Samiei, M., & Davaran, S. (2012). Magnetic nanoparticles: Preparation, physical properties, and applications in biomedicine. *Nanoscale Research Letters*, 7. <https://doi.org/10.1186/1556-276X-7-144>
- Al-Abduljabbar, A., & Farooq, I. (2023). Electrospun Polymer Nanofibers: Processing, Properties, and Applications. In *Polymers* (Vol. 15, Issue 1). MDPI. <https://doi.org/10.3390/polym15010065>
- Anusiya, G., & Jaiganesh, R. (2022). A review on fabrication methods of nanofibers and a special focus on application of cellulose nanofibers. In *Carbohydrate Polymer Technologies and Applications* (Vol. 4). Elsevier Ltd. <https://doi.org/10.1016/j.carpta.2022.100262>
- Chowdhury, T., D'Souza, N., & Berman, D. (2021). Electrospun Fe₃O₄-PVDF Nanofiber Composite Mats for Cryogenic Magnetic Sensor Applications. *Textiles*, 1(2), 227–238. <https://doi.org/10.3390/textiles1020011>
- Cullity, B., & Graham, C. (2009). *INTRODUCTION TO MAGNETIC MATERIALS*.
- Ghanbari, D., Salavati-Niasari, M., Khaghani, S., & Beshkar, F. (2016). Preparation of Polyvinyl Acetate (PVAc) and PVAc–Ag–Fe₃O₄ Composite Nanofibers by Electro-spinning Method. *Journal of Cluster Science*, 27(4), 1317–1333. <https://doi.org/10.1007/s10876-016-1002-2>
- Gong, G., Pyo, J., Mathew, A. P., & Oksman, K. (2011). Tensile behavior, morphology and viscoelastic analysis of cellulose nanofiber-reinforced (CNF) polyvinyl acetate (PVAc). *Composites Part A: Applied Science and Manufacturing*, 42(9), 1275–1282. <https://doi.org/10.1016/j.compositesa.2011.05.009>
- Gupta, A. K., & Gupta, M. (2005). Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. In *Biomaterials* (Vol. 26, Issue 18, pp. 3995–4021). <https://doi.org/10.1016/j.biomaterials.2004.10.012>
- Harrington, G. F., & Santiso, J. (2021). Back-to-Basics tutorial: X-ray diffraction of thin films. *Journal of Electroceramics*, 47(4), 141–163. <https://doi.org/10.1007/s10832-021-00263-6>
- Hosseini, S. M., Abdouss, M., Mazinani, S., Soltanabadi, A., & Kalaei, M. (2022). Modified nanofiber containing chitosan and graphene oxide-magnetite nanoparticles as effective materials for smart wound dressing. *Composites Part B: Engineering*, 231. <https://doi.org/10.1016/j.compositesb.2021.109557>
- Jianxin, L., Xuedi, C., Xiaolei, Z., Xicheng, J., Hengzhe, Y., & Junlin, F. (2024). Review on functional electrospun nanofibers: Theory, application and

- fabrication. In *Materials Science and Engineering: B* (Vol. 307). Elsevier Ltd. <https://doi.org/10.1016/j.mseb.2024.117488>
- Joudeh, N., & Linke, D. (2022). Nanoparticle classification, physicochemical properties, characterization, and applications: a comprehensive review for biologists. In *Journal of Nanobiotechnology* (Vol. 20, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12951-022-01477-8>
- Kenry, & Lim, C. T. (2017). Nanofiber technology: current status and emerging developments. In *Progress in Polymer Science* (Vol. 70, pp. 1–17). Elsevier Ltd. <https://doi.org/10.1016/j.progpolymsci.2017.03.002>
- Kittel, C. (2005). *Introduction to Solid State Physics Charles Kittel*.
- Kusumaatmaja, A., Nugraheni, A. D., Purnawati, D., Amrullah, N. I., Utami, V. B., & Karina, V. M. (2025). Novel anti-bacterial polyvinyl acetate/chitosan nanofibers to accelerate wound healing. *Materials Letters*, 399. <https://doi.org/10.1016/j.matlet.2025.139086>
- Li, J., Chen, X., Xu, D., & Pan, K. (2019). Immobilization of horseradish peroxidase on electrospun magnetic nanofibers for phenol removal. *Ecotoxicology and Environmental Safety*, 170, 716–721. <https://doi.org/10.1016/j.ecoenv.2018.12.043>
- Li, Z., & Yao, J. (2023). Application of scanning electron microscopy in two-dimensional material characterization. *Applied and Computational Engineering*, 23(1), 170–176. <https://doi.org/10.54254/2755-2721/23/20230648>
- Liu, J., Wang, K., Jin, F., Li, J., Bin, Y., & Qian, X. (2025). Preparation Methods and Multifunctional Applications of Functionalized Electrospun Nanofibers for Biomedicine. In *Nanomaterials* (Vol. 15, Issue 12). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/nano15120909>
- Lou, L., Osemwegie, O., & Ramkumar, S. S. (2020). Functional Nanofibers and Their Applications. *Industrial and Engineering Chemistry Research*, 59(13), 5439–5455. <https://doi.org/10.1021/acs.iecr.9b07066>
- Lv, J., Zhou, Q., Li, J., Chen, G., Guo, X., Shu, C., Zhang, L., & Zhou, S. (2025). Optimization of PAN/Fe₃O₄ magnetic nanofibers for enhanced performance in single-electrode triboelectric nanogenerators using controlled magnetic fields. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 715. <https://doi.org/10.1016/j.colsurfa.2025.136637>
- Maaz, K., Mumtaz, A., Hasanain, S. K., & Ceylan, A. (2007). Synthesis and magnetic properties of cobalt ferrite (CoFe₂O₄) nanoparticles prepared by wet

- chemical route. *Journal of Magnetism and Magnetic Materials*, 308(2), 289–295. <https://doi.org/10.1016/j.jmmm.2006.06.003>
- Mehrabi, F., Mohamadi, M., Mostafavi, A., Hakimi, H., & Shamspur, T. (2020). Magnetic solid phase extraction based on PVA - TEOS / grafted Fe₃O₄@SiO₂ magnetic nanofibers for analysis of sulfamethoxazole and trimethoprim in water samples. *Journal of Solid State Chemistry*, 292. <https://doi.org/10.1016/j.jssc.2020.121716>
- Mote, V. D., Purushotham, Y., & Dole, B. N. (2012). *Williamson-Hall analysis in estimation of lattice strain in nanometer-sized ZnO particles*. <http://www.jtaphys.com/content/2251-7235/6/1/6>
- Nandiyanto, A. B. D., Ragadhita, R., & Fiandini, M. (2023). Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. *Indonesian Journal of Science and Technology*, 8(1), 113–126. <https://doi.org/10.17509/ijost.v8i1.53297>
- Nguyen, M. D., Tran, H. V., Xu, S., & Lee, T. R. (2021). Fe₃O₄ nanoparticles: Structures, synthesis, magnetic properties, surface functionalization, and emerging applications. In *Applied Sciences (Switzerland)* (Vol. 11, Issue 23). MDPI. <https://doi.org/10.3390/app112311301>
- Noori, M., Ravari, F., & Ehsani, M. (2018). Preparation of PVA nanofibers reinforced with magnetic graphene by electrospinning method and investigation of their degradation kinetics using master plot analyses on solid state. *Journal of Thermal Analysis and Calorimetry*, 132(1), 397–406. <https://doi.org/10.1007/s10973-017-6927-7>
- Pal, D. B., Srivastava, P., Mishra, A., Giri, D. D., Srivastava, K. R., Singh, P., Awasthi, S., Kumari, L., & Mishra, P. K. (2017). Synthesis and characterization of bio-composite nanofiber for controlled drug release. *Journal of Environmental Chemical Engineering*, 5(6), 5843–5849. <https://doi.org/10.1016/j.jece.2017.11.020>
- Peer, P., Stenicka, M., Filip, P., Pizurova, N., & Babayan, V. (2018). Magnetorheological characterization and electrospinnability of ultrasound-treated polymer solutions containing magnetic nanoparticles. *Colloid and Polymer Science*, 296(11), 1849–1855. <https://doi.org/10.1007/s00396-018-4411-y>
- Petcharoen, K., & Sirivat, A. (2012). Synthesis and characterization of magnetite nanoparticles via the chemical co-precipitation method. *Materials Science and Engineering: B*, 177(5), 421–427. <https://doi.org/10.1016/j.mseb.2012.01.003>

- Phillips, J. P., Yazdani, S., Highland, W., & Cheng, R. (2022). A High Sensitivity Custom-Built Vibrating Sample Magnetometer. *Magnetochemistry*, 8(8). <https://doi.org/10.3390/magnetochemistry8080084>
- Samykan, M. (2021). Progress in one-dimensional nanostructures. In *Materials Characterization* (Vol. 179). Elsevier Inc. <https://doi.org/10.1016/j.matchar.2021.111373>
- Sengupta, D., Lu, L., Gomes, D. R., Jayawardhana, B., Pei, Y., & Kottapalli, A. G. P. (2023). Fabric-like Electrospun PVAc-Graphene Nanofiber Webs as Wearable and Degradable Piezocapacitive Sensors. *ACS Applied Materials and Interfaces*, 15(18), 22351–22366. <https://doi.org/10.1021/acsami.3c03113>
- Squillace, O., Fong, R., Shepherd, O., Hind, J., Tellam, J., Steinke, N. J., & Thompson, R. L. (2020). Influence of PVAc/PVA hydrolysis on additive surface activity. *Polymers*, 12(1). <https://doi.org/10.3390/polym12010205>
- Sriyanti, I., & Jauhari, J. (2019). Synthesis of polyvinyl acetate (PVAc) fibers using needleless electrospinning technique with straight wire electrode. *Journal of Physics: Conference Series*, 1166(1). <https://doi.org/10.1088/1742-6596/1166/1/012012>
- Teixeira, M. A., Amorim, M. T. P., & Felgueiras, H. P. (2020). Poly(vinyl alcohol)-based nanofibrous electrospun scaffolds for tissue engineering applications. In *Polymers* (Vol. 12, Issue 1). MDPI AG. <https://doi.org/10.3390/polym12010007>
- Triyana, K., Rianjanu, A., Nugroho, D. B., As'ari, A. H., Kusumaatmaja, A., Roto, R., Suryana, R., & Wasisto, H. S. (2019). A highly sensitive saffron sensor based on polyvinyl acetate (PVAc) nanofiber-coated QCM. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-51851-0>
- Wang, J., Li, K., Jia, Y., Song, T., Xu, J., Sun, X., Liu, M., Li, P., & Fan, Y. (2025). Biomimetic superparamagnetic gelatin/chitosan asymmetric fibrous membrane for accelerating wound healing under static magnetic field. *Carbohydrate Polymers*, 347. <https://doi.org/10.1016/j.carbpol.2024.122717>
- Wang, S., Wang, C., Zhang, B., Sun, Z., Li, Z., Jiang, X., & Bai, X. (2010). Preparation of Fe₃O₄/PVA nanofibers via combining in-situ composite with electrospinning. *Materials Letters*, 64(1), 9–11. <https://doi.org/10.1016/j.matlet.2009.09.043>
- Yang, W., Zhang, Z., Liu, K., Wang, W., Peng, W., Ma, H., Wang, Q., Shi, X., Sun, H., & Duan, X. (2023). Electrospun Fe₃O₄-chitosan/polyvinyl alcohol nanofibrous film for improved capture and elimination of foodborne pathogens. *International Journal of Biological Macromolecules*, 253. <https://doi.org/10.1016/j.ijbiomac.2023.126692>

- Zhang, D., Karki, A. B., Rutman, D., Young, D. P., Wang, A., Cocke, D., Ho, T. H., & Guo, Z. (2009). Electrospun polyacrylonitrile nanocomposite fibers reinforced with Fe₃O₄ nanoparticles: Fabrication and property analysis. *Polymer*, 50(17), 4189–4198. <https://doi.org/10.1016/j.polymer.2009.06.062>
- Zhang, X., Wang, Q., Zheng, W., Li, Z., Qu, L., Tian, Y., Zhang, D., Yan, T., & Zhou, Q. (2025). Magnetic Fe₃O₄ Nanoparticles Modified Hydroxyapatite Whisker: A Novel Framework with Superior Osteogenic Efficacy. *Advanced Science*. <https://doi.org/10.1002/advs.202509715>