



## BIBLIOGRAPHY

- Banday, M.Z., Sameer, A.S. and Nissar, S., 2020. Pathophysiology of diabetes: An overview. *Avicenna Journal of Medicine*, 10(04), pp.174-188.
- Bellou, V., Belbasis, L., Tzoulaki, I. and Evangelou, E., 2018. Risk factors for type 2 diabetes mellitus: an exposure-wide umbrella review of meta-analyses. *PloS One*, 13(3), p.e0194127.
- Chandak, G.R., Janipalli, C.S., Bhaskar, S., Kulkarni, S.R., Mohankrishna, P., Hattersley, A.T., Frayling, T.M. and Yajnik, C.S., 2007. Common variants in the TCF7L2 gene are strongly associated with type 2 diabetes mellitus in the Indian population. *Diabetologia*, 50(1), pp.63-67.
- Chang, Y. C., Chang, T. J., Jiang, Y. D., Kuo, S. S., Lee, K. C., Chiu, K. C., & Chuang, L. M. (2007). Association study of the genetic polymorphisms of the transcription factor 7-like 2 (TCF7L2) gene and type 2 diabetes in the Chinese population. *Diabetes*, 56(10), 2631-2637.
- Cropano, C., Santoro, N., Groop, L., Dalla Man, C., Cobelli, C., Galderisi, A., Kursawe, R., Pierpont, B., Goffredo, M. and Caprio, S., 2017. The rs7903146 variant in the TCF7L2 gene increases the risk of prediabetes/type 2 diabetes in obese adolescents by impairing  $\beta$ -cell function and hepatic insulin sensitivity. *Diabetes care*, 40(8), pp.1082-1089.
- Dalhat, M. and Musa, M., 2018. Transcription factor 7 like 2 (TCF7L2) expression level variation contributes to VEGF alteration in diabetic retinopathy. *Ophthalmology Research: An International Journal*, 8(1), pp.1-7.
- Ding, W., Xu, L., Zhang, L., Han, Z., Jiang, Q., Wang, Z. and Jin, S., 2018. Meta-analysis of association between TCF7L2 polymorphism rs7903146 and type 2 diabetes mellitus. *BMC medical genetics*, 19(1), p.38.
- Dou, H., Ma, E., Yin, L., Jin, Y. and Wang, H., 2013. The association between gene polymorphism of TCF7L2 and type 2 diabetes in Chinese Han population: a meta-analysis. *PloS one*, 8(3), p.e59495.
- Eyth, E., Basit, H. and Swift, C.J., 2018. Glucose tolerance test.
- Eyth, E., Zubair, M. and Naik, R., 2025. Hemoglobin A1c. In *StatPearls [Internet]*. StatPearls Publishing.



- Fry, J.L., Munson, B.D., Thompson, K.L., Fry, C.S., Paddon-Jones, D. and Arentson-Lantz, E.J., 2022. The T allele of *TCF7L2* rs7903146 is associated with decreased glucose tolerance after bed rest in healthy older adults. *Scientific Reports*, 12(1), p.6897.
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K.B., Ostolaza, H. and Martín, C., 2020. Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, 21(17), p.6275.
- García-Alegría, A.M., Anduro-Corona, I., Pérez-Martínez, C.J., Guadalupe Corella-Madueño, M.A., Rascón-Durán, M.L. and Astiazaran-Garcia, H., 2020. Quantification of DNA through the NanoDrop spectrophotometer: methodological validation using standard reference material and Sprague Dawley rat and human DNA. *International journal of analytical chemistry*, 2020(1), p.8896738.
- Goyal, R. and Jialal, I., 2018. *Diabetes Mellitus Type 2*.
- Gunavathy, N., Balaji, R. and Kumaravel, V., 2023. Association of *TCF7L2* Variants in Type 2 Diabetes Mellitus with Hypertriglyceridemia—A Case-Control Study. *Indian Journal of Endocrinology and Metabolism*, 27(4), pp.346-350.
- Hassouna, M.M., Moustafa, M.S., Hamdy, M., Abdelsameea, E., Abbasy, M. and Naguib, M., 2023. Study of transcription factor 7-like 2 (*TCF7L2*) gene polymorphism in cirrhotic patients with diabetes. *Egyptian Liver Journal*, 13(1), p.54.
- Holst, J.J., 2019. The incretin system in healthy humans: The role of GIP and GLP-1. *Metabolism*, 96, pp.46-55.
- Horikoshi, M., Hara, K., Ito, C., Nagai, R., Froguel, P. and Kadowaki, T., 2007. A genetic variation of the transcription factor 7-like 2 gene is associated with risk of type 2 diabetes in the Japanese population. *Diabetologia*, 50(4), pp.747-751.
- Huang, Z.Q., Liao, Y.Q., Huang, R.Z., Chen, J.P. and Sun, H.L., 2018. Possible role of *TCF7L2* in the pathogenesis of type 2 diabetes mellitus. *Biotechnology & Biotechnological Equipment*, 32(4), pp.830-834.



- Kharroubi, A.T. and Darwish, H.M., 2015. Diabetes mellitus: The epidemic of the century. *World Journal of Diabetes*, 6(6), p.850.
- Kreienkamp, R.J., Voight, B.F., Gloyn, A.L. and Udler, M.S., 2023. Genetics of type 2 diabetes. *Diabetes in America [Internet]*.
- Kumar, S., Stecher, G., Li, M., Knyaz, C. and Tamura, K., 2018. MEGA X: molecular evolutionary genetics analysis across computing platforms. *Molecular biology and evolution*, 35(6), pp.1547-1549.
- Kyrou, I., Tsigos, C., Mavrogianni, C., Cardon, G., Van Stappen, V., Latomme, J., Kivelä, J., Wikström, K., Tsochev, K., Nanasi, A. and Semanova, C., 2020. Sociodemographic and lifestyle-related risk factors for identifying vulnerable groups for type 2 diabetes: a narrative review with emphasis on data from Europe. *BMC Endocrine Disorders*, 20, pp.1-13.
- Laakso, M. and Fernandes Silva, L., 2022. Genetics of type 2 diabetes: past, present, and future. *Nutrients*, 14(15), p.3201.
- Li, J., Zhou, L., Ouyang, X. and He, P., 2021. Transcription factor-7-like-2 (TCF7L2) in atherosclerosis: a potential biomarker and therapeutic target. *Frontiers in Cardiovascular Medicine*, 8, p.701279.
- Liao, P.J., Ting, M.K., Kuo, C.F., Ding, Y.H., Lin, C.M. and Hsu, K.H., 2023. Kinship analysis of type 2 diabetes mellitus familial aggregation in Taiwan. *Biomedical Journal*, 46(4), p.100549.
- Lu, Y.C., Yu, T.H., Hsuan, C.F., Hsu, C.C., Hung, W.C., Wang, C.P., Tang, W.H., Cheng, M.C., Chung, F.M., Lee, Y.J. and Lee, T.L., 2025. Association of TCF7L2 rs7903146 (C/T) Polymorphism with Type 2 Diabetes Mellitus in a Chinese Population: Clinical Characteristics and Ethnic Context. *Diagnostics*, 15(16), p.2110.
- Lyssenko, V., Lupi, R., Marchetti, P., Del Guerra, S., Orho-Melander, M., Almgren, P., Sjögren, M., Ling, C., Eriksson, K.F., Mancarella, R. and Berglund, G., 2007. Mechanisms by which common variants in the TCF7L2 gene increase risk of type 2 diabetes. *The Journal of clinical investigation*, 117(8), pp.2155-2163.



- Mushlih, M., Rini, C.S. and Hanum, G.R., 2023. Identifikasi Mutasi RS7903146 pada Gen TCF7L2 pada Penderita Diabetes Tipa II di Wilayah Sidoarjo. *Sains dan Matematika*, 8(1), pp.28-31.
- Mustafa, S. and Younus, D., 2021. Association of TCF7L2 rs7903146 polymorphism with the risk of type 2 diabetes mellitus (T2DM) among Kurdish population in Erbil province, Iraq. *Indian Journal of Clinical Biochemistry*, 36(3), pp.312-318.
- Norman, A.W. and Henry, H.L., 2015. Chapter 6-Pancreatic Hormones: Insulin and Glucagon. *Hormones*, 3rd ed.; Norman, AW, Henry, HL, Eds, pp.109-139.
- Peng, S., Zhu, Y., Lü, B., Xu, F., Li, X. and Lai, M., 2013. TCF7L2 gene polymorphisms and type 2 diabetes risk: A comprehensive and updated meta-analysis involving 121 174 subjects. *Mutagenesis*, 28(1), pp.25-37.
- Phu, S., Thida, A., Maung, K.K. and Chit, T.T., 2021. Single nucleotide polymorphism at rs7903146 of transcription factor 7-like 2 gene among subjects with type 2 diabetes mellitus in Myanmar. *Journal of the ASEAN Federation of Endocrine Societies*, 38(Suppl 1), p.41.
- Pilgaard, K., Jensen, C.B., Schou, J.H., Lyssenko, V., Wegner, L., Brøns, C., Vilsbøll, T., Hansen, T., Madsbad, S., Holst, J.J. and Vølund, A., 2009. The T allele of rs7903146 TCF7L2 is associated with impaired insulinotropic action of incretin hormones, reduced 24 h profiles of plasma insulin and glucagon, and increased hepatic glucose production in young healthy men. *Diabetologia*, 52(7), pp.1298-1307.
- Reed, J., Bain, S. and Kanamarlapudi, V., 2021. A review of current trends with type 2 diabetes epidemiology, aetiology, pathogenesis, treatments and future perspectives. *Diabetes, Metabolic Syndrome and Obesity*, pp.3567-3602.
- Samodro, P., Asdie, A. H. and Sadewa, A. H, 2015. 'Polimorfisme gena transcription factor 7 like 2 (tcf7l2) dan fat mass and obesity associated (fto)', Disertasi, UGM, 2, pp. 1–3.
- Sapra, A., Bhandari, P. and Wilhite Hughes, A., 2021. Diabetes mellitus (nursing).
- Saraswati, M.R., Suastika, K., Malik, S.G. and Sudoyo, H., 2017. TCF7L2 gene polymorphisms rs12255372, rs7903146, rs10885406 and the association



- with type 2 diabetes in a population of Legian Village, Kuta, Bali. *Indonesia Journal of Biomedical Science*, 11(2), pp.6-10.
- Shojima, N. and Yamauchi, T., 2023. Progress in genetics of type 2 diabetes and diabetic complications. *Journal of Diabetes Investigation*, 14(4), pp.503-515.
- Sørensen, T.I., Metz, S. and Kilpeläinen, T.O., 2022. Do gene–environment interactions have implications for the precision prevention of type 2 diabetes?. *Diabetologia*, 65(11), pp.1804-1813.
- Syamsurizal, S., Handayani, D., Kadri, H. and Badriyya, E., 2019, October. Genotyping SNP rs7903146 *TCF7L2* gene for detection T2DM in Indonesian melayu ethnic. In *Journal of Physics: Conference Series* (Vol. 1317, No. 1, p. 012090). IOP Publishing.
- Udler, M.S., 2019. Type 2 diabetes: multiple genes, multiple diseases. *Current diabetes reports*, 19(8), p.55.
- Velayutham, K., Ramanathan, B., Murugan, J., Murugan, A., Thavamani, V. and Gomathinayagam, R., 2019. Carriers of the TCF7L2 rs7903146, rs12255372 risk alleles in the south Tamil Nadu T2DM patients present with early incidence and insulin dependence. *Indian Journal of Endocrinology and Metabolism*, 23(5), pp.563-569.
- Villareal, D.T., Robertson, H., Bell, G.I., Patterson, B.W., Tran, H., Wice, B. and Polonsky, K.S., 2010. TCF7L2 variant rs7903146 affects the risk of type 2 diabetes by modulating incretin action. *Diabetes*, 59(2), pp.479-485.
- Wu, Y., Ding, Y., Tanaka, Y. and Zhang, W., 2014. Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International Journal of Medical Sciences*, 11(11), p.1185.
- Zhang, Y., Pan, X.F., Chen, J., Xia, L., Cao, A., Zhang, Y., Wang, J., Li, H., Yang, K., Guo, K. and He, M., 2020. Combined lifestyle factors and risk of incident type 2 diabetes and prognosis among individuals with type 2 diabetes: a systematic review and meta-analysis of prospective cohort studies. *Diabetologia*, 63(1), pp.21-33.