



DAFTAR PUSTAKA

- Abdelhameed, M., Elbeh, M., Baban, N.S., Pereira, L., Matula, J., Song, Y.A., and Ramadi, K.B., 2023, High-yield, one-pot upcycling of polyethylene and polypropylene waste into blue-emissive carbon dots, *Green Chem.*, 25, 1925–1937.
- Agazzi, M.L., Spesia, M.B., Gsponer, N.S., Milanesio, M.E., and Durantini, E.N., 2015, Synthesis, spectroscopic properties and photodynamic activity of a fulleropyrrolidine bearing a basic amino group and its dicationic analog against *Staphylococcus aureus*, *J. Photochem. Photobiol., A*, 350, 171-179
- Aji, M.P., Wati, A.L., Priyanto, A., Karunawan, J., Nuryadin, B.W., Wibowo, E., Marwoto, P., and Sulhadi, 2018, Polymer carbon dots from plastics waste upcycling, *Environ. Nanotechnol. Monit. Manag.*, 9, 136–140.
- Alabi, O.A., Ologbonjaye, K.I., Awosolu, O., and Alalade, O.E., 2019, Public and environmental health effects of plastic wastes disposal: A review, *J. Toxicol. Risk Assess.*, 5, 1–13.
- Arpita, A., Kumar, P., Kataria, N., Narwal, N., Kumar, S., Kumar, R., Khoo, K.S., and Show, P.L., 2023, Plastic waste-derived carbon dots: insights of recycling valuable materials towards environmental sustainability, *Curr. Pollut. Rep.*, 9, 433–453.
- Aup-Ngoen, K., Noipitak, M., Nammahachak, N., Ratanaphan, S., Poochai, C., and Tuantranont, A., 2019, The influence of precursors on optical properties of carbon nanodots synthesized via hydrothermal carbonization technique, *Journal of Metals, Materials, and Minerals*, 29, 88–94.
- Baig, Z., Mamat, O., Mustapha, M., Mumtaz, A., Munir, K.S., and Sarfraz, M., 2018, Investigation of tip sonication effects on structural quality of graphene nanoplatelets (GNPs) for superior solvent dispersion, *Ultrason. Sonochem.*, 45, 133–149.
- Borah, D.J., Mostaki, A.T.T., and Malakar, A., 2022, Tailoring the crystalline phase and size of the MoO₃ quantum dots via sonication induced modified top-down method, *J. Alloys Compd.*, 891, 1-13.
- Chaudhary, M., Singh, P., Singh, G.P., and Rathi, B., 2024, Structural features of carbon dots and their agricultural potential, *ACS Omega*, 9, 4166–4185.
- Chen, W., Yin, H., Cole, I., Houshyar, S., and Wang, L., 2022, Carbon dots derived from non-biomass waste: methods, applications, and future perspectives, *Molecules*, 29, 1–21.



- Choi, D., Jang, D., Joh, H.-I., Reichmanis, E., and Lee, S., 2017, High performance graphitic carbon from waste polyethylene: Thermal oxidation as a stabilization pathway revisited, *Chem. Mater.*, 29, 9518–9527.
- Cruz, M.I.S. Dela, Thongsai, N., Luna, M.D.G. de, In, I., and Paoprasert, P., 2019, Preparation of highly photoluminescent carbon dots from polyurethane: Optimization using response surface methodology and selective detection of silver (I) ion, *Colloids Surf. A Physicochem. Eng. Asp.*, 568, 184–194.
- Cui, L., Ren, X., Sun, M., Liu, H., and Xia, L., 2021, Carbon dots: Synthesis, properties and applications, *Nanomaterials*, 11, 1–38.
- Dager, A., Uchida, T., Maekawa, T., and Tachibana, M., 2019, Synthesis and characterization of mono-disperse carbon quantum Dots from fennel seeds: photoluminescence analysis using machine learning, *Sci. Rep.*, 9, 1–12.
- Dai, L., Karakas, O., Cheng, Y., Cobb, K., Chen, P., and Ruan, R., 2023, A review on carbon materials production from plastic wastes, *Chem. Eng. J.*, 453, 1–23.
- Das, P., Bhattacharyya, S.K., Banerji, P., and Das, N.Ch., 2021, Acoustic cavitation assisted synthesis and characterization of photoluminescent carbon quantum dots for biological applications and their future prospective, *Nano-Struct. and Nano-Objects*, 25, 1–20.
- El-Eryan, R.T., Elshahed, M.S., Mohamed, D., Ashour, A.A., and Elbalkiny, H.T., 2025, Functionalized novel carbon dots from bell pepper seeds for sustainable green Edoxaban quantification, *BMC Chem.*, 19, 1–15.
- Elugoke, S.E., Uwaya, G.E., Quadri, T.W., and Ebenso, E.E., 2024, Carbon Quantum Dots: Basics, Properties, and Fundamentals,. In, *ACS Symposium Series*. American Chemical Society, pp. 3–42.
- Erbetta, C.D.C., Manoel, G.F., Oliveira, A.P.L.R., Silva, M.E.S.R. e, Freitas, R.F.S., and Sousa, R.G., 2014, Rheological and thermal behavior of High-Density Polyethylene (HDPE) at different temperatures, *Materials Sciences and Applications*, 5, 923–931.
- Evode, N., Qamar, S.A., Bilal, M., Barceló, D., and Iqbal, H.M.N., 2021, Plastic waste and its management strategies for environmental sustainability, *Case Studies in Chemical and Environmental Engineering*, 4, 1–8.
- Fawaz, W., Hasian, J., and Alghoraibi, I., 2023, Synthesis and physicochemical characterization of carbon quantum dots produced from folic acid, *Sci. Rep.*, 13, 1–7.
- Fu, Q., Lu, K., Wu, H., Sun, S., Li, N., Dong, Z., and Yue, M., 2024, White carbon dots with high quantum yield and multicolor carbon dots synthesized by the microwave method in one step, *Nano-Struct. and Nano-Objects*, 38, 1–8.



- García-Salcedo, Á.J., Giraldo-Pinto, L.Á., Márquez-Castro, D.J., and Tirado-Mejía, L., 2024, Influence of synthesis parameters on the optical properties of carbon dots, *Carbon Trends*, 17, 1–8.
- Gong, X., Gao, X., Yu, N., Zhang, D., Tan, L., and Li, J., 2021, Characterization of thermally treated polypropylene powders with wide sintering window for powder bed fusion of polymers, *Polym. Test.*, 96, 1–7.
- Gonzalez-Vera, A.S., Perrin, G., Botsoa, J., Ntsoenzok, E., Chazaro-Ruiz, L.F., Rangel-Mendez, J.R., and Ania, C.O., 2026, Analyzing photoluminescence emission quenching effects in colloidal aqueous suspensions of carbon dots, *Colloids Surf. A Physicochem. Eng. Asp.*, 728, 1-11.
- González-González, R.B., González, L.T., Madou, M., Leyva-Porras, C., Martínez-Chapa, S.O., and Mendoza, A., 2022, Synthesis, purification, and characterization of carbon dots from non-activated and activated pyrolytic carbon black, *Nanomaterials*, 12, 1–19.
- Gopanna, A., Mandapati, R.N., Thomas, S.P., Rajan, K., and Chavali, M., 2018, Fourier transform infrared spectroscopy (FTIR), Raman spectroscopy and wide-angle X-ray scattering (WAXS) of polypropylene (PP)/cyclic olefin copolymer (COC) blends for qualitative and quantitative analysis, *Polym. Bull.*, 76, 4259–4274.
- Hagiwara, K., Uchida, H., Suzuki, Y., Hayashita, T., Torigoe, K., Kida, T., and Horikoshi, S., 2020, Role of alkan-1-ol solvents in the synthesis of yellow luminescent carbon quantum dots (CQDs): Van der Waals force-caused aggregation and agglomeration, *RSC Adv.*, 10, 14396–14402.
- Hallaji, Z., Bagheri, Z., and Ranjbar, B., 2023, The role of fluorescent carbon dots in the fate of plastic waste, *J. Environ. Chem. Eng.*, 11, 1–17.
- Hasan, M.M., Haque, R., Jahirul, M.I., and Rasul, M.G., 2025, Pyrolysis of plastic waste for sustainable energy Recovery: Technological advancements and environmental impacts, *Energy Convers. Manag.*, 326, 1–25.
- Hu, Y., Gao, Z., Yang, J., Chen, H., and Han, L., 2019, Environmentally benign conversion of waste polyethylene terephthalate to fluorescent carbon dots for “on-off-on” sensing of ferric and pyrophosphate ions, *J. Colloid Interface Sci.*, 538, 481–488.
- Hu, Y., Yang, J., Tian, J., Jia, L., and Yu, J.-S., 2014, Green and size-controllable synthesis of photoluminescent carbon nanoparticles from waste plastic bags, *RSC Adv.*, 4, 47169–47176.
- Huang, H., Cui, Y., Liu, M., Chen, J., Wan, Q., Wen, Y., Deng, F., Zhou, N., Zhang, X., and Wei, Y., 2018, A one-step ultrasonic irradiation assisted strategy for



the preparation of polymer-functionalized carbon quantum dots and their biological imaging, *J. Colloid Interface Sci.*, 532, 767–773.

Huo, X., Shen, H., Liu, R., and Shao, J., 2021, Solvent effects on fluorescence properties of carbon dots: implications for multicolor imaging, *ACS Omega*, 6, 26499–26508.

Ingavale, R.R. and Raut, P.D., 2018, Comparative Biodegradation Studies of LDPE and HDPE Using *Bacillus weihenstephanensis* Isolated from Garbage Soil, *Nat. Environ. Pollut. Technol.*, 17, 649–655.

Kamal, A., Hong, S., and Ju, H., 2025, Carbon Quantum Dots: Synthesis, Characteristics, and Quenching as Biocompatible Fluorescent Probes, *Biosensors (Basel)*, 15, 1–19.

Karagianni, A., Tsierkezos, N.G., Prato, M., Terrones, M., and Kordatos, K. V., 2023, Application of carbon-based quantum dots in photodynamic therapy, *Carbon N Y*, 203, 273–310.

Kuang, T., Jin, M., Lu, X., Liu, T., Vahabi, H., Gu, Z., and Gong, X., 2023, Functional carbon dots derived from biomass and plastic wastes, *Green Chem.*, 25, 6581–6602.

Kumar, D., Tom Mathew, B., Rani, S., Kumar, A., Nandan, B., and Srivastava, R.K., 2024, Mechanism insights for formation of graphene quantum dots from Styrofoam waste and its application as security ink, *Microchem. J.*, 196, 1–9.

Kumar, R., Kumar, V.B., and Gedanken, A., 2020, Sonochemical synthesis of carbon dots, mechanism, effect of parameters, and catalytic, energy, biomedical and tissue engineering applications, *Ultrason. Sonochem.*, 64, 1–16.

Kumar, V.B., Porat, Z., and Gedanken, A., 2016, Facile one-step sonochemical synthesis of ultrafine and stable fluorescent C-dots, *Ultrason. Sonochem.*, 28, 367–375.

Kumari, A., Kumar, A., Sahu, S.K., and Kumar, S., 2018, Synthesis of green fluorescent carbon quantum dots using waste polyolefins residue for Cu²⁺ ion sensing and live cell imaging, *Sens. Actuators, B*, 254, 197–205.

Kumari, M., Chaudhary, G.R., and Chaudhary, S., 2024, Transformation of medical plastic waste to valuable carbon dots: A sustainable recycling of medical waste to efficient fluorescent marker, *J. Mol. Liq.*, 395, 1–14.

Lagos, K.J., Buzzá, H.H., Bagnato, V.S., and Romero, M.P., 2022, Carbon-based materials in photodynamic and photothermal therapies applied to tumor destruction, *Int. J. Mol. Sci.*, 23, 12–28.



- Lauria, A., and Lizundia, E., 2020, Luminescent carbon dots obtained from polymeric waste, *J. Clean. Prod.*, 262, 1–9.
- Lestari, R., Kamiya, Y., Wahyuningsih, T.D., and Kartini, I., 2025a, Recycling of plastic bag waste into carbon quantum dots using optimized pyrolysis-hydrothermal methods for selective Fe (III) sensing, *Carbon Res.*, 4, 1–18.
- Lestari, R., Kamiya, Y., Wahyuningsih, T.D., and Kartini, I., 2025b, Tailoring plastic bag derived carbon dots by sulfur-nitrogen passivation for highly selective Fe (III) ion sensing, *Inorg. Chem. Commun.*, 175, 1–12.
- Lestari, R., Wahyuningsih, T.D., Kamiya, Y., and Kartini, I., 2023, Transforming high-density polyethylene plastic bags into eco-friendly carbon dots for detecting ferric (Fe^{3+}) ions, *Diamond and Related Materials*, 139, 1–12.
- Li, H., He, X., Liu, Y., Huang, H., Lian, S., Lee, S.T., and Kang, Z., 2011, One-step ultrasonic synthesis of water-soluble carbon nanoparticles with excellent photoluminescent properties, *Carbon N Y*, 49, 605–609.
- Lin, L., Song, X., Dong, X., and Li, B., 2021, Nano-photosensitizers for enhanced photodynamic therapy, *Photodiagnosis and Photodynamic Therapy*, 36, 1–20.
- Liu, M., 2020, Optical Properties of Carbon Dots: A Review, *Nanoarchitectonics*, 1, 1–12.
- Liu, Z., Li, T., Yan, Q., Zeng, H., Li, L., and Dong, Y., 2025, The development of multicolor carbon dots and their applications in the field of anti-counterfeiting, *Spectrochim. Acta A*, 336, 1–15.
- Mathew, S.A., Praveena, P., Dhanavel, S., Manikandan, R., Senthilkumar, S., and Stephen, A., 2020, Luminescent chitosan/carbon dots as an effective nano-drug carrier for neurodegenerative diseases, *RSC Adv.*, 10, 24386–24396.
- Morbiato, L., Cardo, L., Sturabotti, E., Gobbo, P., Filippini, G., and Prato, M., 2025, Structure Matters: Tailored Graphitization of Carbon Dots Enhances Photocatalytic Performance, *ACS Nano*, 19, 4887–4900.
- Mukherjee, S., Mishra, P.C., Chakrabarty, S., and Chaudhuri, P., 2021, Effects of sonication period on colloidal stability and thermal conductivity of SiO_2 -water nanofluid: An experimental investigation, *J. Clus. Sci.*, 33, 1763–1771.
- Muthulakshmi, L., Mohan, S., and Tatarchuk, T., 2023, Microplastics in water: types, detection, and removal strategies, *Environ. Sci. Pollut. Res.*, 30, 84933–84948.
- Negi, K., Pathak, N.K., Tripathy, U., Dey, S.K., and Sahu, S.K., 2024, Two-photon NIR-responsive carbon dots incorporated into NMOFs for targeted photodynamic therapy, *Colloids Surf. A Physicochem. Eng. Asp.*, 694, 1–12.



- Niculăescu, C., Olar, L., Stefan, R., Todica, M., and Pop, C.-V., 2018, XRD and IR investigations of some commercial polystyrene samples thermally degraded, *Studia UUBB Chemia.*, 63, 63–70.
- Ochoa, D., Torres, J.G., Cerventes, E.M., Cavazos, J.L., and Gómez, I., 2024, The effect of sonication on the photoluminescence property of carbon quantum dots synthesized by hydrothermal route, *Digest Journal of Nanomaterials and Biostructures*, 19(1), 319-324.
- Öztürk, D., and Durmuş, M., 2024, Utilizing carbon cots cerived from caste cace casks for centachlorophenol cetection, *J. Fluoresc.*, 35, 4453–4465.
- Ozyurt, D., Kobaisi, M. Al, Hocking, R.K., and Fox, B., 2023, Properties, synthesis, and applications of carbon dots: A review, *Carbon Trends*, 12, 1–27.
- Pereira, L., Castillo, V., Calero, M., Blázquez, G., Solís, R.R., and Martín-Lara, M.Á., 2024, Insights into using plastic waste to produce activated carbons for wastewater treatment applications: A review, *J. Water Proc. Engineering*, 62, 1–14.
- Perikala, M., and Bhardwaj, A., 2022, Waste to white light: a sustainable method for converting biohazardous waste to broadband white LEDs, *RSC Adv.*, 12, 11443–11453.
- Pilapitiya, N.T.P.G.C., and Ratnayake, A.S., 2024, The world of plastic waste: A review, *Cleaner Mater.*, 11, 1–23.
- Pinto, A., and Rodríguez, L., 2024, Gold(I) complexes as powerful photosensitizers - a visionary frontier perspective, *Dalton Trans.*, 53, 13716–13725.
- Puchaicela, M., Lara, D., Cevallos, V.J., Garzón, A., Gardener, J., Solorzano, G., Spencer, L., and Chimborazo, J., 2025, Synthesis and physical characterization of carbon quantum dots from watermelon seed towards a biological application, *Carbon Trends*, 20, 1–10.
- Putro, P.A., Roza, L., and Isnaeni, 2018, Precursor concentration effect on optical properties of carbon dots from cassava's peels, *J. Phys.: Theor. Appl.*, 2, 43–52.
- Ramanan, V., Siddaiah, B., Raji, K., and Ramamurthy, P., 2018, Green synthesis of multifunctionalized, nitrogen-doped, highly fluorescent carbon dots from waste expanded polystyrene and its application in the fluorimetric detection of Au³⁺ ions in aqueous media, *ACS Sustain. Chem. Eng.*, 6, 1627–1638.
- Ren, H., Labidi, A., Miao, Z., Liang, J., Feng, X., Li, M., Zhao, Y., and Wang, C., 2026, Emerging of carbon quantum dots-based powder materials for photocatalytic environmental remediation and chemical production, *APM*, 5, 1-27.



- Rhithuparna, D., and Halder, G., 2025, Unleashing carbon quantum dots as novel nanocatalyst from waste plastic wrappers towards biodiesel production, *Resources, Conservation and Recycling*, 218, 1–17.
- Saleem, M., Naz, M.Y., Shukrullah, S., Shujah, M.A., Akhtar, M., Ullah, S., and Ali, S., 2022, One-pot sonochemical preparation of carbon dots, influence of process parameters and potential applications: a review, *Carbon Letters*, 32, 39–55.
- Sanabria, A.E.R., Narváez, S.U., Portilla, J.V.G., and Rodríguez, G.A.T., 2025, Sonochemical synthesis of CQDs from coffee husk: Insights in aggregation mechanism, optimization and sustainability analysis, *Heliyon*, 11, 1–14.
- Setianto, S., Men, L.K., Bahtiar, A., Panatarani, C., and Joni, I.M., 2024, Carbon quantum dots with honeycomb structure: a novel synthesis approach utilizing cigarette smoke precursors, *Sci. Rep.*, 14, 1–8.
- Tian, Z., Zhang, X., Li, D., Zhou, D., Jing, P., Shen, D., Qu, S., Zboril, R., and Rogach, A.L., 2017, Full-color inorganic carbon dot phosphors for white-light-emitting diodes, *Adv. Optical Mater.*, 1–9.
- Vinodh, R., Abidov, A., Peng, M.M., Babu, C.M., Palanichamy, M., Cha, W.S., and Jang, H.-T., 2015, A new strategy to synthesize hypercross-linked conjugated polystyrene and its application towards CO₂ sorption, *Fiber. Polym.*, 16, 1458–1467.
- Wang, H., Sun, C., Chen, X., Zhang, Y., Colvin, V.L., Rice, Q., Seo, J., Feng, S., Wang, S., and Yu, W.W., 2017, Excitation wavelength independent visible color emission of carbon dots, *Nanoscale*, 9, 1909–1915.
- Wang, L., Li, J., Huang, J., Li, J., Zhang, L., O'Shea, D., Chen, Z., 2015, Antitumor activity of photodynamic therapy with a chlorin derivative *in vitro* and *in vivo*, *Tumor Biol.*, 6839-6847.
- Wen, Y., Jia, Q., Nan, F., Zheng, X., Liu, W., Wu, J., Ren, H., Ge, J., and Wang, P., 2019, Pheophytin derived near-infrared-light responsive carbon dot assembly as a new phototheranotic agent for bioimaging and photodynamic therapy, *Chem. Asian J.*, 14, 2162–2168.
- Wibowo, A., Jahir Khan, M., Sansanaphongpricha, K., Khemthong, P., Laosiripojana, N., Yu, Y.S., Wu, K.C.W., and Sakdaronnarong, C., 2024, Carbon Dots in Photodynamic Therapy: The Role of Dopant and Solvent on Optical and Photo-Responsive Properties, *Chemistry - A European Journal*, 30, .



- Wu, F., Yue, L., Su, H., Wang, K., Yang, L., and Zhu, X., 2018, Carbon dots @ platinum porphyrin composite as theranostic nanoagent for efficient photodynamic cancer therapy, *Nanoscale Res. Lett.*, 13, 1–10.
- Wu, X., Pu, L., Xu, Y., Shi, J., Liu, X., Zhong, Z., and Luo, S.N., 2018, Deformation of high density polyethylene by dynamic equal-channel-angular pressing, *RSC Adv.*, 8, 22583–22591.
- Yang, H.-L., Bai, L.-F., Geng, Z.-R., Chen, H., Xu, L.-T., Xie, Y.-C., Wang, D.-J., Gu, H.-W., and Wang, X.-M., 2023, Carbon quantum dots: Preparation, optical properties, and biomedical applications, *Mater. Today Adv.*, 18, 1–24.
- Yang, Y., Ding, H., Li, Z., Tedesco, A.C., and Bi, H., 2022, Carbon Dots Derived from tea polyphenols as photosensitizers for photodynamic therapy, *Molecules*, 27, 1–13.
- Yani, I., Rosiliani, D., Khona'ah, B., and Almahdini, F.A., 2020, Identification and plastic type and classification of PET, HDPE, and PP using RGB method, *IOP Conf. Ser.: Mater. Sci. Eng.*, 857, 1–6.
- Zeng, Q., Feng, T., Tao, S., Zhu, S., and Yang, B., 2021, Precursor-dependent structural diversity in luminescent carbonized polymer dots (CPDs): the nomenclature, *Light Sci. Appl.*, 10, 1–13.
- Zhai, Y., Zhang, B., Shi, R., Zhang, S., Liu, Y., Wang, B., Zhang, K., Waterhouse, G.I.N., Zhang, T., and Lu, S., 2022, Carbon dots as new building blocks for electrochemical energy storage and electrocatalysis, *Adv. Energy Mater.*, 12, 1-36.
- Zhang, L., Zhu, C., Huang, R., Ding, Y., Ruan, C., and Shen, X.C., 2021, Mechanisms of reactive oxygen species generated by inorganic nanomaterials for cancer therapeutics, *Front. Chem.*, 9, 1–6.
- Zhang, P., Fan, J., Wang, Y., Dang, Y., Heumann, S., and Ding, Y., 2024, Insights into the role of defects on the Raman spectroscopy of carbon nanotube and biomass-derived carbon, *Carbon N Y*, 222, 1–7.
- Zhang, Y., Jia, Q., Nan, F., Wang, J., Liang, K., Li, J., Xue, X., Ren, H., Liu, W., Ge, J., and Wang, P., 2023, Carbon dots nanophotosensitizers with tunable reactive oxygen species generation for mitochondrion-targeted type I/II photodynamic therapy, *Biomater.*, 293, 1–13.
- Zhao, W., Wang, L., Zhang, M., Liu, Z., Wu, C., Pan, X., Huang, Z., Lu, C., and Quan, G., 2024, Photodynamic therapy for cancer: mechanisms, photosensitizers, nanocarriers, and clinical studies, *MedComm (Beijing)*, 5, 1–36.



- Zhou, Y., Sun, H., Wang, F., Ren, J., and Qu, X., 2017, How functional groups influence the ROS generation and cytotoxicity of graphene quantum dots, *Chem. Commun.*, 53, 10588–10591.
- Zhu, J., Bai, X., Bai, J., Pan, G., Zhu, Y., Zhai, Y., Shao, H., Chen, X., Dong, B., Zhang, H., and Song, H., 2019, Emitting color tunable carbon dots by adjusting solvent towards light-emitting devices, *Nanotechnology*, 29, 1–9.
- Zhu, J., Wu, C., Cui, Y., Li, D., Zhang, Y., Xu, J., Li, C., Iqbal, S., and Cao, M., 2021, Blue-emitting carbon quantum dots: Ultrafast microwave synthesis, purification and strong fluorescence in organic solvents, *Colloids Surf. A Physicochem. Eng. Asp.*, 623, 1–9.
- Zuo, P., Peng, J., Yao, Y., Tan, W., Cheng, L., Zhang, J., and Lu, X., 2025, Fabrication of Carbon Dots with Singlet Oxygen Generation and Their Potential Photodynamic Therapy Applications, *J. Fluoresc.*, 35, 3061–3069.