

DAFTAR PUSTAKA

- Almaliti, J., Fajtová, P., Calla, J., LaMonte, G. M., Feng, M., Rocamora, F., Otilie, S., Glukhov, E., Boura, E., Suhandynata, R. T., Momper, J. D., Gilson, M. K., Winzeler, E. A., Gerwick, W. H., and O'Donoghue, A. J., 2023, Development of potent and highly selective epoxyketone-based *Plasmodium* proteasome inhibitors, *Chem. Eur. J.*, 20(29), e202203958.
- Anonim, 2016, *Malaria Microscopy Quality Assurance Manual-Version 2*, World Health Organization, Venice.
- Arafet, K., Ferrer, S., Martí, S., and Moliner, V., 2014, Quantum mechanics/molecular mechanics studies of the mechanism of falcipain-2 inhibition by the epoxysuccinate E64, *Biochemistry*, 20(53), 3336–3346.
- Arianie, L., Supriatna, M. I., Kazal, N., Widodo, N., Warsito, W., and Ifitah, E. D., 2022, Tropical journal of natural product research studies of methyl eugenol derivatives for *Plasmodium falciparum* inhibitor, *Trop. J. Nat. Prod. Res.*, 9(6), 1203–1211.
- Aykul, S., and Martinez-Hackert, E., 2016, Determination of half-maximal inhibitory concentration using biosensor-based protein interaction analysis, *Anal. Biochem.*, (508), 97–103.
- Basco, L. K., 2007, *Field application of in vitro assays for the sensitivity of human malaria parasites to antimalarial drugs*, World Health Organization, Paris.
- Bastos, E. L., Bartoloni, F. H., and Gonçalves, L. C. P., 2012, *Acid–base and solvation properties of metal phenolates*. In Marek, I., *Patai's Chemistry of Functional Groups*, John Wiley & Sons, New York.
- Berrouet, C., Dorilas, N., Rejniak, K. A., and Tuncer, N., 2020, Comparison of drug inhibitory effects (IC₅₀) in monolayer and spheroid cultures, *Bull. Math. Biol.*, 6(82), 68.
- Binks, F. C., Cavalli, G., Henningsen, M., Howlin, B. J., and Hamerton, I., 2019, Examining the influence of anion nucleophilicity on the polymerisation initiation mechanism of phenyl glycidyl ether, *Polymers*, 4(11), 657.
- Breloy, L., Negrell, C., Mora, A. S., Li, W. S. J., Brezová, V., Caillol, S., and Versace, D. L., 2020, Vanillin derivative as performing type I photoinitiator, *Eur. Polym. J.*, (132), 109727.
- Burnett, C.L., Bergfeld, W.F., Belsito, D. V., Hill, R.A., Klaassen, C.D., Liebler, D.C., Marks, J.G., Shank, R.C., Slaga, T.J., Snyder, P.W., Gill, L.J., and

- Heldreth, B., 2021, Safety assessment of inorganic hydroxides as used in cosmetics, *Int. J. Toxicol.*, 2_suppl(40), 16S-35S.
- Charisma, A. M., Ekawasti, F., Azis, M. Z., Sari, A. P., Suci, A. E., Putra R, R., Putri, S. C., dan Sugiarto, A. B., 2025, Studi literatur: Efektivitas deteksi malaria menggunakan pemeriksaan mikroskopis apusan darah, *Jurnal Kedokteran Universitas Palangka Raya*, 1(13), 14–17.
- Childs, G. E., and Webster, H. K., 1986, *In vitro* assay of antimalarials: Technologies, applications, and prospects, *Southeast Asian J. Trop. Med. Public Health*, 4(17), 515–523.
- Clayden, J., Greeves, N., and Warren, S., 2012, *Organic chemistry*, Oxford University Press, New York.
- Crespo, M. D. P., Avery, T. D., Hanssen, E., Fox, E., Robinson, T. V., Valente, P., Taylor, D. K., and Tilley, L., 2008, Artemisinin and a series of novel endoperoxide antimalarials exert early effects on digestive vacuole morphology, *Antimicrob. Agents Chemother.*, 1(52), 98–109.
- Cui, L., Mharakurwa, S., Ndiaye, D., Rathod, P. K., and Rosenthal, P. J., 2015, Antimalarial drug resistance: Literature review and activities and findings of the ICEMR network, *Am. J. Trop. Med. Hyg.*, 3(93), 57–68.
- Das, D., Dahal, P., Dhorda, M., Citarella, B. W., Kennon, K., Stepniewska, K., Felger, I., Chappuis, F., and Guerin, P. J., 2021, Review article: A systematic literature review of microscopy methods reported in malaria clinical trials, *Am. J. Trop. Med. Hyg.*, 3(104), 836–841.
- Dewick, P. M., 2006, *Essentials of organic chemistry: For students of pharmacy, medicinal chemistry and biological chemistry*, John Wiley & Sons, Chichester.
- Duan, H., 2023, Williamson ether synthesis: O-alkylation reaction using halogenated hydrocarbons as alkylating agents, *Acad. J. Mater. Chem.*, 4(4), 41–45.
- Erden, I., Gronert, S., Keeffe, J. R., Ma, J., Ocal, N., Gärtner, C., and Soukup, L. L., 2014, Effect of allylic groups on S_N2 reactivity, *J. Org. Chem.*, 14(79), 6410–6418.
- Fadlan, A., Masitoh, H., Niadisti, B. R. A., Khusnayaini, I. A., Agustin, L., and Roshuna, J. F., 2024, Study of synthesis of ethyl-2-(4-allyl-2-methoxyphenoxy)acetate in polar aprotic solvents, *Walisongo J. Chem.*, 2(7), 239–244.
- Fitri, L. E., Pawestri, A. R., Winaris, N., Endharti, A. T., Khotimah, A. R. H., Abidah, H. Y., and Huwae, J. T. R., 2023, Antimalarial drug resistance: A brief history of its spread in Indonesia, *Drug Des. Devel. Ther.*, (17), 1995–2010.

- Fu, C., Li, Z., Sun, Z., and Xie, S., 2021, A review of salting-out effect and sugaring-out effect: Driving forces for novel liquid-liquid extraction of biofuels and biochemicals, *Front. Chem. Sci. Eng.*, 4(15), 854–871.
- Gami, A. A., Shukor, M. Y., Khalil, K. A., Dahalan, F. A., Khalid, A., and Ahmad, S. A., 2014, Phenol and phenolic compounds toxicity, *J. Environ. Microbiol. Toxicol.*, 1(2), 11–23.
- Gasong, D. N., Dese, D. C., Kurniasari, M. D., Joandi, O., dan Aunalal, H., 2024, Faktor risiko penyakit malaria secara global: Sebuah studi literatur, *J. Hum. Health*, 2(3), 32–47.
- Gawal, P. M., and Subudhi, S., 2023, Advances and challenges in bio-based 2,3-BD downstream purification: A comprehensive review, *Bioresour. Technol. Rep.*, (24), 101638.
- Gijjapu, D. R., and Nazal, M. K., 2023, *Ionic liquids for phenolic compounds removal and extraction*. In Inamuddin and Altalhi, T., *Green sustainable process for chemical and environmental engineering and science: Green solvents and extraction technology*, Elsevier, Amsterdam.
- Gomes, A. R., Varela, C. L., Tavares-da-Silva, E. J., and Roleira, F. M. F., 2020, Epoxide containing molecules: A good or a bad drug design approach, *Eur. J. Med. Chem.*, (201), 112327.
- Hamlin, T. A., Swart, M., and Bickelhaupt, F. M., 2018, Nucleophilic substitution (S_N2): Dependence on nucleophile, leaving group, central atom, substituents, and solvent, *Chem. Phys. Chem*, 11(19), 1315–1330.
- Hasugian, A. R., Purba, H. L. E., Kenangalem, E., Wuwung, R. M., Ebsworth, E. P., Maristela, R., Penttinen, P. M. P., Laihad, F., Anstey, N. M., Tjitra, E., and Price, R. N., 2007, Dihydroartemisinin-piperaquine versus artesunate-amodiaquine: Superior efficacy and posttreatment prophylaxis against multidrug-resistant *Plasmodium falciparum* and *Plasmodium vivax* malaria, *Clin. Infect. Dis.*, 8(44), 1067–1074.
- Hofer, W., Oueis, E., Fayad, A. A., Deschner, F., Andreas, A., de Carvalho, L. P., Hüttel, S., Bernecker, S., Pätzold, L., Morgenstern, B., Zaburannyi, N., Bischoff, M., Stadler, M., Held, J., Herrmann, J., and Müller, R., 2022, Regio- and stereoselective epoxidation and acidic epoxide opening of antibacterial and antiplasmodial chlorotonils yield highly potent derivatives, *Angew. Chem. Int. Ed.*, 30(61), e202202816.
- Hussain, H., Al-Harrasi, A., Green, I. R., Ahmed, I., Abbas, G., and Rehman, N. U., 2014, *meta*-chloroperbenzoic acid (*m*-CPBA): A versatile reagent in organic synthesis, *RSC Adv.*, 25(4), 12882–12917.

- Jeannerat, D., and Cobas, C., 2021, Application of multiplet structure deconvolution to extract scalar coupling constants from 1D nuclear magnetic resonance spectra, *Magn. Reson.*, 2(2), 545–555.
- Jin, F. L., Li, X., and Park, S. J., 2015, Synthesis and application of epoxy resins: A review, *J. Ind. Eng. Chem.*, (29), 1–11.
- Junistia, L., Sugih, A.K., Manurung, R., Picchioni, F., Janssen, L.P.B.M., and Heeres, H.J., 2009, Experimental and modeling studies on the synthesis and properties of higher fatty esters of corn starch, *Starch/Staerke*, 2(61), 69–80.
- Khairunnisa, S. A., and Tjitraesmi, A., 2022, Antimalarial activity of *Annonaceae* family plants: Literature review, *Indonesian Journal of Biological Pharmacy*, 1(2), 30–36.
- Khan, A. S., Ibrahim, T. H., Jabbar, N. A., Khamis, M. I., Nancarrow, P., and Mjalli, F. S., 2021, Ionic liquids and deep eutectic solvents for the recovery of phenolic compounds: Effect of ionic liquids structure and process parameters, *RSC Adv.*, 20(11), 12398–12422.
- Khusniddin, M., Gulmira, A., Khabibulla, T., and Mukhabbat, Y., 2020, Influence of nanostructural catalyst in the synthesis of allyl phenyl ether and of its isomerization products, *Chem. & Chem. Eng.*, 4(2019), 40–45.
- Knop, A., Böhmer, V., and Pilato, L.A., 1989, *Phenol–formaldehyde polymers*, In Allen, G. and Bevington, J.C., *Comprehensive polymer science and supplements*, Elsevier, Amsterdam.
- Kon, Y., Fujitani, T., Nakashima, T., Murayama, T., and Ueda, W., 2018, Versatile etherification of alcohols with allyl alcohol by a titanium oxide-supported molybdenum oxide catalyst: Gradual generation from titanium oxide and molybdenum oxide, *Catal. Sci. Technol.*, 18(8), 4618–4625.
- Kube, P., Dong, J., Bastardo, N. S., Ruland, H., Schlögl, R., Margraf, J. T., Reuter, K., and Trunschke, A., 2022, Green synthesis of propylene oxide directly from propane, *Nat. Commun.*, 1(13), 7504.
- Kumar, A., and Mishra, A. K., 2018, Biological importance of phenol derivatives as potent bioactive compound: A review, *Lett. Org. Chem.*, 4(15), 251–264.
- Kumar, A., Rasool, J., and Ahmed, Q. N., 2021, *Chemistry of 2-oxoaldehydes and 2-oxoacids*, Elsevier, Amsterdam.
- Li, Q., Liu, T., Lv, K., Liao, F., Wang, J., Tu, Y., and Chen, Q., 2025, Malaria: Past, present, and future, *Signal Transduct. Target. Ther.*, 1(10), 188.
- Lobo, M., Guntur, R. D., Kusumaningrum, D., and Bria, Y. P., 2024, The declined trend of malaria over a ten-year period in the Rural East Nusa Tenggara

- Province, Indonesia: A medical record analysis, *Open Access Maced. J. Med. Sci.*, 1(12), 107–115.
- Maji, A. K., 2018, Drug susceptibility testing methods of antimalarial agents, *Trop. Parasitol.*, 2(8), 70–76.
- Mamede, L., Ledoux, A., Jansen, O., and Frédérich, M., 2020, Natural phenolic compounds and derivatives as potential antimalarial agents, *Planta Med.*, 9(86), 585–618.
- McMurry, J., 2016, *Organic Chemistry* (9th ed.), Cengage Learning, Boston.
- Michałowicz, J., and Duda, W., 2007, Phenols—sources and toxicity, *Polish J. of Environ. Stud.*, 3(16), 347–362.
- Moschona, F., Savvopoulou, I., Tsitopoulou, M., Tataraki, D., and Rassias, G., 2020, Epoxide syntheses and ring-opening reactions in drug development, *Catalysts*, 10(10), 1–65.
- Nikolic, G., Zlatkovic, S., Cakic, M., Cakic, S., Lacnjevac, C., and Rajic, Z., 2010, Fast fourier transform IR characterization of epoxy GY systems crosslinked with aliphatic and cycloaliphatic EH polyamine adducts, *Sensors*, 1(10), 684–696.
- Nitbani, F. O., 2007, Epoksidasi dan pembukaan cincin epoksida pada metil risinoleat, *Tesis*, FMIPA UGM, Yogyakarta.
- Nitbani, F. O., Tambaru, D., Gauru, I., Kusumawati, A., Kimia, J., Sains, F., dan Teknik, D., 2015, Sintesis senyawa metil 9,10-epoksi stearat dari minyak jarak pagar (*Jatropha curcas*) asal Pulau Timor, *Sains dan Terapan Kimia*, 1(9), 37–46.
- Ouellette, R. J., and Rawn, J. D., 2018, *Organic chemistry: Structure, mechanism, synthesis*, Academic Press, London.
- Padhi, B. K., Gaidhane, A. M., Satapathy, P., Bushi, G., Ballal, S., Bansal, P., Tomar, B. S., Ashraf, A., Kumar, M. R., Rawat, P., Garout, M., Aljebaly, F. S., Sabour, A. A., Alshiekheid, M. A., Al Kaabi, N. A., Alrasheed, H. A., Al-Subaie, M. F., Rabaan, A. A., Saif, A., Rustagi, S., Zahiruddin, Q. S., and Shabil, M., 2024, Assessing the impact of ecological, climatic, and socioeconomic factors on age-specific malaria incidence in India: A mixed-model approach using the Global Burden of Disease Study (2010–2019), *Malar. J.*, 1(23), 332.
- Panchal, N. B., and Vaghela, V. M., 2024, The elegance of epoxidation: Mechanistic insights, diverse applications, and promising horizons, *Orient. J. Chem.*, 4(40), 997–1016.

- Sajjadi, S. E., Pestechian, N., Kazemi, M., Mohaghegh, M.-A., and Hosseini-Safa, A., 2016, Evaluation of the antimalarial effect of *Ferulago angulata* (*Schlecht.*) Boiss. extract and suberosin epoxide against *Plasmodium berghei* in comparison with chloroquine using *in-vivo* test, *Iran. J. Pharm. Res.*, 3(15), 515–521.
- Sato, S., 2021, *Plasmodium*—a brief introduction to the parasites causing human malaria and their basic biology, *J. Physiol. Anthropol.*, 1(40), 1–13.
- Seitz, C. G., Zhang, H., Mo, Y., and Karty, J. M., 2016, Why do enolate anions favor O-alkylation over C-alkylation in the gas phase? The roles of resonance and inductive effects in the gas-phase S_N2 reaction between the acetaldehyde enolate anion and methyl fluoride, *J. Org. Chem.*, 9(81), 3711–3719.
- Senadeera, S. P. D., Duffy, S., Avery, V. M., and Carroll, A. R., 2017, Antiplasmodial β -triketones from the flowers of the Australian tree *Angophora woodsiana*, *Bioorg. Med. Chem. Lett.*, 11(27), 2602–2607.
- Sharma, N., Mohanakrishnan, D., Sharma, U. K., Kumar, R., Richa, Sinha, A. K., and Sahal, D., 2014, Design, economical synthesis and antiplasmodial evaluation of vanillin derived allylated chalcones and their marked synergism with artemisinin against chloroquine resistant strains of *Plasmodium falciparum*, *Eur. J. Med. Chem.*, (79), 350–368.
- Shatirova, M. I., and Gasanova, M. E., 2025, Synthesis and chemical modification of phenyl glycidyl ether, *Russ. J. Gen. Chem.*, 11(95), 3540–3546.
- Shibeshi, M. A., Kifle, Z. D., and Atnafie, S. A., 2020, Antimalarial drug resistance and novel targets for antimalarial drug discovery, *Infect. Drug Resist.*, (13), 4047–4060.
- Shundo, A., Yamamoto, S., and Tanaka, K., 2022, Network formation and physical properties of epoxy resins for future practical applications, *J. Am. Chem. Soc. Au*, 7(2), 1522–1542.
- Siddiqui, G., Giannangelo, C., De Paoli, A., Schuh, A. K., Heimsch, K. C., Anderson, D., Brown, T. G., Macrauld, C. A., Wu, J., Wang, X., Dong, Y., Vennerstrom, J. L., Becker, K., and Creek, D. J., 2022, Peroxide antimalarial drugs target redox homeostasis in *Plasmodium falciparum* infected red blood cells, *ACS Infect. Dis.*, 1(8), 210–226.
- Smile, S.S., Novanna, M., Kannadasan, S., and Shanmugam, P., 2022, DMSO-allyl bromide: A mild and efficient reagent for atom economic one-pot: N -allylation and bromination of 2°-aryl amines, 2-aryl aminoamides, indoles and 7-aza indoles, *RSC Adv*, 3(12), 1834–1839.

- Straimer, J., Gnädig, N. F., Witkowski, B., Amaratunga, C., Duru, V., Ramadani, A. P., Dacheux, M., Khim, N., Zhang, L., Lam, S., Gregory, P. D., Urnov, F. D., Mercereau-Puijalon, O., Benoit-Vical, F., Fairhurst, R. M., Ménard, D., and Fidock, D. A., 2015, K13-propeller mutations confer artemisinin resistance in *Plasmodium falciparum* clinical isolates, *Science*, 6220(347), 428–431.
- Syahri, J., Hilma, R., Nurbaiti, Nurlaili, Roney, M., Uddin, M. N., Aluwi, M. F. F. M., and Frimayanti, N., 2025, Anti-malarial potential of novel aminoalkylated eugenol derivatives: Synthesis, *in-vitro*, *in-silico* evaluation and mechanistic profiling, *Biochem. Biophys. Res. Commun.*, (786), 152725.
- Talapko, J., Škrlec, I., Alebić, T., Jukić, M., and Včev, A., 2019, Malaria: The past and the present, *Microorganisms*, 6(7), 179.
- Tamura, S., Miyoshi, A., Kawano, T., Horii, T., Itagaki, S., and Murakami, N., 2020, Structure-activity relationship of anti-malarial allylpyrocatechol isolated from *Piper betle*, *Chem. Pharm. Bull.*, 8(68), 784–790.
- Tobing, T. C. L., Wahrianto, Saputri, E., Wafa, N. I., Zulfianti, P. D., Sihaloho, L. I., Husna, A. R., Salsabila, D., Silalahi, F. H. H., Sitohang, A. I., Sabrina, A., Harianja, A. D. H., Barus, S. A., Sabina, S., Rahma, A. A., Velaro, A. J., Khairunnisa, K., Salim, E., Nurkolis, F., and Syahputra, R. A., 2024, Malaria in Indonesia: Current treatment approaches, future strategies, and potential herbal interventions, *Pharmacia*, (71), 1–14.
- Villasmil, T., Rojas, J., Aparicio, R., Gamboa, N., Acosta, M. E., Rodrigues, J., and Usubillaga, A., 2017, Antimalarial activity of some kaurenes, *Nat. Prod. Commun.*, 2(12), 217–220.
- Wang, Z., 2010, *Comprehensive Organic Name Reactions and Reagents*, John Wiley & Sons, New York.
- White, N., 1999, Antimalarial drug resistance and combination chemotherapy, *Phil. Trans. R. Soc. Lond. B*, 1384(354), 739–749.
- Wicht, K. J., Mok, S., and Fidock, D. A., 2020, Molecular mechanisms of drug resistance in *Plasmodium falciparum* malaria, *Annu. Rev. Microbiol.*, (74), 431–454.
- Wulandari, A. R., Sunnah, I., dan Dianingati, R. S., 2021, Optimasi pelarut terhadap parameter spesifik ekstrak kitolod (*Isotoma longiflora*), *J. Res. Pharm.*, 1(1), 10–15.
- Yadav, P. A., Kumar, C. P., Siva, B., Babu, K. S., Allanki, A. D., Sijwali, P. S., Jain, N., and Rao, A. V., 2017, Synthesis and evaluation of anti-plasmodial

and cytotoxic activities of epoxyzadiradione derivatives, *Eur. J. Med. Chem.*, (134), 242–257.

Yi, L., Luo, S., Cui, L., Budai-Szűcs, M., Móczó, J., and Pukánszky, B., 2022, Processes taking place during the preparation and use of electrospun PLA fibers and their effect on controlled drug release, *J. Therm. Anal. Calorim.*, 23(147), 13191–13199.

Zakiah, M., Syarif, R. A., Mustofa, M., Jumina, J., Fatmasari, N., and Sholikhah, E. N., 2021, *In vitro* antiplasmodial, heme polymerization, and cytotoxicity of hydroxyxanthone derivatives, *J. Trop. Med.*, 1(2021), 8866681.

Zheng, D., Liu, T., Yu, S., Liu, Z., Wang, J., and Wang, Y., 2024, Antimalarial mechanisms and resistance status of artemisinin and its derivatives, *Trop. Med. Infect. Dis.*, 9(9), 223.