

DAFTAR PUSTAKA

- Absor, Moh.A.U., 2015. *Density functional theory based calculation of spin orbit interaction in ZnO*. Kanazawa University.
- Absor, Moh.A.U., Kotaka, H., Ishii, F., Saito, M., 2016. Strain-controlled spin splitting in the conduction band of monolayer WS₂. *Phys. Rev. B* 94, 115131. <https://doi.org/10.1103/PhysRevB.94.115131>
- Awschalom, D., Samarth, N., 2009. Spintronics without magnetism. *Physics* 2, 50. <https://doi.org/10.1103/Physics.2.50>
- Babar, R., Kabir, M., 2016. Transition Metal and Vacancy Defect Complexes in Phosphorene: A Spintronic Perspective. *J. Phys. Chem. C* 120, 14991–15000. <https://doi.org/10.1021/acs.jpcc.6b05069>
- Bernevig, B.A., Orenstein, J., Zhang, S.-C., 2006. Exact SU(2) Symmetry and Persistent Spin Helix in a Spin-Orbit Coupled System. *Phys. Rev. Lett.* 97, 236601. <https://doi.org/10.1103/PhysRevLett.97.236601>
- Bertsch, G.F., Giansiracusa, J., Yabana, K., 2002. Application of time-dependent density-functional theory to electron—ion coupling in ethylene. *Israel Journal of Chemistry* 42, 151–156. <https://doi.org/10.1560/JJHK-ACM8-2E6M-DK9C>
- Delphine, S.M., Jayachandran, M., Sanjeeviraja, C., 2003. Pulsed electrodeposition and characterisation of tungsten diselenide thin films. *Materials Chemistry and Physics* 81, 78–83. [https://doi.org/10.1016/S0254-0584\(03\)00136-6](https://doi.org/10.1016/S0254-0584(03)00136-6)
- Dresselhaus, G., 1955. Spin-Orbit Coupling Effects in Zinc Blende Structures. *Phys. Rev.* 100, 580–586. <https://doi.org/10.1103/PhysRev.100.580>
- Drichko, I.L., Smirnov, I.Yu., Suslov, A.V., Baldwin, K.W., Pfeiffer, L.N., West, K.W., 2021. Dresselhaus spin-orbit interaction in the p - AlGaAs/GaAs/AlGaAs structure with a square quantum well: Surface acoustic wave study. *Phys. Rev. B* 104, 155302. <https://doi.org/10.1103/PhysRevB.104.155302>
- Fabian, J., Matos-Abiague, A., Ertler, C., Stano, P., 2007. SEMICONDUCTOR SPINTRONICS. *acta physica slovacica* vol. 57 No. 4 & 5, 565– 907.
- Ganichev, S.D., Bel'kov, V.V., Golub, L.E., Ivchenko, E.L., Schneider, P., Giglberger, S., Eroms, J., De Boeck, J., Borghs, G., Wegscheider, W., Weiss, D., Prettl, W., 2004. Experimental Separation of Rashba and Dresselhaus Spin Splittings in Semiconductor Quantum Wells. *Phys. Rev. Lett.* 92, 256601. <https://doi.org/10.1103/PhysRevLett.92.256601>

- Guo, Z., Wang, X., Wang, W., Zhang, G., Zhou, X., Cheng, Z., 2025. Spin-Polarized Antiferromagnets for Spintronics. *Advanced Materials* 2505779. <https://doi.org/10.1002/adma.202505779>
- Hoffmann, A., Bader, S.D., 2015. Opportunities at the Frontiers of Spintronics. *Phys. Rev. Applied* 4, 047001. <https://doi.org/10.1103/PhysRevApplied.4.047001>
- Hsu, W.-T., Lu, L.-S., Wang, D., Huang, J.-K., Li, M.-Y., Chang, T.-R., Chou, Y.-C., Juang, Z.-Y., Jeng, H.-T., Li, L.-J., Chang, W.-H., 2017. Evidence of indirect gap in monolayer WSe₂. *Nature Communications* 8, 929. <https://doi.org/10.1038/s41467-017-01012-6>
- Kang, T., Lu, Z., Liu, L., Huang, M., Hu, Y., Liu, H., Wu, R., Liu, Z., You, J., Chen, Y., Zhang, K., Duan, X., Wang, N., Liu, Y., Luo, Z., 2023. *In Situ* Defect Engineering of Controllable Carrier Types in WSe₂ for Homomaterial Inverters and Self-Powered Photodetectors. *Nano Lett.* 23, 11034–11042. <https://doi.org/10.1021/acs.nanolett.3c03328>
- Krishnan, R., Biswas, S., Hsueh, Y.-L., Ma, H., Rahman, R., Weber, B., 2023. Spin-Valley Locking for In-Gap Quantum Dots in a MoS₂ Transistor. *Nano Lett.* 23, 6171–6177. <https://doi.org/10.1021/acs.nanolett.3c01779>
- Kumar, A., Ahluwalia, P.K., 2012. Electronic structure of transition metal dichalcogenides monolayers 1H-MX₂ (M = Mo, W; X = S, Se, Te) from ab-initio theory: new direct band gap semiconductors. *The European Physical Journal B* 85, 186. <https://doi.org/10.1140/epjb/e2012-30070-x>
- LaShell, S., McDougall, B.A., Jensen, E., 1996. Spin Splitting of an Au(111) Surface State Band Observed with Angle Resolved Photoelectron Spectroscopy. *Phys. Rev. Lett.* 77, 3419–3422. <https://doi.org/10.1103/PhysRevLett.77.3419>
- Le, D., Barinov, A., Preciado, E., Isarraraz, M., Tanabe, I., Komesu, T., Troha, C., Bartels, L., Rahman, T.S., Dowben, P.A., 2015. Spin-orbit coupling in the band structure of monolayer WSe₂. *J. Phys.: Condens. Matter* 27, 182201. <https://doi.org/10.1088/0953-8984/27/18/182201>
- Lechner, V., 2015. Bulk and Structure Inversion Asymmetry in Semiconductor Quantum Well Structure. Universitat Regensburg.
- Lee, C.-C., Yamada-Takamura, Y., Ozaki, T., 2013. Unfolding method for first-principles LCAO electronic structure calculations. *J. Phys.: Condens. Matter* 25, 345501. <https://doi.org/10.1088/0953-8984/25/34/345501>
- Lee, Y., Eu, P., Lim, C., Cha, J., Kim, S., Denlinger, J.D., Kim, Y., 2021. Controlling spin-orbit coupling strength of bulk transition metal dichalcogenide semiconductors. *Current Applied Physics* 30, 4–7. <https://doi.org/10.1016/j.cap.2021.03.008>

- Lu, X.-Z., Rondinelli, J.M., 2023. Strain engineering a persistent spin helix with infinite spin lifetime. *Phys. Rev. B* 107, 035155. <https://doi.org/10.1103/PhysRevB.107.035155>
- Lukmantoro, A., Suprayoga, E., Absor, Moh.A.U., 2025. One-dimensional confined Rashba states in a two-dimensional Si₂Bi₂ induced by vacancy line defects. *Phys. Rev. Materials* 9, 016202. <https://doi.org/10.1103/PhysRevMaterials.9.016202>
- Malik, G.F.A., Kharadi, M.A., Khanday, F.A., Parveen, N., 2020. Spin field effect transistors and their applications: A survey. *Microelectronics Journal* 106, 104924. <https://doi.org/10.1016/j.mejo.2020.104924>
- Ozaki, T., 2003. Variationally optimized atomic orbitals for large-scale electronic structures. *Phys. Rev. B* 67, 155108. <https://doi.org/10.1103/PhysRevB.67.155108>
- Ozaki, T., Kino, H., 2004. Numerical atomic basis orbitals from H to Kr. *Phys. Rev. B* 69, 195113. <https://doi.org/10.1103/PhysRevB.69.195113>
- Pelá, R.R., Teles, L.K., 2010. Spin Transistors vs. Conventional Transistors: What Are the Benefits?. *J Supercond Nov Magn* 23, 61–64. <https://doi.org/10.1007/s10948-009-0537-y>
- Perdew, J.P., Burke, K., Ernzerhof, M., 1996. Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.* 77, 3865–3868. <https://doi.org/10.1103/PhysRevLett.77.3865>
- Rajput, P.J., Bhandari, S.U., Wadhwa, G., 2022. A Review on—Spintronics an Emerging Technology. *Silicon* 14, 9195–9210. <https://doi.org/10.1007/s12633-021-01643-x>
- Salehi, S., Saffarzadeh, A., 2016. Atomic defect states in monolayers of MoS₂ and WS₂. *Applied Surface Science* 651, 215–221. <https://doi.org/10.1016/j.susc.2016.05.003>
- Sarma, S.D., 2004. Spintronics: Fundamentals and applications. *Rev. Mod. Phys.* 76.
- Schaibley, J.R., Yu, H., Clark, G., Rivera, P., Ross, J.S., Seyler, K.L., Yao, W., Xu, X., 2016. Valleytronics in 2D materials. *Nat Rev Mater* 1, 16055. <https://doi.org/10.1038/natrevmats.2016.55>
- Schliemann, J., 2017. Colloquium: Persistent spin textures in semiconductor nanostructures. *Rev. Mod. Phys.* 89, 011001. <https://doi.org/10.1103/RevModPhys.89.011001>
- Shcherbakov, D., Stepanov, P., Memaran, S., Wang, Y., Xin, Y., Yang, J., Wei, K., Baumbach, R., Zheng, W., Watanabe, K., Taniguchi, T., Bockrath, M., Smirnov, D., Siegrist, T., Windl, W., Balicas, L., Lau, C.N., n.d. Layer- and

gate-tunable spin-orbit coupling in a high-mobility few-layer semiconductor. *Science Advances* 7, eabe2892. <https://doi.org/10.1126/sciadv.abe2892>

Singh, S., Kim, K.-H., Jo, K., Musavigharavi, P., Kim, B., Zheng, J., Trainor, N., Chen, C., Redwing, J.M., Stach, E.A., Olsson, R.H., Jariwala, D., 2024. Nonvolatile Control of Valley Polarized Emission in 2D WSe₂-AlScN Heterostructures. *ACS Nano* 18, 17958–17968. <https://doi.org/10.1021/acsnano.4c04684>

Soler, J.M., 2004. Exchange and correlation as a functional of the local density of states. *Phys. Rev. B* 69, 195101. <https://doi.org/10.1103/PhysRevB.69.195101>

Sousa, F.B., Ames, A., Liu, M., Gastelois, P.L., Oliveira, V.A., Zhou, D., Matos, M.J.S., Chacham, H., Terrones, M., Teodoro, M.D., Malard, L.M., 2025. Strong Magneto-Optical Responses of an Ensemble of Defect-Bound Excitons in Ambient Exposed WS₂ and WSe₂ Monolayers. *J. Phys. Chem. C* 129, 8645–8653. <https://doi.org/10.1021/acs.jpcc.5c00951>

Tao, L.L., Tsymbal, E.Y., 2018. Persistent spin texture enforced by symmetry. *Nat Commun* 9, 2763. <https://doi.org/10.1038/s41467-018-05137-0>

THOMAS, L.H., 1926. The Motion of the Spinning Electron. *Nature* 117, 514–514. <https://doi.org/10.1038/117514a0>

Vajna, Sz., Simon, E., Szilva, A., Palotas, K., Ujfalussy, B., Szunyogh, L., 2012. Higher-order contributions to the Rashba-Bychkov effect with application to the Bi/Ag(111) surface alloy. *Phys. Rev. B* 85, 075404. <https://doi.org/10.1103/PhysRevB.85.075404>

Wang, Y., Deng, L., Wei, Q., Wan, Y., Liu, Z., Lu, X., Li, Y., Bi, L., Zhang, Li, Lu, H., Chen, H., Zhou, P., Zhang, Linbo, Cheng, Y., Zhao, X., Ye, Y., Huang, W., Pennycook, S.J., Loh, K.P., Peng, B., 2020a. Spin-Valley Locking Effect in Defect States of Monolayer MoS₂. *Nano Lett.* 20, 2129–2136. <https://doi.org/10.1021/acs.nanolett.0c00138>

Wang, Y., Deng, L., Wei, Q., Wan, Y., Liu, Z., Lu, X., Li, Y., Bi, L., Zhang, Li, Lu, H., Chen, H., Zhou, P., Zhang, Linbo, Cheng, Y., Zhao, X., Ye, Y., Huang, W., Pennycook, S.J., Loh, K.P., Peng, B., 2020b. Spin-Valley Locking Effect in Defect States of Monolayer MoS₂. *Nano Lett.* 20, 2129–2136. <https://doi.org/10.1021/acs.nanolett.0c00138>

Yaji, K., Ohtsubo, Y., Hatta, S., Okuyama, H., Miyamoto, K., Okuda, T., Kimura, A., Namatame, H., Taniguchi, M., Aruga, T., 2010. Large Rashba spin splitting of a metallic surface-state band on a semiconductor surface. *Nat Commun* 1, 17. <https://doi.org/10.1038/ncomms1016>

- Yang, C., Zhao, X., Wei, S., 2016. Manipulation of electronic structure in WSe₂ monolayer by strain. *Solid State Communications* 245, 70–74. <https://doi.org/10.1016/j.ssc.2016.07.003>
- Ye, J., An, Y., Yan, H., Liu, J., 2019a. Defects and strain engineering the electronic structure and magnetic properties of monolayer WSe₂ for 2D spintronic device. *Applied Surface Science* 497, 143788. <https://doi.org/10.1016/j.apsusc.2019.143788>
- Ye, J., An, Y., Yan, H., Liu, J., 2019b. Defects and strain engineering the electronic structure and magnetic properties of monolayer WSe₂ for 2D spintronic device. *Applied Surface Science* 497, 143788. <https://doi.org/10.1016/j.apsusc.2019.143788>
- Zhang, C., Wang, C., Yang, F., Huang, J.-K., Li, L.-J., Yao, W., Ji, W., Shih, C.-K., 2019. Engineering Point-Defect States in Monolayer WSe₂. *ACS Nano* acsnano.8b07595. <https://doi.org/10.1021/acsnano.8b07595>
- Zhao, W., Ghorannevis, Z., Chu, L., Toh, M., Kloc, C., Tan, P.-H., Eda, G., 2013. Evolution of Electronic Structure in Atomically Thin Sheets of WS₂ and WSe₂. *ACS Nano* 7, 791–797. <https://doi.org/10.1021/nn305275h>
- Zheng, S.-W., Wang, D., Wang, H.-Y., Wang, H., Chen, X., Zhao, L.-Y., Wang, L., Li, X.-B., Sun, H.-B., 2022. Spin-Valley Depolarization in van der Waals Heterostructures. *J. Phys. Chem. Lett.* 13, 5501–5507. <https://doi.org/10.1021/acs.jpcclett.2c01414>
- Zheng, Y.J., Chen, Y., Huang, Y.L., Gogoi, P.K., Li, M.-Y., Li, L.-J., Trevisanutto, P.E., Wang, Q., Pennycook, S.J., Wee, A.T.S., Quek, S.Y., 2019. Point Defects and Localized Excitons in 2D WSe₂. *ACS Nano* 13, 6050–6059. <https://doi.org/10.1021/acsnano.9b02316>
- Zhu, Z.Y., Cheng, Y.C., Schwingenschlögl, U., 2011. Giant spin-orbit-induced spin splitting in two-dimensional transition-metal dichalcogenide semiconductors. *Phys. Rev. B* 84, 153402. <https://doi.org/10.1103/PhysRevB.84.153402>
- Zollner, K., Junior, P.E.F., Fabian, J., 2019. Strain-tunable orbital, spin-orbit, and optical properties of monolayer transition-metal dichalcogenides. *Phys. Rev. B* 100, 195126. <https://doi.org/10.1103/PhysRevB.100.195126>