

DAFTAR PUSTAKA

- . J. S. (2016). Structural, Optical and Electrical characterization of Polyaniline/ Silver Nanocomposites. *International Journal of Research in Engineering and Technology*, 05(16), 303–307. <https://doi.org/10.15623/ijret.2016.0516067>
- Abdelhamied, M. M., Atta, A., Abdelreheem, A. M., Farag, A. T. M., & El Okr, M. M. (2020). Synthesis and Optical Properties of PVA/PANI/Ag Nanocomposite films. *Journal of Materials Science: Materials in Electronics*, 31(24), 22629–22641. <https://doi.org/10.1007/s10854-020-04774-w>
- Akram, D., & Hameed, N. (2022). Preparation and Characterization of PANI/PVA Blends as Electrolyte Materials. *Journal of Applied Sciences and Nanotechnology*, 2(2), 38–46. <https://doi.org/10.53293/jasn.2022.4124.1073>
- Al-Hada, N. M., Al-Ghaili, A. M., Baqer, A. A., Saleh, M. A., Kasim, H., Saion, E., Liu, J., & Jihua, W. (2020). Radiation-induced synthesis, electrical and optical characterization of conducting polyaniline of PANI/ PVA composites. *Materials Science and Engineering: B*, 261(December 2019), 114758. <https://doi.org/10.1016/j.mseb.2020.114758>
- Al-Khafaji, R. S. A. (2021). Synthesis of Blend Polymer (PVA / PANI)/Copper (1) Oxide Nanocomposite: Thermal Analysis and UV-Vis Spectra Specifications. *Iraqi Journal of Science*, 62(11), 3888–3900. <https://doi.org/10.24996/ijcs.2021.62.11.10>
- Alqaheem, Y., & Alomair, A. A. (2020). Microscopy and spectroscopy techniques for characterization of polymeric membranes. In *Membranes* (Vol. 10, Issue 2). <https://doi.org/10.3390/MEMBRANES10020033>
- Andriianova, A., Biglova, Y., & Mustafin, A. (2020). Effect of structural factors on the physicochemical properties of functionalized polyanilines. *RSC Advances*, 10, 7468–7491. <https://doi.org/10.1039/C9RA08644G>
- Anisimov, I. A., Evitts, R. W., Cree, D. E., & Wilson, L. D. (2022). Renewable Hybrid Biopolymer/Polyaniline Composites for Humidity Sensing. *ACS Applied Polymer Materials*, 4(10), 7204–7216. <https://doi.org/10.1021/acsapm.2c01078>
- Arora, E. K., Sharma, V., Ravi, A., Shahi, A., Jagtap, S., Adhikari, A., Dash, J. K., Kumar, P., & Patel, R. (2023). Polyaniline-Based Ink for Inkjet Printing for Supercapacitors, Sensors, and Electrochromic Devices. *Energies*, 16(18). <https://doi.org/10.3390/en16186716>
- Arrasheed, E. A., Hemedat, O. M., Alibwaini, Y. A., Meaz, T. M., Shalaby, R. M.,

- Ajlouni, A. W., Henaish, A. M. A., & Salem, B. I. (2022). Dielectric, electrical, magnetic, and mechanical properties of Ni-Al ferrite/PANI composite films. *Phase Transitions*, 95(11), 803–822. <https://doi.org/10.1080/01411594.2022.2117043>
- Atiqah, T. N., Tan, S. J., Foo, K. L., Supri, A. G., Al Bakri, A. M. M., & Liew, Y. M. (2018). Effect of graphite loading on properties of polyaniline/graphite composites. *Polymer Bulletin*, 75(1), 209–220. <https://doi.org/10.1007/s00289-017-2031-1>
- Barati, M., & Nikfarjam, A. (2025). Wearable CNT/PAni/fabric piezoresistive sensor for continuous blood pressure monitoring. *Wearable Technologies*, 6. <https://doi.org/10.1017/wtc.2024.31>
- Beygisangchin, M., Rashid, S. A., Shafie, S., & Sadrolhosseini, A. R. (2021). Polyaniline Thin Films — A Review. *Polymers*, 13(2003), 1–46.
- Bhadra, J., & Al-Thani, N. (2019). Advances in blends preparation based on electrically conducting polymer. *Emergent Materials*, 2(1), 67–77. <https://doi.org/10.1007/s42247-019-00027-7>
- Birgin, H. B., D'alessandro, A., Laflamme, S., & Ubertini, F. (2021). Hybrid carbon microfibers-graphite fillers for piezoresistive cementitious composites. *Sensors (Switzerland)*, 21(2), 1–13. <https://doi.org/10.3390/s21020518>
- C, D., Anjugam, A., & Radha, N. (2015). Antimicrobial activities of nanostructured polyanilines doped with aromatic nitro compounds. *Arabian Journal of Chemistry*, 12. <https://doi.org/10.1016/j.arabjc.2015.12.005>
- Chang, K., Zhang, C., & Liu, T. (2025). A Comprehensive Review on Fabrication and Structural Design of Polymer Composites for Wearable Pressure Sensors. *Polymer Science & Technology*, 1(1), 3–24. <https://doi.org/10.1021/polymscitech.4c00047>
- Chen, N. X., & Zhang, J. H. (2010). The role of hydrogen-bonding interaction in poly(vinyl alcohol)/ poly(acrylic acid) blending solutions and their films. *Chinese Journal of Polymer Science (English Edition)*, 28(6), 903–911. <https://doi.org/10.1007/s10118-010-9167-x>
- Chithrambattu, A., & Ismail, Y. A. (2020). Large scale preparation of polyaniline/polyvinyl alcohol hybrid films through in-situ chemical polymerization for flexible electrode materials. *Journal of Adhesion Science and Technology*, 0(0), 2685–2702. <https://doi.org/10.1080/01694243.2020.1781352>
- Das, D., Das, J., Debnath, A., Chakraborty, S., & Saha, B. (2022). Positive temperature coefficient of resistance in Na₂S interacted polyaniline on cellulose substrate: A flexible electronic material. *Synthetic Metals*,

287(May), 117089. <https://doi.org/10.1016/j.synthmet.2022.117089>

- Das, J., Dasgupta, D., Deb, K., & Saha, B. (2025). Optimised properties of conductive polyaniline-polyvinyl alcohol ink painted on paper for ductile pressure sensor with reduced electrical drift. *Materials Science and Engineering: B*, 311(November 2024), 117850. <https://doi.org/10.1016/j.mseb.2024.117850>
- Das, J., Dasgupta, D., & Saha, B. (2025). Human physiological motion detection by a blend of polyaniline-polyvinyl alcohol semi-conductive ink deposited on flexible cellulose substrate. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 716(November 2024), 136697. <https://doi.org/10.1016/j.colsurfa.2025.136697>
- Das, J., Debnath, A., Deb, K., & Saha, B. (2023). Pressure Sensors Painted on Flexible Cellulose Substrates from Polyaniline-Based Conductive Ink. *ACS Applied Electronic Materials*, 5(6), 2988–2998. <https://doi.org/10.1021/acsaelm.2c01745>
- Debnath, A., Deb, K., Bhowmik, K. L., & Saha, B. (2020). Reduced Hopping Barrier Potential in NiO Nanoparticle-Incorporated, Polypyrrole-Coated Graphene with Enhanced Thermoelectric Properties. *ACS Applied Energy Materials*, 3(8), 7772–7781. <https://doi.org/10.1021/acsaem.0c01174>
- Desai, R. S., Desai, R. S., Jadhav, V. S., Patil, P. S., & Dalavi, D. S. (2024). Electrodeposition of Polyaniline Nanoparticles as High-Performance Electrode for Supercapacitor Application. *ES General*, 1–10. <https://doi.org/10.30919/esg1255>
- Deshkulkarni, B., Viannie, L., Ganachari, D. S., Banapurmath, N., & Shettar, A. (2018). Humidity sensing using polyaniline/polyvinyl alcohol nanocomposite blend. *IOP Conference Series: Materials Science and Engineering*, 376, 12063. <https://doi.org/10.1088/1757-899X/376/1/012063>
- Ding, Y., Xu, T., Onyilagha, O., Fong, H., & Zhu, Z. (2019). Recent Advances in Flexible and Wearable Pressure Sensors Based on Piezoresistive 3D Monolithic Conductive Sponges. *ACS Applied Materials & Interfaces*, 11(7), 6685–6704. <https://doi.org/10.1021/acsaami.8b20929>
- El-naggar, A. M., Alsaggaf, A., Heiba, Z. K., Kamal, A. M., Aldhafiri, A. M., Fatehmulla, A., & Mohamed, M. B. (2023). Exploring the structural, optical and electrical characteristics of PVA/PANi blends. *Optical Materials*, 139(March), 113771. <https://doi.org/10.1016/j.optmat.2023.113771>
- El Bahy, G. S., El-Sayed, E. S. M., Mahmoud, A. A., & Gweily, N. M. (2012). Preparation and characterization of poly vinyl alcohol/gelatin blends. *Journal of Applied Sciences Research*, 8(7), 3544–3551.
- Electrolytes, B., Aziz, S. B., Marf, A. S., Dannoun, E. M. A., & Brza, M. A.

(n.d.). *Electrical Equivalent Circuit , and Dielectric*. 1–17.

- Gupta, P., Nahak, B., Sonker, P., & Verma, Y. (2025). Comprehensive Preparation, Structural Characterization, and Performance Evaluation of Graphite-Enhanced Polymer Nanocomposites: Investigating Their Mechanical, Thermal, and Electrical Properties for Advanced Material Applications. *Polymer Composites*, n/a-n/a. <https://doi.org/10.1002/pc.70354>
- Hammed, M. (2020). Enhancement of the Structural and Optical Properties of (PVA-PANI) Polymer Blend By Addition of CuI Nanoparticles. *IOP Conference Series Materials Science and Engineering*, 928, 1–14. <https://doi.org/10.1088/1757-899X/928/7/072157>
- He, Y., Li, W., Yang, G., Liu, H., Lu, J., Zheng, T., & Li, X. (2017). A novel method for fabricating wearable, piezoresistive, and pressure sensors based on modified-graphite/polyurethane composite films. *Materials*, 10(7). <https://doi.org/10.3390/ma10070684>
- Husin, M. R., Arsad, A., Suradi, S. S., Alothman, O., Ngadi, N., & Kamaruddin, M. J. (2017). Fourier transforms infrared spectroscopy and X-ray diffraction investigation of recycled polypropylene/polyaniline blends. *Chemical Engineering Transactions*, 56, 1015–1020. <https://doi.org/10.3303/CET1756170>
- Kanavi, P. S., Meti, S., Fattepur, R. H., & Patil, V. B. (2022). Influence of Copper Oxide Nanoparticles on AC Conductivity of Polyvinyl Alcohol-Polyaniline Polymer Blends. *Journal of Electronic Materials*, 51(10), 5723–5734. <https://doi.org/10.1007/s11664-022-09798-y>
- Kannichankandy, D., Pataniya, P. M., Som, N., Patel, V., Sumesh, C. K., Patel, K., Solanki, G. K., & Pathak, V. (2020). Flexible piezo-resistive pressure sensor based on conducting PANI on paper substrate. *Synthetic Metals*, 273, 116697. <https://doi.org/10.1016/j.synthmet.2021.116697>
- Kayode, S. E., Awobifa, O. S., Garcia-lobato, M. A., Hoyos, M., & Gonz, F. J. (2024). *In Situ PANI – Graphite Nanochain-like Structures and Their Application as Supercapacitive Electrodes*.
- Li, T., Chen, C., Brozena, A. H., Zhu, J. Y., Xu, L., Driemeier, C., Dai, J., Rojas, O. J., Isogai, A., Wågberg, L., & Hu, L. (2021). Developing fibrillated cellulose as a sustainable technological material. *Nature*, 590(7844), 47–56. <https://doi.org/10.1038/s41586-020-03167-7>
- Li, W., Li, X., Zhang, X., Wu, J., Tian, X., Zeng, M. J., Qu, J., & Yu, Z. Z. (2020). Flexible Poly(vinyl alcohol)-Polyaniline Hydrogel Film with Vertically Aligned Channels for an Integrated and Self-Healable Supercapacitor. *ACS Applied Energy Materials*, 3(9), 9408–9416. <https://doi.org/10.1021/acsaem.0c01794>

- Mahinnezhad, S., Ricardo, I., & Shih, A. (2023). Fully Printed pH Sensor based on Polyaniline/Graphite Nanocomposites. *Journal of The Electrochemical Society*, 170. <https://doi.org/10.1149/1945-7111/acb5c3>
- Mansur, H., Sadahira, C., Souza, A., & Mansur, A. (2008). FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde. *Materials Science and Engineering: C*, 28, 539–548. <https://doi.org/10.1016/j.msec.2007.10.088>
- Martin, B., & Claverie, J. P. (2022). Depolymerizable Polyimines Triggered by Heat or Acid as Binders for Conductive Inks. *ACS Applied Polymer Materials*, 4(7), 4912–4918. <https://doi.org/10.1021/acsapm.2c00491>
- Menchaca-campos, C., Pereyra-laguna, E., Pereyra-laguna, E., García-pérez, C., García-pérez, C., Flores-domínguez, M., Flores-domínguez, M., García-sánchez, M. A., García-sánchez, M. A., & Uruchurtu-chavarín, J. (2018). *Synthesis and Characterization of Reduced Graphene Oxide / Polyaniline / Au Oxide / Polyaniline / Au Nanoparticles Hybrid Material for Energy Applications*. <https://doi.org/10.5772/intechopen.77385>
- Menon, H., Aiswarya, R., & Surendran, K. P. (2017). Screen printable MWCNT inks for printed electronics. *RSC Advances*, 7(70), 44076–44081. <https://doi.org/10.1039/c7ra06260e>
- Mokhena, T. C., Sadiku, E. R., Mochane, M. J., Ray, S. S., John, M. J., & Mtibe, A. (2021). Mechanical properties of cellulose nanofibril papers and their bionanocomposites: A review. *Carbohydrate Polymers*, 273(July), 118507. <https://doi.org/10.1016/j.carbpol.2021.118507>
- Naz, A., Irfan, A., Al-Hussain, S. A., Nawaz, I., Faisal, S., Sattar, R., & Zaki, M. E. A. (2022). Hierarchical Polyaniline Core-Shell Nanocomposites Coated on Modified Graphite for Improved Electrical Conductivity Performance. *Nanomaterials (Basel, Switzerland)*, 12(21). <https://doi.org/10.3390/nano12213776>
- Ozlek, M., Akbulut, M. S., & Burgaz, E. (2025). Exploring graphene's impact on graphite/PANI matrix composites: high-pressure fabrication and enhanced thermal-electrical properties. *Nanoscale*, 17(1), 552–566. <https://doi.org/10.1039/D4NR03171G>
- Pan, Y., Zhang, J., Guo, X., Li, Y., Li, L., & Pan, L. (2024). Recent Advances in Conductive Polymers-Based Electrochemical Sensors for Biomedical and Environmental Applications. *Polymers*, 16(11), 1–33. <https://doi.org/10.3390/polym16111597>
- Pataniya, P. M., Sumesh, C. K., Tannarana, M., Zankat, C. K., Solanki, G. K.,

- Patel, K. D., & Pathak, V. M. (2020). Flexible paper based piezo-resistive sensor functionalised by 2D-WSe₂ nanosheets. *Nanotechnology*, 31(43), 435503. <https://doi.org/10.1088/1361-6528/aba4cd>
- Sanches, E., Ios, R., Soares, J., Trovati, G., Batista, T., Mafud, A. C., Zucolotto, V., & Mascarenhas, Y. (2011). Structural Characterization of Emeraldine-Salt Polyaniline/Gold Nanoparticles Complexes. *Journal of Nanomaterials*, 2011. <https://doi.org/10.1155/2011/697071>
- Sangam Naidu, K., & Palaniappan, S. (2020). Formation of PANI-PVA salt via H-bonding between PVA and PANI: Aqueous coating for electrostatic discharge, sensor and corrosion applications. *Sensors International*, 1(April), 100006. <https://doi.org/10.1016/j.sintl.2020.100006>
- Scott, S., Hartley, J. M., Abbott, A. P., & Ryder, K. S. (2024). Improving the Conductivity of Graphite-Based Lithium-Ion Battery Anodes Using Polyaniline–Alginate Blends. *The Journal of Physical Chemistry C*, 128(6), 2634–2644. <https://doi.org/10.1021/acs.jpcc.3c07222>
- Shahid, M. A., Rahman, M. M., Hossain, M. T., Hossain, I., Sheikh, M. S., Rahman, M. S., Uddin, N., Donne, S. W., & Hoque, M. I. U. (2025). Advances in Conductive Polymer-Based Flexible Electronics for Multifunctional Applications. *Journal of Composites Science*, 9(1), 1–34. <https://doi.org/10.3390/jcs9010042>
- Shanmugam, V., Joel, D., Rajendran, J., Babu, K., Rajendran, S., Veerasimman, A., Marimuthu, U., Berto, F., & Ramakrishna, S. (2021). The mechanical testing and performance analysis of polymer-fibre composites prepared through the additive manufacturing. *Polymer Testing*, 93(July 2020), 106925. <https://doi.org/10.1016/j.polymertesting.2020.106925>
- Sharma, A., Rawal, I., Rajpal, A., Khokhar, A., Kumar, V., & Goyal, P. K. (2022). Highly sensitive and selective room temperature ammonia sensor based on polyaniline thin film: in situ dip-coating polymerization. *Journal of Materials Science: Materials in Electronics*, 33(17), 14071–14085.
- Singh, B., & Das, B. (2020). Synthesis and characterization of crystalline polyaniline. *Indian Journal of Pure and Applied Physics*, 58(10), 735–739. <https://doi.org/10.56042/ijpap.v58i10.25592>
- Stanciu, M., Tanas, F., & Teac, C. (2025). *Crystallinity Changes in Modified Cellulose Substrates Evidenced by Spectral and X-Ray Diffraction Data*.
- Stassi, S., Cauda, V., Canavese, G., & Pirri, C. F. (2014). Flexible tactile sensing based on piezoresistive composites: A review. *Sensors (Switzerland)*, 14(3), 5296–5332. <https://doi.org/10.3390/s140305296>
- Sun, P., Shen, X., Xu, P., Huang, W., & Xu, Q. (2024). Conductive polyaniline film synthesized through in-situ polymerization as a conductive seed layer

for hole metallization of printed circuit boards. *Applied Surface Science*, 655(January), 159649. <https://doi.org/10.1016/j.apsusc.2024.159649>

Tran, V. Van, Lee, S., Lee, D., & Le, T. H. (2022). Recent Developments and Implementations of Conductive Polymer-Based Flexible Devices in Sensing Applications. *Polymers*, 14(18), 1–29. <https://doi.org/10.3390/polym14183730>

Wang, B., Du, R., & Liu, Y. (2024). *PVA / PANI-DBSA Nanomesh Tactile Sensor for Force Feedback*.

Wang, P., Li, G., Yu, W., Meng, C., & Guo, S. (2022). Flexible Pseudocapacitive Iontronic Tactile Sensor Based on Microsphere-Decorated Electrode and Microporous Polymer Electrolyte for Ultrasensitive Pressure Detection. *Advanced Electronic Materials*, 8(7), 1–10. <https://doi.org/10.1002/aelm.202101269>

Yu, H., Han, H., Jang, J., & Cho, S. (2019). Fabrication and Optimization of Conductive Paper Based on Screen-Printed Polyaniline/Graphene Patterns for Nerve Agent Detection. *ACS Omega*, 4(3), 5586–5594. <https://doi.org/10.1021/acsomega.9b00371>