

DAFTAR PUSTAKA

- Alpert, M. A., Omran, J., & Bostick, B. P. (2016). Effects of obesity on cardiovascular hemodynamics, cardiac morphology, and ventricular function. *Current Obesity Reports*, 5(4), 424–434. <https://doi.org/10.1007/s13679-016-0235-6>
- Amisi, W. G., Nelwan, J. E., & Kolibu, F. K. (2018). Hubungan antara Hipertensi dengan Kejadian Penyakit Jantung Koroner pada Pasien yang Berobat di Rumah Sakit Umum Pusat Prof. Dr. R. D. Kandou Manado. *Jurnal KESMAS*, 7(4), 1-7. <https://ejournal.unsrat.ac.id/index.php/kesmas/article/view/23124>
- Andreoli, A., Garaci, F., Cafarelli, F. P., & Guglielmi, G. (2016). Body composition in clinical practice. *European Journal of Radiology*, 85(8), 1461–1468. <https://doi.org/10.1016/j.ejrad.2016.02.005>
- Antonio, J., Candow, D. G., Forbes, S. C., Ormsbee, M. J., Saracino, P. G., & Roberts, J. (2020). Effects of dietary protein on body composition in exercising individuals. *Nutrients*, 12(6), 1890. <https://doi.org/10.3390/nu12061890>
- Archilona, Z. Y. (2014). *Hubungan antara Indeks Massa Tubuh (IMT) dengan Kadar Lemak Total (Studi Kasus pada Mahasiswa Kedokteran Undip)* [Laporan Karya Tulis Ilmiah]. Semarang: Universitas Diponegoro.
- Ashtary-Larky, D., Bagheri, R., Bavi, H., Baker, J. S., Moro, T., Mancin, L., *et al.* (2021). Ketogenic diets, physical activity and body composition: a review. *British Journal of Nutrition*, 127(12), 1898–1920. <https://doi.org/10.1017/s0007114521002609>
- Bai, L., Zhou, J., Tong, L., Ding, W., Bai, L., Zhou, J., *et al.* (2022). Association between body composition and blood pressure in normal-weight Chinese children and adolescents. *BMC Pediatrics*, 22(1), 240. <https://doi.org/10.1186/s12887-022-03289-z>
- Betts, J. G., Young, K. A., Wise, J. A., Johnson, E., Poe, B., Kruse, D. H., *et al.* (2022). The Cardiovascular System: Blood Vessels and Circulation. In *Anatomy and Physiology 2E*. Houston, Texas: OpenStax. <https://openstax.org/books/anatomy-and-physiology-2e/pages/1-introduction>
- Boer, P. (1984). Estimated lean body mass as an index for normalization of body fluid volumes in humans. *AJP Renal Physiology*, 247(4), F632–F636. <https://doi.org/10.1152/ajprenal.1984.247.4.f632>
- Brener, A., Waksman, Y., Rosenfeld, T., Levy, S., Peleg, I., Raviv, A., *et al.* (2021). The heritability of body composition. *BMC Pediatrics*, 21(1), 225. <https://doi.org/10.1186/s12887-021-02695-z>

- Brody, T. (1999). OBESITY. In *Nutritional Biochemistry* (2nd ed., 379–419). San Diego: Academic Press. <https://doi.org/10.1016/b978-012134836-6/50010-x>
- Brookes, S. T., Whitley, E., Peters, T. J., Mulheran, P. A., Egger, M., & Smith, G. D. (2001). Subgroup analyses in randomised controlled trials: quantifying the risks of false-positives and false-negatives. *Health Technology Assessment*, 5(33), 1–56. <https://doi.org/10.3310/hta5330>
- Bulmer, M. (2024). Nonparametric methods. In *A portable introduction to data analysis* (Chap. 24). Brisbane: The University of Queensland. <https://doi.org/10.14264/12dc235>
- Caruso, D., De Santis, D., Rivosecchi, F., Zerunian, M., Panvini, N., Montesano, M., *et al.* (2018). Lean Body Weight-Tailored Iodinated Contrast Injection in Obese Patient: Boer versus James Formula. *BioMed Research International*, 2018, 1–6. <https://doi.org/10.1155/2018/8521893>
- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., Green, L. A., Izzo, J. L., *et al.* (2003). The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (The JNC 7 Report). *JAMA*, 289(19), 2560. <https://doi.org/10.1001/jama.289.19.2560>
- Coetzee, J. F. (2012). Allometric or lean body mass scaling of propofol pharmacokinetics. *Clinical Pharmacokinetics*, 51(3), 137–145. <https://doi.org/10.2165/11596980-000000000-00000>
- Cohen, J., Cohen, P., West, S. G., & Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, New Jersey: Lawrence Erlbaum Associates Publishers.
- Daniels, S. R., Kimball, T. R., Morrison, J. A., Khoury, P., Witt, S., & Meyer, R. A. (1995). Effect of lean body mass, fat mass, blood pressure, and sexual maturation on left ventricular mass in children and adolescents. *Circulation*, 92(11), 3249–3254. <https://doi.org/10.1161/01.cir.92.11.3249>
- Davis, L. L., & Nolan, M. Z. (2021). The Influence of Obesity on Care of Adults with Cardiovascular Disease. *Nursing Clinics of North America*, 56(4), 511–525. <https://doi.org/10.1016/j.cnur.2021.07.002>
- Denoble, P., & Chimiak, J. (2014). Risk factors for cardiovascular disease. In *The Heart and Diving* (pp. 16–22). Durham, North Carolina: Divers Alert Network. <https://world.dan.org/wp-content/uploads/2020/07/the-heart-and-diving-dan-dive-medical-reference.pdf>
- Deurenberg, P., Weststrate, J. A., & Seidell, J. C. (1991). Body mass index as a measure of body fatness: age- and sex-specific prediction formulas. *British Journal of Nutrition*, 65(2), 105–114. <https://doi.org/10.1079/bjn19910073>

- Dinas Kesehatan D.I. Yogyakarta. (2023). *Profil Kesehatan D.I. Yogyakarta Tahun 2022*. Yogyakarta: Dinas Kesehatan D.I. Yogyakarta.
- Durnin, J. V. G. A., & Womersley, J. (1974). Body fat assessed from total body density and its estimation from skinfold thickness: measurements on 481 men and women aged from 16 to 72 Years. *British Journal of Nutrition*, 32(01), 77–97. <https://doi.org/10.1079/bjn19740060>
- Ekasari, M. F., Suryati, E. S., Badriah, S., Narendra, S. R., & Amini, F. I. (2021). *Hipertensi: Kenali Penyebab, Tanda gejala, dan Penanganannya*. Jakarta: Poltekkes Kemenkes RI.
- El Meouchy, P., Wahoud, M., Allam, S., Chedid, R., Karram, W., & Karam, S. (2022). Hypertension related to obesity: Pathogenesis, characteristics and factors for control., *International Journal of Molecular Sciences*, 23(20), 12305. <https://doi.org/10.3390/ijms232012305>.
- Ethun, K. (2016). Sex and Gender Differences in Body Composition, Lipid Metabolism, and Glucose Regulation. In *Sex Differences in Physiology* (pp. 145–165). San Diego: Elsevier. <https://doi.org/10.1016/b978-0-12-802388-4.00009-4>
- Fletcher, G. F., Ades, P. A., Kligfield, P., Arena, R., Balady, G. J., Bittner, V. A., et al. (2013). Exercise standards for testing and training. *Circulation*, 128(8), 873–934. <https://doi.org/10.1161/CIR.0b013e31829b5b44>
- Fuchs, R., Theis, C., & Lancaster, C. M. C. (1978). A nomogram to predict lean body mass in men. *American Journal of Clinical Nutrition*, 31(4), 673–678. <https://doi.org/10.1093/ajcn/31.4.673>
- Hall, J. E., & Hall, M. E. (2020). *Guyton and Hall Textbook of Medical Physiology* (14th ed.). Philadelphia: Elsevier.
- Harjatmo, T. P., Par'i, H. M., & Wiyono, S. (2017). *Penilaian Status Gizi* (1st ed.). Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan. Jakarta: Kementerian Kesehatan Republik Indonesia. https://repository.stikeshb.ac.id/30/1/PENILAIAN-STATUS-GIZI-FINAL-SC_.pdf
- Hume, R. (1966). Prediction of lean body mass from height and weight. *Journal of Clinical Pathology*, 19(4), 389–391. <https://doi.org/10.1136/jcp.19.4.389>
- JafariNasabian, P., Inglis, J. E., Reilly, W., Kelly, O. J., & Ilich, J. Z. (2017). Aging human body: changes in bone, muscle and body fat with consequent changes in nutrient intake. *Journal of Endocrinology*, 234(1), R37–R51. <https://doi.org/10.1530/joe-16-0603>
- JafariNasabian, P., Inglis, J. E., Reilly, W., Kelly, O. J., & Ilich, J. Z. (2017). Aging human body: changes in bone, muscle and body fat with consequent changes in nutrient intake. *Journal of Endocrinology*, 234(1), R37–R51. <https://doi.org/10.1530/joe-16-0603>

- James, W. P. T., & Waterlow, J. C. (1976). *Research on obesity: a report of the DHSS/MRC group*. London: HM Stationery Office.
- Janmahasatian, S., Duffull, S. B., Ash, S., Ward, L. C., Byrne, N. M., & Green, B. (2005). Quantification of lean bodyweight. *Clinical Pharmacokinetics*, 44(10), 1051–1065. <https://doi.org/10.2165/00003088-200544100-00004>
- Jaremków, A., Markiewicz-Górka, I., Hajdusianek, W., Czerwińska, K., & Gać, P. (2023). The Relationship between Body Composition and Physical Activity Level in Students of Medical Faculties. *Journal of Clinical Medicine*, 13(1), 50. <https://doi.org/10.3390/jcm13010050>
- Johnson, R. K., & Coward-McKenzie, D. (2001). Energy requirement Methodology. In *Nutrition in the Prevention and Treatment of Disease* (pp. 31–42). Amsterdam: Elsevier. <https://doi.org/10.1016/b978-012193155-1/50004-0>
- Ju, T., E, R., & Hills, A. (2001). *Body Composition Assessment in Children and Adolescents*. Basel: S. Karger AG. <https://doi.org/10.1159/isbn.978-3-318-00628-5>
- Juslim, R. R., & Herawati, F. (2018). Penyakit Kardiovaskular. In *Penyakit Kardiovaskular*. Yogyakarta: Graha Ilmu. https://repository.ubaya.ac.id/35207/8/Fauna%20Herawati_Penyakit%20Kardiovaskular_Rev.pdf
- Kamara, K., Wilson, O. W. A., Papalia, Z., Bopp, M., & Bopp, C. M. (2019). Comparison of College Student Hypertension Prevalence between the JNC7 and ACC/AHA Diagnostic Criteria. *International Journal of Exercise Science*, 12(3), 898–903. <https://doi.org/10.70252/ijpux8836>
- Kang, J. H., Kim, H., Kim, J., Seo, J., Cha, S., Oh, H., *et al.* (2021). Interaction of genetic and environmental factors for body fat mass control: observational study for lifestyle modification and genotyping. *Scientific Reports*, 11(13180), 1-9. <https://doi.org/10.1038/s41598-021-92229-5>
- Kasper, D. L., Fauci, A. S., Hauser, S. L., Longo, D. L., Jameson, J. L., & Loscalzo, J. (2018). *Harrison's Principles of Internal Medicine 20/E (Vol.1 & Vol.2) (ebook)*. New York: McGraw Hill Professional.
- Kementerian Kesehatan Republik Indonesia. (2013). *Laporan Nasional Riset Kesehatan Dasar (RISKESDAS) 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2018). *Laporan Nasional Riset Kesehatan Dasar (RISKESDAS) 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2024). *Pedoman Pengendalian Hipertensi Di Fasilitas Kesehatan Tingkat Pertama*. Jakarta: Kementerian Kesehatan Republik Indonesia.

- Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi. (2023). *Profil perguruan tinggi: Universitas Gadjah Mada*. Jakarta: Pangkalan Data Pendidikan Tinggi. https://pddikti.kemdiktisaintek.go.id/detail-pt/xuPq1-1f-ApuyM_Zq8rzlsjkBMRujO3a3L1d78ojhkhIwLnKWjvLSbKrwYpX3a4jx0DYTw==
- Khaleghi, M. M., Jamshidi, A., Afrashteh, S., Emamat, H., Farhadi, A., Nabipour, I., *et al.* (2023). The association of body composition and fat distribution with hypertension in community-dwelling older adults: the Bushehr Elderly Health (BEH) program. *BMC Public Health*, 23(1), 2001. <https://doi.org/10.1186/s12889-023-16950-8>
- Korhonen, P. E., Mikkola, T., Kautiainen, H., & Eriksson, J. G. (2021). Both lean and fat body mass associate with blood pressure. *European Journal of Internal Medicine*, 91, 40–44. <https://doi.org/10.1016/j.ejim.2021.04.025>
- Kravitz, L., & Heyward, V. (1992). *Getting a Grip on Body Composition*, 10(4), 34–39. <https://www.unm.edu/~lkravitz/Article%20folder/underbodycomp.html>
- Kunimatsu, N., Tsukamoto, H., & Ogoh, S. (2024). Exaggerated blood pressure response to exercise is a risk of future hypertension even in healthy, normotensive young Individuals—Potential preventive strategies for this phenomenon?. *Journal of Clinical Medicine*, 13(19), 5975. <https://doi.org/10.3390/jcm13195975>
- Landi, F., Calvani, R., Picca, A., Tosato, M., Martone, A.M., Ortolani, E., *et al.* (2018). Body mass index is strongly associated with hypertension: Results from the longevity check-up 7+ study., *Nutrients*, 10(12), 1976. <https://doi.org/10.3390/nu10121976>
- Lavie, C. J., Ozemek, C., Carbone, S., Katzmarzyk, P. T., & Blair, S. N. (2019). Sedentary behavior, exercise, and cardiovascular health. *Circulation Research*, 124(5), 799–815. <https://doi.org/10.1161/circresaha.118.312669>
- Libby, P., Buring, J. E., Badimon, L., Hansson, G. K., Deanfield, J., Bittencourt, M. S., *et al.* (2019). Atherosclerosis. *Nature Reviews Disease Primers*, 5(1), 56. <https://doi.org/10.1038/s41572-019-0106-z>
- Li, M., Lin, J., Liang S., Huang S., Wen, Z., Mo, Z. (2022). Predicted fat mass, Lean body mass, and risk of hypertension: Results from a Chinese male cohort study., *Obesity Facts*, 15(5), 638–647. <https://doi.org/10.1159/000524653>
- Li, R., Tian, Z., Wang, Y., Liu, X., Tu, R., Wang, Y., *et al.* (2020). The association of body fat percentage with hypertension in a Chinese rural population: the Henan Rural Cohort study. *Frontiers in Public Health*, 8(70), 1-11. <https://doi.org/10.3389/fpubh.2020.00070>

- Li, S., Jiao, H., Yang, J., Li, Y., Zhang, J., Liu, X., *et al.* (2023). Association between lean body mass and hypertension: A cross-sectional study of 50 159 NHANES participants., *The Journal of Clinical Hypertension*, 25(10), 957–964. <https://doi.org/10.1111/jch.14710>.
- Li, X., & Qi, L. (2019). Gene–Environment interactions on body fat distribution. *International Journal of Molecular Sciences*, 20(15), 3690. <https://doi.org/10.3390/ijms20153690>
- Lopez, E. O., Ballard, B. D., & Jan, A. (2023). *Cardiovascular disease*. Treasure Island: StatPearls. <https://www.ncbi.nlm.nih.gov/books/NBK535419/>
- Marfell-Jones, M., Olds, T., Stewart, A., & Carter, L. (2006). *International Standards for Anthropometric Assessment*. Afrika Selatan: International Society for the Advancement of Kinanthropometry (ISAK).
- Mathieu, P., Poirier, P., Pibarot, P., Lemieux, I., & Després, J. (2009). Visceral obesity. *Hypertension*, 53(4), 577–584. <https://doi.org/10.1161/hypertensionaha.108.110320>
- McGill, H. C., McMahan, C. A., Zieske, A. W., Tracy, R. E., Malcom, G. T., Herderick, E. E., *et al.* (2000). Association of coronary heart disease risk factors with microscopic qualities of coronary atherosclerosis in youth. *Circulation*, 102(4), 374–379. <https://doi.org/10.1161/01.cir.102.4.374>
- Mengozi, A., Masi, S., & Viridis, A. (2020). Obesity-Related Endothelial Dysfunction: moving from classical to emerging mechanisms. *Endocrine and Metabolic Science*, 1(3–4), 100063. <https://doi.org/10.1016/j.endmts.2020.100063>
- Mittal, B. (2019). Subcutaneous adipose tissue & visceral adipose tissue. *The Indian Journal of Medical Research*, 149(5), 571. https://doi.org/10.4103/ijmr.ijmr_1910_18
- Mohajan, D., & Mohajan, H. (2023). *A Study on Body Fat Percentage for Physical Fitness and Prevention of Obesity: A Two Compartment Model*. Munich: Munich Personal RePEc Archive. <https://mpra.ub.uni-muenchen.de/117158/>
- Norton, K. I. (2018). Standards for anthropometry assessment. In *Kinanthropometry and Exercise Physiology* (pp. 68–137). London: Routledge. <https://doi.org/10.4324/9781315385662-4>
- Nur, E.I.Y. & Rahayu, A.P. (2022). Hubungan Fat Mass dan Fat Free Mass terhadap Tekanan Darah Pasien Hipertensi., *Jurnal Kesehatan Tambusai*, 3(3), 543–548.
- Nuttall, F.Q. (2015). Body Mass Index: Obesity, BMI, and Health., *Nutrition Today*, 50(3), 117–128. <https://doi.org/10.1097/nt.0000000000000092>.
- Padilla, C. J., Ferreyro, F. A., & Arnold, W. D. (2021). Anthropometry as a readily accessible health assessment of older adults. *Experimental Gerontology*, 153, 111464. <https://doi.org/10.1016/j.exger.2021.111464>

- Paleczny, B., Siennicka, A., Zacharski, M., Jankowska, E. A., Ponikowska, B., & Ponikowski, P. (2016). Increased body fat is associated with potentiation of blood pressure response to hypoxia in healthy men: relations with insulin and leptin. *Clinical Autonomic Research*, 26(2), 107–116. <https://doi.org/10.1007/s10286-015-0338-2>
- Park, S. K., Ryoo, J., Oh, C., Choi, J., Chung, P., & Jung, J. Y. (2019). Body fat percentage, obesity, and their relation to the incidental risk of hypertension. *Journal of Clinical Hypertension*, 21(10), 1496–1504. <https://doi.org/10.1111/jch.13667>
- Poznyak, A. V., Sadykhov, N. K., Kartuesov, A. G., Borisov, E. E., Melnichenko, A. A., Grechko, A. V., *et al.* (2022). Hypertension as a risk factor for atherosclerosis: Cardiovascular risk assessment. *Frontiers in Cardiovascular Medicine*, 9, 959285. <https://doi.org/10.3389/fcvm.2022.959285>
- Prado, C. M., Baracos, V. E., McCargar, L. J., Mourtzakis, M., Mulder, K. E., Reiman, T., *et al.* (2007). Body composition as an independent determinant of 5-Fluorouracil-Based chemotherapy toxicity. *Clinical Cancer Research*, 13(11), 3264–3268. <https://doi.org/10.1158/1078-0432.ccr-06-3067>
- Pucci, G., Martina, M. R., Bianchini, E., D'abbondanza, M., Curcio, R., Battista, F., *et al.* (2023). Relationship between measures of adiposity, blood pressure and arterial stiffness in adolescents. The MACISTE study. *Journal of Hypertension*, 41(7), 1100–1107. <https://doi.org/10.1097/hjh.0000000000003433>
- Puri, T., & Blake, G. M. (2022). Comparison of ten predictive equations for estimating lean body mass with dual-energy X-ray absorptiometry in older patients. *British Journal of Radiology*, 95(1133), 20210378. <https://doi.org/10.1259/bjr.20210378>
- Ramadhan, M. H., & Husnah, H. (2022). Faktor risiko penyakit jantung koroner. *Jurnal Kedokteran Syiah Kuala*, 1-15. <https://doi.org/10.24815/jks.v0i0.24257>
- Reckelhoff, J. F. (2004). Sex steroids, cardiovascular disease, and hypertension. *Hypertension*, 45(2), 170–174. <https://doi.org/10.1161/01.hyp.0000151825.36598.36>
- Rehman, S., & Hashmi, M. F. (2022). *Blood pressure measurement*. Treasure Island: StatPearls. <https://www.ncbi.nlm.nih.gov/books/NBK482189/>
- Roy, A., Rawal, I., Jabbour, S., & Prabhakaran, D. (2017). Tobacco and Cardiovascular Disease: A summary of evidence. In *Disease Control Priorities: Cardiovascular, Respiratory, and Related Disorder* (pp. 57–77). Washington: The World Bank. https://doi.org/10.1596/978-1-4648-0518-9_ch4

- Sandberg, K., & Ji, H. (2012). Sex differences in primary hypertension. *Biology of Sex Differences*, 3(1), 7. <https://doi.org/10.1186/2042-6410-3-7>
- Sanyaolu, A., Okorie, C., Qi, X., Locke, J., & Rehman, S. (2019). Childhood and adolescent obesity in the United States: a public health concern. *Global Pediatric Health*, 6, 2333794X19891305. <https://doi.org/10.1177/2333794x19891305>
- Schlecht, I., Fischer, B., Behrens, G., & Leitzmann, M. F. (2016). Relations of visceral and abdominal subcutaneous adipose tissue, body mass index, and waist circumference to serum concentrations of parameters of chronic inflammation. *Obesity Facts*, 9(3), 144–157. <https://doi.org/10.1159/000443691>
- Shahoud, J. S., Sanvictores, T., & Aeddula, N. R. (2023). *Physiology, arterial pressure regulation*. Treasure Island: StatPearls. <https://www.ncbi.nlm.nih.gov/books/NBK538509/>
- Sherwood, L. (2015). *Human physiology: from cells to systems* (9th ed.). Boston: Cengage Learning.
- Smith, N. A. (2021). Drug dosage in patients with obesity: Investigation of lean body mass. *Anaesthesia and Intensive Care*, 49(6), 486–488. <https://doi.org/10.1177/0310057x211034520>
- Song, L., Li, J., Yu, S., Cai, Y., He, H., Lun, J., *et al.* (2023). Body mass index is associated with blood pressure and vital capacity in medical students., *Lipids in Health and Disease*, 22(1), 174. <https://doi.org/10.1186/s12944-023-01920-1>.
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Telleria-Aramburu, N. & Arroyo-Izaga, M. (2021). Risk factors of overweight/obesity-related lifestyles in university students: Results from the EHU12/24 study., *British Journal of Nutrition*, 127(6), 914–926. <https://doi.org/10.1017/s0007114521001483>.
- Tur, J. A., & Del Mar Bibiloni, M. (2019). Anthropometry, body composition and resting energy expenditure in human. *Nutrients*, 11(8), 1891. <https://doi.org/10.3390/nu11081891>
- Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., *et al.* (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension*, 75(6), 1334–1357. <https://doi.org/10.1161/hypertensionaha.120.15026>
- Vaziri, Y., Bulduk, S., Shadman, Z., Bulduk, E., Hedayati, M., Koc, H., *et al.* (2015). Lean Body Mass as a Predictive Value of Hypertension in Young Adults, in Ankara, Turkey., *Iranian Journal of Public Health*, 44(12), 1643–1654. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4724737/>

- Verma, V. & Singh, S.K. (2014). Influence of lean body-mass index versus that of fat mass index on blood pressure of gujarati school going adolescents., *Indian Journal of Physiology and Pharmacology*, 58(1), 39–44. <https://pubmed.ncbi.nlm.nih.gov/25464675/>
- Wang, Z., Heshka, S., Wang, J., Wielopolski, L., & Heymsfield, S. B. (2003). Magnitude and variation of fat-free mass density: a cellular-level body composition modeling study. *American Journal of Physiology-Endocrinology and Metabolism*, 284(2), E267–E273. <https://doi.org/10.1152/ajpendo.00151.2002>
- Wang, Z., Pierson, R., & Heymsfield, S. (1992). The five-level model: a new approach to organizing body-composition research. *American Journal of Clinical Nutrition*, 56(1), 19–28. <https://doi.org/10.1093/ajcn/56.1.19>
- Willemars, M. M. A., Nabben, M., Verdonschot, J. a. J., & Hoes, M. F. (2022). Evaluation of the interaction of sex hormones and cardiovascular function and health. *Current Heart Failure Reports*, 19(4), 200–212. <https://doi.org/10.1007/s11897-022-00555-0>
- Williams, B., Mancia, G., Spiering, W., Rosei, E. A., Azizi, M., Burnier, M., *et al.* (2018). 2018 ESC/ESH Guidelines for the management of arterial hypertension. *European Heart Journal*, 39(33), 3021–3104. <https://doi.org/10.1093/eurheartj/ehy339>
- Winata, B.J., Sidharta, V.M., Hananta, L., Vetinly, Prastowo, N.A. (2022). Body Mass Index, a Body Shape Index, and Waist-to-Height Ratio in Predicting Elevated Blood Pressure., *Althea Medical Journal*, 9(1), 19–23. <https://doi.org/10.15850/amj.v9n1.2291>.
- World Health Organization Expert Consultation. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 363(9403), 157–163. [https://doi.org/10.1016/S0140-6736\(03\)15268-3](https://doi.org/10.1016/S0140-6736(03)15268-3)
- World Health Organization. (2007). *Prevention of cardiovascular disease: Guidelines for Assessment and Management of Cardiovascular Risk*. Geneva: World Health Organization. <https://www.who.int/publications/i/item/9789241547178>
- World Health Organization. (2010). *A healthy lifestyle - WHO recommendations*. Geneva: World Health Organization. <https://www.who.int/europe/news-room/fact-sheets/item/a-healthy-lifestyle---who-recommendations>
- World Health Organization. (2021). *Cardiovascular diseases (CVDs)*. Geneva: World Health Organization. [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds))

- World Health Organization. (2023). *Global Report on Hypertension: The Race against a Silent Killer*. Geneva: World Health Organization. <https://www.who.int/publications/i/item/9789240081062>
- Yu, S., Visvanathan, T., Field, J., Ward, L. C., Chapman, I., Adams, R., *et al.* (2013). Lean body mass: the development and validation of prediction equations in healthy adults. *BMC Pharmacology and Toxicology*, *14*(1), 53. <https://doi.org/10.1186/2050-6511-14-53>
- Yuan, W., Zhang, Y., Chen, L., Liu, J., Chen, M., Guo, T., *et al.* (2023). Lean body mass positively associate with blood pressure in Chinese adults: the roles of ages and body fat distribution. *BMC Public Health*, *23*(1), 2453. <https://doi.org/10.1186/s12889-023-17312-0>
- Yusni, Y., Rahman, S. & Naufal, I. (2024). Positive correlation between body weight and body mass index with blood pressure in Young Adults., *Narra J*, *4*(1), e533. <https://doi.org/10.52225/narra.v4i1.533>.
- Zemel, B., & Barden, E. (2004). Measuring body composition. In *Human Body Composition* (pp. 141-176). Cambridge: Cambridge University Press. <https://doi.org/10.1017/cbo9780511542411.007>
- Zeng, Q., Dong, S., Sun, X., Xie, J., & Cui, Y. (2012). Percent body fat is a better predictor of cardiovascular risk factors than body mass index. *Brazilian Journal of Medical and Biological Research*, *45*(7), 591–600. <https://doi.org/10.1590/s0100-879x2012007500059>
- Zhao, S., Tang, J., Zhao, Y., Xu, C., Xu, Y., Yu, S., *et al.* (2022). The impact of body composition and fat distribution on blood pressure in young and middle-aged adults. *Frontiers in Nutrition*, *9*, 979042. <https://doi.org/10.3389/fnut.2022.979042>