

REFERENCES

- Barnett, J.R., Grill, J., and Saranpaa, P. 2014. Introduction. In: *The biology of reaction wood*. Gardiner, B., Barnett, J., Saranpaa, P., Grill, J. (eds.) Heidelberg, Germany, New York, NY, USA, Dordrecht, the Netherlands, London, UK: Springer, 139–170.
- Barnett, J. R., and Jeronimidis, G. 2003. Reaction wood. In: *Wood quality and its biological basis*. Barnett, J. R., and Jeronimidis, G. (eds.). Blackwell Publishing Ltd., Oxford, 118-136.
- Brown, N., Jennings, S., and Clements, T. 2003. The ecology, silviculture and biogeography of mahogany (*Swietenia macrophylla*): a critical review of the evidence. *Perspectives in plant ecology, evolution and systematics* 6(1-2): 37-49.
- Chelli-Chaabouni, A. 2013. Mechanisms and adaptation of plants to environmental stress: a case of woody species. In: *Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment: Volume 1*. Ahmad, P and Wani, M.R. (eds.). Springer New York, 1-24.
- Clair, B., Ruelle, J., Beauchêne, J., Prévost, M. F., and Fournier, M. 2006. Tension wood and opposite wood in 21 tropical rain forest species: 1. Occurrence and efficiency of the G-layer. *IAWA Journal* 27(3): 329-338.
- Côté Jr, W. A., Day, A. C., and Timell, T. E. 1969. A contribution to the ultrastructure of tension wood fibers. *Wood Science and Technology* 3(4): 257-271.
- Coutand, C., Jeronimidis, G., Chanson, B., and Loup, C. 2004. Comparison of mechanical properties of tension and opposite wood in *Populus*. *Wood science and technology* 38: 11-24.
- Cown, D. J., Donaldson, L. A., and Downes, G. M. 2011. A review of resin features in radiata pine. *New Zealand Journal of Forestry Science* 41: 41-60.
- Dadswell, H. E., Wardrop, A. B., and Watson, A. J. 1955. *The morphology, chemistry, and pulping characteristics of reaction wood*. Cambridge: symposium, 187-219.
- Dadswell, H.E. and Wardrop, A.B. 1955. The structure and properties of tension wood. *Holzforschung*.
- Déjardin, A., Laurans, F., Arnaud, D., Breton, C., Pilate, G., and Leplé, J. C. 2010. Wood formation in Angiosperms. *Comptes Rendus Biologies* 333(4): 325-334.
- Donaldson, L.A and Singh, A.P. 2016. Reaction Wood. In: *Secondary xylem biology: origins, functions, and applications*. Kim, Y.S., Funada, R., and Singh, A.P. (eds.). Academic press.

- Du, S., and Yamamoto, F. 2007. An overview of the biology of reaction wood formation. *Journal of Integrative Plant Biology* 49(2): 131-143.
- Dünisch, O., Bauch, J., and Gasparotto, L. 2002. Formation of increment zones and intraannual growth dynamics in the xylem of *Swietenia macrophylla*, *Carapa guianensis*, and *Cedrela odorata* (Meliaceae). *IAWA Journal* 23(2): 101-119.
- Felten, J. and Sundberg, B. 2013. Biology, chemistry and structure of tension wood. In: *Cellular aspects of wood formation*. Fromm, J. (eds.). Springer Berlin Heidelbergn, 203-224.
- Felten, J., Vahala, J., Love, J., Gorzsás, A., Rüggeberg, M., Delhomme, N., Leśniewska, J., Kangasjärvi, J., Hvidsten, T. R., Mellerowicz, E. J. and Sundberg, B. 2018. Ethylene signaling induces gelatinous layers with typical features of tension wood in hybrid aspen. *New Phytologist* 218(3), 999-1014.
- Fournier, M., Almeras, T., Clair, B., Gril, J. 2014. Biomechanical action and biological functions. In: *The biology of reaction wood*. Gardiner, B., Barnett, J., Saranpaa, P., Grill, J. (eds.). Heidelberg, Germany, New York, NY, USA, Dordrecht, the Netherlands, London, UK: Springer, 139–170.
- Francis, J.K. and Alemañy, S.E. 2003. Hurricane damage to mahogany crowns associated with seed source. In: *Big-leaf mahogany: Genetics, ecology and management*. Lugo, A.E., Colón, J.C.F., and Alayón, M. (eds.). Springer Science & Business Media.
- Fujii, M. 2019. *Role of gibberellin in gravitropism and anatomical characteristics of tension wood in Swietenia macrophylla*. Master Thesis. Faculty of Forestry, Universitas Gadjah Mada (Unpublished).
- Ghislain, B., Almeras, T., Prunier, J., and Clair, B. 2019. Contributions of bark and tension wood and role of the G-layer lignification in the gravitropic movements of 21 tropical tree species. *Annals of Forest Science* 76: 107.
- Heinrich, I., and Gärtner, H. 2008. Variations in tension wood of two broad-leaved tree species in response to different mechanical treatments: implications for dendrochronology and mass movement studies. *International Journal of Plant Sciences* 169(7): 928-936.
- Hiraiwa, T., Aiso, H., Ishiguri, F., Takashima, Y., Iizuka, K., and Yokota, S. 2014. Anatomy and chemical composition of *Liriodendron tulipifera* stems inclined at different angles. *IAWA Journal* 35(4): 463-475.
- Huang, B. Q., and Yeung, E. C. 2015. Chemical and physical fixation of cells and tissues: an overview. In: *Plant microtechniques and protocols*. Yeung, E. C. T., Stasolla, C., Sumner, M. J., and Huang, B. Q. (eds.). Cham, Switzerland: Springer International Publishing.

- IAWA. 1964. *Multilingual glossary of terms used in woody anatomy*. Verlagsanstalt Buchdruckerei, Konkordia, 186.
- IAWA. 1989. *IAWA list of microscopic features for hardwood identification*. IAWA, Leiden.
- InsideWood. 2004-onwards. Published on the Internet. <http://insidewood.lib.ncsu.edu/search> [February 27, 2025].
- Jourez, B. Riboux, A., and Leclercq, A. 2001. Anatomical characteristics of tension wood and opposite wood in young inclined stems of poplar (*Populus euramericana* cv ‘Ghoy’). *IAWA Journal* 22(2): 133 – 157
- Kouhen, M., Dimitrova, A., Scippa, G. S., and Trupiano, D. 2023. The course of mechanical stress: types, perception, and plant response. *Biology* 12(2): 217.
- Krisnawati, H., Kallio, M. H., and Kanninen, M. 2011. *Swietenia macrophylla* King: ecology, silviculture and productivity. CIFOR.
- Larson, P. R. 2012. *The vascular cambium: development and structure*. Springer Science & Business Media.
- Li, X., Evans, R., Gapare, W., Yang, X., and Wu, H. X. 2014. Characterizing compression wood formed in radiata pine branches. *IAWA Journal* 35(4): 385-394.
- Liu, L., Luan, Y., Fang, C., Hu, J., Chang, S., and Fei, B. 2023. Structural characteristics of reaction tissue in plants. *Plants* 12(8): 1705.
- Louf, J.F., Nelson, L., Kang, H., Song, P.N., Zehnbauser, T., and Jung, S. 2018. How wind drives the correlation between leaf shape and mechanical properties. *Scientific Reports* 8:16314.
- Martawijaya, A., Kartasujana, I., Kadir, K., and Prawira, S.A. 2005. *Atlas Kayu Indonesia Jilid I*. Badan Penelitian dan Pengembangan Kehutanan, Bogor.
- Nakaba, S., Sano, Y., Kubo, T., and Funada, R. 2006. The positional distribution of cell death of ray parenchyma in a conifer, *Abies sachalinensis*. *Plant Cell Reports* 25: 1143-1148.
- Nobuchi, T., Daneetha Muniandy, D. M., and Mohd. Hamami Sahri, M. H. S. 2011. Formation and anatomical characteristics of tension wood in plantation-grown *Hevea brasiliensis* (Willd.) Muell.-Arg. *The Malaysian Forester* 74 (2): 133-142.
- Nugroho, W. D., Marsoem, S. N., Yasue, K., Fujiwara, T., Nakajima, T., Hayakawa, M., Nakaba, S., Yamagishi, Y., Jin, H.O. and Funada, R. 2012. Radial variations in the anatomical characteristics and density of the wood of *Acacia mangium* of five different provenances in Indonesia. *Journal of Wood Science* 58(3): 185-194.

- Nugroho, W.D., Nakaba, S., Yamagishi, Y., Begum, S., Rahman, M.H., Kudo, K., Marsoem, S.N., and Funada, R. 2018. Stem gravitropism and tension wood formation in *Acacia mangium* seedlings inclined at various angles. *Annals of Botany* 122:87-94
- Ramos, L. M. A., Latorraca, J. V. D. F., Castor, T. C., Martins, L. S., and Severo, E. T. D. 2016. Anatomical characterization of tension wood in *Hevea brasiliensis* (Willd. ex A. Juss.) Mull. Arg. *Revista Árvore* 40(6): 1099-1107.
- Ruelle, J., Clair, B., Beauchêne, J., Prévost, M. F., and Fournier, M. 2006. Tension wood and oppositewood in 21 tropical rain forest species: 2. Comparison of some anatomical and ultrastructural criteria. *IAWA Journal* 27(4): 341-376.
- Ruelle, J., Beauchene, J., Thibaut, A., and Thibaut, B. 2007. Comparison of physical and mechanical properties of tension and opposite wood from ten tropical rainforest trees from different species. *Annals of forest science* 64(5): 503-510.
- Ruelle, J., Bauchene, J., Yamamoto, Y., Thibaut, B. 2011. Variations in physical and mechanical properties between tension and opposite wood from three tropical rainforest species. *Wood Sci Technol* 45: 339 – 357.
- Ruelle, J. 2014. Morphology, Anatomy and Ultrastructure of Reaction Wood. In: *The biology of reaction wood*. Gardiner, B., Barnett, J., Saranpaa, P., Grill, J. (eds.). Heidelberg, Germany, New York, NY, USA, Dordrecht, the Netherlands, London, UK: Springer, 139–170.
- Scurfield, G. 1973. Reaction wood: Its structure and function: Lignification may generate the force active in restoring the trunks of leaning trees to the vertical. *Science* 179(4074): 647-655.
- Seyfferth, C., Wessels, B. A., Gorzsás, A., Love, J. W., Rüggeberg, M., Delhomme, N., Vain, T., Antos, K., Tuominen, H., Sundberg, B. and Felten, J. 2019. Ethylene signaling is required for fully functional tension wood in hybrid Aspen. *Frontiers in plant science* 10: 1101.
- Skatter, S. and Kucera, B. 2000. Tree breakage from torsional wind loading due to crown asymmetry. *Forest Ecology and Management* 135(1-3): 97-103.
- Sultana, R. S., Ishiguri, F., Yokota, S., Iizuka, K., Hiraiwa, T., and Yoshizawa, N. 2010. Wood anatomy of nine Japanese hardwood species forming reaction wood without gelatinous fibers. *IAWA Journal* 31(2): 191-202.
- Tardif, J.C. and Conciatori, F. 2015. Microscopic Examination of Wood: Sample Preparation and Techniques for Light Microscopy. In: *Plant microtechniques and protocols*. Yeung, E. C. T., Stasolla, C., Sumner, M. J., and Huang, B. Q. (eds.). Cham, Switzerland: Springer International Publishing.
- Telewski, F. W. 2006. A unified hypothesis of mechanoperception in plants. *American Journal of Botany* 93(10): 1466-1476.

- Telewski, F. W. 2016. Thigmomorphogenesis: The response of plants to mechanical perturbation. *Italus Hortus* 23(1): 1-16.
- Toghraei, N., Parsapazhouh, D., Ebrahimzadeh, H., Thibaut, B., Gril, J., and Yazdani, M. H. 2006. Tension wood in eucalypt trees. *JUST* 32(1): 13-22
- Tsai, C.J., Chien, C.T., Lee, C.M., Chen, S.J., and Kuo-Huang, L.L. 2006. Anatomical characteristics of artificial induced tension wood in seedling of Honduras mahogany. *Taiwan J For Sci* 21(2): 147-154.
- Van Gaal, T. and Erwin, J. E. 2005. Diurnal variation in thigmotropic inhibition of stem elongation. *HortTechnology* 15(2): 291-294.
- Vogel, S. 1995. Twist-to-bend ratios of woody structures. *Journal of Experimental Botany* 46(289): 981-985.
- Wardrop, A.B. 1964. The Reaction Anatomy of Arborescent Angiosperms. In: *The formation of wood in forest trees*. Zimmermann, M.H. (eds.). Academic Press.
- Wimmer, R. and Johansson, M. 2013. Effects of reaction wood on the performance of wood and wood-based products. In: *The biology of reaction wood*. Gardiner, B., Barnett, J., Saranpaa, P., Grill, J. (eds.). Springer Berlin Heidelberg, 225-248.
- Whitmore, T.C. 2003. Mahogany: Tree of the Future. In: *Big-leaf mahogany: Genetics, ecology and management*. Lugo, A.E., Colón, J.C.F., and Alayón, M. (eds.). Springer Science & Business Media.
- Yamamoto, H., Abe, K., Arakawa, Y., Okuyama, T., and Gril, J. 2005. Role of the gelatinous layer (G-layer) on the origin of the physical properties of the tension wood of *Acer sieboldianum*. *Journal of Wood Science* 51(3): 222-233.