UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, K. A., A. Mohamed, B. Jamilah, & M. Ebrahimian. 2008. A review on correlations between fish freshness and pH during cold storage. Science Publications, American Journal of Biochemistry and Biotechnology 4(4), 416–421.

Adams, F., F. Nolte, J. Colton, J. De-Beer, & L. Weddig. 2017. Precooking as a control for histamine formation during the processing of tuna: an industrial process validation. Journal of Food Protection, 81, 444–455.

Agustini, F. D. R., , B. Setha, & E. Lokollo. 2025. Mutu kimia dan organoleptik daging tuna (*Thunnus albacares*) bentuk saku yang diinjeksi gas filtered smoke. In Jurnal Teknologi Hasil Perikanan.

Altafini, A., P. Roncada, A. Guerrini, G. M. Sonfack, D. Accurso, & E. Caprai. 2022. Development of histamine in fresh and canned tuna steaks stored under different experimental temperature conditions. Foods, 11(24), 4034.

Alshahrani, F., A. Elgujja, A. Alamoudi, S. Asiri, & I. Alzaid. 2024. Issues surrounding the stability of hypochlorous acid as a disinfectant. Preprints.org.

Alya'ainun, R., E. Y. Fathoni, & I. D. Puspita, 2021. The effect of pH on bacterial growth and histamine formation by *Klebsiella pneumoniae* CK02 and *Raoultella ornithinolytica* TN01. IOP Conference Series Earth and Environmental Science, 919(1), 012039.

Al-Holy, M. A., & B. A. Rasco. 2015. The bactericidal activity of acidic electrolyzed oxidizing water against *Escherichia coli* O157:H7, *Salmonella* Typhimurium, and *Listeria monocytogenes* on raw fish, chicken and beef surfaces. Food Control, 54, 317–321.

Aranke, M., R. Moheimani, M. Phuphanich, A. D. Kaye, A. L. Ngo, O. Viswanath, & J. Herman. 2021. Disinfectants In interventional practices. Current Pain and Headache Reports, 25(4).

Arthatiani, F. Y., S. H. Suryawati, E. S. Luhur, & T. Kurniawan. 2020. Analisis struktur, perilaku dan kinerja pasar industri tuna di Indonesia. Jurnal Sosial Ekonomi Kelautan dan Perikanan, 15(1), 69.

Aryal, S. 2022. EMB agar- composition, principle, preparation, results, uses. https://microbenotes.com/eosin-methylene-blue-emb-agar/ (diakses 25 Oktober 2025).

Ashby, L. V., R. Springer, M. B. Hampton, A. J. Kettle, & C. C. Winterbourn. 2020. Evaluating the bactericidal action of hypochlorous acid in culture media. Free Radical Biology and Medicine, 159, 119–124.

Attar, G. A. A., A. Prayudi, & Y. H. Sipahutar. 2024. Pengolahan ikan tuna (*Thunnus* Sp.) steak beku di PT. SSS, Penjaringan, Jakarta Utara. Prosiding Seminar Nasional Perikanan Indonesia Ke-25.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Standarisasi Nasional (BSN). 2015. Cara Pengujian Bakteri TPC (SNI 01-2332.3- 2015). Badan Standarisasi Nasional.

Badan Standardisasi Nasional (BSN). 2021. Ikan Segar (SNI 2729:2021). Badan Standarisasi Nasional

Bailey, W. R., & E. G. Scott. 1962. Diagnostic microbiology; a textbook for the isolation and identification of pathogenic microorganisms (1st ed). Mosby.

Bajc, Z., & K. Gačnik. 2009. Densitometric TLC analysis of histamine in fish and fishery products. JPC - Journal of Planar Chromatography - Modern TLC, 22(1), 15–17.

Baranowski, J. D., P. A. Brust, & H. A. Frank. 1985. Growth of *Klebsiella Pneumoniae* Uh-2 and properties of its histidine decarboxylase system in resting cells. Journal of Food Biochemistry, 9(4), 349–360.

Barrette, W. C., J. M. Albrich, & J. K. Hurst. 1987. Hypochlorous acid-promoted loss of metabolic energy in *Escherichia coli*. American Society for Microbiology, Infection and Immunity, 55(10), 2518–2525.

Barrette, W. C., D. M. Hannum, W. D. Wheeler, & J. K. Hurst. 1989. General mechanism for the bacterial toxicity of hypochlorous acid: abolition of ATP production. Biochemistry, 28(23), 9172–9178.

Behling, A. R., & S. L. Taylor. 1982. Bacterial histamine production as a function of temperature and time of incubation. Journal of Food Science.

Bekhit, A. E. A., S. G. Giteru, B. W. B. Holman, & D. L. Hopkins. 2021. Total volatile basic nitrogen and trimethylamine in muscle foods: Potential formation pathways and effects on human health. Comprehensive Reviews in Food Science and Food Safety, 20(4), 3620–3666.

Benetti, D. D., G. J. Partridge, & J. Stieglitz. 2015. Overview on Status and Technological Advances in Tuna Aquaculture Around the World. Elsevier eBooks (pp. 1–19).

Bjornsdottir, K., G. E. Bolton, P. D. Mcclellan-Green, L. Jaykus, & D. P. Green. 2009. Detection of Gram-negative histamine-producing bacteria in fish: a comparative study. Journal of Food Protection, 72(9), 1987–1991.

Bjornsdottir-Butler, K., J. C. Bowers, & R. A. Benner, 2015. Prevalence and characterization of high histamine-producing bacteria in gulf of mexico fish species. Journal of Food Protection, 78(7), 1335–1342.

Block, M. S., & B. G. Rowan. 2020. Hypochlorous acid: a review. Journal of Oral and Maxillofacial Surgery, 78(9), 1461–1466.

Boecker, D., Z. Zhang, R. Breves, F. Herth, A. Kramer, & C. Bulitta. 2023. Antimicrobial efficacy, mode of action and in vivo use of hypochlorous acid (HOCl) for prevention or therapeutic support of infections. PubMed, 18, Doc07.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bonnin, R. A., E. Creton, A. Perrin, D. Girlich, C. Emeraud, A. B. Jousset, , Gniadkowski, M., Hendrickx, A. P. A., Van-Der-Zwaluw, K., Apfalter, P. Hartl, R. Studentova, J. Hrabak, L. Dortet, 2024. Spread of carbapenemase-producing *Morganella* spp from 2013 to 2021: a comparative genomic study M. Duque, A. Jacquemin, K. Hopkins, P. Bogaerts, Y. Glupczynski, N. Pfennigwerth. The Lancet Microbe, 5(6), e547–e558.

Bottery, M. J., J.W. Pitchford, & V. Friman. 2020. Ecology and evolution of antimicrobial resistance in bacterial communities. The ISME Journal, 15(4), 939–948.

Buczkowska, M., A. Szczyrba, D. Szajnoga, M. Górski, J. Malinowska-Borowska, J. Domagalska, & P. Rozentryt. 2024. The factors influencing the concentration of histamine in jarred baby foods containing fish, considering evaluation of daily histamine intake. Journal of Food Protection, 87(9), 100328.

Cai, W., J. Han, X. Zhang, & Y. Liu. 2019. Formation mechanisms of emerging organic contaminants during on-line membrane cleaning with NaOCl in MBR. Journal of Hazardous Materials, 386, 121966.

Carrascosa, C., D. Raheem, F. Ramos, A. Saraiva, & A. Raposo. 2021. Microbial biofilms in the food industry—a comprehensive review. International Journal of Environmental Research and Public Health, 18(4), 2014.

Chamorro, F., L. Cassani, P. Garcia-Oliveira, M. Barral-Martinez, A. O. S. Jorge, A. G. Pereira, P. Otero, M. Fraga-Corral, M. B. P. P. Oliveira, & M. A. Prieto. 2024. Health benefits of bluefin tuna consumption: (*Thunnus thynnus*) as a case study. Frontiers in Nutrition, 11.

Chen, C., C. Chen, & S. Ding. 2016. Effectiveness of hypochlorous acid to reduce the biofilms on titanium alloy surfaces in vitro. International Journal of Molecular Sciences, 17(7), 1161.

Chowdhury, M. A. H., C. S. A. Reem, S. M. Rahman, & F. Sarkar. 2024. Comprehensive approaches for ensuring microbial safety in the dairy industry: monitoring systems, inhibitory strategies, and future prospects. Food Control, 110894.

Chun, S., J. W. Yun, H. J. Huh, & N. Y. Lee. 2014. Clinical characteristics of *Raoultella ornithinolytica* bacteremia. Infection, 43(1), 59–64.

Chung, I., H. Ryu, S. Yoon, & J. C. Ha. 2022. Health effects of sodium hypochlorite: review of published case reports. Environmental Analysis Health and Toxicology, 37(1), e2022006.

Chung, W. H., M. R. Chaklader, & J. Howieson. 2024. Efficacy evaluation of chlorine dioxide and hypochlorous acid as sanitisers on quality and shelf life of atlantic salmon (*Salmo salar*) fillets. Foods, 13(19), 3156.

Collette, B. B., & C. E. Nauen. 1983. FAO species catalogue, an annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date (Vol. 2). United Nations Development Programme Food and Agriculture Organization of the United Nations.

UNIVERSITAS GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Comi, G. 2016. Spoilage of Meat and Fish. Elsevier eBooks (pp. 179–210).

Comtrade. 2024. UN Comtrade Database. United Nations. https://comtrade.un.org/data (diakses 26 Desember 2024).

Crobu, L., A. G. Mudadu, R. Melillo, G. L. Pais, & D. Meloni. 2021. Qualitative determination of histamine in canned yellowfin tuna (*Thunnus albacares*) marketed in Sardinia (Italy) by rapid screening methods. Italian Journal of Food Safety, 10(2).

Deborde, M., & U. Von Gunten. 2007. Reactions of chlorine with inorganic and organic compounds during water treatment—kinetics and mechanisms: a critical review. Water Research, 42(1–2), 13–51.

Devivilla, S., M. Lekshmi, S. H. Kumar, R. K. Valappil, S. D. Roy & B. B. Nayak. 2019. Effect of sodium hypochlorite on biofilm-forming ability of histamine-producing bacteria isolated from fish. Journal of Food Protection, 82(8), 1417–1422. https://doi.org/10.4315/0362-028x.jfp-19-101

Dewi, F. R., R. Stanley, S. M. Powell & C. M. Burke. 2017. Application of electrolysed oxidising water as a sanitiser to extend the shelf-life of seafood products: a review. Journal of Food Science and Technology, 54(5), 1321–1332.

Diaz, M., V. Ladero, B. Del-Rio, B. Redruello, M. Fernández, M. C. Martin & M. A. Alvarez. 2016. Biofilm-forming capacity in biogenic amine-producing bacteria isolated from dairy products. Frontiers Microbiology*, 7.*

Dickson, K. 2011. Pelagic Fishes | Physiology of Tuna. Elsevier eBooks (pp. 1903–1913).

Dityanawarman, A., I. P. Dewi, S. E. Ratnawati, N. Ekantari & M. Tamplin. 2020. Growth rate and histamine production of *Klebsiella* sp. CK02 isolated from skipjack tuna compared with *Morganella morganii* ATCC 25830 at various incubation temperatures. SQUALEN Bulletin of Marine and Fisheries Postharvest and Biotechnology, 15(1), 1.

Dobbs, J., J. Kaneko, Hawaii Seafood Council & NOAA. 2023. Nutrition facts label and allowable nutrient claims for Hawaii bigeye tuna. Nutrient Analysis.

Doron, S., & S. L. Gorbach. 2008. Bacterial infections: overview. International Encyclopedia of Public Health, 273–282.

Drancourt, M., C. Bollet, A. Carta & P. Rousselier. 2001. Phylogenetic analyses of *Klebsiella* species delineate *Klebsiella* and *Raoultella* gen. nov., with description of *Raoultella ornithinolytica* comb. nov., *Raoultella terrigena* comb. nov. and *Raoultella planticola* comb. nov. International Journal of Systematic And Evolutionary Microbiology, 51(3), 925–932.

Du, W. X., C. M. Lin, A. T. Phu, J. A. Cornell, M. R. Marshall & C. I. Wei. 2002. Development of biogenic amines in yellowfin tuna (*Thunnus albacares*): effect of storage and correlation with decarboxylase-positive bacterial flora. Journal of Food Science (Vol. 67, Issue 1). Institute of Food Technologists.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Duflos, G., G. Inglebert, C. Himber, S. Degremont, B. Lombard & A. Brisabois. 2018. Validation of standard method EN ISO 19343 for the detection and quantification of histamine in fish and fishery products using high-performance liquid chromatography. International Journal of Food Microbiology, 288, 97–101.

European Food Safety Authority. EFSA. 2017. Assessment of the incidents of histamine intoxication in some EU countries. EFSA Supporting Publications, 14(9).

Emborg, J., B. G. Laursen & P. Dalgaard. 2005. Significant histamine formation in tuna (*Thunnus albacares*) at 2°C - effect of vacuum and modified atmosphere-packaging on psychrotolerant bacteria. International Journal of Food Microbiology, 101(3), 263–279.

Eryilmaz, M., & I. Palabiyik. 2013. Hypochlorous acid - analytical methods and antimicrobial activity. Tropical Journal of Pharmaceutical Research, 12(1).

Etani, T., S. Kondo, T. Yanase, T. Morikawa, M. Aoki, M. Gonda, N. Tomiyama, T. Nagai, K. Iida, S. Iwatsuki, K. Taguchi, T. Naiki, S. Hamamoto, A. Okada, N. Kawai, A. Nakamura & T. Yasui. 2023. Clinical characteristics of *Raoultella ornithinolytica* bacteremia and antimicrobial susceptibility of *Raoultella ornithinolytica*. Journal of Infection and Chemotherapy, 29(5), 554–557.

European Union (EU). 2005. Commission Regulation (EC) No 2073/2005 on Microbiological Criteria for Foodstuffs (No. 2073/2005). Journal of the European Union. https://eur-lex.europa.eu/legalcontent/EN/TXT/PDF/?uri=CELEX: 32005R2073 (diakses 15 Oktober 2025).

Fabrizio, K. A., & C. N. Cutter. 2003. Stability of electrolyzed oxidizing water and its efficacy against cell suspensions of *Salmonella* Typhimurium and *Listeria monocytogenes.* Journal of Food Protection (Vols. 66–66, Issue 8, pp. 1379–1384)

Fagerlund, A., Møretrø, T., Heir, E., Briandet, R., & Langsrud, S. 2017. Cleaning and disinfection of biofilms composed of *Listeria monocytogenes* and background microbiota from meat processing surfaces. Applied and Environmental Microbiology, 83(17).

Farber, L. 1965. Freshness Test: Fish as Food. Borgstormg (ed). New York: Academic Press

Feng, C., S. Teuber & M. E. Gershwin. 2015. Histamine (scombroid) fish poisoning: a comprehensive review. Clinical Reviews in Allergy & Immunology, 50(1), 64–69.

Fidler, A., Steyer, A., Manevski, D., & Gašperšič, R. 2021. Virus transmission by ultrasonic scaler and its prevention by antiviral agent: an in vitro study. Journal of Periodontology, 93(7).

Flurin, L., Y. S. Raval, A. Mohamed, K. E. Greenwood-Quaintance, E. J. Cano, H. Beyenal & R. Patel. 2021. An integrated HOCl-producing e-scaffold is active

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

against monomicrobial and polymicrobial biofilms. Antimicrobial Agents and Chemotherapy, 65(3).

Food and Agriculture Organization (FAO). 1994. Cleaning and Sanitation in Seafood Processing. Food and Agriculture Organization of the United Nations. https://www.fao.org/4/t1768e/t1768e07.htm (diakses 1 Januari 2025).

Food and Agriculture Organization & World Health Organization (FAO & WHO). 2013. Public Health Risks of Histamine and Other Biogenic Amines from Fish and Fishery Products. Food and Agriculture Organization of the United Nations/ World Health Organization.

Food and Agriculture Organization (FAO). 2021. Globefish Highlights - A Quarterly Update on World Seafood Markets. FAO eBooks.

Food Drug and Administration (FDA). 2022. Fish and Fishery Products Hazards and Controls Guidance. IFAS-Extension Bookstore. https://www.FDA.gov/ Seafood

Food Drug and Administration (FDA). 2024. Sec. 540.525 Scombrotoxin (Histamine)-Forming Fish and Fishery Products – Decomposition and Histamine (CPG 7108.24) Compliance Policy Guide: Guidance for FDA Staff. U.S. Department of Health and Human Services. https://www.fda.gov/inspections-compliance-enforcement-and-criminal-investigations/compliancemanuals/manual-compli ance-policy-guides (diakses 15 November 2025).

Food Safety Authority of Ireland (FSAI). 2011. Information for Caterers on Microbial Toxins and Marine Biotoxins (Issue No. 1). Food Safety Authority of Ireland. https://www.fsai.ie/getmedia/ed935166-97d6-40d6-b170-db3e725cfa18/ micr obial-toxins-factsheet-final(1).pdf?ext=.pdf (diakses 28 Desember 2024).

Frith, A., M. Hayes-Mims, R. Carmichael & K. Björnsdóttir-Butler. 2023. Effects of environmental and water quality variables on histamine-producing bacteria concentration and species in the Northern Gulf of Mexico. Microbiology Spectrum, 11(4), e0472022.

Freitas, J., P. Vaz-Pires & J. S. Câmara. 2019. From aquaculture production to consumption: freshness, safety, traceability and authentication, the four pillars of quality. Aquaculture, 518, 734857.

Food Standards Australia New Zealand (FSANZ). 2017. Annual Report. Food Standars Australia New Zeeland. https://www.foodstandards.gov.au

Fukuzaki, S. 2006. Mechanisms of actions of sodium hypochlorite in cleaning and disinfection processes. Biocontrol Science, 11(4), 147–157.

Fukuzaki, S. 2023. Uses of gaseous hypochlorous acid for controlling microorganisms in indoor spaces. Journal of Microorganism Control, 28(4), 165–175.

Gadoin, E., C. Desnues, T. Bouvier, E. R. D'Orbcastel, J. Auguet, S. Crochemore, A. Adingra & Y. Bettarel. 2022. Tracking spoilage bacteria in the tuna microbiome. FEMS Microbiology Ecology, 98(10).

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Garate, J., De Zarate, I. O., González, R., Jaureguibeitia, A., & Salleres, S. 2022. Modification of BIOFISH 300 HIS for determination of histamine in fish and fish products: AOAC performance tested method SM 051604. Journal of AOAC International, 106(2), 320–332.

Garrido-Gamarro, E., C. S. Svanevik, A. Lundebye, M. Sanden, E. D'Agostino, M. Kjellevold, L. Pincus & J. Pucher. 2023. Challenges in the implementation of food safety and quality assurance systems in small-scale fisheries. Food Quality and Safety, 7.

Global Seafood Alliance. 2024. Chlorine and fish processing - responsible seafood advocate. https://www.globalseafood.org/advocate/chlorine-and-fish-processing/?headlessPrint=o.(*R%3Ep~oOwh]d+-hYR&RIFVO_ (diakses 25 Januari 2025)

Gopi, M., T. T. A. Kumar & S. Prakash. 2016. Opportunistic pathogen *Klebsiella pneumoniae* isolated from Maldive's clown fish *Amphiprion nigripes* with hemorrhages at Agatti Island, lakshadweep archipelago. International Journal of Fisheries and Aquatic Studies, 4(3), 464–467.

Goulding, I. C. 2016. Manual on assuring food safety conditions in fish landing and processing (No.12). CRFM Special Publication.

Graham, J. B., & K. A. Dickson. 2004. Tuna comparative physiology. Journal of Experimental Biology, 207(23), 4015–4024.

Gray, M. J., W. Wholey & U. Jakob. 2013. Bacterial responses to reactive chlorine species. Annual Review of Microbiology, 67(1), 141–160.

Hajjar, R., G. Ambaraghassi, H. Sebajang, F. Schwenter & S. Su. 2020. *Raoultella ornithinolytica*; emergence and resistance. Infection and Drug Resistance, volume 13, 1091–1104.

Han, J., W. Song & D. Kang. 2019. Optimization of broth recovery for repair of heat-injured *Salmonella enteri* serovar typhimurium and *Escherichia coli* O157:H7. Journal of Applied Microbiology, 126(6), 1923–1930.

Hanifah, Z. M. 2009. Pengaruh lama perendaman dalam larutan hypochlorous acid terhadap reduksi *Raoultella ornithinolytica* TN5 pada fillet tuna. Skripsi. Universitas Gadjah Mada.

Hernández-Cortez, C., I. Palma-Martínez, L. U. Gonzalez-Avila, A. Guerrero-Mandujano, R. C. Solís & G. Castro-Escarpulli. 2017. Food Poisoning Caused by Bacteria (Food Toxins). Intech eBooks.

Horwitz, W., & G. W. Latimer. 2006. Official Methods of Analysis of AOAC International (Issue 1).

Hossain, S., C. W. K. Chow, D. Cook, E. Sawade & G. A. Hewa. 2022. Review of nitrification monitoring and control strategies in drinking water system. International Journal of Environmental Research and Public Health, 19(7), 4003.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, Y., K. Liu, H. Hsieh, C. Hsieh, D. Hwang & Y. Tsai. 2010. Histamine level and histamine-forming bacteria in dried fish products sold in Penghu Island of Taiwan. Food Control, 21(9), 1234–1239.

Huss, H. H. 1995. Quality and Quality Changes in Fresh Fish. Food and Agriculture Organization of the United Nations. Rome.

Huang, Y., C. Shiau, Y. Hung & D. Hwang. 2006. Change of hygienic quality and freshness in tuna treated with electrolyzed water and carbon monoxide gas during refrigerated and frozen storage. Journal of Food Science, 71(4).

Hungerford, J. M. 2021. Histamine and scombrotoxins. Toxicon, 201, 115–126.

Jääskeläinen, E., L. M. Jakobsen, J. Hultman, N. Eggers, H. C. Bertram & J. Björkroth. 2018. Metabolomics and bacterial diversity of packaged yellowfin tuna (*Thunnus albacares*) and salmon (*Salmo salar*) show fish species-specific spoilage development during chilled storage. International Journal of Food Microbiology, 293, 44–52.

Jaya, R. P. 2020. Porous Concrete Pavement Containing Nanosilica from Black Rice Husk Ash. Elsevier eBooks (pp. 493–527).

Kanki, M., T. Yoda, T. Tsukamoto & E. Baba. 2007. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. Applied and Environmental Microbiology, 73(5), 1467–1473.

Kettle, A. J., A. M. Albrett, A. L. Chapman, N. Dickerhof, L. V. Forbes, I. Khalilova & R. Turner. 2013. Measuring chlorine bleach in biology and medicine. Biochimica et Biophysica Acta - General Subjects, 1840(2), 781–793.

Kim, D., K. Kim & D. Ahn. 2013. Inhibitory effects of high-hydrostatic-pressure treatments on histamine production in mackerel (*Scomber japonicus*) muscle inoculated with *Morganella morganii* and *Photobacterium phosphoreum*. Food Control, 34(2), 307–311.

Kim, S., H. An, C. Wei, W. Visessanguan, S. Benjakul, M. Morrissey, Y. Su & T. Pitta. 2003. Molecular detection of a histamine former, *Morganella morganii*, in albacore, mackerel, sardine, and a processing plant. Journal of Food Science, 68(2), 453–457.

Kementerian Kelautan Perikanan (KKP). 2020. Laporan tahunan Kementrian Kelautan dan Perikanan 2020. Kementerian Kelautan dan Perikanan. https://kkp.go.id/storage/AkuntabilitasKinerja/170/document-akuntabilitas-kinerja-665532d9a67ab4.%20LKJ%20KKP%202020%20Revisi%20(2)%20(1).pdf (diakses 30 Desember 2025).

Kolenbrander, P. E., Palmer, R. J., Periasamy, S., & Jakubovics, N. S. 2010. Oral multispecies biofilm development and the key role of cell–cell distance. Nature Reviews Microbiology, 8(7), 471–480.

Koti, K., A. Rodas-Gonzalez, C. Nadon, T. McAllister, X. Yang & C. Narváez-Bravo. 2024. Evaluating disinfectant efficacy on mixed biofilms comprising shiga

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

toxigenic *Escherichia coli*, lactic acid bacteria, and spoilage microorganisms. Frontiers in Microbiology, 15.

Krell, T., J. A. Gavira, F. Velando, M. Fernández, A. Roca, E. Monteagudo-Cascales & M. A. Matilla. 2021. Histamine: a bacterial signal molecule. International Journal of Molecular Sciences, 22(12), 6312.

Kung, H., Y. Lee, Y. Huang, W. Lin, C. Lin, W. Chen & Y. Tsai. 2010. Biogenic amines content, histamine-forming bacteria, and adulteration of pork and poultry in tuna dumpling products. Food Control, 21(7), 977–982.

Kung, H., Y. Lee, C. Hwang, Y. Wu, C. Hsieh & Y. Tsai. 2020. Inactivation of *Morganella morganii* by high hydrostatic pressure combined with lemon essential oil. Food Science & Nutrition, 8(7), 3435–3441.

Landete, J. M., B. De-Las Rivas, A. Marcobal & R. Muñoz. 2008. Updated molecular knowledge about histamine biosynthesis by bacteria. Critical Reviews in Food Science and Nutrition, 48(8), 697–714.

Leonard, B. 2011. Fish and Fishery Products: Hazards and Controls Guidance (4th Ed.). DIANE Publishing.

Lin, C., H. Kung, Y. Huang, C. Huang, Y. Su & Y. Tsai. 2011. Histamine production by *Raoultella ornithinolytica* in canned tuna meat at various storage temperatures. Food Control, 25(2), 723–727.

Lin, H., Y. Hung & S. Deng. 2020. Effect of partial replacement of polyphosphate with alkaline electrolyzed water (AEW) on the quality of catfish fillets. Food Control, 112, 107117.

Lindsey, J. R., G. H. Cassell & M. K. Davidson. 1982. Mycoplasmal and other bacterial diseases of the respiratory system. Diseases (pp. 21–41).

Lineback, C. B., C. A. Nkemngong, S. T. Wu, X. Li, P. J. Teska & H. F. Oliver. 2018. Hydrogen peroxide and sodium hypochlorite disinfectants are more effective against *Staphylococcus aureus* and *Pseudomonas aeruginosa* biofilms than quaternary ammonium compounds. Antimicrobial Resistance and Infection Control, 7(1).

López-Sabater, E. I., J. Rodríguez-Jerez, M. Hernández-Herrero & M. T. Mora-Ventura. 1996. Incidence of histamine-forming bacteria and histamine content in scombroid fish species from retail markets in the Barcelona area. International Journal of Food Microbiology, 28(3), 411–418.

Lorca, T. A., T. M. Gingerich, M. D. Pierson, G. J. Flick, C. R. Hackney & S. S. Sumner. 2001. Growth and histamine formation of *Morganella morganii* in determining the safety and quality of inoculated and uninoculated bluefish (*Pomatomus saltatrix*). Journal of Food Protection, 64(12), 2015–2019.

Lowenstine, L. J., & K. G. Osborn. 2012. Respiratory System Diseases of Nonhuman Primates. Elsevier eBooks (pp. 413–481).

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Madejska, A., M. Pawul-Gruba & J. Osek. 2022. Histamine content in selected production stages of fish products. Journal of Veterinary Research, 66(4), 599–604.

Maijala, R. L., S. H. Eerola, M. A. Aho & J. A. Hirn. 1993. The effect of GDL-induced pH decrease on the formation of biogenic amines in meat. Journal of Food Protection, 56(2), 125–129.

Malaysian Standard. 2007. Code of Good Irradiation Practicepart 7: Fish, Shrimps and Frog Legs for the Control of Microflora (First Revision) (Ms 1265 : Part 7 : 2007). Department of Standards Malaysia. http://www.standardsmalaysia. gov.my

Mohammadi, S., & T. Ebadi. 2020. Production of a water disinfectant by membrane electrolysis of brine solution and evaluation of its quality change during the storage time. Arabian Journal of Chemistry, 14(2), 102925.

Nault, M. E., E. Heath, S. J. Van Egeren & S. M. Provost. 2015. Control of invasive aquatic plants on a small scale. Nalms Lakeline. https://www.researchgate.net/publication/277664649 (diakses 10 November 2025).

Natalia, N. 2025. Yellowfin tuna cuts and grades: what buyers need to know. https://www.easyfish.net/en/yellowfin-tuna-cuts-and-grades-what-buyers-need-to-know/ (diakses 11 Desember 2025).

Nizer, Da-Cruz. W. S., V. Inkovskiy & J. Overhage. 2020. Surviving reactive chlorine stress: responses of Gram-negative bacteria to hypochlorous acid. Microorganisms, 8(8), 1220.

Nobuaki, S., & S. Chow. 2016. Biology and ecology of bluefin tuna. https://ci.nii.ac.jp/ncid/BB19458832 (diakses 12 Desember 2025)

Ntzimani, A., I. Semenoglou, E. Dermesonlouoglou, T. Tsironi & P. Taoukis. 2022. Surface decontamination and shelf-life extension of gilthead sea bream by alternative washing treatments. Sustainability, 14(10), 5887.

Nunes, N. B., Reis, J. O. D., Castro, V. S., Machado, M. a. M., Da Cunha-Neto, A., & De Souza-Figueiredo, E. E. 2024. Optimizing the antimicrobial activity of sodium hypochlorite (NaClO) over exposure time for the control of *Salmonella* spp. in vitro. Antibiotics, 13(1), 68.

Nurkhasanah, A. A., S. Suadi & I. D. Puspita. 2022. The Root causes analysis of Indonesia's fishery products rejection in the United States of America and European Countries during 2010 – 2020. Industria Jurnal Teknologi dan Manajemen Agroindustri, 11(2), 165–176.

Ohshima, C., F. Sato, H. Takahashi, T. Kuda & B. Kimura. 2019. Development of the genus and species determination method for histamine producing bacteria isolated from fishery product with high-resolution melting analysis. Food Hygiene and Safety Science (Shokuhin Eiseigaku Zasshi), 60(6), 168–175.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Olson, R., J. Young, F. Ménard, M. Potier,V. Allain, N. Goñi, J. Logan & F. Galván-Magaña. 2016. Bioenergetics, trophic ecology, and niche separation of tunas. Advances in Marine Biology, 199–344.

Paczosa, M. K., & J. Mecsas. 2016. *Klebsiella pneumoniae*: going on the offense with a strong defense. Microbiology and Molecular Biology Reviews, 80(3), 629–661.

Pagán, E., D. Berdejo, N. Merino, D. García-Gonzalo & R. Pagán. 2021. Detection of sublethally injured cells by the selective medium plating technique. In Methods and Protocols in Food Science (pp. 27–36).

Parveen, N., S. Chowdhury & S. Goel. 2022. Environmental impacts of the widespread use of chlorine-based disinfectants during the COVID-19 pandemic. Environmental Science and Pollution Research, 29(57), 85742–85760.

Pattison, D. I., & M. J Davies. 2001. Absolute rate constants for the reaction of hypochlorous acid with protein side chains and peptide bonds. Chemical Research in Toxicology, 14(10), 1453–1464.

Peng, S., C. Chen, Z. Shi & L. Wang. 2013. Amino acid and fatty acid composition of the muscle tissue of yellowfin tuna (T*hunnus albacares*) and bigeye tuna (*Thunnus obesus*). Journal of Food and Nutrition Research, 1(4), 42–45.

Pfuntner, A. 2011. Sanitizers and Disinfectants: the Chemicals of Prevention. Food Safety Magazine. https://www.food-safety.com/articles/6707-sanitizers-and-disinfectants-the-chemicals-of-prevention (diakses 14 Oktober 2025)

Phan, T. N., A. N. T. Thi, Y. Masuda, K. Hohjoh & T. Miyamoto. 2022. Slightly acidic hypochlorous water effective against dual-species biofilm of *Listeria monocytogenes* and *Escherichia coli* strains isolated from pangasius fish-processing plants. Food Science and Technology Research, *28*(6), 521–527.

Phuvasate, S., & Y. Su. 2010. Effects of electrolyzed oxidizing water and ice treatments on reducing histamine-producing bacteria on fish skin and food contact surface. Food Control, 21(3), 286–291.

Poggio, C., C. R. Arciola, A. Dagna, M. Chiesa, D. Sforza & L. Visai. 2010. Antimicrobial activity of sodium hypochlorite-based irrigating solutions. the International journal of artificial organs, 33(9), 654–659.

Putra, I. W. E. D., & Nasrudin. 2023. Analysis of Indonesian tuna fish export to twelve main destination countries: A panel Gravity model [Journal-article]. *Asian* Journal of Business Environment, 13–1, 31–41.

Putri, N. N. F. M., R. B. Salampessy & M. Sayuti. 2023. Karakteristik mutu, rantai dingin, rendemen dan produktivitas pengolahan tuna (*Thunnus* sp.) *Cube* Beku di CV. Satu Tuna Nusantara, Denpasar-Bali. Buletin Jalanidhitah Sarva Jivitam, 5(1), 11.

Rachmawati, N. 2019. Assessing the risk of histamine from the indonesian salted-boiled fish (pindang). Disertation. University of Tasmania.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rachmawati, N., & R. Triwibowo. 2021. Skrining dan identifikasi bakteri pembentuk histamin yang diisolasi dari tuna, tongkol, dan cakalang segar di wilayah Jawa Barat, DKI Jakarta, dan Banten. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan, 16(2), 93.

Rachmawati, N., & R. Triwibowo. 2022. Histamine fish poisoning (HFP) in Indonesia: current status and challenges. E3S web of conferences, 344, 05001.

Racioppi, F., P. Daskaleros, N. Besbelli, A. Borges, C. Deraemaeker, S. Magalini, R. M. Arrifta, C. Pulce, M. Ruggerone & P. Vlachos. 1994. Household bleaches based on sodium hypochlorite: Review of acute toxicology and poison control center experience. Food and Chemical Toxicology, 32(9), 845–861.

Ramli, F. A., R. D. Handoyo, A. R. Ridzuan & M. I. M. Razak. 2020. Analysis of comparative advantages and export determinants of indonesian tuna fish. International Journal of Academic Research in Business and Social Sciences, 10(5).

Rangel, K., F. O. Cabral, G. C. Lechuga, J. P. R. S. Carvalho, M. H. S. Villas-Bôas, V. Midlej & S. G. De-Simone. 2021. Detrimental effect of ozone on pathogenic bacteria. Microorganisms, 10(1), 40.

Regulation - 2073/2005 - EN - EUR-Lex. (n.d.). 2025. http://data.europa.eu/eli/reg/2005/2073/oj (diakses 10 Desember 2025)

Rimbawan, B. 2016. Pengaruh Penanganan Bahan Baku Loin yang Berbeda terhadap Kualitas Tuna Steak Beku di PT. Hatindo Makmur Benoa Bali. Tesis. Universitas Warmadewa.

Ruiz-Rico, M., L. Sánchez-Salom, A. Fuentes & J. M. Barat. 2024. Inhibitory potential of natural antimicrobial compounds against histamine-forming lactic acid bacteria. Food Bioscience, 61, 104779.

Sahara, S., S. Amaliah, D. V. Panjaitan & M. Probokawuryan. 2022. Food Loss in International Trade: A Case Study of Indonesian Tuna Exported to The European Union, The United States, and Japan. ARTNeT Working. from http://artnet.unescap.org (diakses 30 Desember 2025).

Santoso, A., N. Palupi & H. Kusumaningrum. 2020. Pengendalian histamin pada rantai proses produk ikan tuna beku ekspor. Jurnal Standardisasi, 22–22, 2.

Sasidharan, A., T. Rustad & G. M. Cusimano. 2023. Tuna sidestream valorization: a circular blue bioeconomy approach. Environmental Science and Pollution Research.

Satomi, M. 2016. Effect of histamine-producing bacteria on fermented fishery products. Food Science and Technology Research.

Schirone, M., P. Visciano, R. Tofalo & G. Suzzi. 2016. Histamine Food Poisoning. Handbook of Experimental Pharmacology, 217–235.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Schmidt, S. 2021. Applications of mixed microbial cultures in industrial biotechnology. In R. Kourist & S. Schmidt (Eds.), The Autotrophic Biorefinery (pp. 353–384). The Autotrophic Biorefinery.

Schottroff, F., A. Fröhling, M. Zunabovic-Pichler, A. Krottenthaler, O. Schlüter & H. Jäger. 2018. Sublethal injury and Viable but non-culturable (VBNC) state in microorganisms during preservation of food and biological materials by non-thermal processes. Frontiers in Microbiology, 9, 2773.

Shao, L., Y. Sun, B. Zou, Y. Zhao, X. Li & R. Dai. 2023. Sublethally injured microorganisms in food processing and preservation: Quantification, formation, detection, resuscitation and adaption. Food Research International, 165, 112536.

Shen, C., Y. Luo, X. Nou, Q. Wang & P. Millner. 2013. Dynamic effects of free chlorine concentration, organic load, and exposure time on the inactivation of *salmonella*, *escherichia coli o157:h7*, and *non-o157 shiga toxin*–producing *e. Coli*. Journal of food protection, 76(3), 386–393.

Sheng, X., D. Shu, X. Tang & Y. Zang. 2018. Effects of slightly acidic electrolyzed water on the microbial quality and shelf life extension of beef during refrigeration. Food Science & Nutrition, 6(7), 1975–1981.

Sękowska, A. 2017. *Raoultella spp*.—clinical significance, infections and susceptibility to antibiotics. Folia Microbiologica, 62(3), 221–227.

Servusova, E., & Z. Piskata. 2021. Identification of selected tuna species in commercial products. Molecules, 26(4), 1137.

Setiawan, A., T. Wahyuni, A. Asianto, R. Malika, R. Wulansari & R. Retno. 2024. Kelautan dan perikanan dalam angka tahun 2024: marine and fisheries in figures 2024. Pusat Data Statistik dan Informasi.

Shao, L., Y. Sun, B. Zou, Y. Zhao, X. Li & R. Dai. 2023. Sublethally injured microorganisms in food processing and preservation: Quantification, formation, detection, resuscitation and adaption. Food Research International, 165, 112536.

Singh, J., S. Sharma & S. Nara. 2014. Evaluation of gold nanoparticle based lateral flow assays for diagnosis of enterobacteriaceae members in food and water. Food Chemistry, 170, 470–483.

Snell, J. A., J. Jandova & G. T. Wondrak. 2022. Hypochlorous acid: from innate immune factor and environmental toxicant to chemopreventive agent targeting solar UV-Induced skin cancer. Frontiers in Oncology, *12*.

Soedarini, B., C. AM Van Gestel,N. M Van Straalen, B. Widianarko & W. FM Roling. 2014. Interactions between accumulated copper, bacterial community structure and histamine levels in crayfish meat during storage. *Society of Chemical Industry*.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sumner, J., Ross, T., & L. Ababouch. 2004. Application of Risk Assessment in the Fish Industry. FAO. https://www.fao.org/4/y4722e/y4722e00.htm (diakses 10 Desember 2024).

Stroman, D., K. Mintun, A. Epstein, C. Brimer, C. Patel, J. Branch & K. Najafi-Tagol. 2017. Reduction in bacterial load using hypochlorous acid hygiene solution on ocular skin. Clinical Ophthalmology, Volume 11, 707–714.

Tan, Y.-L., N. H. Juhari, N. N. Jambari, A. Rozzamri, R. M. A. Nor-Khaizura & M. R. Ismail-Fitry. 2025. Tuna and tuna products: a review of the nutrition, processing, safety, and future prospects. Fisheries Science.

Taylor, S. L., L. S. Guthertz, M. Leatherwood & E. R. Lieber. 1979. Histamine production by *Klebsiella pneumoniae* and an incident of scombroid fish poisoning. Applied and Environmental Microbiology, 37(2), 274–278.

The Center for Food Security & Public Health [CFSPH]. 2023. Key Principles of Cleaning and Disinfection for Animal Settings. IOWA State University, College of Veterinary Medicine.

Tong, C., H. Hu, G. Chen, Z. Li, A. Li & J. Zhang. 2021. Disinfectant resistance in bacteria: Mechanisms, spread, and resolution strategies. Environmental Research, 195, 110897.

Trabajo, T. M., I. Guex, M. Dubey, E. Sarton-Lohéac, H. Todorov, X. Richard, C. Mazza & J. R. Van-Der-Meer. 2024. Inferring bacterial interspecific interactions from microcolony growth expansion. Microlife, 5.

Tsai, C., J. Chung, S. Ding & C. Chen. 2023. In vitro cytotoxicity and antibacterial activity of hypochlorous acid antimicrobial agent. Journal of Dental Sciences.

Tunç, S., B. Demirhan & B. E. Demirhan. 2025. Investigation of histamine, physicochemical quality, and potential health risks in various canned fish products. Foods, 14(13).

Ulfig, A., & L. I. Leichert. 2020. The effects of neutrophil-generated hypochlorous acid and other hypohalous acids on host and pathogens. Cellular and Molecular Life Sciences, 78(2), 385–414.

USDA. 2015. Hypochlorous acid, Technical Evaluation Report. Washington, D.C.: p. 1-24. https://www.ams.usda.gov/sites/default/files/media/Hypochlorous%20Acid%20TR%2008%2013%2015.pdf (diakses 14 Oktober 2025).

Visciano, P., M. Schirone, R. Tofalo & G. Suzzi. 2014. Histamine poisoning and control measures in fish and fishery products. Frontiers in Microbiology, 5.

Vlasova, I. I., T.V. Vakhrusheva, A. V. Sokolov, V. A. Kostevich, A. A. Gusev, S. A. Gusev, V. I. Melnikova & A. S. Lobach. 2012. PE Gylated single-walled carbon nanotubes activate neutrophils to increase production of hypochlorous acid, the oxidant capable of degrading nanotubes. Toxicology and Applied Pharmacology, 264(1), 131–142.

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Vyas, H. K., B. Xia, D. Alam, N. P. Gracie, J. G. Rothwell, S. A., Rice, D. Carter, P. J. Cullen & A. Mai-Prochnow. 2023. Plasma activated water as a pre-treatment strategy in the context of biofilm-infected chronic wounds. Biofilm, 6, 100154.

Wang, L., M. Bassiri, R. Najafi, K. Najafi, J. Yang, B. Khosrovi, W. Hwong, E. Barati, B. Belisle, C. Celeri & M. Robson. 2007. Hypochlorous acid as a potential wound care agent: part 1, stabilized hypochlorous acid: a component of the inorganic armamentarium of innate immunity. Journal of Burns and Wounds, 6, 65-79

Wang, X., & J. Xie. 2019. Evaluation of water dynamics and protein changes in bigeye tuna (*Thunnus obesus*) during cold storage. LWT, 108, 289–296.

Wang, X., Z. Zhao, J. Yan & J. Xie. 2024. Untargeted metabolomic profiling, nutritional composition and enzyme changes on bigeye tuna (*Thunnus obesus*) during cold storage by HPLC-MS coupled with logistic regression. Food Science and Human Wellness, 2025, 14(7): 9250172.

Wang, Z., J. Ma, C. Y. Tang, K. Kimura, Q. Wang & X. Han. 2014. Membrane cleaning in membrane bioreactors: a review. Journal of Membrane Science, 468, 276–307.

Widhiarti, S. R. 2024. Pengaruh lama perendaman dalam larutan hypochlorous acid komersial terhadap reduksi *Morganella morganii* TK7 pada fillet tuna. Skripsi. Universitas Gadjah Mada.

Winter, J., M. Ilbert, P. Graf, D. Özcelik & U. Jakob. 2008. Bleach activates a redox-regulated chaperone by oxidative protein unfolding. Cell, 135(4), 691–701.

Wiranata, D. P. 2019. Isolasi dan identifikasi bakteri pembentuk histamin pada ikan tuna mata besar, cakalang, dan tongkol yang didaratkan di Pelabuhan Perikanan Pantai Sadeng, Gunung Kidul. Skripsi. Universitas Gadjah Mada.

Wodi, S. I. M., W. Trilaksani & M. Nurilmala. 2018. Histamin dan identifikasi bakteri pembentuk histamin pada tuna mata besar (*Thunnus obesus*). *Jurnal* Teknologi Perikanan dan Kelautan, 9(2), 185–192.

World Health Organization & Food and Agriculture Organization of the United Nations. 2008. Benefits and risks of the use of chlorine-containing disinfectants in food production and food processing. In Benefits and Risks of the Use of Chlorine-containing Disinfectants in Food Production and Food Processing: report of a Joint FAO/WHO Expert Meeting. Report.

Wu, M., S. Xie, J. Zang, Y. Sun, S. Xu, S. Li & J. Wang. 2024. Multiple anthropogenic environmental stressors structure soil bacterial diversity and community network. Soil Biology and Biochemistry, 198, 109560.

Wu, V. 2008. A review of microbial injury and recovery methods in food. Food Microbiology, 25(6), 735–744.

Yung, K. 2019. Histamine in fish and fish products. Centre for Food Safety. https://www.cfs.gov.hk/english/multimedia/multimedia_pub/multimedia_pub_fsf_150_02.html# (diakses 14 Oktober 2025).

UNIVERSITAS
GADJAH MADA
Pengaruh Perendaman Asam Hipoklorit terhadap Jumlah Bakteri Pembentuk Histamin pada Tuna Cube selama Penyimpanan
Kholid Satria, Indun Dewi Puspita, S.P., M.Sc., Ph.D., ; Dr. Ir. Latif Sahubawa, M.Si.,
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, J., W. Li, J. Chen, F. Wang, W. Qi & Y. Li. 2018. Impact of disinfectant on bacterial antibiotic resistance transfer between biofilm and tap water in a simulated distribution network. Environmental Pollution, 246, 131–140.

Zhernov, Y. V., M. Y, Simanduyev, O. K. Zaostrovtseva, E. E. Semeniako, K. I. Kolykhalova, I. A. Fadeeva, M. I. Kashutina, S. O. Vysochanskaya, E. V. Belova, D. V. Shcherbakov, V. A. Sukhov, E. A. Sidorova & O. V. Mitrokhin. 2023. Molecular mechanisms of scombroid food poisoning. International Journal of Molecular Sciences, 24(1), 809.

Zhu, Z., L. Shan, X. Zhang, F. Hu, D. Zhong, Y. Yuan & J. Zhang. 2020. Effects of bacterial community composition and structure in drinking water distribution systems on biofilm formation and chlorine resistance. Chemosphere, 264, 128410.

Zulfidar, A. Y. 2024. Pengaruh lama perendaman dalam larutan hypochlorous acid untuk mereduksi *Klebsiella pneumoniae* CK13.2 pada fillet tuna. Skripsi. Universitas Gadjah Mada.