



## DAFTAR PUSTAKA

- Abdullah, A., N. Nurjanah, dan A. I. S, Nasution. (2021). Karakteristik perlakuan aktif biopigmen fukosantin rumput laut cokelat sebagai antioksidan dan uv-protector. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 24(1), 131-147.
- Abdoul-Latif., F. M. Ainane, A. Houmed Aboubaker, I. Merito Ali, A. Mohamed, H. Jutur, P. P, dan T. Ainane. (2024). Unlocking the green gold: exploring the cancer treatment and the other therapeutic potential of fucoxanthin derivatives from microalgae. *Pharmaceuticals*, 17(7), 960. <https://doi.org/10.3390/ph17070960>
- Abubakar, A. R., dan M. Haque. (2020). Preparation of medicinal plants: basic extraction and fractionation procedures for experimental purposes. *Journal of Pharmacy and Bioallied Sciences*, 12(1), 1-10.
- Afgatiani, P. M., Husni. A, dan Budhiyanti. S. A. (2020). The effect of storage temperature on antioxidant activity of *Sargassum hystrix* powder. *agriTECH*, 40(3), 175–181.
- Aisyah, R., Rachmat. R, D. Rahmat, dan D.Noviendri. (2020). Pembuatan fukosantin nanospere dengan metode gelasi ionik dan uji efektivitas antioksidan. *Jurnal Ilmiah Kesehatan*, 19(02), 59-63.
- Alfauzi, R. A., L. Hartati, D. Suhendra, T.P. Rahayu, & N. Hidayah. (2022). Ekstraksi senyawa bioaktif kulit jengkol (*Archidendron jiringa*) dengan konsentrasi pelarut metanol berbeda sebagai pakan tambahan ternak ruminansia. *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 20(3), 95-103.
- Amarasinghe, R. (2019). Fucoxanthin: a valuable marine carotenoid with antioxidant and anti-aging activities. *Marine Drugs*, 17(2), 1–15.
- Arfandi, A., Ratnawulan, dan Y. Darvina. 2013. Proses pembentukan feofitin daun suji sebagai bahan aktif photosensitizer akibat pemberian variasi suhu. *Pillar of Physics*, 1(1): 68–76. DOI: 10.24036/512171074
- Arifah, U.R., S. Sedjati, E. Supriyantni, E., dan A. Ridlo. 2019. kandungan klorofil dan fukosantin serta pertumbuhan *Skeletonema costatum* pada pemberian spektrum cahaya yang berbeda. *Buletin Oseanografi Marina* 8(1) : 2532. <https://doi.org/10.14710/buloma.v8i1.19986>
- Arifianti, A., E. Anwar, & N. Nurjanah. (2017). Tyrosinase inhibitor and antioxidant activity of seaweed powder from fresh and dried *Sargassum plagyophyllum*. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3), 488-493.



- Artemisia, R., E. P. Setyowati, R. Martien, dan A. K. Nugroho. 2019. The properties of brown marine algae *sargassum Turbinarioides* and *sargassum Illicifolium* collected from Yogyakarta, Indonesia. *Indonesian Journal of Pharmacy*, 30(1): 43–51. DOI: 10.14499/indonesian jpharm30iss1pM25T353
- Arifin, Z., & D. Permata. (2020). Ekstraksi senyawa bioaktif dari rumput laut coklat menggunakan pelarut etanol. *Jurnal Sains Perairan*, 5(2), 45–53.
- Aslanbay,Guler., B. Deniz, I. Z. Demirel, & E. Imamoglu. (2020). Evaluation of scale-up methodologies and computational fluid dynamics simulation for fucoxanthin production in airlift photobioareactor. *Asia-Pacific Journal of Chemical Engineering*, 15(6), e2532.
- Asmara, D. H. (2022). Aktivitas antioksidan dan komponen bioaktif rumput laut coklat. *Jurnal Sains Kelautan Indonesia*, 27(1), 11–20.
- Badarinath, A. V., K.M. Rao, C. M. S. Chetty, S. T. V. S. R. Ramkanth, T. V. S. Rajan, dan K. Gnanaprakash. (2010). A review on in-vitro antioxidant methods: comparisons, correlations and considerations. *International Journal of PharmTech Research*, 2(2), 1276-1285.
- Bakar, M. F. A., M. Gyurkač, S. Baroutian. (2025). Fucoxanthin: an emerging ingredient in cosmeceutical formulations. *Trends in Food Science & Technology*. <https://doi.org/10.1016/j.jdsct.2025.100085>
- Balanquit, R., dan R. Fuentes. (2015). Antioxidant activity of several *sargassum* species. *Asian Journal of Biological Sciences*, 8(4), 55–62.
- Banik, S. B. A. S. G. S. Bandyopadhyay, dan S. Ganguly. (2003). Bioeffects of microwave—a brief review. *Bioresource technology*, 87(2), 155-159.
- Billakanti, J. M., O. J. Catchpole, T. A. Fenton, K. A. Mitchell, & A. D. MacKenzie. (2013). Enzyme-assisted extraction of fucoxanthin and lipids containing polyunsaturated fatty acids from *Undaria pinnatifida* using dimethyl ether and ethanol. *Process biochemistry*, 48(12), 1999-2008.
- Britton, G., S. Liaaen-Jensen, & H. Pfander. (Eds.). (2008). Carotenoids, vol. 4: natural functions (vol. 4). Springer Science & Business Media.
- Burnett, C. L. Bergfeld, W. F. Belsito, D. V. Hill, R. A. Klaassen, C. D. Liebler, F. A. Andersen. (2010). Final report of the safety assessment of kojic acid as used in cosmetics. *International journal of toxicology*, 29(6\_suppl), 244S-273S.
- Budhiyanti, S. A., Isnansetyo, A. I. Setyaningsih, & M. T. Susanto (2017). Aktivitas antioksidan dan komponen bioaktif rumput laut coklat dari pantai gunungkidul. *Jurnal Teknologi Hasil Perikanan*, 6(1), 45–52.



- Carocho, M., & I. C. Ferreira. (2013). A review on antioxidants, prooxidants and related controversy: natural and synthetic compounds, screening and analysis methodologies and future perspectives. *Food and chemical toxicology*, 51, 15-25.
- Catanzaro, E., A. Bishayee, & C. Fimognari. (2020). On a beam of light: photoprotective activities of the marine carotenoids astaxanthin and fucoxanthin in suppression of inflammation and cancer. *Marine drugs*, 18(11), 544.
- Cravotto, G., P. Cintas, & A. Gavriilidis. (2008). Non-conventional extraction methods: ultrasonic-assisted extraction and other innovative technologies. In *Handbook of Green Chemistry: Extraction Technologies for Organic Sources* (Vol. 8). Wiley-VCH.
- Chang, T. S. (2009). An updated review of tyrosinase inhibitors. *International Journal of Molecular Sciences*, 10(6), 2440-2475.
- Chemat, F., N. Rombaut, A. G. Sicaire, A. Meullemiestre, A. S. Fabiano-Tixier, & M. Abert-Vian. (2017). Ultrasound assisted extraction of food and natural products. mechanisms, techniques, combinations, protocols and applications. A Review. *Ultrasonics Sonochemistry*, 34, 540-560.
- Chen, W. C., S. W. Wang, C. W. Lin, H. R. Yang, C. S. Chu, Y. C. Lee, & J. J. Chen. (2022). Comparison of various solvent extracts and major bioactive components from *Portulaca oleracea* for antioxidant, anti-tyrosinase, and anti- $\alpha$ -glucosidase activities. *Antioxidants (Basel, Switzerland)*, 11(2), 398. <https://doi.org/10.3390/antiox11020398>
- Chen, D., X. Yuan, X. Zheng, J. Fang, G. Lin, R. Li, J. Chen, W. He, Z. Huang, W. Fan, L. Liang, C. Lin, J. Zhu, Y. Chen, & T. Xue. (2022). Multi-omics analyses provide insight into the biosynthesis pathways of fucoxanthin in *Isochrysis galbana*. *Genomics, proteomics & bioinformatics*, 20(6), 1138–1153. <https://doi.org/10.1016/j.gpb.2022.05.010>
- Chew, K. W., S. R. Chia, S. Y. Lee, L. Zhu, & P.L Show. (2019). Enhanced microalgal protein extraction and purification using sustainable microwave-assisted multiphase partitioning technique. *Chemical Engineering Journal*, 367, 1-8.
- Craft, B. D., A. L. Kerrihard, R. Amarowicz, & R. B. Pegg. (2012). Phenol-based antioxidants and the in vitro methods used for their assessment. *Comprehensive Reviews in Food Science and Food Safety*, 11(2), 148-173.
- Cotas, J., A. Leandro, P. Monteiro, D. Pacheco, A. Figueirinha, A. M. Gonçalves, dan L. Pereira. (2020). Seaweed phenolics: from extraction to applications. *Marine drugs*, 18(8), 384.



- Damayanti, P. K., Husni, A., & S.A Budhiyanti. (2021). Antioxidant activity and consumer preference of brown algae *Sargassum hystrix* juice as a functional drink. *agriTECH*, 41(2). <https://doi.org/10.22146/agritech.26665>
- Das, A., S. Biswas, K. Satyaprakash, D. Bhattacharya, P. K. Nanda, G. Patra, and A. K. Das. 2024. Ratanjot (*Alkanna tinctoria* L.) root extract, rich in antioxidants, exhibits strong antimicrobial activity against foodborne pathogens and is a potential food preservative. *Foods*. 13(14): 2254.
- Delgado-Vargas, F., A. R. Jiménez, & O. Paredes-López. (2000). Natural pigments: carotenoids, anthocyanins, and betalains—characteristics, biosynthesis, processing, and stability. *Critical reviews in food science and nutrition*, 40(3), 173-289.
- Denis, E., T. Papurina, A. Koliada, & A. Vaiserman. (2019). Evaluation of the stimulating and protective effects of fucoxanthin against human skin fibroblasts: an in vitro study. *Clin Dermatol (Wilmington)*, 2(1), 1-8.
- Departemen Kesehatan Republik Indonesia. (2000). Parameter standar umum ekstrak tumbuhan obat (Dirjen POM). Jakarta: Departemen Kesehatan RI.
- Derwenskus, F., F. Metz, A. Gille, U. Schmid-Staiger, K. Briviba, U. Schließmann, & T. Hirth. (2019). Pressurized extraction of unsaturated fatty acids and carotenoids from wet *Chlorella vulgaris* and *Phaeodactylum tricornutum* biomass using subcritical liquids. *Gcb Bioenergy*, 11(1), 335-344.
- Dey, G., & V. K. Rathod. (2013). Ultrasound assisted extraction of bioactives from plants and seaweeds: mechanism, optimization and applications. *Ultrasonics Sonochemistry*, 20(6), 1423–1432.
- Del Pilar Sánchez-Camargo, A. Pleite, N. Herrero, M. Cifuentes, A. Ibáñez, & B. Gilbert-López. (2017). New approaches for the selective extraction of bioactive compounds employing bio-based solvents and pressurized green processes. *The Journal of Supercritical Fluids*, 128, 112-120.
- Dimara, L., H. Tuririday, & T. N. Yenusi. (2012). Identifikasi dan fotodegradasi pigmen klorofil rumput laut *Caulerpa racemosa* (Forsskal) J. Agardh. *Jurnal Biologi Papua*, 4(2), 47-53.
- Din, N. A. S., A. S. Mohd Alayudin, Sofian-Seng, N.S, H. A Rahman, N. S. Mohd Razali, S. J. Lim, & W. A Wan Mustapha. (2022). Brown algae as functional food source of fucoxanthin: a review. *Foods*, 11(15), 2235. <https://doi.org/10.3390/foods11152235>
- Diaz, R. V. (2018). Fucoxanthin: A carotenoid from macroalgae with antioxidant and anti-obesity potential. *Journal of Applied Phycology*, 30(1), 1–15.



- Domozych, D. S. (2001). Algal cell walls. Dalam : eLS (Encyclopedia of Life Science). Wiley-Blackwell. DOI:10.1002/9780470015902.a0000315.pub3.
- Donn, P., Prieto, M. A, Mejuto, J. C, Cao, H, & Simal-Gandara, J. (2022). Functional foods based on the recovery of bioactive ingredients from food and algae by-products by emerging extraction technologies and 3d printing. *Food Bioscience*, 49, 101853.
- Erina, M., & Husni, A. (2024). Pengaruh penambahan serbuk serai terhadap aktivitas antioksidan dan tingkat penerimaan teh rumput laut *Sargassum hystrix*. Skripsi. Universitas Gadjah Mada.
- Firdaus, M. (2019). Pigmen rumput laut dan manfaat kesehatannya. Universitas Brawijaya Press.
- Flora, L. A. C., Shanmugam, K, & Sahadevan, R. (2024). Ultrasonic-assisted extraction of fucoxanthin from marine macroalga *Padina australis*: optimization, bioactivity, and structural characterization. *Proceedings of Anticancer Research*, 8(5). <http://ojs.bbwpublisher.com/index.php/PAR> Retrieved from
- Foo, S. C., Khoo, K. S, Ooi, C. W, Show, P. L, Khong, N. M, & Yusoff, F. M. (2021). Meeting sustainable development goals: alternative extraction processes for fucoxanthin in algae. *Frontiers in bioengineering and biotechnology*, 8, 546067.
- Fung, A. Y. C, Hamid, N, & Lu, J. (2013). The fucoxanthin content and antioxidant properties of *Undaria pinnatifida* from Marlborough Sound, New Zealand. *Food Chemistry*, 136, 1055–1062. <https://doi.org/10.1016/j.foodchem.2012.09.024>
- Furi, Mustika., Dona, Rahma, Aryani, Fina., Umar, Rahayu, Fernando, Armon, Muharni, Septi, Husnawati, Suhery, Wira, Octaviani, Melzi. (2022). Uji inhibitor enzim tirosinase ekstrak dan perlakuan daun kedabu (*Sonneratia ovata backer*) secara in-vitro. *Jurnal Ilmiah Manuntung*. 8. 201-214. 10.51352/jim.v7i2.
- Gazali, M., Suhardani, M. N, Husni, A, Nurjanah, N, Zuriat, Z, Hasanah, U, & Syafitri, R. (2024). Aktivitas inhibisi tirosinase ekstrak etanol rumput laut *Ulva lactuca* secara in vitro: in vitro tyrosinase inhibitory activity of ethanol extract of seaweed *Ulva lactuca*. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 27(7), 564-585.
- Gharibzahedi, S. M.T. Razavi, S. H, & Mousavi, M. (2015). Optimal development of a new stable nutraceutical nanoemulsion based on the inclusion complex of 2-hydroxypropyl- $\beta$ -cyclodextrin with canthaxanthin accumulated by *Dietzia natronolimnaea* HS-1 using ultrasound-assisted emulsification. *Journal of Dispersion Science and Technology*, 36(5), 614-625
- Gilbert-López, B., A. Barranco, Herrero, M. Cifuentes, & E. Ibáñez. (2017). Development of new green processes for the recovery of bioactives from *Phaeodactylum tricornutum*. *Food Research International*, 99, 1056-1065.



- Ginting, F., & Husni, A. (2020). Antioxidant activity of *Sargassum hystrix* flour from Gunung Kidul waters. *Journal of Marine Research*, 9(2), 121–128.
- Gomez-Zavaglia, A. Barros, L. Prieto, M. A. & L. Cassani. (2023). Recent progress in understanding the impact of food processing and storage on the structure–activity relationship of fucoxanthin. *Foods*, 12(17), 3167.
- Gomes, L., Monteiro, P. Cotas, J. Goncavales, A.M.M. Fernandes, C. Goncalves, T. & I. Pereira. 2022. Seaweed's pigments and phenolic compounds with antimicrobial potential. *De Gruyter*, 13: 89–102. DOI: 10.1515/bmc-2022-000
- Gotama, T. L., Husni, A. & Isnansetyo, A. (2021). Characteristics and cytotoxic activity of fucoidan from the brown seaweed *Sargassum hystrix* against MCF-7 breast cancer cells. *Tropical Journal of Natural Product Research*, 5(3), 410–416.
- Gotama, T. L., Husni, A. & Isnansetyo, A. (2024). Anticancer activity of fucoidan from *Sargassum hystrix* against lung cancer cells (A549). *Transylvanian Review*, 31(3).
- Gouveia, L., Batista, A. P. Sousa, I. Raymundo, A. & Bandarra, N. M. (2009). Microalgae in novel food products. *Algae: Nutrition, Pollution Control and Energy Sources*, 265-300.
- Gülçin, İ. (2012). Antioxidant activity of food constituents: an overview. *Archives of Toxicology*, 86(3), 345–391. <https://doi.org/10.1007/s00204-011-0774-2>
- Harborne, J. B. (1987). *Metode fitokimia: penuntun cara modern menganalisis tumbuhan* (terjemahan K. Padmawinata & I. Soediro). Bandung: ITB Press.
- Hakozaki, T., Minwalla, L. Zhuang, J. (2002) The effect of niacinamide on reducing cutaneous pigmentation and suppression of melanosome transfer. *British Journal of Dermatology*, 147, 20-31. <http://dx.doi.org/10.1046/j.1365-2133.2002.04834.x>
- Haugan, J. A. (1994). Algal carotenoids 54. carotenoids of brown algae (*Phaeophyceae*). *Biochemical Systematics and Ecology*, 22(1), 31-41.
- Holdt, S. L., & Kraan, S. (2011). Bioactive compounds in seaweed: functional food applications and legislation. *Journal of applied phycology*, 23(3), 543-597.
- Husni, A., Fauzi, D. N., & Nugroho, A. E. (2021). Anti-stress effect of brown seaweed *Sargassum hystrix* ethanol extract on cold-induced stress in wistar rats. *Tropical Journal of Natural Product Research*, 5(9), 1550–1555.
- Husni, A., Budhiyanti, S.A. & Setiyawan, A. (2024). Suatu sediaan teh celup yang terdiri dari serbuk rumput laut *Sargassum hystrix* dan serbuk kayu manis (*Cinnamomum verum*). Paten No. P00202101486.



- Hong, DD., Thom, LT. Ha, NC. Thu, NTH, Hien, HTM, Tam, LT, Dat, NM, Duc, TM, Tru, NV, Hang, NTM, Ambati, RR. 2023. Isolation of fucoxanthin from *Sargassum oligocystum* Montagne, 1845 seaweed in vietnam and its neuroprotective activity. *Biomedicines*. 19;11(8):2310. doi: 10.3390/biomedicines11082310. PMID: 37626806; PMCID: PMC10452663.
- Iqhrammullah, M. (2021). Kandungan antioksidan rumput laut coklat dan aplikasinya. *Journal of Marine Science*, 12(3), 155–164.
- Januar, H.I. & Wikanta, T. 2011. Korelasi kandungan fukosantin dari *Turbinaria sp.* terhadap nutrien laut di pantai Binuangun dan Krakal. *Jurnal Peneliti pada Balai Besar Riset Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan*, 6(1), pp.18-25.
- Jaswir, I., Noviendri, D. Salleh, H. M. Taher, M. & Miyashita, K. (2011). Isolation of fucoxanthin and fatty acids analysis of *Padina australis* and cytotoxic effect of fucoxanthin on human lung cancer (h1299) cell lines. *African Journal of Biotechnology*, 10(81), 18855-18862.
- Jaswir I, Noviendri, D. Salleh, HM. 2013. Analysis of fucoxanthin content and purification of all-trans-fucoxanthin from *Turbinaria turbinata* and *Sargassum plagyophyllum* by SiO<sub>2</sub> open column chromatography and reversed phase HPLC. *Journal of Liquid Chromatography & Related Technologies*. 36(10): 1340 1354. DOI:[10.1080/10826076.2012.691435](https://doi.org/10.1080/10826076.2012.691435)
- Jeffrey, S. W. (1974). Profiles of photosynthetic pigments in marine algae. *Marine Biology*, 26(1), 101–110.
- Jensen, A. (1978). Chlorophylls and carotenoids. *Handbook of phycological methods, physiological and biochemical methods*. Cambridge University Press, Cambridge, 59-70.
- Jesumani, V., Du, H. Aslam, M. Pei, P. & Huang, N. (2019). Potential use of seaweed bioactive compounds in skincare—a review. *Marine drugs*, 17(12), 688.
- Kadam, S. U., Tiwari, B. K. & O'Donnell, C. P. (2013). Application of novel extraction technologies for bioactives from marine algae. *Journal of agricultural and food chemistry*, 61(20), 4667-4675.
- Kang, S. Y., Kang, H. Lee, J. E. Jo, C. S. Moon, C. B. Ha, J. & Choi, J. (2020). Antiaging potential of fucoxanthin concentrate derived from *Phaeodactylum tricornutum*. *Journal of Cosmetic Science*, 71(2): 53-64.
- Karpiński, T. M., & Adamczak, A. (2019). Fucoxanthin—an antibacterial carotenoid. *Antioxidants*, 8(8), 239.
- Kasanah, N., & Agustini, Y. (2015). Bioactive compounds from brown algae: a review. *Indonesian Journal of Marine Sciences*, 20(2), 67–78.



- Khaw, Y. S., Yusoff, F. M., Tan, H. T. Noor Mazli, N. A. I. Nazarudin, M. F. Shaharuddin, N. A. & Omar, A. R. (2021). The critical studies of fucoxanthin research trends from 1928 to june 2021: a bibliometric review. *Marine drugs*, 19(11), 606.
- Kim, K. N., Heo, S. J. Yoon, W. J. Kang, S. M. Ahn, G. Yi, T. H. & Jeon, Y. J. (2010). Fucoxanthin inhibits the inflammatory response by suppressing the activation of NF- $\kappa$ B and MAPKs in lipopolysaccharide-induced RAW 264.7 macrophages. *European Journal of Pharmacology*, 649(1-3), 369–375. <https://doi.org/10.1016/j.ejphar.2010.09.032>
- Kim, S. H., & Lee, J. H. (2021). Fucoxanthin as a potent antioxidant in marine brown algae. *Journal of Food Biochemistry*, 45(6), e13721.
- Kim, K.-N., Ahn, G., Heo, S. J. Kang, S. M. Kang, M. C. Yang, H. M. Kim, D. Roh, S. W. Kim, S. K. Jeon, B. T. (2013). Inhibition of tumor growth in vitro and in vivo by fucoxanthin against melanoma B16M20T35HA0 cells. *Environmental Toxicology and Pharmacology*, 35, 39–46.
- Kim, S.M., Kang, S.W., Kwon, O.N. Chung, D., & Pan, C.H. (2012). Fucoxanthin as a major carotenoid in *Isochrysis aff. galbana*: characterization of extraction for commercial application. *Journal of the Korean Society for Applied Biological Chemistry*, 55(4), 477-483.
- Kim, J. C. (2014). Solvent extraction of fucoxanthin from *Phaeodactylum tricornutum*. *Separation Science and Technology*, 49(3), 410-415. <https://doi.org/10.1080/01496395.2013.839703>.
- Koivikko, R. (2008). Phenolic compounds in brown algae. *Journal of Chemical Ecology*, 34(8), 1080–1090.
- Kuczyńska, P., Jemiola-Rzeminska, M. & Strzalka, K. (2015). Photosynthetic pigments in marine algae and cyanobacteria. *Marine Drugs*, 13(10), 6060–6101.
- Kumar, R. G., Lekshmi, N. C. J. Tejpal, C. S. Anas, K. K. Vishnu, K. V. Mohanan, V. Pavithra, P. A. & Venkatesan, J. (2023). Exploring the versatility of ultrasound-assisted extraction as an emerging sustainable platform towards establishment of seaweed biorefinery. *Journal of Applied Phycology*, 35, 123–145.
- Lailatussifa, R., Husni, A. & Isnansetyo, A. (2017). Antioxidant activity and proximate analysis of dry powder from brown seaweed *Sargassum hystrix*. *Jurnal Perikanan UGM*, 19(1), 29–37. <https://doi.org/10.22146/jfs.23885>



- Le Lann, K., Ferret, V. & Zubia, M. (2012). Total phenolic, size-fractionated phenolics and fucoxanthin content of tropical *Sargassaceae* (*Fucales*, *Phaeophyceae*) from the south pacific ocean: spatial and specific variability. *Phycological Research*, 60(1), 37–50. <https://doi.org/10.1111/j.1440-1835.2011.00634.x>
- Li, F., Rui, X. Amenorfenyo, D. K. Pan, Y. Huang, X. & Li, C. (2023). effects of temperature, light and salt on the production of fucoxanthin from *Conticribra weissflogii*. *Marine Drugs*, 21(9), 495.
- Liguori, I., Russo, G. Curcio, F. Bulli, G. Aran, L. Della-Morte, D. Gargiulo, G. Testa, G. Cacciatore, F. Bonaduce, D. & Abete, P. (2018). Oxidative stress, aging, and diseases. *Clinical interventions in aging*, 13, 757–772. <https://doi.org/10.2147/CIA.S158513>
- Limantara, L., & Heriyanto, H. (2012). Optimasi proses ekstraksi fukosantin rumput laut coklat *Padina australis hauck* menggunakan pelarut organik polar. *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, 16(2), 86-94.
- Linares, G., & Rojas, M. L. (2022). Ultrasound-assisted extraction of natural pigments from food processing by-products: a review. *Frontiers in Nutrition*, 9, 891462.
- Liu, Y., Shi, Y. Wang, Y. Wang, Z. Wang, Y. Lu, Y. & Qi, H. (2024). A novel fucoxanthin enriched seaweed gummy: physicochemical qualities and protective effect on UVB-induced retinal müller cells. *Food Chemistry: X*, 23, 101648. <https://doi.org/10.1016/j.fochx.2024.101648>
- Lopes, C., Obando, J. M. C. Santos, T. C. D. Cavalcanti, D. N. & Teixeira, V. L. (2024). Abiotic factors modulating metabolite composition in brown algae (*Phaeophyceae*): Ecological Impacts and Opportunities for Bioprospecting of Bioactive Compounds. *Marine Drugs*, 22(12), 544.
- Lourenço-Lopes, C., Fraga-Corral, M. Garcia-Perez, P. Carreira-Casais, A. Silva, A. Simal-Gandara, J. & Prieto, M. A. (2022). A HPLC-DAD method for identifying and estimating the content of fucoxanthin,  $\beta$ -carotene and chlorophyll a in brown algal extracts. *Food Chemistry Advances*, 1, 100095.
- Lourenço-Lopes, C., Garcia-Oliveira, P. Carpena, M., Fraga-Corral, M. Jimenez-Lopez, C., Pereira, A. G. Prieto, M. A. & Simal-Gandara, J. (2020). Scientific approaches on extraction, purification and stability for the commercialization of fucoxanthin recovered from brown algae. *Foods (Basel, Switzerland)*, 9(8), 1113. <https://doi.org/10.3390/foods9081113>
- Lutfiawan, D. (2015). Habitat dan karakteristik morfologi *Sargassum sp.* di Perairan tropis. *Jurnal Ilmu Kelautan*, 20(3), 155–162.
- Lutfiawan, M. (2015). Analisis pertumbuhan *Sargassum sp.* dengan sistem budidaya yang berbeda di Teluk Ekas Lombok Timur sebagai bahan pengayaan mata kuliah ekologi tumbuhan. *Jurnal Biologi Tropis*.



- Maeda, H., Hosokawa, M. Sashima, T. Funayama, K. & Miyashita, K. (2005). Fucoxanthin from edible seaweed, *Undaria pinnatifida*, shows antiobesity effect through UCM20T35 expression in white adipose tissues. *Biochemical and biophysical research communications*, 332(2), 392-397.
- Maeda, H., Hosokawa, M. Sashima, T. & Miyashita, K. (2008). Seaweed carotenoid, fucoxanthin, as a multi-functional nutrient. *Asia Pacific Journal of Clinical Nutrition*, 17(Suppl. 1), 196–199.
- Maeda, H., Fukuda, S. Izumi, H. & Saga, N. (2018). Anti-oxidant and fucoxanthin contents of brown alga ishimozuku (*Sphaerotrichia divaricata*) from the West Coast of Aomori, Japan. *Marine Drugs*, 16(8), 255.
- Maeda, K., & Fukuda, M. (1996). Arbutin: mechanism of its depigmenting action in human melanocyte culture. *The Journal of pharmacology and experimental therapeutics*, 276(2), 765-769.
- Mamonto, K.D., Ramadhan, A.M. & Rijai, L. 2015. Profil kromatografi lapis tipis metabolit sekunder ekstrak perlakuan etil asetat daun alpukat (*Persea americana Mill*) hasil pemisahan kromatografi kolom gravitasi. *Prosiding Seminar Nasional Kefarmasian ke – 1*, pp.100–107
- Marcolin, G., & Collini, E. (2021). Solvent-dependent characterization of fucoxanthin through 2D electronic spectroscopy reveals new details on the intramolecular charge-transfer state dynamics. *The Journal of Physical Chemistry Letters*, 12(20), 4833-4840.
- Martin, L. J. (2015). Fucoxanthin and its metabolite fucoxanthinol in cancer prevention and treatment. *Marine Drugs*, 13(8), 4784–4798. <https://doi.org/10.3390/md13084784>
- Mayasari, D., Murti, Y. B. Sudarsono, S. & Pratiwi, S. U. T. (2021). Phytochemical, antioxidant and antibacterial evaluation of *Melastoma malabathricum L.*: an Indonesian traditional medicinal plant. *Tropical Journal of Natural Product Research*, 5(5), 819–824.
- Medina, E., Cerezal, P. Morales, J. & Ruiz Domínguez, M. C. (2019). Fucoxanthin from marine microalga *Isochrysis galbana*: optimization of extraction methods with organic solvents. *Dyna*, 86(210), 174-178.
- Meriam, D. (2016). Morfologi dan struktur thallus *Sargassum sp.* *Journal of Marine Biology*, 13(1), 22–29.
- Mikami, K., & Hosokawa, M. (2013). Biosynthetic pathway and health benefits of fucoxanthin, an algae-specific xanthophyll in brown seaweeds. *International journal of molecular sciences*, 14(7), 13763-13781.



- Miyashita, K. (2020). Fucoxanthin from brown algae: extraction, stability, and antioxidant properties. *Marine Biotechnology*, 22(1), 1–11.
- Mouahid, A., Crampon, C. Toudji, S. A. A. & Badens, E. (2013). Supercritical CO<sub>2</sub> extraction of neutral lipids from microalgae: experiments and modelling. *The Journal of Supercritical Fluids*, 77, 7-16.
- Mohibullah, M., Haque, M. N. Sohag, A. A. M. Hossain, M. T., Zahan, M. S. Uddin, M. J. Hannan, M. A., Moon, I. S. & Choi, J. S. (2022). A systematic review on marine algae-derived fucoxanthin: an update of pharmacological insights. *Marine Drugs*, 20(5), 279. <https://doi.org/10.3390/md20050279>
- Molyneux, P. (2004). The use of the stable free radical Diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. sci. technol*, 26(2), 211-219.
- Muñoz-Quintana, M., Padrón-Sanz, C., Dolbeth, M. Arenas, F. Vasconcelos, V. & Lopes, G. (2024). Revealing the potential of fucus vesiculosus linnaeus for cosmetic purposes: chemical profile and biological activities of commercial and wild samples. *Marine Drugs*, 22(12), 548.
- Nie, Y., Zhao, X. Wang, X. & Li, Q. (2021). Optimization and kinetic modeling of ultrasonic-assisted extraction of fucoxanthin from edible brown algae *Sargassum fusiforme* using green solvents. *Journal of Food Processing and Preservation*. <https://doi.org/10.1111/jfpp.15929>
- Nie, J., Chen, D. Lu, Y. & Dai, Z. (2021). Effects of various blanching methods on fucoxanthin degradation kinetics, antioxidant activity, pigment composition, and sensory quality of *Sargassum fusiforme*. *Lwt*, 143, 111179.
- Neumann, U., Derwenskus, F. Flaiz Flister, V. Schmid-Staiger, U. Hirth, T. & Bischoff, S. C. (2019). Fucoxanthin, a carotenoid derived from *Phaeodactylum tricornutum* Exerts antiproliferative and antioxidant activities in vitro. *Antioxidants*, 8(6), 183. <https://doi.org/10.3390/antiox8060183>
- Noviendri, D. (2014). Isolation and microencapsulation of fucoxanthin for drug delivery system of human lung cancer (H1299) cell line (Doctoral dissertation). *International Islamic University Malaysia*
- Nuraini, D., Alamsjah, M.A. & Saputra, E. 2021. Aplikasi ekstrak pigmen fukosantin dari *Sargassum sp.* terhadap kualitas fisik sediaan pewarna pipi (blusher). *Journal of Marine and Coastal Science*, 10(2): 74-84. DOI: 10.20473/jmcs.v10i2.27659
- Nursid, M. (2013). Extraction and purification of fucoxanthin from brown seaweed. *Journal of Applied Phycology*, 25(4), 1201–1209.



- Nur, Syamsu., I. Rumiati, I. & Lukitaningsih, E. (2017). Skrining aktivitas antioksidan, antiaging dan penghambatan tirosinase dari ekstrak etanolik dan etil asetat daging buah dan kulit buah langsung (*Lansium domesticum corr*) secara in vitro. *Traditional Medicine Journal*, 22(1), 63–72.
- Nuraini, A., Dwimalida, R. & Noviarni, I. (2025). Uji aktivitas antioksidan virgin coconut oil (VCO) dengan penambahan enzim papain menggunakan metode 1, 1 Diphenyl-2-Picryhidrazyl (DPPH). *Algoritma: Jurnal Matematika, Ilmu pengetahuan Alam, Kebumihan dan Angkasa*, 3(1), 48-58.
- Nurusholah, T., Ma'ruf, W. F. & Ibrahim, R. (2014). Pengaruh perbedaan penambahan konsentrasi ZnCl<sub>2</sub> dalam ekstrak kasar pigmen klorofil rumput laut *Sargassum sp.* terhadap stabilitasnya. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 3(1), 89-97.
- Oktarina, E. 2017. Alga : potensinya pada kosmetik dan biomekanismenya. *Majalah Teknologi Agro Industri (Tegi)*, 9(2): 1–7
- Oliyaei, N., Moosavi-Nasab, M. Tamaddon, A. M. & Fazaeli, M. (2020). Double encapsulation of fucoxanthin using porous starch through sequential coating modification with maltodextrin and gum arabic. *Food science & nutrition*, 8(2), 1226-1236.
- Oliyaei, N., Moosavi-Nasab, M. Tamaddon, A. M. & Tanideh, N. (2021). Antidiabetic effect of fucoxanthin extracted from *Sargassum angustifolium* on streptozotocin-nicotinamide-induced type 2 diabetic mice. *Food Science & Nutrition*, 9(7), 3521-3529.
- Pang, Y., Duan, L. Liu, X. Cui, Y. & Wang, T. (2024). Extraction of fucoxanthin from marine organisms and its therapeutic effect on cancer cells. *Journal of Biobased Materials and Bioenergy*, 18(6), 977-987.
- Papadaki, C., Varela, J. & Paseiro-Losada, P. (2017). Ultrasound-assisted extraction for recovery of lipid fractions from microalgae using green solvents. *Journal of Renewable Materials*, 5(10), 647–656.
- Pasaribu, M. N., Pramesti, R. & Sedjati, S. (2025). Pembentukan zona hambat patogen *Staphylococcus aureus* dan *Escherichia coli* terhadap pigmen fukosantin ekstrak *Sargassum polycystum* C. Agardh. *Journal of Marine Research*, 14(1), 72-78.
- Pasaribu, R., Hutagalung, R. & Simbolon, M. (2025). Chromatographic behavior of fucoxanthin under various solvent polarities. *Journal of Marine Biochemistry*, 14(2), 55– 63.



- Pasquet, V., Chérouvrier, J.-R. Farhat, F. Thiéry, V. Piot, J.-M. Bérard, J.-B. Kaas, R. Serive, B. Patrice, T. Cadoret, J.-P. & Picot, L. (2011). Study on the microalgal pigments extraction process: performance of microwave-assisted extraction. *Journal of Chromatography A*, 1218(6), 871–878. <https://doi.org/10.1016/j.chroma.2010.07.084>
- Pangestuti, R., Shin, K. H. & Kim, S. K. (2021). Anti-photoaging and potential skin health benefits of seaweeds. *Marine Drugs*, 19(3), 172.
- Pangestuti, E.I., Sumardianto & Amalia, U. 2017. Skrining senyawa fitokimia rumput laut *Sargassum sp.* dan aktivitasnya sebagai antibakteri terhadap *Staphylococcus aureus* dan *Escherichia coli*. *Journal of Fisheries Science and Technology*, 12(2): 98–102. DOI: 10.14710/ijfst.12.2.98-102
- Peng, J., Yuan, J. P. Wu, C. F. & Wang, J. H. (2011). Fucoxanthin, a marine carotenoid present in brown seaweeds and diatoms: metabolism and bioactivities relevant to human health. *Marine drugs*, 9(10), 1806-1828.
- Pinnell, S. R., Yang, H. Omar, M. Riviere, N. M. Debuys, H. V. Walker, L. C. & Levine, M. (2001). Topical l-ascorbic acid: percutaneous absorption studies. *Dermatologic surgery*, 27(2), 137-142.
- Qiu, S., Shen, Y. Wu, Z. Zhang, X. & Ge, S. (2021). Effects of algae subtype and extraction condition on extracted fucoxanthin antioxidant property: a 20-year meta-analysis. *Algal Research*, 53, 102161. <https://doi.org/10.1016/j.algal.2020.102161>
- Rahcman, S.D., Mukhtari, Z. & Soedjanaatmadja, U.N.M. 2017. Alga (*Gracilaria coronopifolia*) sebagai sumber fitohormon sitokinin yang potensial. *Chimica et Natura Acta*, 5 (3): 124–131. DOI: 10.24198/cna.v5.n3.16060
- Raguraman, V., MubarakAli, D. Narendrakumar, G. Thirugnanasambandam, R. Kirubakaran, R. & Thajuddin, N. (2018). Unraveling rapid extraction of fucoxanthin from *Padina Tetrastromatica*: purification, characterization and biomedical application. *Process Biochemistry*, 73, 211-219.
- Rajauria, G., Ravindran, R. Garcia-Vaquero, M. Rai, D. K. Sweeney, T. & O'Doherty, J. (2021). Molecular characteristics and antioxidant activity of laminarin extracted from the seaweed species *Laminaria hyperborea*, using hydrothermal-assisted extraction and a multi-step purification procedure. *Food Hydrocolloids*, 112, 106332.
- Rajauria, G., & Abu-Ghannam, N. (2013). Isolation and partial characterization of bioactive fucoxanthin from brown seaweed. *Food Research International*, 50(1), 392– 399.



- Renhoran, M., Noviendri, D. Setyaningsih, I. & Uju. (2017). Ekstraksi dan purifikasi fukosantin dari *Sargassum sp.* sebagai anti-acne. *Jurnal Pengolahan Hasil Perairan Indonesia*, 20(2), 370–379. <http://dx.doi.org/10.17844/jphpi.v20i2.18105>
- Resita, D., Wibowo, T. & Nugroho, A. (2010). Degradation behavior of chlorophyll derivatives during extraction processes. *Indonesian Journal of Marine Science*, 2(3), 112–118.
- Rodriguez-Amaya, D. B. (2015). *Food carotenoids: chemistry, biology and technology*. John Wiley & Sons.
- Rosado-Espinosa, L. A. Freile-Pelegrín, Y. Hernández-Nuñez, E. & Robledo, D. (2020). A comparative study of *Sargassum* species from the Yucatan Peninsula coast: morphological and chemical characterisation. *Phycologia*, 59(3), 1–11.
- Roy, S., Llewellyn, C. A. Egeland, E. S. & Johnsen, G. (Eds.). (2011). *Phytoplankton pigments: characterization, chemotaxonomy and applications in oceanography*. Cambridge University Press.
- Ryu, J. W., Yim, M. J. Kim, J. Y. Lee, J. M. Lee, M. S. Lee, D. S. Hwang, J. Y. Kim, K. T. Kim, Y. M. & Eom, S. H. (2024). Tyrosinase inhibition effects of korean edible brown, green, and red seaweed extracts. *Fisheries and Aquatic Sciences*, 27(7): 468-473. <https://doi.org/10.47853/FAS.2024.e44>
- Saghaie, L., Pourfarzam, M. Fassihi, A. & Sartippour, B. (2013). Synthesis and tyrosinase inhibitory properties of some novel derivatives of kojic acid. *Research in pharmaceutical sciences*, 8(4), 233.
- Sami, F. J., Soekamto, N. H. Firdaus, F. & Latip, J. (2019). Uji aktivitas antioksidan ekstrak alga coklat *Sargassum polycystum* dan *Turbinaria deccurens* asal pulau Dutungan Sulawesi Selatan terhadap radikal DPPH. *Jurnal kimia riset*, 4(1), 1-6.
- Samudra, A. G., Ramadhani, N. Sani, F. (2021). Formulasi nanopartikel kitosan ekstrak methanol alga laut coklat (*Sargassum hystrix*) dengan metode gelasi ionik. *Jurnal Ilmiah Manuntung*, 7(1), 92–99.
- Savira, A. D. R., Amin, M. N. G. & Alamsjah, M. A. (2021, March). The effect of different type of solvents on the antioxidant activity of fucoxanthin extract from brown seaweed *Sargassum duplicatum*. In *IOP Conference Series: Earth and Environmental Science* (Vol. 718, No. 1, p. 012010). IOP Publishing.
- Sari, D. K., Dhena, R. B. Kustiningsih, I. Diansih, D. & Aprillia, E. (2022). Fucoxanthin extraction by ultrasonic-assisted from brown seaweed (*Padina Sp*) origin pulau Merak Banten. In *Materials Science Forum* (Vol. 1057, pp. 107-115). Trans Tech Publications Ltd.
- Shahidi, F., & Ambigaipalan, P. (2015). Novel functional food ingredients from marine sources. *Current Opinion in Food Science*, 2, 123-129.



- Shang, Y. F., Kim, S. M. Lee, W. J. & Um, B. H. (2011). Pressurized Liquid Method For Fucoxanthin Extraction from *Eisenia bicyclis* (Kjellman) setchell. *Journal of bioscience and bioengineering*, 111(2), 237-241.
- Shannon, E., & Abu-Ghannam, N. (2018). Enzymatic extraction of fucoxanthin from brown seaweeds. *International Journal of Food Science and Technology*, 53(9), 2195-2204.
- Setiyawan, A., & Husni, A. (2021). Pengaruh substitusi serbuk kayu manis terhadap aktivitas antioksidan, antidiabetes, dan sifat sensoris minuman fungsional *Sargassum hystrix*. Skripsi. Universitas Gadjah Mada.
- Silva, A., Carpena, M. Garcia-Oliveira, P. Gullón, P. Barroso, M. F. Prieto, M. A. & Simal-Gandara, J. (2020). Macroalgae as a source of valuable antimicrobial compounds: extraction and applications. *Antibiotics*, 9(10), 642. <https://doi.org/10.3390/antibiotics9100642>
- Simanjuntak, L. (2019). Effectiveness of extraction of sappan wood (*Caesalpinia sappan* L.) due to difference of ethanol concentration and material ratio. (Doctoral dissertation, UNIKA Soegijapranata Semarang).
- Sodik, V., Tamat, S.R. Suwarno, T. & Noviendri, D. 2022. Ekstraksi dan purifikasi fukosantin dari rumput laut *Sargassum sp.* sebagai antioksidan. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 14(1): 123–133. DOI: 10.34011/juriskesbdg.v14i1.2057
- Sudhakar, M. P., Ananthalakshmi, J. S. & Nair, B. B. (2013). Extraction, purification and study on antioxidant properties of fucoxanthin from brown seaweeds. *Journal of Chemical and Pharmaceutical Research*, 5(7), 169–175.
- Sugawara, T., Matsubara, K., Akagi, R. Mori, M. & Hirata, T. (2006). Antiangiogenic activity of brown algae fucoxanthin and its deacetylated product, fucoxanthinol. *Journal of Agricultural and Food Chemistry*, 54(26), 9805-9810.
- Suhaila, K., Husni, A. & Sinurat, E. (2019). Characteristics and antioxidant activity of fucoidan from brown seaweed *Sargassum hystrix*. *AAAL Bioflux*, 12(6), 2319–2329.
- Sukandar, T.K., Sukmiwati, M. & Diharmi, A. 2021. Perlakuan aktif rumput laut coklat *Sargassum cinereum*. *Berkala Perikanan Terubuk*, 49(3): 1363–1369. DOI: 10.31258/terubuk.49.3.1363- 1369
- Sulistiyani, Y., Sabdon, A. Afati, N. & Haeruddin. 2021. Fucoxhantin identification and purification of brown algae commonly found in Lombok Island, Indonesia. *Biodiversitas*, 22(3): 1527–1534. DOI: 10.13057/biodiv/d220358



- Sun, H., Yang, S. Zhao, W. Kong, Q. Zhu, C. Fu, X. Zhang, F. Liu, Z. Zhan, Y. Mou, H. & He, Y. (2023). Fucoxanthin from marine microalgae: a promising bioactive compound for industrial production and food application. *Critical Reviews in Food Science and Nutrition*, 63(26), 7996-8012.
- Sun, X., Wang, F. & Li, Y. (2018). Thermal stability and degradation kinetics of fucoxanthin. *Journal of Agricultural and Food Chemistry*, 66(50), 13145–13152.
- Susanti AD, Ardiana D. & Gumelar PG. 2012. Polaritas pelarut sebagai pertimbangan dalam pemilihan pelarut untuk ekstraksi minyak bekatul dari bekatul varietas ketan (*Oriza sativa glatinosa*). Simposium Nasional RAPI XI. Surakarta (ID): Fakultas Teknik Universitas Muhammadiyah Surakarta
- Tabakaev, A. V., & Tabakaeva, O. V. (2024). Antioxidant activity of brown algae CO<sub>2</sub> extracts and lipid stability. *Food Processing: Techniques and Technology*, 54(3), 585–597. <https://doi.org/10.21603/2074-9414-2024-3-2524>
- Telussa, I., Fransina, E. G. Lilipaly, E. R. M. A. P. & Efruan, A. M. I. (2022). Effect of photosynthetic pigment composition of tropical marine microalgae from Ambon Bay *Navicula sp.* TAD On Dye-Sensitized Solar Cell Efficiency. *Science and Technology Indonesia*, 7(4), 486-491.
- Tiwari, B. K. (2015). Ultrasound: a clean, green extraction technology. *TrAC Trends in Analytical Chemistry*, 71, 100-109.
- Tiyas, R. S., Yulianti, E. & Fahrudin, M. M. (2024). penerapan ultrasonik dalam penelitian aktivitas antibakteri *Staphylococcus epidermidis* ekstrak daun kelor (*Moringa oleifera*): pendekatan berbasis sains dan nilai islam. *Es-Syajar: Journal of Islamic Integration Science and Technology*, 2(1), 141-152.
- Tong, A. Y., Cutler, S. T. & Peake, B. M. (2011). Extraction and analysis of pigments from common new zealand seaweeds using thin layer chromatography an investigation for secondary school pupils. *Conventions & Incentives New Zealand*, 1-7.
- Triyanti, S. B., Lestari, F. P. Fitriana, P. A. N. Rostiana, H. R. Silalahi, D. D. Syalsabina, T. D. Putri, R. Y. & Saputra, I. S. (2025). Pengaruh metode ekstraksi maserasi, sonikasi, dan sokletasi terhadap nilai rendemen sampel kulit buah naga (*Hylocereus polyrhizus*). *Jurnal Sains dan Edukasi Sains*, 8(1), 71-78.
- Ummat, V., Sivagnanam, S. P. Rai, D. K. O'Donnell, C. Conway, G. E. Heffernan, S. M. & Tiwari, B. K. (2024). Conventional extraction of fucoidan from irish brown seaweed *Fucus vesiculosus* followed by ultrasound-assisted depolymerization. *Scientific Reports*, 14(1), 6214.



- Wang, Z. P., Wang, P. K., Ma, Y. Lin, J. X. Wang, C. L. Zhao, Y. X. Zhang, X. Y. Huang, B. C. Zhao, S. G. Gao, L. Jiang, J. Wang, H. Y. & Chen, W. (2022). *Laminaria japonica* hydrolysate promotes fucoxanthin accumulation in *Phaeodactylum tricorutum*. *Bioresource technology*, 344(Pt A), 126117. <https://doi.org/10.1016/j.biortech.2021.126117>
- Wati, R. L. (2020). Fucoxanthin content and antioxidant activity Of *Sargassum Polycystum* extracted using maceration. *Jurnal Teknologi Hasil Perikanan*, 9(1), 15–23.
- Widyaswari, S. G., Metusalach, Kasmianti, & Amir, N. (2024). Bioactive compounds and DPPH antioxidant activity of underutilized macroalgae (*Sargassum spp.*) from coastal water of Makassar, Indonesia. *Biodiversitas*, 25(1), 162–168. <https://doi.org/10.13057/biodiv/d250118>
- Won, S., & Kwon, K. H. (2024). Green technology for extraction of bioactive compounds from edible plants. *Journal of Oleo Science*, 73(10), 1249-1265.
- Wu, S., Xie, X. Huan, L. Zheng, Z. Zhao, P. Kuang, J. & Wang, G. (2016). Selection of optimal flocculant for effective harvesting of the fucoxanthin-rich marine microalga *Isochrysis galbana*. *Journal of Applied Phycology*, 28(3), 1579-1588.
- Xia, S., Wang, K. Wan, L. Li, A. Hu, Q. & Zhang, C. (2013). Production, characterization, and antioxidant activity of fucoxanthin from the marine diatom *Odontella aurita*. *Marine drugs*, 11(7), 2667-2681.
- Xie, D., Jin, J. Sun, J. Liang, L. Wang, X. Zhang, W. & Jin, Q. (2017). Comparison of solvents for extraction of krill oil from krill meal: lipid yield, phospholipids content, fatty acids composition and minor components. *Food Chemistry*, 233, 434-441.
- Xiao, X., Si, X. Yuan, Z. Xu, X. & Li, G. (2012). Isolation of fucoxanthin from edible brown algae by microwave-assisted extraction coupled with high-speed countercurrent chromatography. *Journal of Separation Science*, 35(17), 2313-2317.
- Yan, X., Chuda, Y. Suzuki, M. & Nagata, T. (1999). Fucoxanthin as the major antioxidant in *Hijikia fusiformis*, a common edible seaweed. *Journal name unavailable*.
- Ye, Y., Sun, J. Wang, L. Zhu, J. Cui, W. Hou, H. Zhang, J. Zhou, C. & Yan, X. (2021). Isolation and purification of fucoxanthin from brown seaweed *Sargassum horneri* using open ods column chromatography and ethanol precipitation. *Molecules (Basel, Switzerland)*, 26(13), 3777. <https://doi.org/10.3390/molecules26133777>.
- Yin, S., Niu, L. Shibata, M. Liu, Y. & Hagiwara, T. (2022). Optimization of fucoxanthin extraction obtained from natural by-products from *Undaria Pinnatifida* stem using supercritical CO<sub>2</sub> extraction method. *Frontiers in nutrition*, 9, 981176. <https://doi.org/10.3389/fnut.2022.981176>



- Yuan, Y., Ma, M. & Zhang, S. (2023). Recent advances in delivery systems of fucoxanthin. *Food Chemistry*, *404*, 134685.
- Zampino, M., Brennan, N. A. Kuo, P. L. Spencer, R. G. Fishbein, K. W. Simonsick, E. M. & Ferrucci, L. (2020). Poor mitochondrial health and systemic inflammation test of a classic hypothesis in the baltimore longitudinal study of aging. *Geroscience*, *42*(4), 1175-1182.
- Zhao, X., Gao, L. & Zhao, X. (2022). Rapid purification of fucoxanthin from *Phaeodactylum tricornutum*. *Molecules*, *27*(10), 3189. <https://doi.org/10.3390/molecules27103189>
- Zhao, D., Kim, S. M. Pan, C. H. & Chung, D. (2014). Effects of heating, aerial exposure and illumination on stability of fucoxanthin in canola oil. *Food chemistry*, *145*, 505-513.
- Zhang, Q. W., Lin, L. G. & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese medicine*, *13*(1), 20.
- Zhang, Z., Wei, Z. & Xue, C. (2024). Delivery systems for fucoxanthin: research progress, applications and future prospects. *Critical Reviews in Food Science and Nutrition*, *64*(14), 4643-4659.
- Zhuang, G., Ye, Y. Zhao, J. Zhou, C. Zhu, J. Li, Y. & Yan, X. (2022). High-purity fucoxanthin can be efficiently prepared from *Isochrysis zhangjiangensis* by ethanol-based green method coupled with octadecylsilyl (ODS) column chromatography. *Marine Drugs*, *20*(8), 510.
- Zolghadri, S., Bahrami, A. Hassan Khan, M. T. Munoz-Munoz, J. Garcia-Molina, F. Garcia-Canovas, F. & Saboury, A. A. (2019). A comprehensive review on tyrosinase inhibitors. *Journal of enzyme inhibition and medicinal chemistry*, *34*(1), 279-309.
- Zubia, M., Payri, C. & Deslandes, E. (2008). Alginate, mannitol, and fucoxanthin content in *Sargassaceae* species. *Journal of Applied Phycology*, *20*, 103–113.