

DAFTAR PUSTAKA

- Adhikari, P. B., dan Kang, W. H. (2017). Association of floral bud and anther size with microspore developmental stage in campari tomato. *Korean Journal of Horticultural Science and Technology*, 35(5), 608–617. <https://doi.org/10.12972/kjhst.20170065>
- Ahmadi, B., Shariatpanahi, M. E., Asghari-Zakaria, R., Zare, N., dan Azadi, P. (2015). Efficient microspore embryogenesis induction in tomato (*Lycopersicon esculentum* Mill.) using shed microspore culture. *Journal of Pure and Applied Microbiology*, 9(Special Edition 2), 21–29. <https://doi.org/10.13140/RG.2.1.3265.8805>
- Ali, A., Zulfiqar, S., Riaz, A., Lingwan, M., Lianping, S., dan Xianjun, W. (2025). Molecular and Functional Roles of Tapetum Organelles : A Nursing Staff for Pollen Development. *Rice Science*, 32(March), 617–636. <https://doi.org/10.1016/j.rsci.2025.06.003>
- Amin, N., Ahmad, N., Khalifa, M. A. S., Du, Y., Mandozai, A., Khattak, A. N., dan Piwu, W. (2023). Identification and Molecular Characterization of RWP-RK Transcription Factors in Soybean. *Genes*, 14(2), 369. <https://doi.org/10.3390/genes14020369>
- Arabzai, M. G., Huang, D., Khan, N., Gao, J., dan Wang, X. (2025). Techniques and advantages of microspore culture for crop improvement. *Plant Growth Regulation*. <https://doi.org/10.1007/s10725-025-01312-8>
- Arumuganathan, K., dan Earle, E. D. (1991). Estimation of nuclear DNA content of plants by flow cytometry. *Plant Molecular Biology Reporter*, 9(3), 229–233. <https://doi.org/10.1007/BF02672073>
- Badulescu, A., Dumitru, A. M., Manolescu, A. E., Sumedrea, D. I., dan Popescu, C. F. (2022). Androgenic ability and plant regeneration potential in some tomato varieties. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(1), 12413. <https://doi.org/10.15835/nbha50112413>
- Bhaskara, G. B. (2018). Basic principles and recent advances in anther/pollen culture for crop improvement. In M. W. S. Bishun Deo Prasad, Sangita Sahni, Prasant Kumar (Ed.), *Plant Biotechnology, Volume 1* (1st Editio, Issue July, pp. 87–123). Apple Academic Press. <https://doi.org/https://doi.org/10.1201/9781315213743>
- Biswas, R., dan Chaudhuri, S. (2024). The tale of tapetum : from anther walls to pollen wall. *The Nucleus*, 67(3), 611–630. <https://doi.org/10.1007/s13237-024-00510-5>
- Blancard, D. (2013). *Tomato Diseases (Identification, Biology and Control)* (John Fletcher (ed.); Second edi). Manson Publishing.
- BPS. (2024a). *Luas Panen Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman 2022*. <https://www.bps.go.id/id/statistics->

table/3/YlhOVmIxcGlabmRxVURoS1dFbFVTamhaUml0aWR6MDkjMw=
=/luas-panen-tanaman-sayuran-menurut-provinsi-dan-jenis-tanaman--
2022.html?year=2022

BPS. (2024b). *Produksi Tanaman Sayuran 2022*.
<https://www.bps.go.id/id/statistics-table/2/NjEjMg==/produksi-tanaman-sayuran.html>

Breitler, J. C., Campa, C., Georget, F., Bertrand, B., dan Etienne, H. (2016). A single-step method for RNA isolation from tropical crops in the field. *Scientific Reports*, 6(June), 1–6. <https://doi.org/10.1038/srep38368>

Calabuig-serna, A., Mir, R., Sancho-oviedo, D., Arjona-mudarra, P., dan Seguí-Simarro, J. M. (2025). Calcium levels modulate embryo yield in *Brassica napus* microspore embryogenesis. *Front. Plant Sci, January*, 1–16. <https://doi.org/10.3389/fpls.2024.1512500>

Chardin, C., Girin, T., Roudier, F., Meyer, C., dan Krapp, A. (2014). The plant RWP-RK transcription factors: Key regulators of nitrogen responses and of gametophyte development. *Journal of Experimental Botany*, 65(19), 5577–5587. <https://doi.org/10.1093/jxb/eru261>

Chen, S., Li, H., dan Yang, W. (2025). *How microspores are reprogrammed into embryos*. 4. <https://doi.org/Open> Access <https://doi.org/10.48130/seedbio-0025-0026>

Chhabra, G., Chaudhary, D., Varma, M., Sainger, M., dan Jaiwal, P. K. (2008). TDZ-induced direct shoot organogenesis and somatic embryogenesis on cotyledonary node explants of lentil (*Lens culinaris* Medik.). *Physiology and Molecular Biology of Plants*, 14(4), 347–353. <https://doi.org/10.1007/s12298-008-0033-z>

Chime, A. O., Aiwansoba, R. O., Osawaru, M. E., dan Ogwu, M. C. (2017). Morphological Evaluation of Tomato (*Solanum lycopersicum* Linn.) Cultivars. *Makara Journal of Science*, 21(2), 97–106. <https://doi.org/10.7454/mss.v21i2.7421>

Corral-Martínez, P., Nuez, F., dan Seguí-Simarro, J. M. (2011). Genetic, quantitative and microscopic evidence for fusion of haploid nuclei and growth of somatic calli in cultured ms1035 tomato anthers. *Euphytica*, 178(2), 215–228. <https://doi.org/10.1007/s10681-010-0303-z>

FAO. (2024). *Crops and livestock products*. <https://www.fao.org/faostat/en/#data/QCL/visualize>

Fartyal, D., Crane, A., & Yasuor, H. (2025). Plant Stress Pollen development under control and high-temperature stress : the role of plant hormones. *Plant Stress*, 17(November 2024), 100914. <https://doi.org/10.1016/j.stress.2025.100914>

Ferrie, A. M. ., & Caswell, K. L. (2011). Isolated microspore culture techniques and recent progress for haploid and doubled haploid plant production. *Plant Cell*,

Tissue and Organ Culture, 104, 301–309. <https://doi.org/10.1007/s11240-010-9800-y>

Galan-avila, A., Garcia-forteza, E., Prohens, J., & Herraiz, F. J. (2021). Microgametophyte Development in *Cannabis sativa* L. and First Androgenesis Induction Through Microspore Embryogenesis. 12(May). <https://doi.org/10.3389/fpls.2021.669424>

Garcia, C. C., Nepi, M., & Pacini, E. (2016). It is a matter of timing : asynchrony during pollen development and its consequences on pollen performance in angiosperms — a review. <https://doi.org/10.1007/s00709-016-0950-6>

Germanà, M. A. (2011). Anther culture for haploid and doubled haploid production. *Plant Cell, Tissue and Organ Culture*, 104(3), 283–300. <https://doi.org/10.1007/s11240-010-9852-z>

Giorno, F., Wolters-Arts, M., Mariani, C., & Rieu, I. (2013). Ensuring reproduction at high temperatures: The heat stress response during anther and pollen development. *Plants*, 2(3), 489–506. <https://doi.org/10.3390/plants2030489>

Grąbkowska, R., Sitarek, P., & Wysokińska, H. (2014). Influence of thidiazuron (TDZ) pretreatment of shoot tips on shoot multiplication and ex vitro acclimatization of *Harpagophytum procumbens*. *Acta Physiologiae Plantarum*, 36(7), 1661–1672. <https://doi.org/10.1007/s11738-014-1541-9>

Indrianto, A., Barinova, I., Touarev, A., & Heberle-Bors, E. (2000). Tracking individual wheat microspores in vitro: identification of embryogenic microspores and body axis formation in the embryo. *Planta*, 212, 163–174. <https://doi.org/DOI: 10.1007/s004250000375>

Indrianto, A., Heberle-Bors, E., & Touraev, A. (1999). Assessment of various stresses and carbohydrates for their effect on the induction of embryogenesis in isolated wheat microspores. *Plant Science*, 143, 71–79. [https://doi.org/https://doi.org/10.1016/S0168-9452\(99\)00022-9](https://doi.org/https://doi.org/10.1016/S0168-9452(99)00022-9)

Iovane, M., & Aronne, G. (2022). High temperatures during microsporogenesis fatally shorten pollen lifespan. *Plant Reproduction*, 35(1), 9–17. <https://doi.org/10.1007/s00497-021-00425-0>

ITIS. (2024). *Solanum lycopersicum* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=521671#null

Jia, J. X., Zhang, Y., Cui, L. W., & Feng, H. (2019). Effect of thidiazuron on microspore embryogenesis and plantlet regeneration in Chinese flowering cabbage (*Brassica rapa*. var. parachinenis). *Plant Breeding*, 138(6), 916–924. <https://doi.org/10.1111/pbr.12738>

Johansen, D. A. (1940). *Plant Microtechnique*. McGraw-Hill Book Co.

Kohli, A., Sreenivasulu, N., Lakshmanan, P., & Kumar, P. P. (2013). The

- phytohormone crosstalk paradigm takes center stage in understanding how plants respond to abiotic stresses. *Plant Cell Reports*, 32(7), 945–957. <https://doi.org/10.1007/s00299-013-1461-y>
- Kyo, M., & Harada, H. (1986). Control of the developmental pathway of tobacco pollen in vitro. *Planta*, 168, 427–432.
- Li, F., Phyto, P., Jacobowitz, J., Hong, M., & Weng, J. (2019). The molecular structure of plant sporopollenin. *Nature Plants*, 5, 41–046. <https://doi.org/10.1038/s41477-018-0330-7>
- Lichter, R. (1981). Anther Culture of *Brassica napus* in a Liquid Culture Medium. *Zeitschrift Für Pflanzenphysiologie*, 103(3), 229–237. [https://doi.org/10.1016/S0044-328X\(81\)80155-9](https://doi.org/10.1016/S0044-328X(81)80155-9)
- Mangal, M., & Srivasatava, A. (2019). Exploitation of morphological features of bud and anther development for prediction of stages of microsporogenesis and microgametogenesis in pepper. *Indian Journal of Experimental Biology*, 57(May), 368–371.
- Mishra, R., & Rao, G. J. N. (2016). In-vitro Androgenesis in Rice : Advantages , Constraints and Future Prospects. *Rice Science*, 23(2), 57–68. <https://doi.org/10.1016/j.rsci.2016.02.001>
- Motallebi-Azar, A. (2010). Androgenic response of tomato (*Lycopersicon esculentum* Mill.) lines and their hybrids to anther culture. *Russian Agricultural Sciences*, 36(4), 250–258. <https://doi.org/10.3103/s1068367410040087>
- Munoz-Amatriain, M., Svensson, J. T., Castillo, A.-M., Cistue, L., & Close, T. J. (2006). Transcriptome analysis of barley anthers : effect of mannitol treatment on microspore embryogenesis. *Physiologia Plantarum*, 127, 551–560. <https://doi.org/10.1111/j.1399-3054.2006.00729.x>
- Murovec, J., & Bohanec, B. (2012). Haploids and Doubled Haploids in Plant Breeding. In *Plant Breeding* (pp. 87–106). <https://doi.org/10.5772/29982>
- Murray, M. G., & Thompson, W. F. (1980). Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research*, 8(19), 4321–4326. <https://doi.org/10.1093/nar/8.19.4321>
- Ningsih, R., Purwoko, B. S., Syukur, M., & Dewi, I. S. (2016). Induksi Kalus dan Regenerasi Tiga Genotipe Tomat (*Solanum lycopersicon* L.) melalui Kultur Antera. *Jurnal Hortikultura Indonesia*, 7(2), 75–82. <https://doi.org/10.29244/jhi.7.2.75-82>
- Nurbaiti, S., Purwestri, Y. A., Daryono, B. S., Semiarti, E., & Indrianto, A. (2019). Developmental the pattern of embryogenic microspore of rice (*Oryza sativa* L.) based on morphological characteristic. *Journal of Biological Researches*, 25(1), 7–11. <https://doi.org/10.23869/bphjbr.25.1.20192>

- OECD. (2017). Tomato (*Solanum lycopersicum*). In *Safety Assessment of Transgenic Organisms in the Environment* (OECD Conse, Vol. 7, Issue September 2016, pp. 69–105). OECD Publishing. <https://doi.org/https://doi.org/10.1787/9789264279728-en>
- Padmanabhan, P., Cheema, A., & Paliyath, G. (2016). Solanaceous Fruits Including Tomato , Eggplant , and Peppers. In *Encyclopedia of Food and Health* (1st ed.). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-384947-2.00696-6>
- Perez-perez, Y., Solis, M. T., Risueño, M. C., & Testillano, P. S. (2019). Stress-Induced Microspore Embryogenesis Requires Endogenous Auxin Synthesis and Polar Transport in Barley. *Frontiers in Plant Science*, 10(September), 1–16. <https://doi.org/10.3389/fpls.2019.01200>
- Popescu, C. F., Manolescu, A. E., Sumedrea, D. I., & Popescu, A. (2022). Protocol for in Vitro Anther Culture in Tomato and the Characterization of Regenerated Plants. *ANNALS OF THE UNIVERSITY OF CRAIOVA*, 27(63). <https://doi.org/10.52846/bihpt.v27i63.50>
- Prem, D., Solís, M. T., Bárány, I., Rodríguez-Sanz, H., Risueño, M. C., & Testillano, P. S. (2012). A new microspore embryogenesis system under low temperature which mimics zygotic embryogenesis initials, expresses auxin and efficiently regenerates doubled-haploid plants in *Brassica napus*. *BMC Plant Biology*, 12, 127. <https://doi.org/10.1186/1471-2229-12-127>
- Purwestri, Y. A., Lee, Y. S., Meehan, C., Mose, W., Susanto, F. A., Wijayanti, P., Fauzia, A. N., Nuringtyas, T. R., Hussain, N., Putra, H. L., & Gutierrez-Marcos, J. (2023). RWP-RK Domain 3 (OsRKD3) induces somatic embryogenesis in black rice. *BMC Plant Biology*, 23(1), 1–15. <https://doi.org/10.1186/s12870-023-04220-z>
- Rodriguez-Serrano, M., Barany, I., Prem, D., Coronado, M., Risueño, M. C., & Testillano, P. S. (2011). NO , ROS , and cell death associated with caspase-like activity increase in stress-induced microspore embryogenesis of barley. *Journal of Experimental Botany*, 63(5), 2007–2024. <https://doi.org/10.1093/jxb/err400>
- Rost, T. L. (1996). *Flower Anatomy*. <https://labs.plb.ucdavis.edu/rost/tomato/Reproductive/flranat.html>
- Sanchez, M. A., Coronado, A. C. M., & Coronado, Y. M. (2020). Androgenic studies in the production of haploids and doubled haploids in *Capsicum* spp. *Revista Facultad Nacional de Agronomia*, 73(1), 9047–9056. <https://doi.org/10.15446/rfnam.v73n1.76044>
- Seguí-Simarro, J. M. (2021a). *Doubled Haploid Technology (Emerging Tools, Cucurbits, Trees, Other Species)* (John M. Walker (ed.)). Humana Press.
- Seguí-Simarro, J. M. (2021b). *Doubled Haploid Technology (General Topics, Alliaceae, Cereals)* (John M. Walker (ed.); Vol. 1). Humana Press.

- Seguí-Simarro, J. M., & Nuez, F. (2005). Meiotic metaphase I to telophase II as the most responsive stage during microspore development for callus induction in tomato (*Solanum lycopersicum*) anther cultures. *Acta Physiologiae Plantarum*, 27(4B), 675–685.
- Seguí-Simarro, J. M., & Nuez, F. (2008). How microspores transform into haploid embryos: Changes associated with embryogenesis induction and microspore-derived embryogenesis. In *Physiologia Plantarum* (Vol. 134, Issue 1, pp. 1–12). <https://doi.org/10.1111/j.1399-3054.2008.01113.x>
- Seguí-Simarro, J. M., & Nuez, F. (2007). Embryogenesis induction, callogenesis, and plant regeneration by in vitro culture of tomato isolated microspores and whole anthers. *Journal of Experimental Botany*, 58(5), 1119–1132. <https://doi.org/10.1093/jxb/erl271>
- Seguí-Simarro, J. M., & Nuez, F. (2008). How microspores transform into haploid embryos: Changes associated with embryogenesis induction and microspore-derived embryogenesis. *Physiologia Plantarum*, 134(1), 1–12. <https://doi.org/10.1111/j.1399-3054.2008.01113.x>
- Shariatpanahi, M. E., Bal, U., Heberle-Bors, E., & Touraev, A. (2006). Stresses applied for the re-programming of plant microspores towards in vitro embryogenesis. *Physiologia Plantarum*, 127(4), 519–534. <https://doi.org/10.1111/j.1399-3054.2006.00675.x>
- Shimada, T., Endo, T., Fujii, H., Nakano, M., Sugiyama, A., Daido, G., Ohta, S., Yoshioka, T., & Omura, M. (2018). MITE insertion-dependent expression of CitRKD1 with a RWP-RK domain regulates somatic embryogenesis in citrus nucellar tissues. *BMC Plant Biology*, 18(1), 1–19. <https://doi.org/10.1186/s12870-018-1369-3>
- Siemons, C., Jonkers, S., Vlieg, R. C., Corral-mart, P., Noort, J. Van, & Boutilier, K. (2025). Establishment and maintenance of embryogenic cell fate during microspore embryogenesis. *The Plant Journal*, 121(e17243), 1–20. <https://doi.org/10.1111/tpj.17243>
- Singh, M., Tiwari, S. K., Karkute, S. G., Gujjar, R. S., & H.C., P. (2016). *Biology of Solanum lycopersicum (Tomato): Vol. ii* (Issue October 2019). Ministry Of Environment, forest and climate change Government of India.
- Sinha, R. K., Jiang, F., & Eudes, F. (2021). South African Journal of Botany TALE protein mediated overexpression of embryogenesis related marker genes in wheat microspores. *South African Journal of Botany*, 138, 50–56. <https://doi.org/10.1016/j.sajb.2020.12.004>
- Supena, E. D. J. (2004). *Innovations in microspore embryogenesis in Indonesian hot pepper (Capsicum annum L .) and Brassica napus L .* Wageningen Universiteit.
- Supena, E. D. J. (2021). An Efficient Anther Culture on Double-Layered Media to

- Produce Doubled Haploid Plants of Pepper (*Capsicum annuum*). In J. M. Segui-simarro (Ed.), *Doubled Haploid Technology Vol 2*. (pp. 267–278). Humana Press. <https://doi.org/https://doi.org/10.1007/978-1-0716-1335-1>
- Supena, E. D. J., Muswita, W., Suharsono, S., & Custers, J. B. M. (2005). Evaluation of crucial factors for implementing shed-microspore culture of Indonesian hot pepper (*Capsicum annuum* L.) cultivars. *Scientia Horticulturae*, 107(3), 226–232. <https://doi.org/10.1016/j.scienta.2005.08.006>
- Supena, E. D. J., Suharsono, S., Jacobsen, E., & Custers, J. B. M. (2006). Successful development of a shed-microspore culture protocol for doubled haploid production in Indonesian hot pepper (*Capsicum annuum* L.). *Plant Cell Reports*, 25(1), 1–10. <https://doi.org/10.1007/s00299-005-0028-y>
- Suryani, T., Susanti, S., & Utaminingsih. (2020). Microsporogenesis of Ciplukan (*Physalis angulata* L.). *AIP Conference Proceedings*, 2260, 030017-1-030017–10. <https://doi.org/10.1063/5.0016268>
- Syukur, M., Sujiprihati, S., & Yuniarti, R. (2012). *Teknik Pemuliaan Tanaman* (S. Nugroho (ed.); III). Penebar Swadaya.
- Tang, F., Tao, Y., Zhao, T., & Wang, G. (2006). In vitro production of haploid and doubled haploid plants from pollinated ovaries of maize (*Zea mays*). *Plant Cell, Tissue and Organ Culture*, 84(2), 233–237. <https://doi.org/10.1007/s11240-005-9017-7>
- Tedeschi, F., Rizzo, P., Rutten, T., Altschmied, L., dan Bäumlein, H. (2017). RWP-RK domain-containing transcription factors control cell differentiation during female gametophyte development in Arabidopsis. *New Phytologist*, 213(4), 1909–1924. <https://doi.org/10.1111/nph.14293>
- Tefera, A. A. (2017). Review on concept and impact of double haploid techniques in crop improvement. *Journal of Natural Sciences Research*, 7(23), 10–20. www.iiste.org
- Touraev, A., Forster, B. P., dan Jain, S. M. (2009). Advances in haploid production in higher plants. In *Annals of Botany* (Vol. 104, Issue 7, pp. 65–74). <https://doi.org/10.1093/aob/mcp248>
- Valero-Rubira, I., Castillo, A. M., Burrell, M. Á., dan Vallés, M. P. (2023). Microspore embryogenesis induction by mannitol and TSA results in a complex regulation of epigenetic dynamics and gene expression in bread wheat. *Frontiers in Plant Science*, 13, 1–18. <https://doi.org/10.3389/fpls.2022.1058421>
- Vural, G. E., dan Ari, E. (2020). Triple synergistic effect of maltose, silver nitrate and activated charcoal on high embryo yield of eggplant (*Solanum melongena* L.) anther cultures. *Scientia Horticulturae*, 272, 109472. <https://doi.org/10.1016/j.scienta.2020.109472>
- Waki, T., Hiki, T., Watanabe, R., Hashimoto, T., dan Nakajima, K. (2011). The

arabidopsis RWP-RK protein RKD4 triggers gene expression and pattern formation in early embryogenesis. *Current Biology*, 21(15), 1277–1281. <https://doi.org/10.1016/j.cub.2011.07.001>

Wang, M., Van Bergen, S., dan Van Duijn, B. (2000). Insights into a key developmental switch and its importance for efficient plant breeding. *Plant Physiology*, 124(2), 523–530. <https://doi.org/10.1104/pp.124.2.523>

Wang, Y. (2024). *Double haploid (DH) technology can speed up plant breeding research*. https://app.biorender.com/profile/yazhong_wang/templates/6633d21c6e0b0bd71907f08a

Wang, Y., dan Yao, R. (2017). Plantlet regeneration of adult *Pinus massoniana* Lamb. trees using explants collected in March and thidiazuron in culture medium. *Journal of Forestry Research*, 28(6), 1169–1175. <https://doi.org/10.1007/s11676-017-0412-9>

Yang, F., Liu, X., Qiao, Y., Tang, X., dan Luo, P. (2024). Microspore embryogenesis: in vitro cultivation induced cell reprogramming for plant breeding. *Seed Biology*, 3(e201). <https://doi.org/https://doi.org/10.48130/seedbio-0024-0019>

Yuan, H. Y., Kagale, S., dan Ferrie, A. M. R. (2024). *Multifaceted roles of transcription factors during plant embryogenesis*. *January*, 1–15. <https://doi.org/10.3389/fpls.2023.1322728>

Zou, J., Zou, X., Gong, Z., Song, G., Ren, J., dan Feng, H. (2023). Thidiazuron Promoted Microspore Embryogenesis and Plant Regeneration in Curly Kale (*Brassica oleracea* L. convar. acephala var. sabellica). *Horticulturae*, 9(3), 327. <https://doi.org/10.3390/horticulturae9030327>

Żur, I., Dubas, E., Krzewska, M., dan Janowiak, F. (2015). Current insights into hormonal regulation of microspore embryogenesis. *Frontiers in Plant Science*, 6(424), 1–10. <https://doi.org/10.3389/fpls.2015.00424>