

DAFTAR PUSTAKA

- [1] I. Mandilara, C. M. Androna, E. Fotopoulou, A. Zafeiropoulos, and S. Papavassiliou, “Decoding the mystery: How can LLMs turn text into cypher in complex knowledge graphs?” vol. 13, pp. 80981–81001. [Online]. Available: <https://ieeexplore.ieee.org/document/10990239/>
- [2] M. Hornsteiner, M. Kreussel, C. Steindl, F. Ebner, P. Empl, and S. Schöning, “Real-time text-to-cypher query generation with large language models for graph databases,” vol. 16, no. 12, p. 438. [Online]. Available: <https://www.mdpi.com/1999-5903/16/12/438>
- [3] H. M. Zahera, M. Ali, M. A. Sherif, D. Moussallem, and A.-C. Ngonga Ngomo, “Generating SPARQL from natural language using chain-of-thoughts prompting,” in *Knowledge Graphs in the Age of Language Models and Neuro-Symbolic AI*. IOS Press, pp. 353–368. [Online]. Available: <https://ebooks.iospress.nl/doi/10.3233/SSW240028>
- [4] CyVer documentation · wiki · NETMODE / CyVer · GitLab. [Online]. Available: <https://gitlab.com/netmode/CyVer/-/wikis/home>
- [5] T. Kojima, S. S. Gu, M. Reid, Y. Matsuo, and Y. Iwasawa, “Large language models are zero-shot reasoners.” [Online]. Available: <http://arxiv.org/abs/2205.11916>
- [6] A. M. Al-Ghonmein, K. G. Al-Moghrabi, and T. Alrawashdeh, “Students’ satisfaction with the service quality of academic advising systems,” *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 30, no. 3, pp. 1838–1845, 2023.
- [7] L. A. Tilahun and B. Sekeroglu, “An intelligent and personalized course advising model for higher educational institutes,” vol. 2, no. 10, pp. 1–14, 2020, company: Springer Distributor: Springer Institution: Springer Label: Springer Publisher: Springer International Publishing. [Online]. Available: <https://link.springer.com/article/10.1007/s42452-020-03440-4>
- [8] A. Assiri, A. AL-Malaise, and H. Brdesee, “From traditional to intelligent academic advising: A systematic literature review of e-academic advising,” *International Journal of Advanced Computer Science and Applications*, vol. 11, 01 2020.
- [9] M. Dawood, “Assessing the effectiveness of chatbots in providing personalized academic advising and support to higher education students: A narrative literature review,” vol. 4, no. 1. [Online]. Available: <https://stel.pubpub.org/pub/04-01-dawood/release/1>
- [10] D. Akiba and M. C. Fraboni, “AI-supported academic advising: Exploring ChatGPT’s current state and future potential toward student empowerment,” vol. 13, no. 9, p. 885, publisher: Multidisciplinary Digital Publishing Institute. [Online]. Available: <https://www.mdpi.com/2227-7102/13/9/885>
- [11] M. Allouch, A. Azaria, and R. Azoulay, “Conversational agents: Goals, technologies, vision and challenges,” vol. 21, no. 24, p. 8448, publisher:

- [12] G. Ayman, H. Ehab, M. Alaa, M. Mohamed, S. Ahmed, M. Ibrahim, and E. H. Mohamed, "Building a smart academic advising chatbot with LLMs and knowledge graphs: A case study at Nile University," in *2025 International Conference on Machine Intelligence and Smart Innovation (ICMISI)*, pp. 319–323. [Online]. Available: <https://ieeexplore.ieee.org/document/11115413>
- [13] E. Kasneci, K. Sessler, S. Küchemann, M. Bannert, D. Dementieva, F. Fischer, U. Gasser, G. Groh, S. Günnemann, E. Hüllermeier, S. Krusche, G. Kutyniok, T. Michaeli, C. Nerdel, J. Pfeffer, O. Poquet, M. Sailer, A. Schmidt, T. Seidel, M. Stadler, J. Weller, J. Kuhn, and G. Kasneci, "ChatGPT for good? on opportunities and challenges of large language models for education," vol. 103, p. 102274. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1041608023000195>
- [14] L. Yang, H. Chen, Z. Li, X. Ding, and X. Wu, "Give us the facts: Enhancing large language models with knowledge graphs for fact-aware language modeling," vol. 36, no. 7, pp. 3091–3110. [Online]. Available: <https://ieeexplore.ieee.org/document/10417790>
- [15] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel, S. Riedel, and D. Kiela, "Retrieval-augmented generation for knowledge-intensive NLP tasks," vol. 33, pp. 9459–9474. [Online]. Available: <https://proceedings.neurips.cc/paper/2020/hash/6b493230205f780e1bc26945df7481e5-Abstract.html>
- [16] Y.-H. Lin, Q.-H. Chen, Y.-J. Cheng, J.-R. Zhang, Y.-H. Liu, L.-Y. Hsia, and Y.-N. Chen, "LLM inference enhanced by external knowledge: A survey." [Online]. Available: <http://arxiv.org/abs/2505.24377>
- [17] A survey on RAG meeting LLMs: Towards retrieval-augmented large language models | proceedings of the 30th ACM SIGKDD conference on knowledge discovery and data mining. [Online]. Available: <https://dl.acm.org/doi/abs/10.1145/3637528.3671470>
- [18] T.-H.-H. Nguyen and H.-N. Nguyen, "A knowledge graph-based framework for personalized course recommendations in higher education," in *2025 8th International Conference on Artificial Intelligence and Big Data (ICAIBD)*, pp. 853–858, ISSN: 2769-3554. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/11082069>
- [19] C. Peng, H. Jiang, J. Dong, and X. Huang, "College-related question answering based on knowledge graph." [Online]. Available: <https://www.semanticscholar.org/paper/College-Related-Question-Answering-based-on-Graph-Peng-Jiang/bc75705c305d64c6edc691ecb9880fea3a2585f4>
- [20] S. Sivasubramaniam, C. Osei-Akoto, Y. Zhang, K. Stockinger, and J. Fürst, "SM3-text-to-query: Synthetic multi-model medical text-to-query benchmark," vol. 37, pp. 88 627–88 663. [Online].

- [21] Stamford, CT, USA and N. Wu, “Expanding horizons in prompt engineering: Techniques, frameworks, and challenges,” vol. 09, no. 1, pp. 1–6. [Online]. Available: <https://ijsrem.com/download/expanding-horizons-in-prompt-engineering-techniques-frameworks-and-challenges/>
- [22] C. Chun Ho, H. L. Lee, W. K. Lo, and K. F. A. Lui, “Developing a chatbot for college student programme advisement,” in *2018 International Symposium on Educational Technology (ISET)*, pp. 52–56. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/8456189>
- [23] H. Ismail, “Fine-tuned large language models for enhanced automated academic advising,” in *2025 IEEE Global Engineering Education Conference (EDUCON)*, pp. 1–5, ISSN: 2165-9567. [Online]. Available: <https://ieeexplore.ieee.org/document/11016582>
- [24] M. Tahvildari, *Implementing robo-advisory systems in virtual universities for smart student counselling*, pages: 218.
- [25] H. Abu-Rasheed, M. H. Abdulsalam, C. Weber, and M. Fathi, “Supporting student decisions on learning recommendations: An LLM-based chatbot with knowledge graph contextualization for conversational explainability and mentoring.” [Online]. Available: <http://arxiv.org/abs/2401.08517>
- [26] I. W. F. Fangestu, S. Marpuah, Bahrissalim, and Fauzan, “Perubahan dan inovasi kurikulum pendidikan di berbagai negara,” vol. 6, no. 1, pp. 1–20. [Online]. Available: <https://sajiem.iainponorogo.ac.id/sajiem/article/view/357>
- [27] X. Liang, S. Niu, Z. li, S. Zhang, S. Song, H. Wang, J. Yang, F. Xiong, B. Tang, and C. Xi, “Empowering large language models to set up a knowledge retrieval indexer via self-learning,” version: 1. [Online]. Available: <http://arxiv.org/abs/2405.16933>
- [28] N. Kandpal, H. Deng, A. Roberts, E. Wallace, and C. Raffel, “Large language models struggle to learn long-tail knowledge,” in *Proceedings of the 40th International Conference on Machine Learning*. PMLR, pp. 15 696–15 707, ISSN: 2640-3498. [Online]. Available: <https://proceedings.mlr.press/v202/kandpal23a.html>
- [29] Y. Zhang, Y. Li, L. Cui, D. Cai, L. Liu, T. Fu, X. Huang, E. Zhao, Y. Zhang, Y. Chen, L. Wang, A. T. Luu, W. Bi, F. Shi, and S. Shi, “Siren’s song in the AI ocean: A survey on hallucination in large language models,” pp. 1–46. [Online]. Available: <https://doi.org/10.1162/COLI.a.16>
- [30] A. J. Oche, A. G. Folashade, T. Ghosal, and A. Biswas, “A systematic review of key retrieval-augmented generation (RAG) systems: Progress, gaps, and future directions,” publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/2507.18910>

- [31] A. Khaku and A. Mohamed, "Enhancing academic advising with generative ai: A retrieval-augmented decision support system," in *Proceedings of the Western Canadian Conference on Computing Education (WCCCE '25)*. Western Canada Conference on Computing Education, 2025. [Online]. Available: <https://doi.org/10.60770/3jk6-0f92>
- [32] R. Chen, "Retrieval-augmented generation with knowledge graphs: A survey," in *Submitted to Computer Science Undergraduate Conference 2025 @ XJTU*, 2025, under review. [Online]. Available: <https://openreview.net/forum?id=ZikTuGY28C>
- [33] D. Sanmartin, "Kg-rag: Bridging the gap between knowledge and creativity," 2024. [Online]. Available: <https://arxiv.org/abs/2405.12035>
- [34] D. Le, K. Zhao, M. Wang, and Y. Wu, "Graphlingo: Domain knowledge exploration by synchronizing knowledge graphs and large language models," in *2024 IEEE 40th International Conference on Data Engineering (ICDE)*, 2024, pp. 5477–5480.
- [35] NACADA: The Global Community for Academic Advising. (2006) Nacada concept of academic advising. Accessed: 2025-10-13. [Online]. Available: <https://nacada.ksu.edu/resources/pillars/concept.aspx>
- [36] J. McCarthy, M. L. Minsky, N. Rochester, and C. E. Shannon, "A proposal for the dartmouth summer research project on artificial intelligence, august 31, 1955," vol. 27, no. 4, pp. 12–12. [Online]. Available: <https://ojs.aaai.org/aimagazine/index.php/aimagazine/article/view/1904>
- [37] A. Göde and A. Kalkan, "What is artificial intelligence," A. Akpınar, *Research on Mathematics and Science-IV*, pp. 23–43, 2023.
- [38] Y. Matsuzaka and R. Yashiro, "AI-based computer vision techniques and expert systems," vol. 4, no. 1, pp. 289–302, publisher: Multidisciplinary Digital Publishing Institute. [Online]. Available: <https://www.mdpi.com/2673-2688/4/1/13>
- [39] J. Kufel, K. Bargieł-Łączek, S. Kocot, M. Koźlik, W. Bartnikowska, M. Janik, Ł. Czogalik, P. Dudek, M. Magiera, A. Lis, I. Paszkiewicz, Z. Nawrat, M. Cebula, and K. Gruszczyńska, "What is machine learning, artificial neural networks and deep learning?—examples of practical applications in medicine," *Diagnostics*, vol. 13, no. 15, p. 2582, jan 2023. [Online]. Available: <https://www.mdpi.com/2075-4418/13/15/2582>
- [40] P. Beslin Pajila, K. Sudha, D. Kalai Selvi, V. N. Kumar, S. Gayathri, and R. S. Subramanian, "A survey on natural language processing and its applications," in *2023 4th International Conference on Electronics and Sustainable Communication Systems (ICESC)*, pp. 996–1001. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10193469>
- [41] K. P. Kalyanathaya, D. Akila, and P. Rajesh, "Advances in natural language processing—a survey of current research trends, development tools and industry applications," *International Journal of Recent Technology and Engineering*, vol. 7, no. 5C, pp. 199–202, 2019.

- [42] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, "Attention is all you need," in *Advances in Neural Information Processing Systems*, vol. 30. Curran Associates, Inc. [Online]. Available: <https://proceedings.neurips.cc/paper/2017/hash/3f5ee243547dee91fbd053c1c4a845aa-Abstract.html>
- [43] I. D. Mienye, N. Jere, G. Obaido, O. O. Ogunruku, E. Esenogho, and C. Modisane, "Large language models: an overview of foundational architectures, recent trends, and a new taxonomy," vol. 7, no. 9, p. 1027, 2025. [Online]. Available: <https://doi.org/10.1007/s42452-025-07668-w>
- [44] M. Shao, A. Basit, R. Karri, and M. Shafique, "Survey of different large language model architectures: Trends, benchmarks, and challenges," vol. 12, pp. 188 664–188 706. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10720163>
- [45] D. M. Katz, M. J. Bommarito, S. Gao, and P. Arredondo, "Gpt-4 passes the bar exam," *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 382, no. 2270, p. 20230254, 2024. [Online]. Available: <https://royalsocietypublishing.org/doi/abs/10.1098/rsta.2023.0254>
- [46] Y. Kim, C. Park, H. Jeong, Y. S. Chan, X. Xu, D. McDuff, H. Lee, M. Ghassemi, C. Breazeal, and H. W. Park, "Mdagents: An adaptive collaboration of llms for medical decision-making," 2024. [Online]. Available: <https://arxiv.org/abs/2404.15155>
- [47] J. Yang, M. Wang, X. Du, and R. Na, "A comprehensive survey on large language model based agents for education," pp. 1–17. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/11192789>
- [48] J. Bai, S. Bai, Y. Chu, Z. Cui, K. Dang, X. Deng, Y. Fan, W. Ge, Y. Han, F. Huang, B. Hui, L. Ji, M. Li, J. Lin, R. Lin, D. Liu, G. Liu, C. Lu, K. Lu, J. Ma, R. Men, X. Ren, X. Ren, C. Tan, S. Tan, J. Tu, P. Wang, S. Wang, W. Wang, S. Wu, B. Xu, J. Xu, A. Yang, H. Yang, J. Yang, S. Yang, Y. Yao, B. Yu, H. Yuan, Z. Yuan, J. Zhang, X. Zhang, Y. Zhang, Z. Zhang, C. Zhou, J. Zhou, X. Zhou, and T. Zhu, "Qwen technical report." [Online]. Available: <http://arxiv.org/abs/2309.16609>
- [49] I. Ahmed, S. Islam, P. P. Datta, I. Kabir, N. U. R. Chowdhury, and A. Haque, "Qwen 2.5: A comprehensive review of the leading resource-efficient LLM with potential to surpass all competitors." [Online]. Available: <https://www.authorea.com/doi/full/10.36227/techrxiv.174060306.65738406?commit=4ad1e96a65a2712db1358d716e8cb3ec7904120b>
- [50] A. M. Eltahir, H. Abdulla, J. Platos, and V. Snasel, "An overview of chatbot structure and source algorithms," in *2022 26th International Conference on Circuits, Systems, Communications and Computers (CSCC)*, 2022, pp. 91–98. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10017970>
- [51] S. K. Dam, C. S. Hong, Y. Qiao, and C. Zhang, "A complete survey on LLM-based AI chatbots." [Online]. Available: <http://arxiv.org/abs/2406.16937>

- [52] C. W. Okonkwo and A. Ade-Ibijola, "Chatbots applications in education: A systematic review," vol. 2, p. 100033. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2666920X21000278>
- [53] S. Vatsal and H. Dubey, "A survey of prompt engineering methods in large language models for different NLP tasks." [Online]. Available: <http://arxiv.org/abs/2407.12994>
- [54] H. K. Chaubey, G. Tripathi, R. Ranjan, and S. k. Gopalaiyengar, "Comparative analysis of RAG, fine-tuning, and prompt engineering in chatbot development," in *2024 International Conference on Future Technologies for Smart Society (ICFTSS)*, pp. 169–172. [Online]. Available: <https://ieeexplore.ieee.org/document/10691338/>
- [55] B. Chen, Z. Zhang, N. Langrené, and S. Zhu, "Unleashing the potential of prompt engineering for large language models," vol. 6, no. 6, p. 101260. [Online]. Available: <http://arxiv.org/abs/2310.14735>
- [56] S. Schulhoff, M. Ilie, N. Balepur, K. Kahadze, A. Liu, C. Si, Y. Li, A. Gupta, H. Han, S. Schulhoff, P. S. Dulepet, S. Vidyadhara, D. Ki, S. Agrawal, C. Pham, G. Kroiz, F. Li, H. Tao, A. Srivastava, H. D. Costa, S. Gupta, M. L. Rogers, I. Goncarencu, G. Sarli, I. Galyunker, D. Peskoff, M. Carpuat, J. White, S. Anadkat, A. Hoyle, and P. Resnik, "The prompt report: A systematic survey of prompt engineering techniques." [Online]. Available: <http://arxiv.org/abs/2406.06608>
- [57] J. Wei, X. Wang, D. Schuurmans, M. Bosma, b. ichter, F. Xia, E. Chi, Q. V. Le, and D. Zhou, "Chain-of-thought prompting elicits reasoning in large language models," in *Advances in Neural Information Processing Systems*, S. Koyejo, S. Mohamed, A. Agarwal, D. Belgrave, K. Cho, and A. Oh, Eds., vol. 35. Curran Associates, Inc., pp. 24 824–24 837. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2022/file/9d5609613524ecf4f15af0f7b31abca4-Paper-Conference.pdf
- [58] T. Brown, B. Mann, N. Ryder, M. Subbiah, J. D. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, "Language models are few-shot learners," in *Advances in Neural Information Processing Systems*, H. Larochelle, M. Ranzato, R. Hadsell, M. F. Balcan, and H. Lin, Eds., vol. 33. Curran Associates, Inc., pp. 1877–1901. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2020/file/1457c0d6bfc4967418bfb8ac142f64a-Paper.pdf
- [59] X. Zou, "A survey on application of knowledge graph," vol. 1487, no. 1, p. 012016, 2020, publisher: IOP Publishing. [Online]. Available: <https://doi.org/10.1088/1742-6596/1487/1/012016>
- [60] Neo4j documentation - neo4j documentation. [Online]. Available: <https://neo4j.com/docs/>
- [61] S. Soleymani, N. Gravel, K. Kochut, and N. Kannan, "Task splitting and prompt engineering for cypher query generation in domain-specific knowledge

- [62] N. M. Razali, Y. B. Wah *et al.*, “Power comparisons of shapiro-wilk, kolmogorov-smirnov, lilliefors and anderson-darling tests,” *Journal of statistical modeling and analytics*, vol. 2, no. 1, pp. 21–33, 2011.
- [63] D. G. Pereira, A. Afonso, and F. M. Medeiros, “Overview of friedmans test and post-hoc analysis,” vol. 44, no. 10, pp. 2636–2653, 2015, publisher: Taylor & Francis _eprint: <https://doi.org/10.1080/03610918.2014.931971>. [Online]. Available: <https://doi.org/10.1080/03610918.2014.931971>
- [64] “An analysis of variance test for normality (complete samples),” vol. 52, pp. 591–611, publisher: Oxford University Press. [Online]. Available: <https://scispace.com/papers/an-analysis-of-variance-test-for-normality-complete-samples-2h979ba301>
- [65] S. M. Taheri and G. Hesamian, “A generalization of the wilcoxon signed-rank test and its applications,” vol. 54, no. 2, pp. 457–470. [Online]. Available: <https://doi.org/10.1007/s00362-012-0443-4>
- [66] R. Shan, “A deep dive into vector stores: Classifying the backbone of retrieval-augmented generation,” in *2024 IEEE International Conference on Big Data (BigData)*, pp. 8831–8833, ISSN: 2573-2978. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10825992>
- [67] P. Sharma, A. S. Pundir, G. D. Singh, and R. Gupta, “Integration of vector databases with large language models (LLMs),” in *2025 International Conference on Next Generation Information System Engineering (NGISE)*, vol. 1, pp. 1–5. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/11085087>
- [68] T. Taipalus, “Vector database management systems: Fundamental concepts, use-cases, and current challenges,” vol. 85, p. 101216. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1389041724000093>
- [69] C. Peng, F. Xia, M. Naseriparsa, and F. Osborne, “Knowledge graphs: Opportunities and challenges,” vol. 56, no. 11, pp. 13 071–13 102. [Online]. Available: <https://doi.org/10.1007/s10462-023-10465-9>
- [70] P. Sahoo, A. K. Singh, S. Saha, V. Jain, S. Mondal, and A. Chadha, “A systematic survey of prompt engineering in large language models: Techniques and applications,” *arXiv preprint arXiv:2402.07927*, 2024.
- [71] J. Bode, B. Pätzold, R. Memmesheimer, and S. Behnke, “A comparison of prompt engineering techniques for task planning and execution in service robotics,” in *2024 IEEE-RAS 23rd International Conference on Humanoid Robots (Humanoids)*, pp. 309–314, ISSN: 2164-0580. [Online]. Available: <https://ieeexplore.ieee.org/document/10769825>
- [72] C.-Y. Lin, “Rouge: A package for automatic evaluation of summaries,” in *Text summarization branches out*, 2004, pp. 74–81.

- [73] S. Niwattanakul, J. Singthongchai, E. Naenudorn, and S. Wanapu, "Using of jaccard coefficient for keywords similarity," in *Proceedings of the international multiconference of engineers and computer scientists*, vol. 1, no. 6, 2013, pp. 380–384.
- [74] K. Papineni, S. Roukos, T. Ward, and W.-J. Zhu, "Bleu: a method for automatic evaluation of machine translation," in *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, 2002, pp. 311–318.
- [75] O. Rozinek and J. Mareš, "Fast and precise convolutional jaro and jaro-winkler similarity," in *2024 35th Conference of Open Innovations Association (FRUCT)*, 2024, pp. 604–613.