UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abhinav dkk. (2019) 'The Patterns and Etiology of Maxillofacial Trauma in South India', *Annals of Maxillofacial Surgery*, 9(1), pp. 114–117.

Abotaleb, B. M., Al-Moraissi, E., Zhiqiang, W., Ping, C., Yongjie, K., Alkebsi, K., & Lan, Y. (2018). A detailed analysis of mandibular fractures epidemiology, treatment and outcomes: A 5-year retrospective study, Gansu Province-China. *Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology, 30(3), 197-205.*

Amrih, P. (2007) *Dua Jam Anda Tahu Cara Memastikan Air yang Anda Minum Bukan Sumber Penyakit*. Nomor seri. Solo: Distribusi Terbuka.

Bande, C. R., Kurawar, K. R., Mishra, A., Joshi, A., Goel, M., & Mahajan, M. R. (2018). Evaluation of two internal fixation techniques for mandibular parasymphyseal fractures comparing conventional titanium miniplates with customised titanium CRB omega miniplates: a prospective study. British Journal of Oral and Maxillofacial Surgery, 56(6), 520-524.

Batbayar, E. dkk. (2019) 'Complications of lockingand non-locking plate systems in mandibular fractures', *Int. J. Oral Maxillofac*, 48, pp. 1213–1226.

Bonanthaya, K. dkk. (2021) 'Oral and Maxillofacial Surgery for the Clinician', *Springer Nature*.

Brown, C., KE, B. and MM., M. (2022) 'Changing epidemiology of adult fractures in Scotland.', *Scottish medical journal*, 59(1).

Brucoli, M., Boffano, P. and Irene, R. (2019) 'Surgical management of unilateral body fractures of the edentulous atrophic mandible', *Oral Maxillofac Surg*, 24(1), pp. 65–71.

Busscher, H. J., van der Mei, H. C., Subbiahdoss, G., et al. (2008). *Biomaterial-associated infection: locating the finish line in the race for the surface.* Science Translational Medicine.

Cassie, A. B. D., & Baxter, S. (1944). *Wettability of porous surfaces.* Transactions of the Faraday Society, 40, 546–551.

Champy, M., Lodde, J. P., Schmitt, R., Jaeger, J. H., & Muster, D. (1978). *Mandibular osteosynthesis by miniature screwed plates via a buccal*

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

approach. Journal of Maxillofacial Surgery, 6(1), 14–21.

Chen G. dkk. (2018) 'Comparison of clinical outcomes of phalangeal fracture treated with dorsolateral approach or post-middle approach using AO mini titanium plate', *Indian J Surg*, 77, pp. 657–661.

Chini, S. F. and Amirfazli, A. (2011) 'A method for measuring contact angle of asymmetric and symmetric drops', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 388(1–3), pp. 29–37.

Chouirfa, H., H, B. and V, M. (2019) 'Review of titanium surface modification techniques and coatings for antibacterial applications', *Acta Biomater*, (83:37–54.), p. doi: 10.1016/j.actbio.2018.10.036.

Clement, K. S., C.H, R. and Quin, F. B. (1997) 'Mandibular Reconstruction', *UTMB Department of Otolaryngology/ Head and Neck Surgery*.

Cobb, S., ZJ, A. and JV, M. (2018) 'Boron doped diamond: A designer electrode material for the twenty-first century', *Ann Rev Anal Chem*, 11, pp. 463–484.

Costa, B. C., Siniscalchi, E. N., et al. (2019). *Surface characteristics and bacterial adhesion on titanium miniplates used in maxillofacial surgery*. Brazilian Dental Journal.

Daniels, J. S., Albakry, I. and Samara, M. I. (2021) 'Is the Routine Removal of Titanium Plates and Screws Following Miniplate Osteosynthesis of Maxillofacial Bone Fractures Justified? A Fifteen-Year Experience in a Maxillofacial Centre, Saudi Arabia', *sage journals*, 6, pp. 2472–7512.

de Gennes, P. G., Brochard-Wyart, F., & Quéré, D. (2004). *Capillarity and Wetting Phenomena: Drops, Bubbles, Pearls, Waves*. Springer.

Ehrenfeld. M., Manson.P.N. and Prein.J. (2012) *Principles of Internal Fixation of the Craniomaxillofacial Skeleton Trauma and Orthognathic Surgery, AO Foundation*. Switzerland, Clavadelerstrasse 8 CH-7270 Davos Platz.

Ehrenfeld, M., Manson, P. N. and Prein, J. (2012) 'Principles of internal fixation of the craniomaxillofacial skeleton', *Thieme*.

El-Sayed, F., MK, M. and Beck-Broichsitter (2015) 'Periodontal regeneration employing gingival margin-derived stem/progenitor cells in conjunction

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

with IL-1ra-hydrogel synthetic extracellular matrix.', *J Clin Periodontol*, 42(5).

El-Sherif, H., Ali, S. and Mubarak, F. (2022) 'Stability and Clinical Outcomes of Angle Fracture Fixation Using Sagittal Split Plate (SSOP) Versus Two Miniplates: Randomized Clinical Trial', *Journal of Maxillofacial and Oral surgery*, 23, pp. 207–113.

Falci, S.-G. dkk. (2015) 'Is the Erich arch bar the best intermaxillary fixation method in maxillofacial', *Journal section: Oral Surgery Publication Types: Review*, 20(4), pp. e494-9.

Good, R. J. (1992). *Contact angle, wetting, and adhesion: a critical review.* Journal of Adhesion Science and Technology, 6(12), 1269–1302.

Gonzalez-Sanchez, M. I. dkk. (2017) 'Silver nanoparticle based antibacterial methacrylate hydrogels potential for bone graft applications', *Mater. Sci. Eng. C Mater. Biol. Appl.*, 50, pp. 332–340.

Hupp, J. R. (2019). Opioids: Combating misuse while properly caring for our patients. *Journal of Oral and Maxillofacial Surgery,* 77(4), 669-670.

Indarto (2010) *Hidrologi ; Dasar Teori dan Contoh Aplikasi Model Hidrologi*. Jakarta: Bumi Aksara.

Jhass, S. (2014) 'Fractures of the metacarpals - a new method of reduction and immobilization', *J Bone Joint Surg.*, 20(1), pp. 178–186.

Jones, A. and Williams, R. (2021) 'Clinical considerations and complications of titanium miniplates in orthopedic surgery', *Journal of Orthopedic Surgery and Research*, 16(1), p. 180.

Kabza, K. G., Gestwicki, J. E. and McGrath, J. L. (2000) 'Contact Angle Goniometry as a Tool for Surface Tension Measurements of Solids, Using Zisman Plot Method. A Physical Chemistry Experiment', *J. Chemical Education*, 77(63).

Kende, P. P., Wadewale, M., Ranganath, S., Desai, H., Landge, J. S., & Sarda, A. (2022). An In Vitro Evaluation of a Novel Design Z Plate for Fixation of Mandibular Symphysis and Parasymphysis Fractures—A Finite Element Analysis. Journal of Maxillofacial and Oral Surgery, 21(3), 929-935.

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, S.-S. dkk. (2016) 'Comparison of postoperative changes in the distal and proximal segments between conventional and sliding mini-plate fixation following mandibular setback', *Korean J Orthod*, 46(6), pp. 372–378.

Kloskowski, T., Kowalczyk, T., dkk. (2013). Surface wettability and bacterial adhesion: key factors in biomaterial design. Journal of Biomedical Materials Research.

Li, D. and Neumann A.W. (1996) '"Thermodynamic Status of Contact Angles" in AppLied Surface Thermodynamics', *A. W. Neumann, J.K. Spelt, Eds.; Marcel Dekker*, 63, pp. 109–168.

Liu, X. dkk. (2017) 'Effects of twisting deformation on surface characteristics and bacterial adhesion of titanium plates', *Journal of Materials Science: Materials in Medicine*, 28(2).

Macpherson, J. V. A. (2015) 'Practical Guide to Using Boron Doped Diamond in Electrochemical Research', *Phys. Chem. Chem. Phys*, 17, pp. 2935–2949.

Mendez, Chiodo, M. and Patel,PA (2016) 'Customized "In-Office" Three-Dimensional Printing for Virtual Surgical Planning in Craniofacial Surgery', *J Craniofac Surg*, 26(1584–6).

Misch, C. E. (2015). *Dental Implant Prosthetics* (2nd ed.). Elsevier Mosby.

Mishra, N. dkk. (2019) '3-D Miniplates Versus Conventional Miniplates in Treatment of Mandible Fractures', *Journal of Maxillofacial and Oral surgery*, 18(1), pp. 65–72.

Mohammed Altaib A. (2017) 'ffect of the shape of mini plate on the stability of mandibular fracture', *International Journal of Dentistry Research*, 2(2), pp. 49–52.

Nosonovsky, M., & Bhushan, B. (2008). *Multiscale dissipative mechanisms and hierarchical surfaces: friction, superhydrophobicity, and biomimetics.* Springer.

Patel, N., Kim, B. and Zaid, W. (2016) 'A Detailed Analysis of Mandibular Angle Fractures: Epidemiology, Patterns, Treatments, and Outcomes', *J Oral Maxillofac Surg*, 74(9), pp. 1792–9.

Perry, M., and Holmes, S., 2014, Manual of Operative Maxillofacial Trauma

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Surgery, Springer, New York.

Petersen, P. E. (2003) *WHO Library Cataloguing-in-Publication Data*.

Pinto, Asprino, L. and M. de Moraes (2015) 'Chemical and structural analyses of titanium plates retrieved from patients', *International Journal of Oral & Maxillofacial Surgery*, 44(8), pp. 1005–1009.

Puskinas (2022) *Data Kejahatan di Indonesia, Pusiknas Bareskrim Polri*. Available at: https://puskinas.polri.go.id/data_kejahatan.

Riset Kesehatan Dasar (Riskesdas) (2018) *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018*. Available at: http://www.depkes.go.id/resources/download/infoterkini/materi_rakorpop_20%0A18/Hasil Riskesdas 2018.pdf –.

Rodrigues, D. C., Urban, R. M., dkk. (2021). *The influence of titanium surface modification on bacterial adhesion and biofilm formation.* Materials Science & Engineering C.

Ryan BJ, Poduska KM (2008). Roughness effects on contact angle measurements. Am J Phys 76:1074–1077. https:// doi. org/ 10. 1119/1. 29524 46

Saito, D. M. and Murr, A. H. (2008) 'Internal fixation of mandibular angle fractures with the Champy technique', *Operative Techniques in Otolaryngology*, 19, pp. 123–127.

Sakong S. dkk. (2021) 'More weighted cancellous bone can be harvested from the proximal tibia with less donor site pain than anterior iliac crest corticocancellous bone harvesting: Retrospective review', *J. Orthop. Surg. Res*, 16(220). Available at: doi: 10.1186/s13018-021-02364-y.

Sasges MR, Ward CA (1998) Effect of gravity on contact angle: an experimental investigation. J Chem Phys 109:3661–3670

Sawatari, Y., Goth, S. and Peleg, M. (2012) 'Management of pediatric mandible fractures', *Journal of Craniofacial Surgery*, 23(1), pp. 47–56.

Shahzan M D, S. and Madhulaxmi M (2020) 'Miniplate Removal in Mandibular Trauma Patients - A Single Institution Retrospective Study', *Internaional Journal of Research in Pharmaceutical Sciences*, 11(3).

Smeltzer., B. (2002) 'Keperawatan Medikal Bedah Brunner and Suddarth',

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Penerbit Buku Kedokteran. EGC. Jakarta.

Smith SM, A. K. (2020) 'Deciphering an extreme morphology: bone microarchitecture of the hero shrew backbone (Soricidae: Scutisorex)', *Proc. R. Soc. B 2*, (B 287: 20200457.), p. http://dx.doi.org/10.1098/rspb.2020.0457.

Subramani, K., Jung, R. E., Molenberg, A., Hammerle, C. H. F. (2017). *Biofilm on dental implants: a review of the literature*. International Journal of Oral & Maxillofacial Implants.

Tavana, H. dkk. (2004) 'Contact angle measurements with liquids consisting of bulky molecules', *Journal of Colloid and Interface Science*, 279(2), pp. 493–502.

Tomas, L. dkk. (2020) 'The influence of submerged healing abutment or subcrestal implant placement on soft tissue thickness and crestal bone stability. A 2-year randomized clinical trial', *Clin Implant Dent Relat Res*, 22(4).

Trindade, R., Albrektsson, T., Wennerberg, A. (2020). *Current concepts for the biological basis of dental implant failure: a review*. Journal of Oral Rehabilitation.

Wenzel, R. N. (1936). *Resistance of solid surfaces to wetting by water*. Industrial & Engineering Chemistry, 28(8), 988–994.

White, T., Patel, A. and Singh, V. (2024) 'Energy potential of deformed titanium miniplates: an analysis. Journal of Biomechanical Engineering', *Journal of Biomechanical Engineering*, 146(1).

Wusiman, P. dkk. (2019) 'No TitleManagement of mandibular angle fractures using 3- dimensional or standard miniplates: A systematic review and meta-analysis', *Journal of Cranio-Maxillofacial Surgery*, 47(622–628).

Yang, N. dkk. (2019) 'Conductive diamond: synthesis, properties, and electrochemical applications', *Chem Soc Rev*, 48, pp. 157–204.

Yang, Y., dkk. (2011). *Development of porous 3D titanium miniplates to reduce stress and bacterial adhesion*. Journal of Craniofacial Surgery.

Yuan, Y. and Lee, T. R. (2013) 'Contact Angle and Wetting Properties. In:

UNIVERSITAS
GADJAH MADA
Analisa Pengaruh Puntiran terhadap Sudut Kontak Air pada Miniplate Titanium Angulus Mandibula
ANISA AYU WARDANI, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bracco, G. and Holst, B., Eds., Surface Science Techniques Springer Series, Surface Sciences', *Surface Sciences*, 51, pp. 3–34.

Zhang, L., dkk. (2018). *Effect of surface wettability on bacterial adhesion and biofilm formation on titanium.* Colloids and Surfaces B: Biointerfaces, 164, 382–389.