

DAFTAR PUSTAKA

- Ackermann, M. (2006). Pathogenesis of gammaherpesvirus infections. *Veterinary Microbiology*, 113(3), 211–222. <https://doi.org/10.1016/j.vetmic.2005.11.008>
- Andriyanov, P. A., Zakharova, O. I., Zhurilov, P. A., Tutrina, A. I., Kashina, D. D., Burova, O. A., Liskova, E. A., Shirokova, E. A., Yashin, I. V., & Blokhin, A. A. (2025). Clinical, pathological, and molecular aspects of malignant catarrhal fever in Russia: a case report. *Veterinary Research Communications*, 49(4). <https://doi.org/10.1007/s11259-025-10758-0>
- Arnab, R. (2017). Multistage Sampling. In *Survey Sampling Theory and Applications* (pp. 423–452). Elsevier. <https://doi.org/10.1016/B978-0-12811848-1.00013-3>
- Avci, H., İpek, E., Babaoğlu, A. R., Ekipmen, E., & Aydoğan, A. (2020). Malignant Catarrhal Fever caused by Ovine Herpesvirus-2 in a cow. *Etlik Veteriner Mikrobiyoloji Dergisi*, 31(1), 82–86. <https://doi.org/10.35864/evmd.715431>
- Baxter, S. I. F., Pow, I., Bridgen, A., & Reid, H. W. (1993). PCR detection of the sheep-associated agent of malignant catarrhal fever. In *Arch Virol* (Vol. 132). Springer-Verlag.
- Bello, K. (2023). *The Principles and New Approaches in Nested Polymerase Chain Reactions*. <https://doi.org/10.4172/2153-0602.23.14.285>
- Benetka, V., Krametter-Froetscher, R., Baumgartner, W., & Moestl, K. (2009). Investigation of the role of Austrian ruminant wildlife in the epidemiology of malignant catarrhal fever viruses. *Journal of Wildlife Diseases*, 45(2), 508–511. <https://doi.org/10.7589/0090-3558-45.2.508>
- Berezowski, J. A. (2003). *The Epidemiology Of Malignant Catarrhal Fever Viruses In Bison*. Western College of Veterinary Medicine, University of Saskatchewan.
- Bianchessi, L., Rocchi, M. S., Maley, M., Piccinini, R., & Turin, L. (2022). Molecular Tools to Identify and Characterize Malignant Catarrhal Fever Viruses (MCFV) of Ruminants and Captive Artiodactyla. In *Viruses* (Vol. 14, Issue 12). MDPI. <https://doi.org/10.3390/v14122697>
- Brunson, J., Khoretonenko, M., & Stokes, K. (2016). Herpesviruses. In F. Gavins & K. Stokes (Eds.), *Vascular Responses to Pathogens* (pp. 123–136). Academic Press.
- Cameron, C. E., Raney, K. D., & Götte, M. (2009). Viral genome replication. In *Viral Genome Replication*. Springer US. <https://doi.org/10.1007/b135974>
- Cohen, S., Au, S., & Panté, N. (2011). How viruses access the nucleus. In *Biochimica et Biophysica Acta - Molecular Cell Research* (Vol. 1813, Issue 9, pp. 1634–1645). <https://doi.org/10.1016/j.bbamcr.2010.12.009>

- Coradduzza, E., Scivoli, R., Pintus, D., Rocchigiani, A. M., Cancedda, M. G., Sanna, D., Macciocu, S., Scarpa, F., Bechere, R., Puggioni, G., & Ligios, C. (2022). Malignant Catarrhal Fever in Sardinia (Italy): A Case Report. *Veterinary Sciences*, 9(8). <https://doi.org/10.3390/vetsci9080442>
- Cunha, C. W., Traul, D. L., Taus, N. S., Oaks, J. L., O'Toole, D., Davitt, C. M., & Li, H. (2008). Detection of ovine herpesvirus 2 major capsid gene transcripts as an indicator of virus replication in shedding sheep and clinically affected animals. *Virus Research*, 132(1–2), 69–75. <https://doi.org/10.1016/j.virusres.2007.10.016>
- Curtis, L. (2016). *Bachelor of Veterinary Medicine Research Project 2 Title Wildlife Defence: A Field Investigation into the conservative control of Wildebeest-associated Malignant Catarrhal Fever (AIHV-1) on a dairy farm in Kenya*.
- Damayanti, R. (1996). Prevalensi Histopatologik Malignant Catarrhal Fever pada Kerbau yang Dipotong di Tempat Pemotongan Hewan Perseorangan di Kabupaten Bogor. *Jurnal Ilmu Ternak dan veteriner*, 1(3), 206–211.
- Damayanti, R. (1999). Deteksi Fenotipik Antigen Permukaan Limfosit B, Mhc I Dan Mhc Ii Pada Limfoglandula Sapi Bali Yang Terserang Malignant Catarrhal Fever Dengan Teknik Imunohistokimiawi. *Jurnal Ilmu Ternak dan Veteriner*, 4(3).
- Damayanti, R., & Wiyono, D. A. (2005). Infeksi Alami Malignant Catarrhal Fever pada Sapi Bali: Sebuah Studi Kasus. *JITV*, 10 (2), 150–159.
- Daniels, P., Sudarisman, Wiyono A, & Ronohardjo P. (1988). *Malignant Catarrhal Fever in Asian Livestock* (Daniels PW, Sudarisman, & Ronohardjo P, Eds.). Australian Centre for International Agricultural Research.
- Engels, M., & Ackermann, M. (1996). Pathogenesis of ruminant herpesvirus infections. In *veterinary microbiology* (Vol. 53).
- Frölich, K., Li, H., & Müller-Doblies, U. (1998). Serosurvey for antibodies to malignant catarrhal fever-associated viruses in free-living and captive cervids in Germany. In *Journal of Wildlife Diseases* (Vol. 34, Issue 4, pp. 777–782). Wildlife Disease Association, Inc. <https://doi.org/10.7589/0090-3558-34.4.777>
- Glišić, D., Sapundžić, Z. Z., Ninković, M., Milovanović, B., Stevanović, O., Laušević, D., Đorđević, M., Kureljušić, B., & Milićević, V. (2023). Detection and Phylogenetic Analysis of the Tegument Protein Gene of Malignant Catarrhal Fever Virus from Clinical Cases of Cattle and Sheep in the Central Balkan Region. *Pakistan Veterinary Journal*, 43(2), 361–365. <https://doi.org/10.29261/pakvetj/2023.032>
- Hajikolaie, M. R. H., Seyfi Abad Shapouri, M. R., Tahmasbi, T., Faghani, M., Hasanpour, S., & Ghobadian Diali, H. (2025). The effect of age on the excretion of ovine herpesvirus-2 (OvHV-2), the causative agent of malignant

- catarrhal fever (MCF), in naturally infected sheep. *Preventive Veterinary Medicine*, 244. <https://doi.org/10.1016/j.prevetmed.2025.106638>
- Hamzah, M., & Al-Saadi, A. (2018). *Pathogenesis of Malignant Catarrhal Fever in Cattle*.
- Hart, J., Ackermann, M., Jayawardane, G., Russell, G., Haig, D. M., Reid, H., & Stewart, J. P. (2007). Complete sequence and analysis of the ovine herpesvirus 2 genome. *Journal of General Virology*, 88(1), 28–39. <https://doi.org/10.1099/vir.0.82284-0>
- Headley, S. A., de Lemos, G. A. A., Dall Agnol, A. M., Xavier, A. A. C., Depes, V. C. A., Yasumitsu, C. Y., Oliveira, T. E. S., Silva, L. E., Faccin, T. C., Alfieri, A. A., & Lisboa, J. A. N. (2022). Ovine gammaherpesvirus 2 infections in cattle without typical manifestations of sheep-associated malignant catarrhal fever and concomitantly infected with bovine coronavirus. *Brazilian Journal of Microbiology*, 53(1), 433–446. <https://doi.org/10.1007/s42770-021-00653-6>
- Headley, S. A., Fritzen, J. T. T., Maturana, É. F. L., de Alvarenga, N. A. C. A., Rodrigues, R. V., Gomes, A. L. P. L., Rodriguez, M. C., Sogari, M. I. P., Xavier, A. A. C., Silva, F. H. P., Pereira, P. F. V., Rosa, V. B. B., da Costa Flaiban, K. K. M., Di Santis, G. W., Patelli, T. H. C., Lisbôa, J. A. N., & Alfieri, A. A. (2025). Clinical, epidemiological, and pathological findings of ovine gammaherpesvirus 2 infections in cattle from Southern Brazil. *Journal of Infection in Developing Countries*, 19(1), 124–139. <https://doi.org/10.3855/jidc.19951>
- Headley, S. A., Martins, F. D. C., & Rodrigues, D. L. (2025). Another case of sheep-associated malignant catarrhal fever in Rio Grande do Sul: the curious epidemiological niche of ovine gammaherpesvirus 2 in Southern Brazil. *Journal of Infection in Developing Countries*, 19(8), 1253–1261. <https://doi.org/10.3855/jidc.20646>
- Headley, S. A., Pimentel, L. A., Oliveira, V. H. S., Toma, H. S., Alfieri, A. F., Carvalho, A. M., dos Santos, M. D., & Alfieri, A. A. (2015). Transplacental Transmission of Ovine Herpesvirus 2 in Cattle with Sheep-associated Malignant Catarrhal Fever. *Journal of Comparative Pathology*, 153(4), 206–211. <https://doi.org/10.1016/j.jcpa.2015.10.175>
- Headley SA, Olivera TESd, & Cunha, C. (2020). A review of the epidemiological, clinical, and pathological aspects of malignant catarrhal fever in Brazil. *Brazilian Journal of Microbiology*, 51, 1405–1432. <https://doi.org/10.1007/s42770-020-00273-6> Published
- Holliman, A. (2005). Differential diagnosis of diseases causing oral lesions in cattle. *In Pract*, 27, 2.

- Holzhauser, M. (2018). Fatal Outbreaks of Malignant Catarrhal Fever in 2 Dairy Herds in the Netherlands GD Animal Health. *Journal of Dairy & Veterinary Sciences*, 5(5). <https://doi.org/10.19080/jdvs.2018.05.555672>
- Hosmer, D. W., Lemeshow, S., dan Sturdivant, R. X. 2013. *Applied Logistic Regression* (3 ed.). Hoboken, New Jersey: John Wiley & Sons, Inc.
- Hussain, I., Kashoo, Z. A., Wani, A. H., Hasin, D., Pampori, Z. A., & Wani, S. A. (2017). Malignant catarrhal fever: Recent update. In *Indian Journal of Animal Sciences* (Vol. 87, Issue 3, pp. 260–269). Indian Council of Agricultural Research. <https://doi.org/10.56093/ijans.v87i3.68792>
- Indian Council of Agricultural Research – National Institute of High Security Animal Diseases (NIHSAD). 2022. *Ovine herpesvirus-2 shedding and transmission in sheep: Technical disease advisory*. Bhopal, India;
- International Committee on Taxonomy of Viruses (ICVT). (2011). Diakses pada 18 Januari 2026, dari https://ictv.global/report_9th/dsDNA/Herpesvirales/Herpesviridae
- Iván, M., María, P., Gorka, A., Pere, O., & Javier, D. F. (2022). Malignant catarrhal fever in cattle in Spain. *Veterinary Record Case Reports*, 10(4). <https://doi.org/10.1002/vrc2.483>
- Kementerian Pertanian Indonesia. (2022). *Livestock and Animal Health Statistics*. Jakarta : Direktorat Jenderal Peternakan dan Kesehatan Hewan.
- Kumar, N., Sood, R., Pateriya, A. K., Venkatesakumar, E., Ramprabhu, R., Dixit, R., Bhatia, S., & Singh, V. P. (2021). First Molecular Evidence and Genetic Characterization of Ovine Herpesvirus 2 in Multiple Animal Species in India. *Frontiers in Veterinary Science*, 8. <https://doi.org/10.3389/fvets.2021.610178>
- Kumar, N., Verma, M. K., Singh, A. K., Rahman, J. U., Jakhar, J., & Patidar, S. (2021). A Review of the Epidemiological, Clinical, and Pathological Aspects of Malignant Catarrhal Fever. *Biological Forum-An International Journal*, 13 (3a), 575–583. <https://www.researchgate.net/publication/356836696>
- Kumar S, K. (2019). Cohort Study of Bovine Malignant Catarrhal Fever in Cavery Delta Districts of Tamil Nadu. *Annals of Reviews & Research*, 5(2). <https://doi.org/10.19080/arr.2019.05.555659>
- Lankester, F., Lugelo, A., Kazwala, R., Keyyu, J., Cleaveland, S., & Yoder, J. (2015). The economic impact of malignant catarrhal fever on pastoralist livelihoods. *PLoS ONE*, 10(1). <https://doi.org/10.1371/journal.pone.0116059>
- Li, H., Cunha, C. W., Gailbreath, K. L., O’Toole, D., White, S. N., Vanderplasschen, A., Dewals, B., Knowles, D. P., & Taus, N. S. (2011). Characterization of ovine herpesvirus 2-induced malignant catarrhal fever in rabbits. *Veterinary Microbiology*, 150(3–4), 270–277. <https://doi.org/10.1016/j.vetmic.2011.02.016>

- Li, H., Cunha, C. W., & Taus, N. S. (2011). Malignant catarrhal fever: Understanding molecular diagnostics in context of epidemiology. *International Journal of Molecular Sciences*, 12(10), 6881–6893. <https://doi.org/10.3390/ijms12106881>
- Li, H., Cunha, C. W., Taus, N. S., & Knowles, D. P. (2014). Malignant catarrhal fever: Inching toward understanding. In *Annual Review of Animal Biosciences* (Vol. 2, pp. 209–233). Annual Reviews Inc. <https://doi.org/10.1146/annurev-animal-022513-114156>
- Li, H., Karney, G., O’toole, D., & Crawford, T. B. (2008). Brief Communication Communication brève Long distance spread of malignant catarrhal fever virus from feedlot lambs to ranch bison. In *CVJ* (Vol. 49).
- Li, H., Snowden, G., & Crawford, T. B. (1999). Production of malignant catarrhal fever virus-free sheep. *Veterinary Microbiology*, 65, 167–172.
- Li, H., Taus, N. S., Lewis, G. S., Kim, O., Traul, D. L., & Crawford, T. B. (2004). Shedding of ovine herpesvirus 2 in sheep nasal secretions: The predominant mode for transmission. *Journal of Clinical Microbiology*, 42(12), 5558–5564. <https://doi.org/10.1128/JCM.42.12.5558-5564.2004>
- Mananguit, I. R., Bartolome, N. D. F., Tubalinal, G. A. S. P., & Mingala, C. N. (2021). Molecular detection and genetic characterization of ovine gammaherpesvirus-2 (OvHV-2) in sheep in the Philippines. *Small Ruminant Research*, 199. <https://doi.org/10.1016/j.smallrumres.2021.106383>
- Martin, W., Meek, A. H., & Willeberg, P. (1987). *Veterinary Epidemiology: Principles and Methods*. In *Veterinary Epidemiology: Principles and Methods* (1st ed.). Iowa State University Press.
- Martinez, H., Al-Saadi, M., Stewart, J. P., & Kipar, A. (2021). Sheep-Associated Malignant Catarrhal Fever: Role of Latent Virus and Macrophages in Vasculitis. *Veterinary Pathology*, 58(2), 332–345. <https://doi.org/10.1177/0300985820978310>
- Mebus, C. A., Kalunda, M., & Ferris, D. (1979). Malignant Catarrhal Fever. *The Bovine Practitioner* 14. 130-132
- Meravi, P., Tiwari, A., Singh, B., Mourya, A., & Baghel, R. (2019). Emerging threats of sheep associated malignant catarrhal fever in India: A review. ~ 844 *Journal of Pharmacognosy and Phytochemistry*, 8(5). <http://www.phytojournal.com>
- Münz, C. (2016). Epstein Barr virus — a tumor virus that needs cytotoxic lymphocytes to persist asymptotically. In *Current Opinion in Virology* (Vol. 20, pp. 34–39). Elsevier B.V. <https://doi.org/10.1016/j.coviro.2016.08.010>
- Murid, G., Ali, O. A.-H., & Hamed, M. I. (2024). Seroprevalence Of Malignant Catarrhal Fever-Related Ovine Gammaherpes Virus In Cattle. *Assiut Vet. Med.*

- J. (Special Issue) 19 Th Sci. Cong. 2024, Fac. Vet. Med., Assiut Univ, 263–272.*
www.aun.edu.eg
- O'Toole, D., & Li, H. (2014). The Pathology of Malignant Catarrhal Fever, With an Emphasis on Ovine Herpesvirus 2. In *Veterinary Pathology* (Vol. 51, Issue 2, pp. 437–452). <https://doi.org/10.1177/0300985813520435>
- O'toole, D., Li, H., Miller, D., Williams, W. R., & Crawford, T. B. (1997). Papers and Articles Chronic and recovered cases of sheep-associated malignant catarrhal fever in cattle. In *Veterinary Record* (Vol. 140). <http://veterinaryrecord.bmj.com/>
- Orono, S. A., Gitao, G. C., Mpatwenumugabo, J. P., Chepkwony, M., Mutisya, C., Okoth, E., Bronsvort, B. M. D. C., Russell, G. C., Nene, V., & Cook, E. A. J. (2019). Field validation of clinical and laboratory diagnosis of wildebeest associated malignant catarrhal fever in cattle. *BMC Veterinary Research*, 15(1). <https://doi.org/10.1186/s12917-019-1818-8>
- Pesavento, P. A., Dange, R. B., Ferreras, M. C., Dasjerdi, A., Pérez, V., LaRoca, A., Silván, J. B., Diab, S., Jackson, K., Phillips, I. L., Li, H., Cunha, C. W., & Wessels, M. (2019). Systemic Necrotizing Vasculitis in Sheep Is Associated With Ovine Herpesvirus 2. *Veterinary Pathology*, 56(1), 87–92. <https://doi.org/10.1177/0300985818795166>
- Plowright, W. (1990). Malignant Catarrhal Fever Virus (Z. Dinter & B. Morein, Trans.). In *Virus Infections of Ruminants* (Vol. 3, pp. 123–150). Elsevier Science Publisher B.V.
- Power, J. G., VanMetre, D. C., Collins, J. K., Dinsmore, R. page, Carman, J., Patterson, G., Brahmhatt, D., & Callan, R. J. (2005). Evaluation of ovine herpesvirus type 2 infections, as detected by competitive inhibition ELISA and polymerase chain reaction assay, in dairy cattle without clinical signs of malignant catarrhal fever. *JAVMA*, 227 (4), 606–611.
- Premkrishnan, G. N., Sood, R., Hemadri, D., Chanu, K. V., Khandia, R., Bhat, S., Dimri, U., & Bhatia, S. (2015). Cross-sectional study indicates nearly a quarter of sheep population in Karnataka state of India is infected with ovine herpesvirus 2. *VirusDisease*, 26(3), 180–188. <https://doi.org/10.1007/s13337-015-0274-8>
- Raffaele, O., Rossi, E. Del, Castelli, L., Pignani, S., Petrini, S., Mandara, M. T., & marenzoni, M. L. (2020). Infezione da Ovine herpesvirus tipo 2 in allevamenti ovini in Umbria. *Large Animal Review*, 26, 79–85.
- Rajalakshmi, S. (2017). Different Types Of Pcr Techniques And Its Applications. *IJPCBS*, 7(3), 285–292. www.ijpcbs.com
- Riaz, A., Dry, I., Dalziel, R., Rehman, S. U., Shah, M. A., Akhtar, H. M. N., Yousaf, A., & Baig, R. (2021). Molecular detection and characterization of ovine

- herpesvirus-2 using hemiNestled PCR in Pakistan. *Journal of Veterinary Science*, 22, 1–10. <https://doi.org/10.4142/JVS.2021.22.E51>
- Russell, G. C., Stewart, J. P., & Haig, D. M. (2009). Malignant catarrhal fever: A review. In *Veterinary Journal* (Vol. 179, Issue 3, pp. 324–335). <https://doi.org/10.1016/j.tvjl.2007.11.007>
- Schultheiss, P. C., Van Campen, H., Spraker, T. R., Bishop, C., Wolfe, L., & Podell, B. (2007). Malignant catarrhal fever associated with ovine herpesvirus-2 in free-ranging mule deer in Colorado. *Journal of Wildlife Diseases*, 43(3), 533–537. <https://doi.org/10.7589/0090-3558-43.3.533>
- Seakamela, E., Lazarus, D. D., Malema, D., Lubisi, A., & Matle, I. (2023). Laboratory-based longitudinal surveillance of malignant catarrhal fever in Lephalale municipality in Limpopo province, South Africa: 2001-2021. *Journal of the South African Veterinary Association*, 94(1), 107–112. <https://doi.org/10.36303/JSAVA.569>
- Shyamsundar, K., Rathnamma, D., Shrikrishna, I., Sharada, R., Chandranaik, B., Shivashankar, B., Ranganatha, S., Suresh, K., & Patil SS. (2023). The Pharma Innovation Journal 2023; SP-12(11): 20-24 Incidence of sheep associated-malignant catarrhal fever in Karnataka, India. *The Pharma Innovation Journal*, 12(11), 20–24. www.thepharmajournal.com
- Simon, S., Li, H., O’Toole, D., Crawford, T. B., & Oaks, J. L. (2003). The vascular lesions of a cow and bison with sheep-associated malignant catarrhal fever contain ovine herpesvirus 2-infected CD8+ T lymphocytes. In *Journal of General Virology* (Vol. 84, Issue 8, pp. 2009–2013). <https://doi.org/10.1099/vir.0.19048-0>
- Sood, R., Hemadri, D., & Bhatia, S. (2013). Sheep associated malignant catarrhal fever: An emerging disease of bovids in India. In *Indian Journal of Virology* (Vol. 24, Issue 3, pp. 321–331). <https://doi.org/10.1007/s13337-013-0163-y>
- Spear, P. G., Eisenberg, R. J., & Cohen, G. H. (2000). Three classes of cell surface receptors for alphaherpesvirus entry. *Virology*, 275(1), 1–8. <https://doi.org/10.1006/viro.2000.0529>
- Spitsyna, S. Sh., Burova, O. A., Andriyanov, P. A., Zhurilov, P. A., Liskova, E. A., Zakharova, O. I., Tutrina, A. I., Kashina, D. D., Grebnev, N. A., Kachan, V. N., Yashin, I. V., & Blokhin, A. A. (2024). Malignant catarrhal fever: pathogenesis, problems of prevention and control (review). *Agricultural Science Euro-North-East*, 25(1), 18–26. <https://doi.org/10.30766/2072-9081.2024.25.1.18-26>
- Suhaila, N., Azizah, d, Zamila, Z., Shuhaini, A., ESDY, A., & Yusniza, M. (2011). Malignant Catarrhal Fever (MCF) In Bali Cattle (*Bos javanicus*) In A Commercial Farm In Malaysia. *Malaysian Journal of Veterinary Research*, 2(1), 35–39.

- Sumiarto B, Budiarta S. 2018. Epidemiologi Veteriner Analitik. Yogyakarta (ID): UGM Press.
- Taus, N. S., Herndon, D. R., Traul, D. L., Stewart, J. P., Ackermann, M., Li, H., Knowles, D. P., Lewis, G. S., & Brayton, K. A. (2007). Comparison of ovine herpesvirus 2 genomes isolated from domestic sheep (*Ovis aries*) and a clinically affected cow (*Bos bovis*). *Journal of General Virology*, 88(1), 40–45. <https://doi.org/10.1099/vir.0.82285-0>
- Taus, N. S., Oaks, J. L., Gailbreath, K., Traul, D. L., O'Toole, D., & Li, H. (2006). Experimental aerosol infection of cattle (*Bos taurus*) with ovine herpesvirus 2 using nasal secretions from infected sheep. *Veterinary Microbiology*, 116(1–3), 29–36. <https://doi.org/10.1016/j.vetmic.2006.03.005>
- Taus, N. S., Schneider, D. A., Oaks, J. L., Yan, H., Gailbreath, K. L., Knowles, D. P., & Li, H. (2010). Sheep (*Ovis aries*) airway epithelial cells support ovine herpesvirus 2 lytic replication in vivo. *Veterinary Microbiology*, 145(1–2), 47–53. <https://doi.org/10.1016/j.vetmic.2010.03.013>
- Taus, N. S., Traul, D. L., Oaks, J. L., Crawford, T. B., Lewis, G. S., & Li, H. (2005). Experimental infection of sheep with ovine herpesvirus 2 via aerosolization of nasal secretions. *Journal of General Virology*, 86(3), 575–579. <https://doi.org/10.1099/vir.0.80707-0>
- Tikaso R, Yuhendra, 2024. Pengendalian penyakit MCF (Malignant Catarrhal Fever) melalui manajemen risiko (Internet). Pemerintah Provinsi Riau; <<https://dispkh.riau.go.id/post/122/pengendalian-penyakit-mcf-malignant-catarrhal-fever-melalui-manajemen-risiko>> (diakses 22 Nvovember 2025)
- Traul, D. L., Elias, S., Taus, N. S., Herrmann, L. M., Oaks, J. L., & Li, H. (2005). A *Real-time* PCR assay for measuring alcelaphine herpesvirus-1 DNA. *Journal of Virological Methods*, 129(2), 186–190. <https://doi.org/10.1016/j.jviromet.2005.05.021>
- Týmurkan, M. Ö., Ulaş, N., Aydın, H., & Değİrmençay, Ş. (2022). Molecular characterization and determination of risk factors of sheep-associated Ovine gammaherpesvirus-2 in cattle. *Türk Hijyen ve Deneysel Biyoloji Dergisi*, 79(3), 469–476. <https://doi.org/10.5505/TurkHijyen.2022.95777>
- Wang, X., & Cheng, Z. (2020). Cross-Sectional Studies: Strengths, Weaknesses, and Recommendations. In *Chest* (Vol. 158, Issue 1, pp. S65–S71). Elsevier Inc. <https://doi.org/10.1016/j.chest.2020.03.012>
- Wani, S. A., Samanta, I., Pandit, F., Buchoo, B. A., Peer, F., & Bhat, M. A. (2006). Molecular epidemiology of ovine herpesvirus type 2 infection in Kashmir, India. *Veterinary Record*, 159(18), 587–590. <https://doi.org/10.1136/vr.159.18.587>

- Whitaker KA, Wessels ME, Campbell II, & Russell GC. (2007). *Outbreak of Wildebeest-Associated Malignant Catarrhal Fever in Ankole Cattle* (161). <http://veterinaryrecord.bmj.com/>
- Wiyono, A., & Damayanti, R. (1999). Studies On The Transmission Of Malignant Catarrhal Fever In Experimental Animals: A Serial Infection Of Cattle And Buffalo By Means Of Whole Blood Inoculation. *JITV*, 4(4).
- Wiyono, A., & Damayanti, R. (2018). Wabah Penyakit Ingusan (Malignant Catarrhal Fever) pada Sapi Bali di Pulau Lombok, Nusa Tenggara Barat, Indonesia (Outbreak Of Malignant Catarrhal Fever In Bali Cattle In Lombok Island, West Nusa Tenggara, Indonesia). *Jurnal Veteriner*, 19 (3), 419–429. <https://doi.org/10.19087/jveteriner.2018.19.419>
- Wiyono, A., Nuradji, H., Sanam, M. U. E., Simarmata, Y. T. R. M. R., & Damayanti, R. (2021). Detection of ovine herpesvirus-2 in clinical cases of sheep-associated malignant catarrhal fever in balinese cattle and apparently healthy sheep in East Nusa Tenggara. *BIO Web of Conferences*, 33. <https://doi.org/10.1051/bioconf/20213306006>
- WOAH. (2018). *Terrestrial Manual. Chapter 3.4.13. Malignant Catarrhal Fever*. https://www.woah.org/fileadmin/Home/FR/Health_standards/Tahm/3.04.13_MCF.Pdf.
- Xu, Y. X., Wang, B., Jing, J. N., Ma, R., Luo, Y. H., Li, X., Yan, Z., Liu, Y. J., Gao, L., Ren, Y. L., Li, M. H., & Lv, F. H. (2023). Whole-body adipose tissue multi-omic analyses in sheep reveal molecular mechanisms underlying local adaptation to extreme environments. *Communications Biology*, 6(1). <https://doi.org/10.1038/s42003-023-04523-9>
- Yavru, S., Simsek, A., Levent, O., Avci, O., Şimşek, A., Yapici, O., Bulut, O., & Avci, O. (2018). Determination Of Prevalence Of Malignant Catarrhal Fever By Using Competitive Inhibition Elisa In Domestic Cattle. In *Original Research Article Bionature* (Vol. 38, Issue 3). <https://www.researchgate.net/publication/325620073>
- Yeşilbağ, K. (2007). Seroprevalence of malignant catarrhal fever-related gammaherpesviruses in domestic ruminants in Turkey. *Tropical Animal Health and Production*, 39(5), 363–368. <https://doi.org/10.1007/s11250-007-9024-2>
- Zakharova, O., Toropova, N., Burova, O., Titov, I., Meltsov, I., & Blokhin, A. (2020). Malignant catarrhal fever in cattle in the Irkutsk Region. *Journal of Veterinary Research (Poland)*, 64(2), 215–222. <https://doi.org/10.2478/jvetres-2020-0035>