

DAFTAR PUSTAKA

- Abbara, A., Collin, S.M., Kon, O.M., Buell, K., Sullivan, A., Barrett, J., Corrah, T., McGregor, A., Hansel, T., John, L. & Davidson, R.N., 2019, 'Time to diagnosis of tuberculosis is greater in older patients: A retrospective cohort review', *ERJ Open Research*, 5(4).
- Al-Efraij, K., Mota, L., Lunny, C., Schachter, M., Cook, V. & Johnston, J., 2015, *Risk of active tuberculosis in chronic kidney disease: A systematic review and meta-analysis*, *International Journal of Tuberculosis and Lung Disease*, 19(12), 1493–1499.
- Ali, O., 2013, 'Genetics of type 2 diabetes', *World Journal of Diabetes*, 4(4), 114.
- Alsayed, S.S.R. & Gunosewoyo, H., 2023, *Tuberculosis: Pathogenesis, Current Treatment Regimens and New Drug Targets*, *International Journal of Molecular Sciences*, 24(6).
- Ayelign, B., Negash, M., Genetu, M., Wondmagegn, T. & Shibabaw, T., 2019, *Immunological Impacts of Diabetes on the Susceptibility of Mycobacterium tuberculosis*, *Journal of Immunology Research*, 2019.
- Berbudi, A., Rahmadika, N., Tjahjadi, A.I. & Ruslami, R., 2019, 'Type 2 Diabetes and its Impact on the Immune System', *Current Diabetes Reviews*, 16(5), 442–449.
- Bisht, M.K., Dahiya, P., Ghosh, S. & Mukhopadhyay, S., 2023, *The cause-effect relation of tuberculosis on incidence of diabetes mellitus*, *Frontiers in Cellular and Infection Microbiology*, 13.
- Buonacera, A., Stancanelli, B., Colaci, M. & Malatino, L., 2022a, *Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases*, *International Journal of Molecular Sciences*, 23(7).
- Buonacera, A., Stancanelli, B., Colaci, M. & Malatino, L., 2022b, *Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases*, *International Journal of Molecular Sciences*, 23(7).
- Chandrasekaran, P. & Weiskirchen, R., 2024, 'Cellular and Molecular Mechanisms of Insulin Resistance', *Current Tissue Microenvironment Reports*.
- Cohen, G. & Hörl, W.H., 2012, *Immune dysfunction in Uremia-An update*, *Toxins*, 4(11), 962–990.
- Consoli, A., Nurjhan, N., Capani, F. & Gerich, J., no date, *Predominant Role of Gluconeogenesis in Increased Hepatic Glucose Production in NIDDM*.

Dayu Pralambang, S., Setiawan, S. & Dayu Pralambang -, S., no date, *Faktor Risiko Kejadian Tuberkulosis di Indonesia*.

Deng, H., Li, B., Shen, Q., Zhang, C., Kuang, L., Chen, R., Wang, S.Y., Ma, Z.Q. & Li, G., 2023, *Mechanisms of diabetic foot ulceration: A review, Journal of Diabetes*, 15(4), 299–312.

Elisabeth Sormin, D., Siagian, P., Sinaga, B.Y. & Chairani Eyanoer, P., 2018, *Neutrophyl Lymphocyte Ratio pada Pasien Tuberkulosis Paru dan Tuberkulosis Resisten Obat Neutrophyl Lymphocyte Ratio in Tuberculosis Patients and Multi Drug Resistant Tuberculosis Patients*, vol. 38.

Endokrinologi Indonesia PEDOMAN PENGELOLAAN DAN PENCEGAHAN DIABETES MELITUS TIPE, P., no date, *PEDOMAN PENGELOLAAN DAN PENCEGAHAN DIABETES MELITUS TIPE 2 DEWASA DI INDONESIA-2021 PERKENI i Penerbit PB. PERKENI*.

Espi, M., Koppe, L., Fouque, D. & Thauat, O., 2020, *Chronic kidney disease-associated immune dysfunctions: Impact of protein-bound uremic retention solutes on immune cells, Toxins*, 12(5).

Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K.B., Ostolaza, H. & Martín, C., 2020, *Pathophysiology of type 2 diabetes mellitus, International Journal of Molecular Sciences*, 21(17), 1–34.

Gastaldelli, A., Gaggini, M. & DeFronzo, R.A., 2017, ‘Role of adipose tissue insulin resistance in the natural history of type 2 diabetes: Results from the san antonio metabolism study’, *Diabetes*, 66(4), 815–822.

Gu, Z., Liu, B., Yu, X., Cheng, T., Han, T., Tong, L. & Cao, Y., 2023, ‘Association of blood neutrophil-lymphocyte ratio with short-term prognosis and severity of tuberculosis meningitis patients without HIV infection’, *BMC Infectious Diseases*, 23(1).

Guo, X., Asthana, P., Gurung, S., Zhang, S., Wong, S.K.K., Fallah, S., Chow, C.F.W., Che, S., Zhai, L., Wang, Z., Ge, X., Jiang, Z., Wu, J., Zhang, Y., Wu, X., Xu, K., Lin, C.Y., Kwan, H.Y., Lyu, A., Zhou, Z., Bian, Z.X. & Wong, H.L.X., 2022, ‘Regulation of age-associated insulin resistance by MT1-MMP-mediated cleavage of insulin receptor’, *Nature Communications*, 13(1).

Hariftyani, A.S., Novida, H. & Edward, M., 2021, ‘Profile of Diabetic Foot Ulcer Patients at Tertiary Care Hospital in Surabaya, Indonesia’, *Jurnal Berkala Epidemiologi*, 9(3), 293.

- He, Q., Tang, W., Deng, Y., He, Y., Xie, L., Qin, X. & Li, S., 2016, *The diagnostic value of neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio in tuberculous spondylitis*, vol. 9.
- Huang, L.Y., Liu, C.H., Chen, F.Y., Kuo, C.H., Pitrone, P. & Liu, J.S., 2023, 'Aging Affects Insulin Resistance, Insulin Secretion, and Glucose Effectiveness in Subjects with Normal Blood Glucose and Body Weight', *Diagnostics*, 13(13).
- Hudish, L.I., Reusch, J.E.B. & Sussel, L., 2019, ' β Cell dysfunction during progression of metabolic syndrome to type 2 diabetes', *Journal of Clinical Investigation*, 129(10), 4001–4008.
- Hussain, M., Babar, M.Z.M., Akhtar, L. & Hussain, M.S., 2017, 'Neutrophil-lymphocyte ratio (NLR): A well assessment tool of glycemic control in Type-2 diabetic patients', *Pak J Med Sci*, 33(6), 291–296.
- Indrahadi, D., Wardana, A. & Pierewan, A.C., 2021, 'The prevalence of diabetes mellitus and relationship with socioeconomic status in the Indonesian population', *Jurnal Gizi Klinik Indonesia*, 17(3), 103.
- Istiqomah, I., Suhariyadi, S. & Woelansari, E.D., 2024, 'Correlation Of Neutrophil Lymphocyte Ratio (NLR) Value With Incidence Of Tuberculosis Disease In Patients With Diabetes Mellitus', *Jurnal Analis Medika Biosains (JAMBS)*, 11(1), 18–23.
- Kementrian Kesehatan Republik Indonesia, 2020, *Pedoman Nasional Pelayanan Kedokteran (PNPK) Tata Laksana Tuberkulosis*, Jakarta.
- Khan, R.M.M., Chua, Z.J.Y., Tan, J.C., Yang, Y., Liao, Z. & Zhao, Y., 2019, *From pre-diabetes to diabetes: Diagnosis, treatments and translational research*, *Medicina (Lithuania)*, 55(9).
- Kim, J.Y., Nasr, A., Tfayli, H., Bacha, F., Michaliszyn, S.F. & Arslanian, S., 2017, 'Increased lipolysis, diminished adipose tissue insulin sensitivity, and impaired b-cell function relative to adipose tissue insulin sensitivity in obese youth with impaired glucose tolerance', *Diabetes*, 66(12), 3085–3090.
- Liong, R.U., Kurniawan, B. & Muhadi, D., 2023, 'Analysis of NLR in Type 2 Diabetes Mellitus with and without Diabetic Foot Ulcer Analysis of NLR in Type 2 Diabetes Mellitus Ulandari, et al'.
- Narasimhan, P., Wood, J., Macintyre, C.R. & Mathai, D., 2013, *Risk factors for tuberculosis*, *Pulmonary Medicine*.

- Nathan, D.M., Turgeon, H. & Regan, S., 2007, 'Relationship between glycated haemoglobin levels and mean glucose levels over time', *Diabetologia*, 50(11), 2239–2244.
- Nurdin, N., Kalma, K., Hasnawati, H. & Nasir, H., 2021, 'PROFIL NILAI Neutrophil Lymphocyte RATIO (NLR) PADA PENDERITA DIABETES MELITUS TIPE-2', *Jurnal Media Analisis Kesehatan*, 12(1), 64.
- Restrepo, B.I., 2016a, 'Diabetes and Tuberculosis', D. Schlossberg (ed.), *Microbiology Spectrum*, 4(6).
- Restrepo, B.I., 2016b, 'Diabetes and Tuberculosis', D. Schlossberg (ed.), *Microbiology Spectrum*, 4(6).
- Romanowski, K., Clark, E.G., Levin, A., Cook, V.J. & Johnston, J.C., 2016, *Tuberculosis and chronic kidney disease: an emerging global syndemic*, *Kidney International*, 90(1), 34–40.
- Romero-Tamarit, A., Vallès, X., Munar-García, M., Espinosa-Pereiro, J., Saborit, N., Tortola, M.T., Stojanovic, Z., Roure, S., Antuori, A., Cardona, P.J., Soriano-Arandes, A., Martin-Nalda, A., Espiau, M., Souza-Galvão, M.L. de, Jiménez, M.Á., Noguera-Julian, A., Molina, I., Casas, X., Domínguez-Álvarez, M., Jové, N., Gogichadze, N., L. Fonseca, K., Arias, L., Millet, J.P., Sánchez-Montalvá, A. & Vilaplana, C., 2024, 'A longitudinal prospective study of active tuberculosis in a Western Europe setting: insights and findings', *Infection*, 52(2), 611–623.
- Ruzangi, J., Iwagami, M., Smeeth, L., Mangtani, P. & Nitsch, D., 2020, 'The association between chronic kidney disease and tuberculosis; A comparative cohort study in England', *BMC Nephrology*, 21(1).
- Sakinah, E.N., 2018, *Peningkatan Kadar Glucagon Like Peptide-1 (GLP-1) Pada Tikus Model Diabetes setelah Pemberian diit Resistant Starch Tipe 3 Pati Singkong (Manihot Esculanta Crantz) Increased Plasma GLP-1 Levels after Resistant Starch Type 3 From Cassava Starch (Manihot Esculanta Crantz) Diet on Diabetic Rat*, vol. 4.
- Sathvik, M., Vuppuluri, K. & Dulipala, P., 2023, 'The Association of the Neutrophil-Lymphocyte Ratio With the Outcome of Diabetic Foot Ulcer', *Cureus*.
- Seah, J.Y.H., Sim, X., Khoo, C.M., Tai, E.S. & Dam, R.M. Van, 2023, 'Differences in type 2 diabetes risk between East, South, and Southeast Asians living in Singapore: the multi-ethnic cohort', *BMJ Open Diabetes Research and Care*, 11(4).

- Shannon, C.E., Merovci, A., Fourcaudot, M., Tripathy, D., Abdul-Ghani, M., Wang, H., Han, X., Norton, L. & DeFronzo, R.A., 2022, 'Effects of Sustained Hyperglycemia on Skeletal Muscle Lipids in Healthy Subjects', *Journal of Clinical Endocrinology and Metabolism*, 107(8), E3177–E3185.
- Sorohan, B.M., Ismail, G., Tacu, D., Obrișcă, B., Ciolan, G., Gîngu, C., Sinescu, I. & Baston, C., 2022, *Mycobacterium Tuberculosis Infection after Kidney Transplantation: A Comprehensive Review*, *Pathogens*, 11(9).
- Sunarto & Achmad Surjono, 1997, 'Interval kepercayaan dalam analisis kemaknaan klinis', *Berkala Ilmu Kedokteran*, 29, 145–151.
- Sylvana, D. & Santi Syafril, 2024, 'The Association of the Neutrophil-Lymphocyte Ratio With Diabetes Mellitus and Diabetic Foot Ulcer: A Review Article', *Journal of Endocrinology, Tropical Medicine, and Infectious Disease (JETROMI)*, 4(4), 166–175.
- Teo, A.K.J., Morishita, F., Islam, T., Viney, K., Ong, C.W.M., Kato, S., Kim, H.J., Liu, Y., Oh, K.H., Yoshiyama, T., Ohkado, A., Rahevar, K., Kawatsu, L., Yanagawa, M., Prem, K., Yi, S., Tran, H.T.G. & Marais, B.J., 2023, *Tuberculosis in older adults: challenges and best practices in the Western Pacific Region*, *The Lancet Regional Health - Western Pacific*, 36.
- Thiele, C. & Hirschfeld, G., 2023, 'Confidence intervals and sample size planning for optimal cutpoints', *PLoS ONE*, 18(1 January).
- Wang, B.Y., Song, K., Wang, H.T., Wang, S.S., Wang, W.J., Li, Z.W., Du, W.Y., Xue, F.Z., Zhao, L. & Cao, W.C., 2024, 'Comorbidity increases the risk of pulmonary tuberculosis: a nested case-control study using multi-source big data', *BMC Pulmonary Medicine*, 24(1).
- Wang, X., Yuan, C.-X., Xu, B. & Yu, Z., 2022, 'Diabetic foot ulcers: Classification, risk factors and management', *World Journal of Diabetes*, 13(12), 1049–1065.
- Zahorec, R., 2021, 'Neutrophil-to-lymphocyte ratio, past, present and future perspectives', *Bratislava Medical Journal*, 122(7), 474–488.
- Zhang, X., Fu, H., Li, J., Yan, J., Huang, J., Xu, Z., Li, M., Qian, M., Wang, L., Li, H. & Du, Y., 2025, 'Development and Validation of a Predictive Model Using Inflammatory Biomarkers for Active Tuberculosis Risk in Diabetic Patients', *Journal of Inflammation Research*, 18, 4725–4739.