

## DAFTAR PUSTAKA

- Amini, M. A., Karbasi, A., Vahabirad, M., Khanaghaei, M., & Alizamir, A. (2023). Mechanistic Insight into Age-Related Macular Degeneration (AMD): Anatomy, Epidemiology, Genetics, Pathogenesis, Prevention, Implications, and Treatment Strategies to Pace AMD Management. *Chonnam Medical Journal*, 59(3), 143–159. <https://doi.org/10.4068/cmj.2023.59.3.143>
- Arunkumar, R., Gorusupudi, A., & Bernstein, P. S. (2020). The macular carotenoids: A biochemical overview. *Biochimica et Biophysica Acta. Molecular and Cell Biology of Lipids*, 1865(11), 158617. <https://doi.org/10.1016/j.bbalip.2020.158617>
- Askari, M., Nikpoor, A. R., Gorjipour, F., Mazidi, M., Sanati, M. H., Aryan, H., Irani, A., Ghasemi Falavarjani, K., Nazari, H., & Mousavizadeh, K. (2015). Association of Htra1 gene polymorphisms with the risk of developing AMD in Iranian population. *Reports of Biochemistry & Molecular Biology*, 4(1), 43–49.
- Bressler, S. B. (2009). Introduction: Understanding the role of angiogenesis and antiangiogenic agents in age-related macular degeneration. *Ophthalmology*, 116(10 Suppl), S1-7. <https://doi.org/10.1016/j.ophtha.2009.06.045>
- Chan, C.-C., Shen, D., Zhou, M., Ross, R. J., Ding, X., Zhang, K., Green, W. R., & Tuo, J. (2007). Human HtrA1 in the archived eyes with age-related macular degeneration. *Transactions of the American Ophthalmological Society*, 105, 92–97; discussion 97-8.
- Chapot, C. A., Euler, T., & Schubert, T. (2017). How do horizontal cells “talk” to cone photoreceptors? Different levels of complexity at the cone-horizontal cell synapse. *The Journal of Physiology*, 595(16), 5495–5506. <https://doi.org/10.1113/JP274177>
- Dewan, A., Liu, M., Hartman, S., Zhang, S. S.-M., Liu, D. T. L., Zhao, C., Tam, P. O. S., Chan, W. M., Lam, D. S. C., Snyder, M., Barnstable, C., Pang, C. P., & Hoh, J. (2006). HTRA1 promoter polymorphism in *wet* age-related macular degeneration. *Science (New York, N.Y.)*, 314(5801), 989–992. <https://doi.org/10.1126/science.1133807>

- Fleckenstein, M., Keenan, T. D. L., Guymer, R. H., Chakravarthy, U., Schmitz-Valckenberg, S., Klaver, C. C., Wong, W. T., & Chew, E. Y. (2021). Age-related macular degeneration. *Nature Reviews Disease Primers*, 7(1), 31. <https://doi.org/10.1038/s41572-021-00265-2>
- Friedrich, U., Datta, S., Schubert, T., Plössl, K., Schneider, M., Grassmann, F., Fuchshofer, R., Tiefenbach, K.-J., Längst, G., & Weber, B. H. F. (2015). Synonymous variants in HTRA1 implicated in AMD susceptibility impair its capacity to regulate TGF- $\beta$  signaling. *Human Molecular Genetics*, 24(22), 6361–6373. <https://doi.org/10.1093/hmg/ddv346>
- Garcia-Medina, J. J., Bascuñana-Mas, N., Sobrado-Calvo, P., Gomez-Molina, C., Rubio-Velazquez, E., De-Paco-Matallana, M., Zanon-Moreno, V., Pinazo-Duran, M. D., & Del-Rio-Vellosillo, M. (2023). Macular Anatomy Differs in Dyslexic Subjects. *Journal of Clinical Medicine*, 12(6). <https://doi.org/10.3390/jcm12062356>
- Gheorghe, A., Mahdi, L., & Musat, O. (2015). AGE-RELATED MACULAR DEGENERATION. *Romanian Journal of Ophthalmology*, 59(2), 74–77.
- Guymer, R. H., & Campbell, T. G. (2023). Age-related macular degeneration. *The Lancet*, 401(10386), 1459–1472. [https://doi.org/10.1016/S0140-6736\(22\)02609-5](https://doi.org/10.1016/S0140-6736(22)02609-5)
- Hobbs, S. D., Tripathy, K., & Pierce, K. (2024). *Wet Age-Related Macular Degeneration (AMD)*.
- Hu, A., Schmidt, M. H. H., & Heinig, N. (2024). Microglia in retinal angiogenesis and diabetic retinopathy. *Angiogenesis*, 27(3), 311–331. <https://doi.org/10.1007/s10456-024-09911-1>
- Huang, G., Li, H., Lai, S., Xiao, J., Wang, L., Xu, H., Lei, C., Zhang, J., Yu, M., Shuai, P., Liu, Y., Shi, Y., Wang, K., & Gong, B. (2022). HTRA1 rs11528744, BCRA1 rs9928736, and B3GLCT rs4381465 are associated with age-related macular degeneration in a Chinese population. *Frontiers in Genetics*, 13, 997840. <https://doi.org/10.3389/fgene.2022.997840>
- Kaiser, P. K., Wykoff, C. C., Singh, R. P., Khanani, A. M., Do, D. V., Patel, H., & Patel, N. (2021). RETINAL FLUID AND THICKNESS AS MEASURES OF

DISEASE ACTIVITY IN NEOVASCULAR AGE-RELATED MACULAR DEGENERATION. *Retina*, 41(8), 1579–1586.  
<https://doi.org/10.1097/IAE.0000000000003194>

Kosebent, E. G., Uysal, F., & Ozturk, S. (2018). Telomere length and telomerase activity during folliculogenesis in mammals. *The Journal of Reproduction and Development*, 64(6), 477–484. <https://doi.org/10.1262/jrd.2018-076>

Liang, X. Y., Lai, T. Y. Y., Liu, D. T. L., Fan, A. H., Chen, L. J., Tam, P. O. S., Chiang, S. W. Y., Ng, T. K., Lam, D. S. C., & Pang, C. P. (2012). Differentiation of exudative age-related macular degeneration and polypoidal choroidal vasculopathy in the ARMS2/HTRA1 locus. *Investigative Ophthalmology & Visual Science*, 53(6), 3175–3182. <https://doi.org/10.1167/iovs.11-8135>

Mahabadi, N., & Al Khalili, Y. (2024). *Neuroanatomy, Retina*.

Mathenge, W. (2014). Age-related macular degeneration. *Community Eye Health*, 27(87), 49–50.

McKibbin, M., Ali, M., Bansal, S., Baxter, P. D., West, K., Williams, G., Cassidy, F., & Inglehearn, C. F. (2012). CFH, VEGF and HTRA1 promoter genotype may influence the response to intravitreal ranibizumab therapy for neovascular age-related macular degeneration. *The British Journal of Ophthalmology*, 96(2), 208–212. <https://doi.org/10.1136/bjo.2010.193680>

Mescher, A. L. ., & Junqueira, L. C. U. (2013). *Junqueira's basic histology : text and atlas*. McGraw-Hill Medical.

Paloviita, P., & Vuoristo, S. (2022). The non-coding genome in early human development - Recent advancements. *Seminars in Cell & Developmental Biology*, 131, 4–13. <https://doi.org/10.1016/j.semcd.2022.02.010>

Ricci, F., Bandello, F., Navarra, P., Staurenghi, G., Stumpp, M., & Zarbin, M. (2020). Neovascular Age-Related Macular Degeneration: Therapeutic Management and New-Upcoming Approaches. *International Journal of Molecular Sciences*, 21(21). <https://doi.org/10.3390/ijms21218242>

- Ross, R. J., Verma, V., Rosenberg, K. I., Chan, C.-C., & Tuo, J. (2007). Genetic markers and biomarkers for age-related macular degeneration. *Expert Review of Ophthalmology*, 2(3), 443–457. <https://doi.org/10.1586/17469899.2.3.443>
- Saxena, Sandeep., & Saxena, R. C. . (2008). *Retina atlas : a global perspective*. Jaypee Brothers Medical Publishers.
- Sergejeva, O., Botov, R., Liutkevičienė, R., & Kriaučiuniene, L. (2016). Genetic factors associated with the development of age-related macular degeneration. In *Medicina (Lithuania)* (Vol. 52, Issue 2, pp. 79–88). Elsevier B.V. <https://doi.org/10.1016/j.medici.2016.02.004>
- Shastry, B. S. (2009). SNPs: impact on gene function and phenotype. *Methods in Molecular Biology (Clifton, N.J.)*, 578, 3–22. [https://doi.org/10.1007/978-1-60327-411-1\\_1](https://doi.org/10.1007/978-1-60327-411-1_1)
- Song, D., Liu, P., Shang, K., & Ma, Y. (2022). Application and mechanism of anti-VEGF drugs in age-related macular degeneration. *Frontiers in Bioengineering and Biotechnology*, 10, 943915. <https://doi.org/10.3389/fbioe.2022.943915>
- Stahl, A. (2020a). The Diagnosis and Treatment of Age-Related Macular Degeneration. *Deutsches Arzteblatt International*, 117(29–30), 513–520. <https://doi.org/10.3238/arztebl.2020.0513>
- Stahl, A. (2020b). The Diagnosis and Treatment of Age-Related Macular Degeneration. *Deutsches Arzteblatt International*, 117(29–30), 513–520. <https://doi.org/10.3238/arztebl.2020.0513>
- Tennstaedt, A., Pöpsel, S., Truebestein, L., Hauske, P., Brockmann, A., Schmidt, N., Irle, I., Sacca, B., Niemeyer, C. M., Brandt, R., Ksiezak-Reding, H., Tirniceriu, A. L., Egensperger, R., Baldi, A., Dehmelt, L., Kaiser, M., Huber, R., Clausen, T., & Ehrmann, M. (2012). Human high temperature requirement serine protease A1 (HTRA1) degrades tau protein aggregates. *Journal of Biological Chemistry*, 287(25), 20931–20941. <https://doi.org/10.1074/jbc.M111.316232>
- Tong, Y., Liao, J., Zhang, Y., Zhou, J., Zhang, H., & Mao, M. (2010). *LOC387715/HTRA1 gene polymorphisms and susceptibility to age-related macular degeneration: A HuGE review and meta-analysis*. <http://www.molvis.org/molvis/v16/a213>

- Tosi, G. M., Orlandini, M., & Galvagni, F. (2018). The Controversial Role of TGF- $\beta$  in Neovascular Age-Related Macular Degeneration Pathogenesis. *International Journal of Molecular Sciences*, 19(11). <https://doi.org/10.3390/ijms19113363>
- Vyawahare, H., & Shinde, P. (2022). Age-Related Macular Degeneration: Epidemiology, Pathophysiology, Diagnosis, and Treatment. *Cureus*, 14(9), e29583. <https://doi.org/10.7759/cureus.29583>
- Wang, X., Ma, W., Han, S., Meng, Z., Zhao, L., Yin, Y., Wang, Y., & Li, J. (2017). TGF- $\beta$  participates choroid neovascularization through Smad2/3-VEGF/TNF- $\alpha$  signaling in mice with Laser-induced *wet* age-related macular degeneration. *Scientific Reports*, 7(1), 9672. <https://doi.org/10.1038/s41598-017-10124-4>
- Wong, W. L., Su, X., Li, X., Cheung, C. M. G., Klein, R., Cheng, C. Y., & Wong, T. Y. (2014). Global prevalence of age-related macular degeneration and disease burden projection for 2020 and 2040: A systematic review and meta-analysis. *The Lancet Global Health*, 2(2). [https://doi.org/10.1016/S2214-109X\(13\)70145-1](https://doi.org/10.1016/S2214-109X(13)70145-1)
- Wu, J., Lin, C., Du, Y., Fan, S. J., Pan, L., Pan, Q., Cao, K., & Wang, N. (2023). Macular thickness and its associated factors in a Chinese rural adult population: the Handan Eye Study. *The British Journal of Ophthalmology*, 107(12), 1864–1872. <https://doi.org/10.1136/bjo-2022-321766>
- Xu, Y., Guan, N., Xu, J., Yang, X., Ma, K., Zhou, H., Zhang, F., Snellingsen, T., Jiao, Y., Liu, X., Wang, N., & Liu, N. (2008). Association of CFH, LOC387715, and HTRA1 polymorphisms with exudative age-related macular degeneration in a northern Chinese population. *Molecular Vision*, 14, 1373–1381.
- Zhou, Y. L., Chen, C. L., Wang, Y. X., Tong, Y., Fang, X. L., Li, L., & Wang, Z. Y. (2017). Association between polymorphism rs11200638 in the HTRA1 gene and the response to anti-VEGF treatment of exudative AMD: A meta-analysis. *BMC Ophthalmology*, 17(1). <https://doi.org/10.1186/s12886-017-0487-2>