

DAFTAR PUSTAKA

- Adesola, O., Ezinne, E. and End, E. (2022) "Variations in Chronic Pain Intensity and Physical Function by Age and Sex for Patients with Knee Osteoarthritis," *Journal of Musculoskeletal Disorders and Treatment*, 8(1). Available at: <https://doi.org/10.23937/2572-3243.1510108>.
- Akinpelu, A.O. *et al.* (2023) "Cross-cultural adaptation and psychometric testing of the Yoruba lequesne algofunctional index of knee osteoarthritis among patients with knee osteoarthritis," *BMC Musculoskeletal Disorders*, 24(1), p. 897. Available at: <https://doi.org/10.1186/s12891-023-07032-2>.
- Allen, K.D., Thoma, L.M. and Golightly, Y.M. (2022) "Epidemiology of osteoarthritis," *Osteoarthritis and Cartilage*, 30(2), pp. 184–195. Available at: <https://doi.org/10.1016/j.joca.2021.04.020>.
- Bonilla-Jaime, H. *et al.* (2022) "Depression and Pain: Use of Antidepressants," *Current Neuropharmacology*, 20(2), pp. 384–402. Available at: <https://doi.org/10.2174/1570159X19666210609161447>.
- Chen, D. *et al.* (2017) "Osteoarthritis: toward a comprehensive understanding of pathological mechanism," *Bone Research*, 5(1), p. 16044. Available at: <https://doi.org/10.1038/boneres.2016.44>.
- Chiarotto, A. *et al.* (2019) "Measurement Properties of Visual Analogue Scale, Numeric Rating Scale, and Pain Severity Subscale of the Brief Pain Inventory in Patients With Low Back Pain: A Systematic Review," *The Journal of Pain*, 20(3), pp. 245–263. Available at: <https://doi.org/10.1016/j.jpain.2018.07.009>.
- Cui, A. *et al.* (2020) "Global, regional prevalence, incidence and risk factors of knee osteoarthritis in population-based studies," *EClinicalMedicine*, 29–30, p. 100587. Available at: <https://doi.org/10.1016/j.eclinm.2020.100587>.
- Dawson, J. *et al.* (2005) "Assessment of the Lequesne index of severity for osteoarthritis of the hip in an elderly population," *Osteoarthritis and Cartilage*, 13(10), pp. 854–860. Available at: <https://doi.org/10.1016/j.joca.2005.05.006>.

- Devita, M. *et al.* (2022) "Recognizing Depression in the Elderly: Practical Guidance and Challenges for Clinical Management," *Neuropsychiatric Disease and Treatment*, 18, pp. 2867–2880. Available at: <https://doi.org/10.2147/NDT.S347356>.
- Filligim, R.B. *et al.* (2016) "Assessment of Chronic Pain: Domains, Methods, and Mechanisms," *The Journal of Pain*, 17(9, Supplement), pp. T10–T20. Available at: <https://doi.org/10.1016/j.jpain.2015.08.010>.
- Gandhi, R. *et al.* (2015) "Depression and the Overall Burden of Painful Joints: An Examination among Individuals Undergoing Hip and Knee Replacement for Osteoarthritis," *Arthritis*, 2015, p. 327161. Available at: <https://doi.org/10.1155/2015/327161>.
- Heidari, B. (2011) "Knee osteoarthritis prevalence, risk factors, pathogenesis and features: Part I," *Caspian Journal of Internal Medicine*, 2(2), pp. 205–212.
- Hellmi, R. (2023) "Indonesian Rheumatology Association (IRA) Recommendations for Diagnosis and Management of Osteoarthritis (Knee, Hand, Hip)," *Indonesian Journal of Rheumatology*, 15(1). Available at: <https://journalrheumatology.or.id/index.php/IJR/article/view/Recommendations-for-Diagnosis-and-Management-of-Osteoarthritis> (Accessed: January 12, 2026).
- Hsu, H. and Siwec, R.M. (2025) "Knee Osteoarthritis," in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK507884/> (Accessed: January 13, 2026).
- Iijima, H. *et al.* (2018) "Psychological health is associated with knee pain and physical function in patients with knee osteoarthritis: an exploratory cross-sectional study," *BMC Psychology*, 6(1), p. 19. Available at: <https://doi.org/10.1186/s40359-018-0234-3>.
- Kim, K.W. *et al.* (2011) "Association Between Comorbid Depression and Osteoarthritis Symptom Severity in Patients with Knee Osteoarthritis," *JBJS*, 93(6), p. 556. Available at: <https://doi.org/10.2106/JBJS.I.01344>.
- Krebs, E.E., Carey, T.S. and Weinberger, M. (2007) "Accuracy of the Pain Numeric Rating Scale as a Screening Test in Primary Care," *Journal of General Internal Medicine*, 22(10), pp. 1453–1458. Available at: <https://doi.org/10.1007/s11606-007-0321-2>.

- Krishnamoorthy, Y., Rajaa, S. and Rehman, T. (2020) “Diagnostic accuracy of various forms of geriatric depression scale for screening of depression among older adults: Systematic review and meta-analysis,” *Archives of Gerontology and Geriatrics*, 87, p. 104002. Available at: <https://doi.org/10.1016/j.archger.2019.104002>.
- Mullins, S. *et al.* (2022) “Physiological changes from ageing regarding pain perception and its impact on pain management for older adults,” *Clinical Medicine*, 22(4), pp. 307–310. Available at: <https://doi.org/10.7861/clinmed.22.4.phys>.
- Neogi, T. (2013) “The epidemiology and impact of pain in osteoarthritis,” *Osteoarthritis and Cartilage*, 21(9), pp. 1145–1153. Available at: <https://doi.org/10.1016/j.joca.2013.03.018>.
- Nimmaanrat, S. *et al.* (2024) “Measuring pain intensity in older patients: a comparison of five scales,” *BMC Geriatrics*, 24(1), p. 556. Available at: <https://doi.org/10.1186/s12877-024-05127-6>.
- Pang, H. *et al.* (2023) “Low back pain and osteoarthritis pain: a perspective of estrogen,” *Bone Research*, 11(1), p. 42. Available at: <https://doi.org/10.1038/s41413-023-00280-x>.
- Radilustyasari, T. and Leonas, R. (2019) “Accuracy Test of Lequesne Index for Radiology Imaging in Genu Osteoarthritis,” *Sriwijaya Journal of Surgery*, 2(1), pp. 41–49. Available at: <https://doi.org/10.37275/sjs.v2i1.15>.
- Riapesi, Y., Rahmadian, R. and Maska, H. (2021) “Relationship between Radiological Severity, Knee Pain and Functional Limitation in Patients With Knee Osteoarthritis at Dr. M. Djamil Padang General Hospital,” *Bioscientia Medicina: Journal of Biomedicine and Translational Research*, 5(11), pp. 997–1004. Available at: <https://doi.org/10.32539/bsm.v5i11.365>.
- Samuel, A.J. and Kanimozhi, D. (2019) “Outcome measures used in patient with knee osteoarthritis: With special importance on functional outcome measures,” *International Journal of Health Sciences*, 13(1), pp. 52–60.
- Sananta, P. *et al.* (2022) “Age and Knee Osteoarthritis Severity Relationship in Indonesian Secondary Referral Hospital,” *Jurnal Berkala Kesehatan*, 8(2), pp. 124–131. Available at: <https://doi.org/10.20527/jbk.v8i2.14608>.
- Scopaz, K.A. *et al.* (2009) “Relationships of Fear, Anxiety, and Depression With Physical Function in Patients With Knee Osteoarthritis,” *Archives of Physical*

- Medicine and Rehabilitation*, 90(11), pp. 1866–1873. Available at: <https://doi.org/10.1016/j.apmr.2009.06.012>.
- Segal, N.A., Nilges, J.M. and Oo, W.M. (2024) “Sex differences in osteoarthritis prevalence, pain perception, physical function and therapeutics,” *Osteoarthritis and Cartilage*, 32(9), pp. 1045–1053. Available at: <https://doi.org/10.1016/j.joca.2024.04.002>.
- Sen, R. and Hurley, J.A. (2025a) “Osteoarthritis,” in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK482326/> (Accessed: January 13, 2026).
- Sen, R. and Hurley, J.A. (2025b) “Osteoarthritis,” in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK482326/> (Accessed: January 12, 2026).
- Sheng, J. *et al.* (2017) “The Link between Depression and Chronic Pain: Neural Mechanisms in the Brain,” *Neural Plasticity*, 2017, p. 9724371. Available at: <https://doi.org/10.1155/2017/9724371>.
- Stubbs, B. *et al.* (2016) “Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis,” *Age and Ageing*, 45(2), pp. 228–235. Available at: <https://doi.org/10.1093/ageing/afw001>.
- Sugai, K. *et al.* (2018) “Association Between Knee Pain, Impaired Function, and Development of Depressive Symptoms,” *Journal of the American Geriatrics Society*, 66(3), pp. 570–576. Available at: <https://doi.org/10.1111/jgs.15259>.
- Thong, I.S.K. *et al.* (2018) “The validity of pain intensity measures: what do the NRS, VAS, VRS, and FPS-R measure?,” *Scandinavian Journal of Pain*, 18(1), pp. 99–107. Available at: <https://doi.org/10.1515/sjpain-2018-0012>.
- Trivedi, M.H. (2004) “The Link Between Depression and Physical Symptoms,” *Primary Care Companion to The Journal of Clinical Psychiatry*, 6(suppl 1), pp. 12–16.
- Tschon, M. *et al.* (2021) “Gender and Sex Are Key Determinants in Osteoarthritis Not Only Confounding Variables. A Systematic Review of Clinical Data,” *Journal of Clinical Medicine*, 10(14). Available at: <https://doi.org/10.3390/jcm10143178>.

- Vina, E.R. and Kwoh, C.K. (2018) "Epidemiology of osteoarthritis: literature update," *Current Opinion in Rheumatology*, 30(2), p. 160. Available at: <https://doi.org/10.1097/BOR.0000000000000479>.
- Vogel, M. *et al.* (2022) "Are Anxiety and Depression Taking Sides with Knee-Pain in Osteoarthritis?," *Journal of Clinical Medicine*, 11(4). Available at: <https://doi.org/10.3390/jcm11041094>.
- Wada, T. *et al.* (2005) "Depression, activities of daily living, and quality of life of community-dwelling elderly in three Asian countries: Indonesia, Vietnam, and Japan," *Archives of Gerontology and Geriatrics*, 41(3), pp. 271–280. Available at: <https://doi.org/10.1016/j.archger.2005.03.003>.
- Wahyuni, A. *et al.* (2024) "Karakteristik Osteoarthritis Genu pada Lansia yang Mendapatkan Rehabilitasi Medik di RSUD Hajjah Andi Depu," *Fakumi Medical Journal: Jurnal Mahasiswa Kedokteran*, 4(1), pp. 62–72. Available at: <https://doi.org/10.33096/fmj.v4i1.437>.
- Xie, C. and Chen, Q. (2019) "Adipokines: New Therapeutic Target for Osteoarthritis?," *Current Rheumatology Reports*, 21(12), p. 71. Available at: <https://doi.org/10.1007/s11926-019-0868-z>.