

## DAFTAR PUSTAKA

- Anitha M, Gondha C, Sutliff R, Parsadaniyan A, Mwangi S, Sitaraman SV, Srinivasan S. (2006) GDNF rescues hyperglycemia-induced diabetic enteric neuropathy through activation of the PI3K/Akt pathway. *The Journal of Clinical Investigation*, 116(2):344-356. Available at: <https://pubmed.ncbi.nlm.nih.gov/16453021>
- Babizhayev MA, Stokov IA, Nosikov VV, Savel'yeva EL, Sitnikov VF, Yegorov YE, Lankin VZ. (2015) The role of oxidative stress in diabetic neuropathy: Generation of free radical species in the glycation reaction and gene polymorphisms encoding antioxidant enzymes to genetic susceptibility to diabetic neuropathy in population of type I diabetic patients. *Cell biochemistry and biophysics*, 71(3):1425-1443. Available at: <https://pubmed.ncbi.nlm.nih.gov/25427889/>
- Battle WM, Cohen JD, Snape WJ. (1983) Disorders of colonic motility in patients with diabetes mellitus, *The Yale journal of biology and medicine*, 56(4):277-283. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2589643/>
- Boyce RW, Dorph-Petersen KA, Lyck L, Gundersen HJG. (2010) Design-based stereology: Introduction to basic concepts and practical approaches for estimation of cell number, *Toxicologic pathology* 38(7):1011-1025. Available at: <https://pubmed.ncbi.nlm.nih.gov/21030683/>
- Cantó C, Menzies KJ, Auwerx J. (2015) NAD (+) metabolism and the control of energy homeostasis: a balancing act between mitochondria and the nucleus. *Cell Metabolism*, 22(1), 31–53. <https://doi.org/10.1016/j.cmet.2015.05.023>
- Celik AF, Oşar Z, Damci T, Pamuk ON, Pamuk GE, Ilkova H. (2001) How important are the disturbances of lower gastrointestinal bowel habits in diabetic outpatients?, *Am J Gastroenterol*, 96(4):1314-1316. Available at: <https://pubmed.ncbi.nlm.nih.gov/11316207/>
- Chandrasekharan B, Anitha M, Blatt R, Shahnavaz N, Kooby D, Staley C, Mwangi S, Jones DP, Sitaraman SV, Srinivasan S. (2011) Colonic motor dysfunction in human diabetes is associated with enteric neuronal loss and increased oxidative stress, *Neurogastroenterology and motility*, 23(2):131-138, e26. Available at: <https://pubmed.ncbi.nlm.nih.gov/20939847/>

- Charan J, Kantharia ND. (2013) How to calculate sample size in animal studies?, *Journal of pharmacology & pharmacotherapeutics*, 4(4):303-306. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3826013/>
- Chawla A, Chawla R, Jaggi S. (2016) Microvascular and macrovascular complications in diabetes mellitus: Distinct or continuum? *Indian J Endocrinol Metab.* (4):546-51. doi: 10.4103/2230-8210.183480. PMID: 27366724; PMCID: PMC4911847.
- Chen P, Zhao J, Gregersen H. (2012) Up-regulated expression of advanced glycation end-products and their receptor in the small intestine and colon of diabetic rats, *Digestive diseases and sciences*, 57(1):48-57. Available at: <https://pubmed.ncbi.nlm.nih.gov/22057282/>
- Chen PM, Gregersen H, Zhao JB. (2015) Advanced glycation end-product expression is upregulated in the gastrointestinal tract of type 2 diabetic rats, *World Journal of diabetes*, 6(4):662-672. Available at: <https://pubmed.ncbi.nlm.nih.gov/25987965/>
- Doghmi AA, Barta BP, Egyed-Kolumbán A, Onhausz B, Kiss S, Balázs J, Szalai Z, Bagyánszki M, Bódi N. (2023) Gut region-specific interleukin 1 $\beta$  induction in different myenteric neuronal subpopulations of type 1 diabetic rats, *International Journal of Molecular Sciences*, 24(6):5804. Available at: <https://www.mdpi.com/1422-0067/24/6/5804>
- Domènech A, Pasquinelli G, De Giorgio R, Gori A, Bosch F, Pumarola M, Jiménez M. (2011) Morphofunctional changes underlying intestinal dysmotility in diabetic rip-I/hifn $\beta$  transgenic mice, *International Journal of Experimental Pathology*, 92(6):400-412. Available at: <https://pubmed.ncbi.nlm.nih.gov/22050417/>
- Elfers K, Sehnert AS, Wagner A, Zwirner U, Linge H, Kulik U, Poehnert D, Winny M, Gundert B, Aselmann H, Mazzuoli-Weber G. (2024) Functional and Structural Investigation of Myenteric Neurons in the Human Colon. *Gastro Hep Adv.* 4(1):100537. doi: 10.1016/j.gastha.2024.08.016.
- El-Salhy M, Spångéus A. (2002) Gastric emptying in animal models of human diabetes: Correlation to blood glucose level and gut neuroendocrine peptide content, *Upsala journal of medical sciences*, 107(2):89-99. Available at: <https://pubmed.ncbi.nlm.nih.gov/12602781/>

- Enck P, Rathmann W, Spiekermann M, Czerner D, Tschöpe D, Ziegler D, Strohmeyer G, Gries FA. (1994) Prevalence of gastrointestinal symptoms in diabetic patients and non-diabetic subjects, *Zeitschrift fur Gastroenterologie*, 2(11):637-641. Available at: <https://pubmed.ncbi.nlm.nih.gov/7886972/>
- Feldman M, Schiller LR. (1983) Disorders of gastrointestinal motility associated with diabetes mellitus, *Annals of internal medicine*, 98(3):378-384. Available at: <https://pubmed.ncbi.nlm.nih.gov/6402969/>
- Fregonesi CE, Miranda-Neto MH, Molinari SL, Zanoni JN. (2001) Quantitative study of the myenteric plexus of the stomach of rats with streptozotocin-induced diabetes, *Arquivos de Neuro-Psiquiatria*, 59(1):50-53. Available at: <https://www.scielo.br/j/anp/a/KdcWqrrDFNZy9jrnKfXTFhk/?lang=en>
- Furlan MM, Molinari SL, Miranda Neto MH. (2001) Morphoquantitative effects of acute diabetes on the myenteric neurons of the proximal colon of adult rats, *Arquivos de neuro-psiquiatria*, 60(3-A):576-581. Available at: <https://pubmed.ncbi.nlm.nih.gov/12244395/>
- Ghasemi A, Khalifi S, Jedi S. (2014) Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review), *Acta physiologica Hungarica*, 101(4):408-420. Available at: <https://pubmed.ncbi.nlm.nih.gov/25532953/>
- Goldstein F, Wirts CW, Kowlessar OD. (1970) Diabetic diarrhea and steatorrhea. microbiologic and clinical observations, *Annals of internal medicine*, 72(2):215-218. Available at: <https://pubmed.ncbi.nlm.nih.gov/5412488/>
- Greene DA. (1986) Acute and chronic complications of diabetes mellitus in older patients. *Am J Med*. 80(5A):39-53. doi: 10.1016/0002-9343(86)90536-x.
- Gundersen H, Bendtsen T, Korbo L, Marcussen N, Moller A, Nielsen K. (1988) Some new, simple and efficient stereological methods and their use in pathological research and diagnosis, *APMIS: acta pathologica, microbiologica, et immunologica Scandinavica*, 96(5):379-394. Available at: <https://pubmed.ncbi.nlm.nih.gov/3288247/>
- Gundersen HJ, Osterby R. (1981) Optimizing sampling efficiency of stereological studies in biology: Or "do more less well!". *J Microsc* 121: 65-73.

- Guo C, Quobatari A, Shangguan Y, Hong S, Wiley JW. (2004) Diabetic autonomic neuropathy: Evidence for apoptosis in situ in the rat, *Neurogastroenterology and motility*, 16(3):335-345. Available at: <https://pubmed.ncbi.nlm.nih.gov/15198656/>
- Hansen CF, Vassiliadis E, Vrang N, Sangild PT, Cummings BP, Havel P, Jelsing J. (2014) The effect of ileal interposition surgery on enteroendocrine cell numbers in the UC davis type 2 diabetes mellitus rat, *Regulatory peptides*, 189:31-39. Available at: <https://pubmed.ncbi.nlm.nih.gov/24512816/>
- Howard CV, Reed MG. (2005) *Unbiased Stereology: Three-Dimensional Measurement in Microscopy*, 2<sup>nd</sup> edition. Abingdon: Garland Science/BIOSScientific
- International Diabetes Federation (IDF). (2017) *IDF diabetes atlas. 8th edition*, International Diabetes Federation, Brussels. - references - scientific research publishing. Available at: <https://www.scirp.org/reference/ReferencesPapers.aspx?ReferenceID=2187468>
- International Diabetes Federation. (2011) *5th Edition of the Diabetes Atlas released on World Diabetes Day. Brussels, Belgium*. Available at: <https://diabetesatlas.org/atlas/fifth-edition/>
- Junod A, Lambert AE, Orci L, Pictet R, Gonet AE, Renold AE. (1967) Studies of the diabetogenic action of streptozotocin, *Proceedings of the Society for Experimental Biology and Medicine, Society for Experimental Biology and Medicine (New York, N.Y.)*, 126(1):201-205. Available at: <https://pubmed.ncbi.nlm.nih.gov/4864021/>
- Kaneto H, Xu G, Song KH, Suzuma K, Bonner-Weir S, Sharma A, Weir GC. (2001) Activation of the hexosamine pathway leads to deterioration of pancreatic beta-cell function through the induction of oxidative stress, *The Journal of biological chemistry*, 276(33):31099-31104. Available at: <https://pubmed.ncbi.nlm.nih.gov/11390407/>
- Krishnan B, Babu S, Walker J, Walker AB, Pappachan JM. (2013) Gastrointestinal complications of diabetes mellitus, *World journal of diabetes*, 4(3):51-63. Available at: <https://pubmed.ncbi.nlm.nih.gov/23772273/>

- Kurniawan AH, Suwandi BH, Kholili U. (2019) Diabetic gastroenteropathy: A complication of diabetes mellitus, *Acta medica Indonesiana*, 51(3):263-271. Available at: <https://pubmed.ncbi.nlm.nih.gov/31699951/>
- Lee TH, Lee JS. (2013) Ramosetron might be useful for treating diabetic diarrhea with a rapid small bowel transit time, *The Korean journal of internal medicine*, 28(1):106-107. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3543949/>
- Lenzen S. (2008) The mechanisms of alloxan- and streptozotocin-induced diabetes, *Diabetologia*, 51(2):216-226. Available at: <https://pubmed.ncbi.nlm.nih.gov/18087688/>
- LePard KJ. (2005) Choline acetyltransferase and inducible nitric oxide synthase are increased in myenteric plexus of diabetic guinea pig, *Autonomic neuroscience : basic & clinical*, 118(1-2):12-24. Available at: <https://pubmed.ncbi.nlm.nih.gov/15795174/>
- Li HT, Wu XD, Davey AK, Wang J. (2011) Antihyperglycemic effects of Baicalin on streptozotocin - nicotinamide induced diabetic rats, *Phytotherapy research: PTR*, 25(2):189-194. Available at: <https://pubmed.ncbi.nlm.nih.gov/20632297/>
- Li Y, Cao Y, Xiao J, Shang J, Tan Q, Ping F, Huang W, Wu F, Zhang H, Zhang X. (2020) Inhibitor of apoptosis-stimulating protein of p53 inhibits ferroptosis and alleviates intestinal ischemia/reperfusion-induced acute lung injury, *Cell death and differentiation*, 27(9):2635-2650. Available at: <https://pubmed.ncbi.nlm.nih.gov/32203170/>
- Lincoln J, Bokor JT, Crowe R, Griffith SG, Haven AJ, Burnstock G. (1984) Myenteric plexus in streptozotocin-treated rats. Neurochemical and histochemical evidence for diabetic neuropathy in the gut, *Gastroenterology*, 86(4):654-661. Available at: <https://pubmed.ncbi.nlm.nih.gov/6698366/>
- Logette E, Lorin C, Favreau C, Oshurko E, Coggan JS, Casalegno F, Sy MF, Monney C, Bertschy M, Delattre E, Fonta PA, Krepl J, Schmidt S, Keller D, Kerrien S, Scantamburlo E, Kaufmann AK, Markram H. (2021) A machine-generated view of the role of blood glucose levels in the severity of COVID-19, *Frontiers in public health*. Available at: <https://pubmed.ncbi.nlm.nih.gov/34395368/>

- Luna R, Talanki Manjunatha R, Bollu B, Jhaveri S, Avanthika C, Reddy N, Saha T, Gandhi F. (2021) A comprehensive review of neuronal changes in diabetics, *Cureus*, 13(10):e19142. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/>
- Lysy J, Israeli E, Goldin E. (1999) The prevalence of chronic diarrhea among diabetic patients, *The American journal of gastroenterology*, 94(8):2165-2170. Available at: <https://pubmed.ncbi.nlm.nih.gov/10445544/>
- Magliano DJ, Boyko EJ, IDF Diabetes Atlas 10th edition scientific committee. (2021) IDF DIABETES ATLAS. 10th edition. *Brussels: International Diabetes Federation*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK581934/>
- Malder H, Ahren B, Sundler F. (1996) Islet amyloid polypeptide (amylin) and insulin are differentially expressed in chronic diabetes induced by streptozotocin in rats. *Diabetologia*, 39, 649- 657.
- Maleki D, Camilleri M, Burton DD, Rath-Harvey DM, Oenning L, Pemberton JH, Low PA. (1998) Pilot study of pathophysiology of constipation among community diabetics, *Digestive diseases and sciences*, 43(11):2373-2378. Available at: <https://pubmed.ncbi.nlm.nih.gov/9824121/>
- Maleki D, Locke GR, Camilleri M, Zinsmeister AR, Yawn BP, Leibson C, Melton LJ. (2000) Gastrointestinal tract symptoms among persons with diabetes mellitus in the community, *Archives of internal medicine*, 160(18):2808-2816. Available at: <https://pubmed.ncbi.nlm.nih.gov/11025791/>
- Marcos R, Monteiro RAF, Rocha E. (2012) 'The use of design-based stereology to evaluate volumes and numbers in the liver: A review with practical guidelines', *Journal of Anatomy*, 220(4), pp. 303–317. doi: 10.1111/j.1469-7580.2012.01475.x.
- Masur K, Vetter C, Hinz A, Tomas N, Henrich H, Niggemann B, Zänker KS. (2011) Diabetogenic glucose and insulin concentrations modulate transcriptome and protein levels involved in tumour cell migration, adhesion and proliferation, *British journal of cancer*, 104(2):345-352. Available at: <https://pubmed.ncbi.nlm.nih.gov/21179032/>

- Miller LJ. (1983) Small intestinal manifestations of diabetes mellitus, *The Yale journal of biology and medicine*, 56(3):189-193. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2589684/>
- National Center for Chronic Disease Prevention and Health Promotion Diabetes Home Centers for Disease Control and Prevention. (2017) *Division of Diabetes Translation*. <https://stacks.cdc.gov/view/cdc/52290>
- Ohlsson B, Melander O, Thorsson O, Olsson R, Ekberg O, Sundkvist G. (2006) Oesophageal dysmotility, delayed gastric emptying and autonomic neuropathy correlate to disturbed glucose homeostasis, *Diabetologia*, 49(9):2010-2014. Available at: <https://pubmed.ncbi.nlm.nih.gov/16832660/?dopt=Abstract>
- Olesen MV, Needham EK, Pakkenberg B. (2017) 'The optical fractionator technique to estimate cell numbers in a rat model of electroconvulsive therapy', *Journal of Visualized Experiments*, (125), pp. 1–8. doi: 10.3791/55737.
- Omran S, Ismail AA. (2010) Knowledge and beliefs of Jordanians toward colorectal cancer screening, *Cancer nursing*, 33(2):141-148. Available at: <https://pubmed.ncbi.nlm.nih.gov/20145539/>
- Ozdemir, Ozgur, Coşkun, Pınar, Baspınar N, Hatipoğlu, Fatih. (2009). Pathological changes in the acute phase of streptozotocin-induced diabetic rats. *Bulletin of the Veterinary Institute in Pulawy*. 53. 783-790.
- Pereira R, de Miranda-Neto M, da Silva Souza I, Zanoni J. (2008) Vitamin E supplementation in rats with experimental diabetes mellitus: Analysis of myosin-V and nNOS immunoreactive myenteric neurons from terminal ileum, *Journal of Molecular Histology*, 39(6):595-603. Available at: <https://www.infona.pl/resource/bwmetal.element.springer-6f275c25-003a-3391-b3d6-af580682fbad>
- Phillips LK, Rayner CK, Jones KL, Horowitz M. (2006) An update on autonomic neuropathy affecting the gastrointestinal tract, *Current diabetes reports*, 6(6):417-423. Available at: <https://pubmed.ncbi.nlm.nih.gov/17118223/>
- Piper MS, Saad RJ. (2017) Diabetes mellitus and the colon - current treatment options in gastroenterology, *SpringerLink*, 15(4):460-474. Available at: <https://link.springer.com/article/10.1007/s11938-017-0151-1>

- Quiroz J, Yazdanyar A. (2021) Animal models of diabetic retinopathy, *Annals of Translational Medicine*, 9(15):1272. Available at: <https://atm.amegroups.org/article/view/61987/html>
- Ratkieten N, Rakieten ML, Nadkarni MV. (1963) Studies on the diabetogenic action of streptozotocin (NSC-37917), *Cancer chemotherapy reports*, 29:91-98. Available at: <https://pubmed.ncbi.nlm.nih.gov/13990586/>
- Rojas A, Figueroa H, Morales E. (2010) Fueling inflammation at tumor microenvironment: The role of multiligand/rage axis, *Carcinogenesis*, 31(3):334-341. Available at: <https://pubmed.ncbi.nlm.nih.gov/20028726/>
- Rosa AC, Nardini P, Sgambellone S, Gurrieri M, Spampinato SF, Dell'Accio A, Chazot PL, Obara I, Liu WL, Pini A. (2022) CNS-sparing histamine H3 receptor antagonist as a candidate to prevent the diabetes-associated gastrointestinal symptoms, *MDPI*, 12(2):184. Available at: <https://www.mdpi.com/2218-273X/12/2/184>
- Rosa-e-Silva L, Troncon LE, Oliveira RB, Foss MC, Braga FJ, Gallo Júnior L. (1996) Rapid distal small bowel transit associated with sympathetic denervation in type I diabetes mellitus, *Gut*, 39(5):748-756. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1383402/>
- Russell JW, Sullivan KA, Windebank AJ, Herrmann DN, Feldman EL. (1999) Neurons undergo apoptosis in animal and cell culture models of diabetes, *Neurobiology of disease*, 6(5):347-363. Available at: <https://pubmed.ncbi.nlm.nih.gov/10527803/>
- Samsom M, Verhagen MAMT. (2004) Intestinal function. In: Horowitz M, Samsom M (eds) *Gastrointestinal function in diabetes mellitus*. Chichester: John Wiley & Sons, Ltd. Available at: [https://www.researchgate.net/publication/291981491\\_Gastrointestinal\\_Function\\_in\\_Diabetes\\_Mellitus](https://www.researchgate.net/publication/291981491_Gastrointestinal_Function_in_Diabetes_Mellitus)
- Samuel RO, Gomes-Filho JE, Dezan-Júnior E, Cintra LT. (2014) Streptozotocin-induced rodent models of diabetes: Protocol comparisons. *New York: Nova Science Publ*; pp. 61–80. [[Google Scholar](#)] [[Ref list](#)]

- Sapra A, Bhandari P. (2024) Diabetes, *National Center for Biotechnology Information*. Available at: <https://pubmed.ncbi.nlm.nih.gov/31855345/>
- Sasor A, Ohlsson B. (2014) Microangiopathy is common in submucosal vessels of the colon in patients with diabetes mellitus, *The review of diabetic studies: RDS*, 11(2):175-180. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4310067/>
- Sayhari, KDP. (2020) Jumlah Glomerulus Renalis pada Tikus Model Diabetes yang Diinduksi Streptozotocin-Nicotinamide. (Skripsi). Universitas Gadjah Mada, Yogyakarta
- Shakil A, Church RJ, Rao SS. (2008) Gastrointestinal complications of diabetes. *Am Fam Physician*, 77(12):1697-1702. Available at: <https://www.aafp.org/pubs/afp/issues/2008/0615/p1697.html>
- Sholikah TA, Septyaningtrias DE, Sumiwi YAA, Muthmainah M, Susilowati R. (2024) Prevention of colon enlargement by TNF- $\alpha$  antagonist in a streptozotocin-induced diabetic rat model, *Histol Histopathol*, 39(11):1443-1455. Available at: <https://pubmed.ncbi.nlm.nih.gov/38572731/>
- Siegman MJ, Eto M, Butler TM. (2016) Remodeling of the rat distal colon in diabetes: function and ultrastructure, *Am J Physiol Cell Physiol*, 310(2):C151-160. Available at: <https://pubmed.ncbi.nlm.nih.gov/26561639/>
- Stavely R, Ott LC, Rashidi N, Sakkal S, Nurgali K. (2023) The Oxidative Stress and Nervous Distress Connection in Gastrointestinal Disorders, *Biomolecules*, 13(11):1586. Available at: <https://pubmed.ncbi.nlm.nih.gov/38002268/>
- Szkudelski T. (2012) Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp Biol Med (Maywood)*. 237(5):481-90. doi: [10.1258/ebm.2012.011372](https://doi.org/10.1258/ebm.2012.011372)
- Uranga-Ocio JA, Bastús-Díez S, Delkáder-Palacios D, García-Cristóbal N, Leal-García MÁ, Abalo-Delgado R. (2015) Enteric neuropathy associated to diabetes mellitus. *Rev Esp Enferm Dig*. 107(6):366-73. PMID: 26031865.
- Wahidin M, Achadi A, Besral B, Kosen S, Nadjib M, Nurwahyuni A, Ronoatmodjo S, Rahajeng E, Pane M, Kusuma D. (2024) Projection of diabetes morbidity and

mortality till 2045 in Indonesia based on risk factors and NCD prevention and control programs, *SciRep*, 14(1):5424. Available at: <https://doi.org/10.1038/s41598-024-54563-2>

Watkins CC, Sawa A, Jaffrey S, Blackshaw S, Barrow RK, Snyder SH, Ferris CD. (2000) Insulin restores neuronal nitric oxide synthase expression and function that is lost in diabetic gastropathy, *The Journal of clinical investigation*, 106(6):803. Available at: <https://pubmed.ncbi.nlm.nih.gov/10995791/>

West MJ. (2012). Estimating object number in Biological Structure. *Cold Spring Harb Protoc* 2012(10):1049-66.

World Health Organization. (2019) Classification of diabetes mellitus. *Licence: CC BY-NC-SA 3.0 IGO*

Wu J, Yan LJ. (2015) Streptozotocin-induced type 1 diabetes in rodents as a model for studying mitochondrial mechanisms of diabetic  $\beta$  cell glucotoxicity. *Diabetes Metab Syndr Obes*. 8:181-8. doi: 10.2147/DMSO.S82272.

Yan LJ. (2022) The Nicotinamide/Streptozotocin Rodent Model of Type 2 Diabetes: Renal Pathophysiology and Redox Imbalance Features. *Biomolecules*. 2(9):1225. doi: 10.3390/biom12091225.

Yoneda S, Kadowaki M, Kuramoto H, Fukui H, Takaki M. (2001) Enhanced colonic peristalsis by impairment of nitrergic enteric neurons in spontaneously diabetic rats, *Auton. Neurosci*, 92(1-2):65-71. Available at: <https://pubmed.ncbi.nlm.nih.gov/11570705/>

Zhao J, Chen P, Gregersen H. (2013) Morphomechanical intestinal remodeling in type 2 diabetic GK rats is it related to advanced glycation end product formation?, *J Biomech*, 46(6):1128-1134. Available at: <https://pubmed.ncbi.nlm.nih.gov/23403079/>

Zhao J, Frøkjaer JB, Drewes AM, Ejksjaer N. (2006) Upper gastrointestinal sensory-motor dysfunction in diabetes mellitus, *World J Gastroenterol*, 12(18):2846-57. Available at: <https://pubmed.ncbi.nlm.nih.gov/16718808/>



Zhao M, Liao D, Zhao J. (2017) Diabetes-induced mechanophysiological changes in the small intestine and colon, *World J Diabetes*, 8(6):249-269. Available at: <https://pubmed.ncbi.nlm.nih.gov/28694926/>

Zulfa HA. (2020) Jumlah neuron plexus myentericus dan volume tunica musularis colon tikus yang diinduksi trimethyltin.(Thesis). Universitas Gadjah Mada, Yogyakarta