

DAFTAR PUSTAKA

- Adam, R. J., Williams, A. C., & Kriegel, A. J. (2022). Comparison of the surgical resection and infarct 5/6 nephrectomy rat models of chronic kidney disease. *American Journal of Physiology - Renal Physiology*, 322(6), F639. <https://doi.org/10.1152/AJPRENAL.00398.2021>
- Aly, R. M. (2020). Current state of stem cell-based therapies: an overview. *Stem Cell Investigation*, 7(May), 8. <https://doi.org/10.21037/SCI-2020-001>
- Andrianova, N. v., Buyan, M. I., Zorova, L. D., Pevzner, I. B., Popkov, V. A., Babenko, V. A., Silachev, D. N., Plotnikov, E. Y., & Zorov, D. B. (2019). Kidney Cells Regeneration: Dedifferentiation of Tubular Epithelium, Resident Stem Cells and Possible Niches for Renal Progenitors. *International Journal of Molecular Sciences*, 20(24), 6326. <https://doi.org/10.3390/ijms20246326>
- Antar, S. A., Ashour, N. A., Marawan, M. E., & Al-Karmalawy, A. A. (2023). Fibrosis: Types, Effects, Markers, Mechanisms for Disease Progression, and Its Relation with Oxidative Stress, Immunity, and Inflammation. *International Journal of Molecular Sciences*, 24(4), 4004. <https://doi.org/10.3390/IJMS24044004>
- Arfian, N., et al., 2016. Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation and epithelial cell apoptosis. *Kobe Journal of Medical Sciences*. 62(2): 38-44.
- Barrett, K., Barman, S., Brooks, H., & Yuan, J. (2019). *Ganong's Review of Medical Physiology* (26th ed.). McGraw-Hill Education.
- Biehl, J. K., & Russell, B. (2009). Introduction to Stem Cell Therapy. *The Journal of Cardiovascular Nursing*, 24(2), 98. <https://doi.org/10.1097/JCN.0B013E318197A6A5>
- Bikbov, B., Purcell, C., Levey, A. S., Smith, M., Abdoli, A., Abebe, M., Adebayo, O. M., Afarideh, M., Agarwal, S. K., Agudelo-Botero, M., Ahmadian, E., Al-Aly, Z., Alipour, V., Almasi-Hashiani, A., Al-Raddadi, R. M., Alvis-Guzman, N., Amini, S., Andrei, T., Andrei, C. L., ... Vos, T. (2020). Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet (London, England)*, 395(10225), 709. [https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3)
- Birtwistle, L., Chen, X. M., & Pollock, C. (2021). Mesenchymal Stem Cell-Derived Extracellular Vesicles to the Rescue of Renal Injury. *International Journal of Molecular Sciences*, 22(12), 6596. <https://doi.org/10.3390/IJMS22126596>
- Bonnans, C., Chou, J., & Werb, Z. (2014). *Basement membrane Remodelling the extracellular matrix in development and disease*. <https://doi.org/10.1038/nrm3904>
- Burke, J., Kolhe, R., Hunter, M., Isales, C., Hamrick, M., & Fulzele, S. (2016). Stem Cell-Derived Exosomes: A Potential Alternative Therapeutic Agent in Orthopaedics. *Stem Cells International*, 2016, 5802529. <https://doi.org/10.1155/2016/5802529>
- Cheng, W. D., Bin, L., Lin, Z. X., Yu, D., Xiang, D. K., Lo, S., Ravichandran, M., & Kong, T. S. (2024). Human umbilical cord mesenchymal stem cells toxicity and allergy effects: In vivo assessment. *PLOS ONE*, 19(10), e0309429. <https://doi.org/10.1371/JOURNAL.PONE.0309429>

- Chen, G., Li, X., Zhou, X. *et al.* Extracellular vesicles secreted from mesenchymal stem cells ameliorate renal ischemia reperfusion injury by delivering miR-100-5p targeting FKBP5/AKT axis. *Sci Rep* **14**, 6720 (2024). <https://doi.org/10.1038/s41598-024-56950-1>
- Cho, M. H. (2010). Renal fibrosis. *Korean Journal of Pediatrics*, *53*(7), 735. <https://doi.org/10.3345/KJP.2010.53.7.735>
- Clark, D. A., & Coker, R. (1998). Molecules in focus Transforming growth factor-beta (TGF- β). *The International Journal of Biochemistry & Cell Biology*, *30*(3), 293–298. [https://doi.org/10.1016/S1357-2725\(97\)00128-3](https://doi.org/10.1016/S1357-2725(97)00128-3)
- Coughlan, C., Bruce, K., Burgy, O., Boyd, T. D., Michel, C. R., Garcia-Perez, J. E., Adame, V., Anton, P., Bettcher, B. M., Chial, H. J., Koenigshoff, M., Hsieh, E. W. Y., Graner, M., & Potter, H. (2020). Exosome Isolation by Ultracentrifugation and Precipitation: A Comparison of Techniques for Downstream Analyses HHS Public Access. *Curr Protoc Cell Biol*, *88*(1), 110. <https://doi.org/10.1002/cpcb.110>
- Dai, R., Cheng, M., Peng, C. Y., Cao, Z. P., Jin, H., Wang, D., Wang, Y. P., & Zhang, L. (2025). Renal tubular epithelial cell-derived Exosomal miR-330-3p plays a key role in fibroblast activation and renal fibrosis by regulating CREBBP. *Stem Cell Research & Therapy*, *16*(1), 203. <https://doi.org/10.1186/S13287-025-04338-X>
- Ebrahimi, A., Ahmadi, H., Ghasrodashti, Z. P., Tanideh, N., Shahriarirad, R., Erfani, A., Ranjbar, K., & Ashkani-Esfahani, S. (2021). Therapeutic effects of stem cells in different body systems, a novel method that is yet to gain trust: A comprehensive review. *Bosnian Journal of Basic Medical Sciences*, *21*(6), 672. <https://doi.org/10.17305/BJBMS.2021.5508>
- Farmaning, G., Putri, T., Widyawati, D., & Nurfatihah, Z. (2025). Exosomes from Stem Cells as Emerging Therapeutics for Chronic Kidney Disease: A Systematic Review. *International Journal of Medicine and Public Health*, *2*(2), 54–64. <https://jurnal.untirta.ac.id/index.php/inomed/article/view/35502>
- Farris, A. B., & Colvin, R. B. (2012). Renal Interstitial Fibrosis: Mechanisms and Evaluation In: Current Opinion in Nephrology and Hypertension. *Current Opinion in Nephrology and Hypertension*, *21*(3), 289. <https://doi.org/10.1097/MNH.0B013E3283521CFA>
- Fleck, C., Appenroth, D., Jonas, P., Koch, M., Kundt, G., Nizze, H., & Stein, G. (2006). Suitability of 5/6 nephrectomy (5/6NX) for the induction of interstitial renal fibrosis in rats – Influence of sex, strain, and surgical procedure. *Experimental and Toxicologic Pathology*, *57*(3), 195–205. <https://doi.org/10.1016/J.ETP.2005.09.005>
- Fountain, J. H., Kaur, J., & Lappin, S. L. (2023). Physiology, Renin Angiotensin System. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK470410/>
- Francis, A., Harhay, M. N., Ong, A. C. M., Tummalapalli, L., Ortiz, A., Fogo, A. B., Fliser, D., & Roy, P. (2024). Consensus statement Chronic kidney disease and the global public health agenda: an international consensus. *Nature Reviews Nephrology*, *20*. <https://doi.org/10.1038/s41581-024-00820-6>

- Gava, A. L., Freitas, F. P., Balarini, C. M., Vasquez, E. C., & Meyrelles, S. S. (2012). Effects of 5/6 nephrectomy on renal function and blood pressure in mice. *International Journal of Physiology, Pathophysiology and Pharmacology*, 4(3), 167–173.
- Grimm, P. C., Nickerson, P., Gough, J., McKenna, R., Stern, E., & Jeffery, J. (2003). *Computerized image analysis of Sirius Red-stained renal allograft biopsies as a surrogate marker to predict long-term allograft function*. *Journal of the American Society of Nephrology*, 14(6), 1662-1668.
- Hall, J. (2011). *Guyton and Hall Textbook of Medical Physiology* (12th ed.). Elsevier.
- Hamzaoui, M., Djerada, Z., Brunel, V., Mulder, P., Richard, V., Bellien, J., & Guerrot, D. (2020). 5/6 nephrectomy induces different renal, cardiac and vascular consequences in 129/Sv and C57BL/6JRj mice. *Scientific Reports*, 10(1), 1524. <https://doi.org/10.1038/s41598-020-58393-w>
- Hartono, S. P., Knudsen, B. E., Lerman, L. O., Textor, S. C., & Grande, J. P. (2014). Combined effect of hyperfiltration and renin angiotensin system activation on development of chronic kidney disease in diabetic db/db mice. *BMC Nephrology*, 15(1), 58. <https://doi.org/10.1186/1471-2369-15-58>
- Himanshu, k, Gunjan, k, Pandey, R. P., Mukherjee, R., & Chang, C.-M. (2024). Meta-analysis study of the therapeutic impact of Mesenchymal stem cells derived exosomes for chronic kidney diseases. *MedRxiv*, 2024.09.04.24313060. <https://doi.org/10.1101/2024.09.04.24313060>
- Hoang, D. M., Pham, P. T., Bach, T. Q., Ngo, A. T. L., Nguyen, Q. T., Phan, T. T. K., Nguyen, G. H., Le, P. T. T., Hoang, V. T., Forsyth, N. R., Heke, M., & Nguyen, L. T. (2022). Stem cell-based therapy for human diseases. *Signal Transduction and Targeted Therapy*, 7(1), 272. <https://doi.org/10.1038/S41392-022-01134-4>
- Hu, W., Wang, W., Chen, Z., Chen, Y., & Wang, Z. (2024). Engineered exosomes and composite biomaterials for tissue regeneration. *Theranostics*, 14(5), 2099–2126. <https://doi.org/10.7150/thno.93088>
- Hsu, R. K., Chai, B., Roy, J. A., Anderson, A. H., Bansal, N., Feldman, H. I., Go, A. S., He, J., Horwitz, E. J., Kusek, J. W., Lash, J. P., Ojo, A., Sondheim, J. H., Townsend, R. R., Zhan, M., & Hsu, C. yuan. (2016). Abrupt Decline in Kidney Function Before Initiating Hemodialysis and All-Cause Mortality: The Chronic Renal Insufficiency Cohort (CRIC) Study. *American Journal of Kidney Diseases : The Official Journal of the National Kidney Foundation*, 68(2), 193. <https://doi.org/10.1053/J.AJKD.2015.12.025>
- Hu, X., Shen, N., Liu, A., Wang, W., Zhang, L., Sui, Z., Tang, Q., Du, X., Yang, N., Ying, W., Qin, B., Li, Z., Li, L., Wang, N., & Lin, H. (2021). Bone marrow mesenchymal stem cell-derived exosomal miR-34c-5p ameliorates RIF by inhibiting the core fucosylation of multiple proteins. *Molecular Therapy*, 30(2), 763. <https://doi.org/10.1016/J.YMTHE.2021.10.012>
- Huang, R., Fu, P., & Ma, L. (2023). Kidney fibrosis: from mechanisms to therapeutic medicines. *Signal Transduction and Targeted Therapy*, 8(1), 129. <https://doi.org/10.1038/S41392-023-01379-7>

- Ji, C., Zhang, J., Zhu, Y., Shi, H., Yin, S., Sun, F., Wang, Q., Zhang, L., Yan, Y., Zhang, X., Xu, W., & Qian, H. (n.d.). *Exosomes derived from hucMSC attenuate renal fibrosis through CK1δ/β-TRCP-mediated YAP degradation*. <https://doi.org/10.1038/s41419-020-2510-4>
- Junqueira, L. C. U., Bignolas, G., & Brentani, R. R. (1979). *Picrosirius staining plus polarization microscopy, a specific method for collagen detection in tissue sections*. *The Histochemical Journal*, 11(4), 447–455. DOI:10.1007/BF01002772
- Karsdal, M. A., Nielsen, S. H., Leeming, D. J., Langholm, L. L., Nielsen, M. J., Manon-Jensen, T., Siebuhr, A., Gudmann, N. S., Rønnow, S., Sand, J. M., Daniels, S. J., Mortensen, J. H., & Schuppan, D. (2017). The good and the bad collagens of fibrosis – Their role in signaling and organ function. *Advanced Drug Delivery Reviews*, 121, 43–56. <https://doi.org/10.1016/j.addr.2017.07.014>
- Kim, H. Y., Im, H. Y., Chang, H. K., Jeong, H. do, Park, J. H., Kim, H. il, Yi, H. S., & Kim, Y. S. (2023). Correlation between Collagen Type I/III Ratio and Scar Formation in Patients Undergoing Immediate Reconstruction with the Round Block Technique after Breast-Conserving Surgery. *Biomedicines*, 11(4), 1089. <https://doi.org/10.3390/BIOMEDICINES11041089>
- Kisseleva, T., & Brenner, D. A. (2008). Fibrogenesis of Parenchymal Organs. *Proceedings of the American Thoracic Society*, 5(3), 338. <https://doi.org/10.1513/PATS.200711-168DR>
- Kovesdy, C. P. (2022). Epidemiology of chronic kidney disease: an update 2022. *Kidney International Supplements*, 12(1), 7. <https://doi.org/10.1016/J.KISU.2021.11.003>
- Kular, J. K., Basu, S., & Sharma, R. I. (2014). The extracellular matrix: Structure, composition, age-related differences, tools for analysis and applications for tissue engineering. *Journal of Tissue Engineering*, 5, 2041731414557112. <https://doi.org/10.1177/2041731414557112>
- Kumar, V., Abbas, A., & Aster, J. (2017). *Robbins Basic Pathology* (10th ed.). Elsevier.
- Li, Y., Waheed, Y. A., & Sun, D. (2025). Exosomes and Renal Fibrosis: Diagnostic Value, Therapeutic Potential and Challenges. *International Journal of Nanomedicine*, 20, 11267. <https://doi.org/10.2147/IJN.S529311>
- Lim, B. J., Yang, H. C., & Fogo, A. B. (2014). Animal models of regression/progression of kidney disease. *Drug Discovery Today. Disease Models*, 11, 45. <https://doi.org/10.1016/J.DDMOD.2014.06.003>
- Liu, B., Hu, D., Zhou, Y., Yu, Y., Shen, L., Long, C., Butnaru, D., Timashev, P., He, D., Lin, T., Xu, T., Zhang, D., & Wei, G. (2020). Exosomes released by human umbilical cord mesenchymal stem cells protect against renal interstitial fibrosis through ROS-mediated P38MAPK/ERK signaling pathway. In *Am J Transl Res* (Vol. 12, Issue 9). www.ajtr.org
- Liu, C., Li, Q., Ma, J. X., Lu, B., Criswell, T., & Zhang, Y. (2023). Exosome-mediated renal protection: Halting the progression of fibrosis. *Genes & Diseases*, 11(6), 101117. <https://doi.org/10.1016/J.GENDIS.2023.101117>
- Liu, Y. (2011). Cellular and molecular mechanisms of renal fibrosis. *Nature Reviews. Nephrology*, 7(12), 684. <https://doi.org/10.1038/NRNEPH.2011.149>

- Ma, K., Gao, W., Xu, H., Liang, W., & Ma, G. (2022). Role and Mechanism of the Renin-Angiotensin-Aldosterone System in the Onset and Development of Cardiorenal Syndrome. *Journal of the Renin-Angiotensin-Aldosterone System: JRAAS*, 2022, 3239057. <https://doi.org/10.1155/2022/3239057>
- Mansouri, N., Willis, G. R., Fernandez-Gonzalez, A., Reis, M., Nassiri, S., Mitsialis, S. A., & Kourembanas, S. (2019). Mesenchymal stromal cell exosomes prevent and revert experimental pulmonary fibrosis through modulation of monocyte phenotypes. *JCI insight*, 4(21), e128060. <https://doi.org/10.1172/jci.insight.128060>
- Matovinović, M. S. (2009). Pathophysiology and Classification of Kidney Diseases. *EJIFCC*, 20(1), 2. /pmc/articles/PMC4975264/
- Murray, I. v., & Paolini, M. A. (2023). Histology, Kidney and Glomerulus. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK554544/>
- Nagamura-Inoue, T., & He, H. (2014). Umbilical cord-derived mesenchymal stem cells: Their advantages and potential clinical utility. *World Journal of Stem Cells*, 6(2), 195. <https://doi.org/10.4252/WJSC.V6.I2.195>
- Nath, K. A., Hostetter, M. K., & Hostetter, T. H. (1985). Pathophysiology of chronic tubulo-interstitial disease in rats. Interactions of dietary acid load, ammonia, and complement component C3. *Journal of Clinical Investigation*, 76(2), 667. <https://doi.org/10.1172/JCI112020>
- Netter, F. (2014). *Atlas of Human Anatomy* (6th ed.). Saunders Elsevier.
- Ninichuk, V., Gross, O., Segerer, S., Hoffmann, R., Radomska, E., Buchstaller, A., Huss, R., Akis, N., Schlöndorff, D., & Anders, H. J. (2006). Multipotent mesenchymal stem cells reduce interstitial fibrosis but do not delay progression of chronic kidney disease in collagen4A3-deficient mice. *Kidney International*, 70(1), 121–129. <https://doi.org/10.1038/SJ.KI.5001521/ASSET/C62C225D-882C-46D5-8040-71706A221532/MAIN.ASSETS/GR9.GIF>
- Nogueira, A., Pires, M. J., & Oliveira, P. A. (2017). Pathophysiological Mechanisms of Renal Fibrosis: A Review of Animal Models and Therapeutic Strategies. *In Vivo*, 31(1), 1. <https://doi.org/10.21873/INVIVO.11019>
- Ogoburo, I., & Tuma, F. (2023). Physiology, Renal. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK538339/>
- Pan, X. H., Zhou, J., Yao, X., Shu, J., Liu, J. F., Yang, J., Pang, R. Q., & Ruan, G. P. (2017). Transplantation of induced mesenchymal stem cells for treating chronic renal insufficiency. *PLoS ONE*, 12(4), e0176273. <https://doi.org/10.1371/JOURNAL.PONE.0176273>
- Panizo, S., Martínez-Arias, L., Alonso-Montes, C., Cannata, P., Martín-Carro, B., Fernández-Martín, J. L., Naves-Díaz, M., Carrillo-López, N., & Cannata-Andía, J. B. (2021). Fibrosis in Chronic Kidney Disease: Pathogenesis and Consequences. *International Journal of Molecular Sciences*, 22(1), 1–19. <https://doi.org/10.3390/IJMS22010408>
- Purwanto, B. (2009). Perbedaan ekspresi TGF-E1 dan Fibrosis Interstisial pada kejadian Nefrotoksik Doxorubicin dan Nefroprotektif Pentoxifylin Different Expression of TGF-E1 and InterstitialFibrosisin Doxorubicin Nephrotoxic Effect and

- Pentoxifylline Nephroprotective Potency. *JURNAL KEDOKTERAN YARSI*, 17(2), 142–149.
- Putu Nita Cahyawati, & Bagus Komang Satriyasa. (2021). Subtotal Nephrectomy as a Model of Chronic Kidney Disease: A Systematic Review. *Indian Journal of Public Health Research & Development*, 12(3), 150–157. <https://doi.org/10.37506/ijphrd.v12i3.16058>
- Reiss, A. B., Jacob, B., Zubair, A., Srivastava, A., Johnson, M., & de Leon, J. (2024). Fibrosis in Chronic Kidney Disease: Pathophysiology and Therapeutic Targets. *Journal of Clinical Medicine* 2024, Vol. 13, Page 1881, 13(7), 1881. <https://doi.org/10.3390/JCM13071881>
- Remuzzi, G., Perico, N., Macia, M., & Ruggenenti, P. (2005). The role of renin-angiotensin-aldosterone system in the progression of chronic kidney disease. *Kidney International*, 68(SUPPL. 99), S57–S65. <https://doi.org/10.1111/J.1523-1755.2005.09911.X>
- Reule, S., & Gupta, S. (2011). Kidney regeneration and resident stem cells. *Organogenesis*, 7(2), 135–139. <https://doi.org/10.4161/org.7.2.16285>
- Sari, D. C. R., Putri, M. W., Leksono, T. P., Chairunnisa, N., Reynaldi, G. N., Simanjuntak, B. C., Debora, J., Yunus, J., & Arfian, N. (2020). Calcitriol Ameliorates Kidney Injury Through Reducing Podocytopathy, Tubular Injury, Inflammation and Fibrosis in 5/6 Subtotal Nephrectomy Model in Rats. *Kobe Journal of Medical Sciences*, 65(5), E153. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7447091/>
- Satriano, J., Sharma, K., Blantz, R. C., & Deng, A. (2013). Induction of AMPK activity corrects early pathophysiological alterations in the subtotal nephrectomy model of chronic kidney disease. *American Journal of Physiology - Renal Physiology*, 305(5), F727. <https://doi.org/10.1152/AJPRENAL.00293.2013>
- Semedo, P., Correa-Costa, M., Cenedeze, M. A., Malheiros, D. M. A. C., dos Reis, M. A., Shimizu, M. H., Seguro, A. C., Pacheco-Silva, A., & Câmara, N. O. S. (2009). Mesenchymal Stem Cells Attenuate Renal Fibrosis Through Immune Modulation and Remodeling Properties in a Rat Remnant Kidney Model. *Stem Cells*, 27(12), 3063–3073. <https://doi.org/10.1002/STEM.214>
- Sherwood, L. (2013). *Introduction to Human Physiology* (8th ed.). Brooks/Cole Cengage Learning.
- Shi, Y., Yang, X., Wang, S., Wu, Y., Zheng, L., Tang, Y., Gao, Y., & Niu, J. (2022). Human umbilical cord mesenchymal stromal cell-derived exosomes protect against MCD-induced NASH in a mouse model. *Stem Cell Research & Therapy*, 13(1). <https://doi.org/10.1186/S13287-022-03201-7>
- Singh, D., Rai, V., & Agrawal, D. K. (2023). Regulation of Collagen I and Collagen III in Tissue Injury and Regeneration. *Cardiology and Cardiovascular Medicine*, 7(1), 5. <https://doi.org/10.26502/FCCM.92920302>
- Soriano, R. M., Penfold, D., & Leslie, S. W. (2023). Anatomy, Abdomen and Pelvis: Kidneys. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK482385/>
- Souma, T., Yamazaki, S., Moriguchi, T., Suzuki, N., Hirano, I., Pan, X., Minegishi, N., Abe, M., Kiyomoto, H., Ito, S., & Yamamoto, M. (2013). Plasticity of renal

- erythropoietin-producing cells governs fibrosis. *Journal of the American Society of Nephrology*, 24(10), 1599–1616. <https://doi.org/10.1681/ASN.2013010030/-DCSUPPLEMENTAL>
- Stokes, J. (1982). Ion Transport by The Cortical and Outer Medullary Collecting Tubule. *Kidney International*, 22.
- Stokes, J. B. (1982). Ion transport by the cortical and outer medullary collecting tubule. *Kidney International*, 22(5), 473–484. <https://doi.org/10.1038/KI.1982.200>
- Tan, X., Li, Y., & Liu, Y. (2007). Therapeutic role and potential mechanisms of active vitamin D in renal interstitial fibrosis. *The Journal of Steroid Biochemistry and Molecular Biology*, 103(3–5), 491. <https://doi.org/10.1016/J.JSBMB.2006.11.011>
- Vaidya, S. R., & Aeddula, N. R. (2022). Chronic Kidney Disease. *The Scientific Basis of Urology, Second Edition*, 257–264. <https://doi.org/10.51249/hs.v4i01.1865>
- van Koppen, A., Verhaar, M. C., Bongartz, L. G., & Joles, J. A. (2013). 5/6th Nephrectomy in Combination with High Salt Diet and Nitric Oxide Synthase Inhibition to Induce Chronic Kidney Disease in the Lewis Rat. *Journal of Visualized Experiments : JoVE*, 77, 50398. <https://doi.org/10.3791/50398>
- Wei, J., Xu, Z., & Yan, X. (2022). The role of the macrophage-to-myofibroblast transition in renal fibrosis. *Frontiers in Immunology*, 13, 934377. <https://doi.org/10.3389/FIMMU.2022.934377>
- Wynn, T. A. (2008). Cellular and molecular mechanisms of fibrosis. *The Journal of Pathology*, 214(2), 199. <https://doi.org/10.1002/PATH.2277>
- Yue, B. (2014). Biology of the Extracellular Matrix: An Overview NIH Public Access. *J Glaucoma*, 20–23. <https://doi.org/10.1097/IJG.0000000000000108>
- Zent, J., & Guo, L. W. (2018). Signaling mechanisms of myofibroblastic activation: outside-in and inside-out. *Cellular Physiology and Biochemistry : International Journal of Experimental Cellular Physiology, Biochemistry, and Pharmacology*, 49(3), 848. <https://doi.org/10.1159/000493217>
- Zhang, K., & Cheng, K. (2023). Stem cell-derived exosome versus stem cell therapy. *Nature Reviews Bioengineering*, 1(9), 1. <https://doi.org/10.1038/S44222-023-00064-2>
- Homma, K., Enoki, Y., Uchida, S., Taguchi, K., & Matsumoto, K. (2023). A combination of 5/6-nephrectomy and unilateral ureteral obstruction model accelerates progression of remote organ fibrosis in chronic kidney disease. *FASEB BioAdvances*, 5(10), 377–394. <https://doi.org/10.1096/FBA.2023-00045>
- Liu, Y., Su, Y. Y., Yang, Q., & Zhou, T. (2021). Stem cells in the treatment of renal fibrosis: a review of preclinical and clinical studies of renal fibrosis pathogenesis. *Stem Cell Research & Therapy* 2021 12:1, 12(1), 333-. <https://doi.org/10.1186/S13287-021-02391-W>
- Martin, E. M., Genovese, F., Mischak, H., Siwy, J., Rupprecht, H., Catanese, L., & Latosinska, A. (2025). Association of Urinary Collagen Type III Degradation Product With Kidney Function and Fibrosis in Chronic Kidney Disease Patients. *PROTEOMICS*, 25(11–12), e202400354. <https://doi.org/10.1002/PMIC.202400354>

- Mavrogeorgis, E., Mischak, H., Latosinska, A., Vlahou, A., Schanstra, J. P., Siwy, J., Jankowski, V., Beige, J., & Jankowski, J. (2021). Collagen-Derived Peptides in CKD: A Link to Fibrosis. *Toxins*, 14(1), 10. <https://doi.org/10.3390/toxins14010010>
- Ninichuk, V., Gross, O., Segerer, S., Hoffmann, R., Radomska, E., Buchstaller, A., Huss, R., Akis, N., Schlöndorff, D., & Anders, H. J. (2006). Multipotent mesenchymal stem cells reduce interstitial fibrosis but do not delay progression of chronic kidney disease in collagen4A3-deficient mice. *Kidney International*, 70(1), 121–129. <https://doi.org/10.1038/sj.ki.5001521>
- Ohashi, K., Iwatani, H., Kihara, S., Nakagawa, Y., Komura, N., Fujita, K., Maeda, N., Nishida, M., Katsube, F., Shimomura, I., Ito, T., & Funahashi, T. (2007a). Exacerbation of albuminuria and renal fibrosis in subtotal renal ablation model of adiponectin-knockout mice. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 27(9), 1910–1917. https://doi.org/10.1161/ATVBAHA.107.147645/SUPPL_FILE/ATVB7916-SUPPL7.PDF
- Rasmussen, D. G. K., Boesby, L., Nielsen, S. H., Tepel, M., Birot, S., Karsdal, M. A., Kamper, A. L., & Genovese, F. (2019a). Collagen turnover profiles in chronic kidney disease. *Scientific Reports*, 9(1), 16062-. <https://doi.org/10.1038/S41598-019-51905-3/FIGURES/3>
- Thongboonkerd, V. (2020). Roles for Exosome in Various Kidney Diseases and Disorders. *Frontiers in Pharmacology*, 10, 1655. <https://doi.org/10.3389/FPHAR.2019.01655>
- Alshahrani, S. (2023). Renin–angiotensin–aldosterone pathway modulators in chronic kidney disease: A comparative review. *Frontiers in Pharmacology*, 14, 1101068. <https://doi.org/10.3389/FPHAR.2023.1101068/XML>
- Baues, M., Klinkhammer, B. M., Ehling, J., Gremse, F., van Zandvoort, M. A. M. J., Reutelingsperger, C. P. M., Daniel, C., Amann, K., Bábíčková, J., Kiessling, F., Floege, J., Lammers, T., & Boor, P. (2019). Collagen-specific molecular imaging of renal fibrosis. *Kidney International*, 97(3), 609. <https://doi.org/10.1016/J.KINT.2019.08.029>
- Buchtler, S., Grill, A., Hofmarksrichter, S., Stöckert, P., Schiechl-Brachner, G., Gomez, M. R., Neumayer, S., Schmidbauer, K., Talke, Y., Klinkhammer, B. M., Boor, P., Medvinsky, A., Renner, K., Castrop, H., & Mack, M. (2018). Cellular Origin and Functional Relevance of Collagen I Production in the Kidney. *Journal of the American Society of Nephrology*, 29(7), 1859–1873. <https://doi.org/10.1681/ASN.2018020138/-/DCSUPPLEMENTAL>
- Calcitriol Ameliorates Kidney Injury Through Reducing Podocytopathy, Tubular Injury, Inflammation and Fibrosis in 5/6 Subtotal Nephrectomy Model in Rats - PubMed.* (n.d.). Retrieved December 22, 2025, from <https://pubmed.ncbi.nlm.nih.gov/32249272/>
- Cao, G., Li, S., Shi, H., Yin, P., Chen, J., Li, H., Zhong, Y., Diao, L. T., & Du, B. (2019). Schisandrin B attenuates renal fibrosis via miR-30e-mediated inhibition of EMT.

- Toxicology and Applied Pharmacology*, 385, 114769.
<https://doi.org/10.1016/J.TAAP.2019.114769>
- Chen, K. D., Hsu, L. W., Goto, S., Huang, K. T., Nakano, T., Weng, W. T., Lai, C. Y., Kuo, Y. R., Chiu, K. W., Wang, C. C., Cheng, Y. F., Lin, C. C., Ma, Y. Y., & Chen, C. L. (2014). Regulation of Heme Oxygenase 1 Expression by miR-27b With Stem Cell Therapy for Liver Regeneration in Rats. *Transplantation Proceedings*, 46(4), 1198–1200.
<https://doi.org/10.1016/J.TRANSPROCEED.2013.12.013>
- Fang, Y., Yu, X., Liu, Y., Kriegl, A. J., Heng, Y., Xu, X., Liang, M., & Ding, X. (2013). miR-29C is downregulated in renal interstitial fibrosis in humans and rats and restored by HIF- α activation. *American Journal of Physiology - Renal Physiology*, 304(10), 1274–1282.
https://doi.org/10.1152/AJPRENAL.00287.2012/SUPPL_FILE/TABLES1.PDF
- Fragiadaki, M., Witherden, A. S., Kaneko, T., Sonnylal, S., Pusey, C. D., Bou-Gharios, G., & Mason, R. M. (2011). Interstitial fibrosis is associated with increased COL1A2 transcription in AA-injured renal tubular epithelial cells in vivo. *Matrix Biology*, 30(7–8), 396–403. <https://doi.org/10.1016/J.MATBIO.2011.07.004>
- Frith, J. E., Porrello, E. R., & Cooper-White, J. J. (2014). Concise Review: New Frontiers in MicroRNA-Based Tissue Regeneration. *Stem Cells Translational Medicine*, 3(8), 969–976. <https://doi.org/10.5966/SCTM.2014-0032>
- Gluba-Sagr, A., Franczyk, B., Rysz-Górzyńska, M., Ławiński, J., Rysz, J., Gluba-Sagr, A., Franczyk, B., Rysz-Górzyńska, M., Ławiński, J., & Rysz, J. (2023). The Role of miRNA in Renal Fibrosis Leading to Chronic Kidney Disease. *Biomedicines* 2023, Vol. 11, 11(9). <https://doi.org/10.3390/BIOMEDICINES11092358>
- Graciano, M. L., Cavaglieri, R. D. C., Dellê, H., Dominguez, W. V., Casarini, D. E., Malheiros, D. M. A. C., & Noronha, I. L. (2004). Intrarenal Renin-Angiotensin system is upregulated in experimental model of progressive renal disease induced by chronic inhibition of nitric oxide synthesis. *Journal of the American Society of Nephrology : JASN*, 15(7), 1805–1815.
<https://doi.org/10.1097/01.ASN.0000131528.00773.A9>
- Gu, S., Jin, L., Zhang, F., Sarnow, P., & Kay, M. A. (2009). The biological basis for microRNA target restriction to the 3' untranslated region in mammalian mRNAs. *Nature Structural & Molecular Biology*, 16(2), 144.
<https://doi.org/10.1038/NSMB.1552>
- Hajarnis, S., Yheskel, M., Williams, D., Brefort, T., Glaudemans, B., Debaix, H., Baum, M., Devuyt, O., & Patel, V. (2018). Suppression of microRNA Activity in Kidney Collecting Ducts Induces Partial Loss of Epithelial Phenotype and Renal Fibrosis. *Journal of the American Society of Nephrology : JASN*, 29(2), 518–531.
<https://doi.org/10.1681/ASN.2017030334>
- Hewitson, T. D., Holt, S. G., & Smith, E. R. (2017b). Progression of Tubulointerstitial Fibrosis and the Chronic Kidney Disease Phenotype - Role of Risk Factors and Epigenetics. *Frontiers in Pharmacology*, 8(AUG).
<https://doi.org/10.3389/FPHAR.2017.00520>

- Hoppe, B., Pietsch, S., Franke, M., Engel, S., Groth, M., Platzer, M., & Englert, C. (2015). MiR-21 is required for efficient kidney regeneration in fish. *BMC Developmental Biology*, 15(1), 43-. <https://doi.org/10.1186/S12861-015-0089-2/FIGURES/4>
- Hou, L., Zhu, Z., Jiang, F., Zhao, J., Jia, Q., Jiang, Q., Wang, H., Xue, W., Wang, Y., & Tian, L. (2023). Human umbilical cord mesenchymal stem cell-derived extracellular vesicles alleviated silica induced lung inflammation and fibrosis in mice via circPWWP2A/miR-223-3p/NLRP3 axis. *Ecotoxicology and Environmental Safety*, 251, 114537. <https://doi.org/10.1016/J.ECOENV.2023.114537>
- Hu, E., Ding, L., Miao, H., Liu, F., Liu, D., Dou, H., & Hou, Y. (2015). MiR-30a attenuates immunosuppressive functions of IL-1 β -elicited mesenchymal stem cells via targeting TAB3. *FEBS Letters*, 589(24), 3899–3907. <https://doi.org/10.1016/J.FEBSLET.2015.11.001>
- Hu, H., Hu, S., Xu, S., Gao, Y., Zeng, F., & Shui, H. (2018). miR-29b regulates Ang II-induced EMT of rat renal tubular epithelial cells via targeting PI3K/AKT signaling pathway. *International Journal of Molecular Medicine*, 42(1), 453–460. <https://doi.org/10.3892/IJMM.2018.3579>
- Humphreys, B. D. (2018b). Mechanisms of Renal Fibrosis. *Annual Review of Physiology*, 80, 309–326. <https://doi.org/10.1146/ANNUREV-PHYSIOL-022516-034227>
- Kobori, H., Alper, A. B., Shenava, R., Katsurada, A., Saito, T., Ohashi, N., Urushihara, M., Miyata, K., Satou, R., Hamm, L. L., & Navar, L. G. (2009). Urinary angiotensinogen as a novel biomarker of the intrarenal renin-angiotensin system status in hypertensive patients. *Hypertension (Dallas, Tex. : 1979)*, 53(2), 344–350. <https://doi.org/10.1161/HYPERTENSIONAHA.108.123802>
- Lattouf, R., Younes, R., Lutomski, D., Naaman, N., Godeau, G., Senni, K., & Changotade, S. (2014). Picrosirius Red Staining: A Useful Tool to Appraise Collagen Networks in Normal and Pathological Tissues. *Journal of Histochemistry and Cytochemistry*, 62(10), 751–758. https://doi.org/10.1369/0022155414545787/ASSET/4C31655E-ECBB-403C-B2F7CD5D80D15E5B/ASSETS/IMAGES/LARGE/10.1369_0022155414545787-FIG4.JPG
- Li, D., Qu, J., Yuan, X., Zhuang, S., Wu, H., Chen, R., Wu, J., Zhang, M., & Ying, L. (2022). Mesenchymal Stem Cells Alleviate Renal Fibrosis and Inhibit Autophagy via Exosome Transfer of miRNA-122a. *Stem Cells International*, 2022, 1981798. <https://doi.org/10.1155/2022/1981798>
- Li, L., Fu, H., & Liu, Y. (2022). The fibrogenic niche in kidney fibrosis: components and mechanisms. *Nature Reviews. Nephrology*, 18(9), 545–557. <https://doi.org/10.1038/S41581-022-00590-Z>
- Lin, C. L., Lee, P. H., Hsu, Y. C., Lei, C. C., Ko, J. Y., Chuang, P. C., Huang, Y. T., Wang, S. Y., Wu, S. L., Chen, Y. S., Chiang, W. C., Reiser, J., & Wang, F. S. (2014). MicroRNA-29a promotion of nephrin acetylation ameliorates hyperglycemia-induced podocyte dysfunction. *Journal of the American Society of Nephrology : JASN*, 25(8), 1698–1709. <https://doi.org/10.1681/ASN.2013050527>

- Liu, B., Hu, D., Zhou, Y., Yu, Y., Shen, L., Long, C., Butnaru, D., Timashev, P., He, D., Lin, T., Xu, T., Zhang, D., & Wei, G. (2020). Exosomes released by human umbilical cord mesenchymal stem cells protect against renal interstitial fibrosis through ROS-mediated P38MAPK/ERK signaling pathway. *American Journal of Translational Research*, 12(9), 4998. <https://pmc.ncbi.nlm.nih.gov/articles/PMC7540090/>
- López De Padilla, C. M., Coenen, M. J., Tovar, A., de la Vega, R. E., Evans, C. H., & Müller, S. A. (2021). Picrosirius Red Staining: Revisiting Its Application to the Qualitative and Quantitative Assessment of Collagen Type I and Type III in Tendon. *Journal of Histochemistry and Cytochemistry*, 69(10), 633. <https://doi.org/10.1369/00221554211046777>
- Mkhize, B. C., Mosili, P., Ngubane, P. S., Sibiyi, N. H., Khathi, A., Mkhize, B. C., Mosili, P., Ngubane, P. S., Sibiyi, N. H., & Khathi, A. (2023). The Relationship between Renin–Angiotensin–Aldosterone System (RAAS) Activity, Osteoporosis and Estrogen Deficiency in Type 2 Diabetes. *International Journal of Molecular Sciences* 2023, Vol. 24, 24(15). <https://doi.org/10.3390/IJMS241511963>
- Pei, Z., Cen, J., Zhang, X., Gong, C., Sun, M., Meng, W., Mao, G., Wan, J., Hu, B., He, X., Xu, Q., Han, H., & Xiao, K. (2023). MiR-146a-5p delivered by hucMSC extracellular vesicles modulates the inflammatory response to sulfur mustard-induced acute lung injury. *Stem Cell Research and Therapy*, 14(1), 149-. <https://doi.org/10.1186/S13287-023-03375-8/FIGURES/8>
- Pers, Y. M., Maumus, M., Bony, C., Jorgensen, C., & Noël, D. (2018). Contribution of microRNAs to the immunosuppressive function of mesenchymal stem cells. *Biochimie*, 155, 109–118. <https://doi.org/10.1016/J.BIOCHI.2018.07.001>
- Salido-Guadarrama, I., Romero-Cordoba, S., Peralta-Zaragoza, O., Hidalgo-Miranda, A., & Rodríguez-Dorantes, M. (2014). MicroRNAs transported by exosomes in body fluids as mediators of intercellular communication in cancer. *OncoTargets and Therapy*, 7, 1327. <https://doi.org/10.2147/OTT.S61562>
- Shahsavandi, Y., Banaeian, F., Jafarinia, M., Nasri, F., & Shapoori, S. (2025). miRNAs from mesenchymal-stem-cell-derived extracellular vesicles: Emerging players in regenerative medicine and disease therapy. *Molecular Therapy Nucleic Acids*, 36(4). <https://doi.org/10.1016/J.OMTN.2025.102715/ASSET/12D0DAA2-094F-47EA-80D9-2DEFC7A59320/MAIN.ASSETS/GR2.JPG>
- Volk, S. W., Wang, Y., Mauldin, E. A., Liechty, K. W., & Adams, S. L. (2011). Diminished Type III Collagen Promotes Myofibroblast Differentiation and Increases Scar Deposition in Cutaneous Wound Healing. *Cells, Tissues, Organs*, 194(1), 25. <https://doi.org/10.1159/000322399>
- Wang, B., Komers, R., Carew, R., Winbanks, C. E., Xu, B., Herman-Edelstein, M., Koh, P., Thomas, M., Jandeleit-Dahm, K., Gregorevic, P., Cooper, M. E., & Kantharidis, P. (2012). Suppression of microRNA-29 expression by TGF-β1 promotes collagen expression and renal fibrosis. *Journal of the American Society of Nephrology*, 23(2), 252–265. <https://doi.org/10.1681/ASN.2011010055/-DCSUPPLEMENTAL>

- Wang, H., Wang, B., Zhang, A., Hassounah, F., Seow, Y., Wood, M., Ma, F., Klein, J. D., Price, S. R., & Wang, X. H. (2019). Exosome-Mediated miR-29 Transfer Reduces Muscle Atrophy and Kidney Fibrosis in Mice. *Molecular Therapy : The Journal of the American Society of Gene Therapy*, 27(3), 571–583. <https://doi.org/10.1016/J.YMTHE.2019.01.008>
- Wang, J., Duan, L., Guo, T., Gao, Y., Tian, L., Liu, J., Wang, S., & Yang, J. (2016). Downregulation of miR-30c promotes renal fibrosis by target CTGF in diabetic nephropathy. *Journal of Diabetes and Its Complications*, 30(3), 406–414. <https://doi.org/10.1016/J.JDIACOMP.2015.12.011>
- Xu, C., Ren, G., Cao, G., Chen, Q., Shou, P., Zheng, C., Du, L., Han, X., Jiang, M., Yang, Q., Lin, L., Wang, G., Yu, P., Zhang, X., Cao, W., Brewer, G., Wang, Y., & Shi, Y. (2013). miR-155 Regulates Immune Modulatory Properties of Mesenchymal Stem Cells by Targeting TAK1-binding Protein 2. *Journal of Biological Chemistry*, 288(16), 11074–11079. <https://doi.org/10.1074/JBC.M112.414862>
- Yang, J., Bai, F., Li, Y., Gao, Q., Li, L., Zeng, Z., Jia, J., Jia, N., Zhang, Y., Gao, Y., & Zhang, H. (2025). Exosomal miR-122-5p from tubular cells ameliorates renal interstitial fibrosis by regulating fibroblasts via HIF-1 α . *Cell Death Discovery* 2025 11:1, 11(1), 474-. <https://doi.org/10.1038/s41420-025-02739-8>
- Yi, W. K., Cannell, I. G., de Moor, C. H., Hill, K., Garside, P. G., Hamilton, T. L., Meijer, H. A., Dobbryn, H. C., Stoneley, M., Spriggs, K. A., Willis, A. E., & Bushell, M. (2008). The mechanism of micro-RNA-mediated translation repression is determined by the promoter of the target gene. *Proceedings of the National Academy of Sciences of the United States of America*, 105(26), 8866. <https://doi.org/10.1073/PNAS.0800650105>
- Zhang, X., Yang, Z., Heng, Y., & Miao, C. (2019). MicroRNA-181 exerts an inhibitory role during renal fibrosis by targeting early growth response factor-1 and attenuating the expression of profibrotic markers. *Molecular Medicine Reports*, 19(4), 3305–3313. <https://doi.org/10.3892/MMR.2019.9964>
- Zhao, S., Li, W., Yu, W., Rao, T., Li, H., Ruan, Y., Yuan, R., Li, C., Ning, J., Li, S., Chen, W., Cheng, F., & Zhou, X. (2021). Exosomal miR-21 from tubular cells contributes to renal fibrosis by activating fibroblasts via targeting PTEN in obstructed kidneys. *Theranostics*, 11(18), 8660–8673. <https://doi.org/10.7150/THNO.62820>
- Zheng, Y., Li, Y., Wei, Z., Wang, Y., Liu, Y., Liu, F., Li, X., & Zhang, Y. (2025). HUC-MSC-derived exosomal miR-16-5p attenuates inflammation via dual suppression of M1 macrophage polarization and Th1 differentiation. *Biochemistry and Biophysics Reports*, 43, 102078. <https://doi.org/10.1016/J.BBREP.2025.102078>