



DAFTAR PUSTAKA

- Abdullah, A. N., Walzman, M., & Wade, A. (1993). Treatment of external genital warts comparing cryotherapy (liquid nitrogen) and trichloroacetic acid. *Sexually Transmitted Diseases*, 20(6), 344–345.
- Adebajo, S. B., Nowak, R. G., Adebisi, R., Shoyemi, E., Ekeh, C., Ramadhani, H. O., Gaydos, C. A., Ake, J. A., Baral, S. D., Charurat, M. E., Crowell, T. A., Charurat, M., Ake, J., Adebajo, S., Baral, S., Billings, E., Crowell, T., Eluwa, G., Gaydos, C., ... Tovanabutra, S. (2022). Prevalence and factors associated with anogenital warts among sexual and gender minorities attending a trusted community health center in Lagos, Nigeria. *PLOS Global Public Health*, 2(11 November). <https://doi.org/10.1371/journal.pgph.0001215>
- Agrawal, G. P., Joshi, P. S., & Agrawal, A. (2013). Role of HPV-16 in Pathogenesis of Oral Epithelial Dysplasia and Oral Squamous Cell Carcinoma and Correlation of p16INK4A Expression in HPV-16 Positive Cases: An Immunohistochemical Study. *ISRN Pathology*, 2013, 1–7. <https://doi.org/10.1155/2013/807095>
- Ahn, W.-S., Yoo, J., Huh, S.-W., Kim, C.-K., Lee, J.-M., Namkoong, S.-E., Bae, S.-M., & Lee, I. P. (2003). Protective effects of green tea extracts (polyphenon E and EGCG) on human cervical lesions. *European Journal of Cancer Prevention: The Official Journal of the European Cancer Prevention Organisation (ECP)*, 12(5), 383–390. <https://doi.org/10.1097/00008469-200310000-00007>
- Alarcón-Gutiérrez, M., Díaz, D. P., Lasagabaster, M. A., & García De Olalla Rizo, P. (2022). Prevalence of Dating App Usage in Gay, Bisexual, and Other Men Who Have Sex with Men (GBMSM). In *Enf Emerg* (Vol. 21, Issue 2).
- Albero, G., Castellsagué, X., Giuliano, A. R., & Bosch, F. X. (2012). Male Circumcision and Genital Human Papillomavirus. *Sexually Transmitted Diseases*, 39(2), 104–113. <https://doi.org/10.1097/OLQ.0b013e3182387abd>
- Arnett, J. J. (2014). *Emerging Adulthood*. Oxford University Press New York. <https://doi.org/10.1093/acprof:oso/9780199929382.001.0001>
- Batista, C., Atallah, Á., & Silva, E. (2010). 5-FU for genital warts in non-immunocompromised individuals. *Cochrane Database of Systematic Reviews (Online)*, 4, 1–43. <https://doi.org/10.1002/14651858.CD006562>
- Batista, C. S., Atallah, Á. N., Saconato, H., & da Silva, E. M. (2010). 5-FU for genital warts in non-immunocompromised individuals. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD006562.pub2>
- Boulet, G., Horvath, C., Vanden Broeck, D., Sahebali, S., & Bogers, J. (2007). Human papillomavirus: E6 and E7 oncogenes. *The International Journal of Biochemistry & Cell Biology*, 39(11), 2006–2011. <https://doi.org/10.1016/j.biocel.2007.07.004>
- Bouvard, V., Baan, R., Straif, K., Grosse, Y., Secretan, B., El Ghissassi, F., Benbrahim-Tallaa, L., Guha, N., Freeman, C., Galichet, L., & Coglianò, V.



- (2009). A review of human carcinogens--Part B: biological agents. In *The lancet oncology* (Vol. 10, Issue 4, pp. 321–322). [https://doi.org/10.1016/s1470-2045\(09\)70096-8](https://doi.org/10.1016/s1470-2045(09)70096-8)
- Bruni, L., Albero, G., Rowley, J., Alemany, L., Arbyn, M., Giuliano, A. R., Markowitz, L. E., Broutet, N., & Taylor, M. (2023). Global and regional estimates of genital human papillomavirus prevalence among men: a systematic review and meta-analysis. *The Lancet Global Health*, *11*(9), e1345–e1362. [https://doi.org/10.1016/S2214-109X\(23\)00305-4](https://doi.org/10.1016/S2214-109X(23)00305-4)
- CATES, W. J. R., & PANEL, T. H. E. A. S. H. A. (1999). Estimates of the Incidence and Prevalence of Sexually Transmitted Diseases in the United States. *Sexually Transmitted Diseases*, *26*(4). https://journals.lww.com/stdjournal/fulltext/1999/04001/estimates_of_the_incidence_and_prevalence_of.2.aspx
- Chaturvedi, A. K., Madeleine, M. M., Biggar, R. J., & Engels, E. A. (2009). Risk of Human Papillomavirus–Associated Cancers Among Persons With AIDS. *JNCI: Journal of the National Cancer Institute*, *101*(16), 1120–1130. <https://doi.org/10.1093/jnci/djp205>
- Chelimo, C., Wouldes, T. A., Cameron, L. D., & Elwood, J. M. (2013). Risk factors for and prevention of human papillomaviruses (HPV), genital warts and cervical cancer. *Journal of Infection*, *66*(3), 207–217. <https://doi.org/https://doi.org/10.1016/j.jinf.2012.10.024>
- Chikandiwa, A., Pisa, P. T., Muller, E. E., Tamalet, C., Mayaud, P., Chersich, M. F., & Delany-Moretlwe, S. (2019). Incidence, Persistence, Clearance, and Correlates of Genital Human Papillomavirus Infection and Anogenital Warts in a Cohort of Men Living With Human Immunodeficiency Virus in South Africa. *Sexually Transmitted Diseases*, *46*(5), 347–353. <https://doi.org/10.1097/OLQ.0000000000000979>
- Chin-Hong, P. V., Husnik, M., Cranston, R. D., Colfax, G., Buchbinder, S., Da Costa, M., Darragh, T., Jones, D., Judson, F., Koblin, B., Mayer, K. H., & Palefsky, J. M. (2009). Anal human papillomavirus infection is associated with HIV acquisition in men who have sex with men. *AIDS (London, England)*, *23*(9), 1135–1142. <https://doi.org/10.1097/QAD.0b013e32832b4449>
- Chromy, D., Silling, S., Wieland, U., & Kreuter, A. (2024). Anogenitalwarzen – ein Update. *Die Dermatologie*, *75*(1), 30–39. <https://doi.org/10.1007/s00105-023-05282-8>
- Clanner-Engelshofen, B. M., Marsela, E., Engelsberger, N., Guertler, A., Schaubert, J., French, L. E., & Reinholz, M. (2020). Condylomata acuminata: A retrospective analysis on clinical characteristics and treatment options. *Heliyon*, *6*(3). <https://doi.org/10.1016/j.heliyon.2020.e03547>
- Cong, X., Sun, R., Zhang, X., Wang, Y., Wang, L., & Yu, Y. (2016). Correlation of human papillomavirus types with clinical features of patients with condyloma acuminatum in China. *International Journal of Dermatology*, *55*(7), 775–780. <https://doi.org/10.1111/ijd.12964>



- Condyloma acuminata (n.d.). <https://www.webpathology.com/images/infectious-disease/viruses/papillomaviruses/46180>
- D'Abramo, C., & Archambault, J. (2011). Small Molecule Inhibitors of Human Papillomavirus Protein - Protein Interactions. *The Open Virology Journal*, 5, 80–95. <https://doi.org/10.2174/1874357901105010080>
- Dias, E. P., Gouvêa, A. L., & Eyer, C. C. (1997). Condyloma acuminatum: its histopathological pattern. *Sao Paulo Medical Journal = Revista Paulista de Medicina*, 115(2), 1383–1389. <https://doi.org/10.1590/s1516-31801997000200003>
- Dițescu, D., Istrate-Ofițeru, A. M., Roșu, G. C., Iovan, L., Liliac, I. M., Zorilă, G. L., Bălășoiu, M., & Cercelaru, L. (2021). Clinical and pathological aspects of condyloma acuminatum – review of literature and case presentation. In *Romanian Journal of Morphology and Embryology* (Vol. 62, Issue 2, pp. 369–383). Publishing House of the Romanian Academy. <https://doi.org/10.47162/RJME.62.2.03>
- Farahmand, M., Monavari, S. H., & Tavakoli, A. (2021). Prevalence and genotype distribution of human papillomavirus infection in different anatomical sites among men who have sex with men: A systematic review and meta-analysis. *Reviews in Medical Virology*, 31(6). <https://doi.org/10.1002/rmv.2219>
- Ferrándiz-Pulido, C., de Torres, I., & García-Patos, V. (2012). Penile Squamous Cell Carcinoma. *Actas Dermo-Sifiliográficas (English Edition)*, 103(6), 478–487. <https://doi.org/https://doi.org/10.1016/j.adengl.2012.07.007>
- FLEISCHER, A. B., PARRISH, C. A., GLENN, R., & FELDMAN, S. R. (2001). Condylomata Acuminata (Genital Warts) Patient Demographics and Treating Physicians. *Sexually Transmitted Diseases*, 28(11), 643–647. <http://www.jstor.org/stable/44967215>
- Giarre, M., Caldeira, S., Malanchi, I., Ciccolini, F., Leão, M. J., & Tommasino, M. (2001). Induction of pRb degradation by the human papillomavirus type 16 E7 protein is essential to efficiently overcome p16INK4a-imposed G1 cell cycle Arrest. *Journal of Virology*, 75(10), 4705–4712. <https://doi.org/10.1128/JVI.75.10.4705-4712.2001>
- Gilson, R. J. C., Ross, J., Maw, R., Rowen, D., Sonnex, C., & Lacey, C. J. N. (2009). A multicentre, randomised, double-blind, placebo controlled study of cryotherapy versus cryotherapy and podophyllotoxin cream as treatment for external anogenital warts. *Sexually Transmitted Infections*, 85(7), 514–519. <https://doi.org/10.1136/sti.2009.038075>
- Giuliano, A. R., Lee, J.-H., Fulp, W., Villa, L. L., Lazcano, E., Papenfuss, M. R., Abrahamsen, M., Salmeron, J., Anic, G. M., Rollison, D. E., & Smith, D. (2011). Incidence and clearance of genital human papillomavirus infection in men (HIM): a cohort study. *The Lancet*, 377(9769), 932–940. [https://doi.org/https://doi.org/10.1016/S0140-6736\(10\)62342-2](https://doi.org/https://doi.org/10.1016/S0140-6736(10)62342-2)
- Godley, M. J., Bradbeer, C. S., Gellan, M., & Thin, R. N. (1987). Cryotherapy compared with trichloroacetic acid in treating genital warts. *Genitourinary Medicine*, 63(6), 390–392. <https://doi.org/10.1136/sti.63.6.390>



- Gormley, R. H., & Kovarik, C. L. (2012). Human papillomavirus-related genital disease in the immunocompromised host: Part I. *Journal of the American Academy of Dermatology*, 66(6), 867.e1-14; quiz 881-882. <https://doi.org/10.1016/j.jaad.2010.12.050>
- Gray, R. H., Serwadda, D., Kong, X., Makumbi, F., Kigozi, G., Gravitt, P. E., Watya, S., Nalugoda, F., Ssempijja, V., Tobian, A. A. R., Kiwanuka, N., Moulton, L. H., Sewankambo, N. K., Reynolds, S. J., Quinn, T. C., Iga, B., Laeyendecker, O., Oliver, A. E., & Wawer, M. J. (2010). Male Circumcision Decreases Acquisition and Increases Clearance of High-Risk Human Papillomavirus in HIV-Negative Men: A Randomized Trial in Rakai, Uganda. *The Journal of Infectious Diseases*, 201(10), 1455-1462. <https://doi.org/10.1086/652184>
- Habibie, D. P., & Barakbah, J. (2016). *Studi Retrospektif: Profil Pasien Kondilomata Akuminata pada HIV/AIDS (A Retrospective Study: Profile of Condylomata Acuminata in Patients with HIV/AIDS)*.
- Hariri, S., & Warner, L. (2013). Condom use and human papillomavirus in men. *The Journal of Infectious Diseases*, 208(3), 367-369. <https://doi.org/10.1093/infdis/jit193>
- Hart, T. A., Wolitski, R. J., Purcell, D. W., Gómez, C., Halkitis, P., & Seropositive Urban Men's Study Team. (2003). Sexual behavior among HIV-positive men who have sex with men: what's in a label? *Journal of Sex Research*, 40(2), 179-188. <https://doi.org/10.1080/00224490309552179>
- Internasional Agency for Research on Cancer (IARC). (2007). *Human papillomaviruses* (Vol. 90). World Health Organization, International Agency for Research on Cancer; Distributed by WHO Press. <https://www.ncbi.nlm.nih.gov/books/NBK321760/>
- Kaderli, R., Schnüriger, B., & Bruegger, L. (2014). The impact of smoking on HPV infection and the development of anogenital warts. *International Journal of Colorectal Disease*, 29. <https://doi.org/10.1007/s00384-014-1922-y>
- Kazlouskaya, V., Shustef, E., Allam, S. H., Lal, K., & Elston, D. (2013). Expression of p16 protein in lesional and perilesional condyloma acuminata and bowenoid papulosis: Clinical significance and diagnostic implications. *Journal of the American Academy of Dermatology*, 69(3), 444-449. <https://doi.org/10.1016/j.jaad.2013.04.036>
- Klaes, R., Friedrich, T., Spitkovsky, D., Ridder, R., Rudy, W., Petry, U., Dallenbach-Hellweg, G., Schmidt, D., & von Knebel Doeberitz, M. (2001). Overexpression of p16INK4A as a specific marker for dysplastic and neoplastic epithelial cells of the cervix uteri. *International Journal of Cancer*, 92(2), 276-284. <https://doi.org/10.1002/ijc.1174>
- Kobayashi, A., Greenblatt, R. M., Anastos, K., Minkoff, H., Massad, L. S., Young, M., Levine, A. M., Darragh, T. M., Weinberg, V., & Smith-McCune, K. K. (2004). Functional Attributes of Mucosal Immunity in Cervical Intraepithelial Neoplasia and Effects of HIV Infection. *Cancer Research*, 64(18), 6766-6774. <https://doi.org/10.1158/0008-5472.CAN-04-1091>



- Kodner, C. M., & Nasraty, S. (2004). Management of genital warts. *American Family Physician*, 70(12), 2335–2342.
- Komericki, P., Akkilić-Materna, M., Strimitzer, T., & Aberer, W. (2011). Efficacy and safety of imiquimod versus podophyllotoxin in the treatment of anogenital warts. *Sexually Transmitted Diseases*, 38(3), 216–218. <https://doi.org/10.1097/OLQ.0b013e3181f68ebb>
- Kops, N. L., Caierão, J., Bessel, M., Horvath, J. D. C., Domingues, C. M., Benzaken, A. S., Villa, L. L., de Souza, F. M. A., Pereira, G. F. M., & Wendland, E. M. (2021). Behavioral factors associated with multiple-type HPV genital infections: data from a cross-sectional study in young women in Brazil. *Reproductive Health*, 18(1), 201. <https://doi.org/10.1186/s12978-021-01244-2>
- KOUTSKY, L. A., GALLOWAY, D. A., & HOLMES, K. K. (1988). EPIDEMIOLOGY OF GENITAL HUMAN PAPILLOMAVIRUS INFECTION. *Epidemiologic Reviews*, 10(1), 122–163. <https://doi.org/10.1093/oxfordjournals.epirev.a036020>
- Krishnappa, P., Mohamad, I. B., Lin, Y., & Barua, A. (2014). Expression of P16 in high-risk human papillomavirus related lesions of the uterine cervix in a government hospital, Malaysia. *Diagnostic Pathology*, 9. <https://api.semanticscholar.org/CorpusID:16934610>
- La Greca, A. M., & Harrison, H. M. (2005). Adolescent Peer Relations, Friendships, and Romantic Relationships: Do They Predict Social Anxiety and Depression? *Journal of Clinical Child & Adolescent Psychology*, 34(1), 49–61. https://doi.org/10.1207/s15374424jccp3401_5
- Lacey, C. J. N., Goodall, R. L., Ragnarson Tennvall, G., Maw, R., Kinghorn, G. R., Fisk, P. G., Barton, S., & Byren, I. (2003). Randomised controlled trial and economic evaluation of podophyllotoxin solution, podophyllotoxin cream, and podophyllin in the treatment of genital warts. *Sexually Transmitted Infections*, 79(4), 270–275. <https://doi.org/10.1136/sti.79.4.270>
- Larke, N., Thomas, S. L., dos Santos Silva, I., & Weiss, H. A. (2011). Male Circumcision and Human Papillomavirus Infection in Men: A Systematic Review and Meta-Analysis. *The Journal of Infectious Diseases*, 204(9), 1375–1390. <https://doi.org/10.1093/infdis/jir523>
- Léonard, B., Kridelka, F., Delbecque, K., Goffin, F., Demoulin, S., Doyen, J., & Delvenne, P. (2014). A Clinical and Pathological Overview of Vulvar Condyloma Acuminatum, Intraepithelial Neoplasia, and Squamous Cell Carcinoma. *BioMed Research International*, 2014, 1–11. <https://doi.org/10.1155/2014/480573>
- Leslie, S. W., Sajjad, H., & Kumar, S. (2024). *Genital Warts*.
- Liu, M., He, Z., Zhang, C., Liu, F., Liu, Y., Li, J., Xu, Z., Wang, Q., Hang, D., Shen, N., Pan, Y., Guo, C., Cai, H., & Ke, Y. (2015). Transmission of genital human papillomavirus infection in couples: a population-based cohort study in rural China. *Scientific Reports*, 5(1), 10986. <https://doi.org/10.1038/srep10986>
- Luria, L., & Cardoza-Favarato, G. (2024). *Human Papillomavirus*.



- Lynde, C., Vender, R., Bourcier, M., & Bhatia, N. (2013). Clinical features of external genital warts. *Journal of Cutaneous Medicine and Surgery*, *17 Suppl 2*, S55-60.
- Lyons, H. A., Manning, W. D., Longmore, M. A., & Giordano, P. C. (2015). Gender and casual sexual activity from adolescence to emerging adulthood: social and life course correlates. *Journal of Sex Research*, *52*(5), 543–557. <https://doi.org/10.1080/00224499.2014.906032>
- Mastutik, G., Rahniayu, A., Arista, A., Murtiastutik, D., Kurniasari, N., Setyaningrum, T., Rahaju, A. S., & Sulistyani, E. (2021a). p16INK4A Expression in Condyloma Acuminata Lesions Associated with High-Risk Human Papillomavirus Infection. *Asian Pacific Journal of Cancer Prevention*, *22*(10), 3219–3225. <https://doi.org/10.31557/APJCP.2021.22.10.3219>
- Mastutik, G., Rahniayu, A., Arista, A., Murtiastutik, D., Kurniasari, N., Setyaningrum, T., Rahaju, A. S., & Sulistyani, E. (2021b). p16INK4A Expression in Condyloma Acuminata Lesions Associated with High-Risk Human Papillomavirus Infection. *Asian Pacific Journal of Cancer Prevention : APJCP*, *22*, 3219–3225. <https://api.semanticscholar.org/CorpusID:240153929>
- Mathewos, T., Tesfahun, E., Aemiro, M. T., & Dejene, T. M. (2024). The magnitude of casual sex and associated factors among students at Debre Berhan University. *Frontiers in Reproductive Health*, *6*. <https://doi.org/10.3389/frph.2024.1491617>
- Meltzer, S. M., Monk, B. J., & Tewari, K. S. (2009). Green tea catechins for treatment of external genital warts. *American Journal of Obstetrics and Gynecology*, *200*(3), 233.e1-233.e7. <https://doi.org/10.1016/j.ajog.2008.07.064>
- Mills, A., Balasubramaniam, R., Longacre, T. A., Kong, C. S., & Pinsky, B. A. (2013). Laboratory-developed L1 sequencing and type-specific, real-time polymerase chain reaction for the detection and typing of human papillomaviruses in formalin-fixed, paraffin-embedded tissues. *Archives of Pathology & Laboratory Medicine*, *137*(1), 50–54. <https://doi.org/10.5858/arpa.2011-0392-OA>
- Mirzaee, M., Jahani, Y., & Sharifi, H. (2017). Reasons for Inconsistent Condom Use Found as Answers to a Multiple Response Question: A National Survey of Iranian Adults, 2013. *Journal of Research in Health Sciences*, *17*, e00389.
- Mudrikova, T., Jaspers, C., Ellerbroek, P., & Hoepelman, A. (2008). HPV-related anogenital disease and HIV infection: not always ‘ordinary’ condylomata acuminata. *The Netherlands Journal of Medicine*, *66*(3), 98–102. <http://europepmc.org/abstract/MED/18349464>
- Nahidi, M., Nahidi, Y., Saghebi, A., Kardan, G., Jarahi, L., Aminzadeh, B., Shojaei, P., & Reza Fayyazi Bordbar, M. (2018). Evaluation of Psychopathology and Quality of Life in Patients with Anogenital Wart Compared to Control Group. In *J Med Sci* (Vol. 43, Issue 1).
- Nareswari, A., Mawardi, P., Kusumawardani, A., & Ellistasari, E. Y. (2020). *GENDER DIFFERENCES IN SOCIODEMOGRAPHIC CHARACTERISTICS AND RISK FACTORS AMONG CONDYLOMA ACUMINATA PATIENTS IN DR. MOEWARDI GENERAL HOSPITAL SURAKARTA*. <https://api.semanticscholar.org/CorpusID:230585070>



- Nielson, C. M., Harris, R. B., Dunne, E. F., Abrahamsen, M., Papenfuss, M. R., Flores, R., Markowitz, L. E., & Giuliano, A. R. (2007). Risk Factors for Anogenital Human Papillomavirus Infection in Men. *The Journal of Infectious Diseases*, *196*(8), 1137–1145. <https://doi.org/10.1086/521632>
- Nugent, D., Apoola, A., Coleman, H., Gilmour, C., Lawton, M. D., Nori, A., D C Ross, J., Whitlock, G., & Yeend-Curd-Trimble, H. (2024). British association for sexual health and HIV national guideline for the management of anogenital warts in adults (2024). *International Journal of STD & AIDS*, *35*(7), 498–509. <https://doi.org/10.1177/09564624241233338>
- Onywera, H., Williamson, A.-L., Ponomarenko, J., & Meiring, T. L. (2020). The Penile Microbiota in Uncircumcised and Circumcised Men: Relationships With HIV and Human Papillomavirus Infections and Cervicovaginal Microbiota. *Frontiers in Medicine*, *7*. <https://doi.org/10.3389/fmed.2020.00383>
- Pamnani, S. J., Nyitray, A. G., Abrahamsen, M., Rollison, D. E., Villa, L. L., Lazcano-Ponce, E., Huang, Y., Borenstein, A., & Giuliano, A. R. (2016). Sequential Acquisition of Anal Human Papillomavirus (HPV) Infection Following Genital Infection Among Men Who Have Sex With Women: The HPV Infection in Men (HIM) Study. *Journal of Infectious Diseases*, *214*(8), 1180–1187. <https://doi.org/10.1093/infdis/jiw334>
- Patel, H., Wagner, M., Singhal, P., & Kothari, S. (2013). Systematic review of the incidence and prevalence of genital warts. *BMC Infectious Diseases*, *13*(1). <https://doi.org/10.1186/1471-2334-13-39>
- Patel, P., Bush, T., Kojic, E. M., Conley, L., Unger, E. R., Darragh, T. M., Henry, K., Hammer, J., Escota, G., Palefsky, J. M., & Brooks, J. T. (2018). Prevalence, Incidence, and Clearance of Anal High-Risk Human Papillomavirus Infection Among HIV-Infected Men in the SUN Study. *The Journal of Infectious Diseases*, *217*(6), 953–963. <https://doi.org/10.1093/infdis/jix607>
- Pennycook, K. B., & McCready, T. A. (2023). *Condyloma Acuminata*. StatPearls Publishing, Treasure Island (FL). <http://europepmc.org/abstract/MED/31613447>
- Pirog, E. C., Quint, K. D., & Yantiss, R. K. (2010). P16/CDKN2A and Ki-67 Enhance the Detection of Anal Intraepithelial Neoplasia and Condyloma and Correlate With Human Papillomavirus Detection by Polymerase Chain Reaction. *American Journal of Surgical Pathology*, *34*(10), 1449–1455. <https://doi.org/10.1097/PAS.0b013e3181f0f52a>
- Pudney, J., Wangu, Z., Panther, L., Fugelso, D., Marathe, J. G., Sagar, M., Politch, J. A., & Anderson, D. J. (2019). Condylomata Acuminata (Anogenital Warts) Contain Accumulations of HIV-1 Target Cells That May Provide Portals for HIV Transmission. *The Journal of Infectious Diseases*, *219*(2), 275–283. <https://doi.org/10.1093/infdis/jiy505>
- Ratnasari, D. T., Kulit, B., Kelamin, D., Kedokteran, F., Wijaya, U., & Surabaya, K. (2018). Kondiloma Akuminata. In *Online) Jurnal Ilmiah Kedokteran Wijaya Kusuma* (Vol. 5, Issue 2).



- Riethmuller, D., Schaal, J. P., & Mougin, C. (2002). [Epidemiology and natural history of genital infection by human papillomavirus]. *Gynecologie, obstetrique & fertilité*, 30(2), 139–146. [https://doi.org/10.1016/s1297-9589\(01\)00282-x](https://doi.org/10.1016/s1297-9589(01)00282-x)
- Romagosa, C., Simonetti, S., López-Vicente, L., Mazo, A., Lleonart, M. E., Castellvi, J., & Ramon y Cajal, S. (2011). p16Ink4a overexpression in cancer: a tumor suppressor gene associated with senescence and high-grade tumors. *Oncogene*, 30(18), 2087–2097. <https://doi.org/10.1038/onc.2010.614>
- Samama, B., Lipsker, D., & Boehm, N. (2006). p16 expression in relation to human papillomavirus in anogenital lesions. *Human Pathology*, 37(5), 513–519. <https://doi.org/https://doi.org/10.1016/j.humpath.2006.01.001>
- Sano, T., Oyama, T., Kashiwabara, K., Fukuda, T., & Nakajima, T. (1998). Expression status of p16 protein is associated with human papillomavirus oncogenic potential in cervical and genital lesions. *The American Journal of Pathology*, 153(6), 1741–1748. [https://doi.org/10.1016/S0002-9440\(10\)65689-1](https://doi.org/10.1016/S0002-9440(10)65689-1)
- Scheinfeld, N., & Lehman, D. S. (2006). An evidence-based review of medical and surgical treatments of genital warts. *Dermatology Online Journal*, 12(3), 5. <http://europepmc.org/abstract/MED/16638419>
- Schöfer, H., Van Ophoven, A., Henke, U., Lenz, T., & Eul, A. (2006). Randomized, comparative trial on the sustained efficacy of topical imiquimod 5% cream versus conventional ablative methods in external anogenital warts. *European Journal of Dermatology : EJD*, 16(6), 642–648.
- Sherrard, J., & Riddell, L. (2007). Comparison of the effectiveness of commonly used clinic-based treatments for external genital warts. *International Journal of STD & AIDS*, 18(6), 365–368. <https://doi.org/10.1258/095646207781024711>
- Shlay, J. C., McClung, M. W., Patnaik, J. L., & Douglas, J. M. (2004). Comparison of sexually transmitted disease prevalence by reported level of condom use among patients attending an urban sexually transmitted disease clinic. *Sexually Transmitted Diseases*, 31(3), 154–160. <https://doi.org/10.1097/01.olq.0000114338.60980.12>
- Silvia, W. (2018). *PERBEDAAN TIPE HUMAN PAPILOMA VIRUS ANTARA HUMAN IMMUNODEFICIENCY VIRUS POSITIF DAN NEGATIF PADA PASIEN KONDILOMA AKUMINATA ANOGENITAL DI RUMAH SAKIT DR. M. DJAMIL PADANG*. <https://api.semanticscholar.org/CorpusID:86757590>
- Sinclair, K. A., Woods, C. R., & Sinal, S. H. (2011). Venereal warts in children. *Pediatrics in Review*, 32(3), 115–121; quiz 121. <https://doi.org/10.1542/pir.32-3-115>
- Sindhuja, T., Bhari, N., & Gupta, S. (2022). Asian guidelines for condyloma acuminatum. *Journal of Infection and Chemotherapy*, 28(7), 845–852. <https://doi.org/https://doi.org/10.1016/j.jiac.2022.03.004>
- Smith, J. S., Gilbert, P. A., Melendy, A., Rana, R. K., & Pimenta, J. M. (2011). Age-specific prevalence of human papillomavirus infection in males: a global review. *The Journal of Adolescent Health : Official Publication of the Society*



- for *Adolescent Medicine*, 48(6), 540–552.
<https://doi.org/10.1016/j.jadohealth.2011.03.010>
- Sterling, J. C. (2019). Human Papillomavirus Infections. In S. Kang, M. Amagai, A. L. Bruckner, A. H. Enk, D. J. Margolis, A. J. McMichael, & J. S. Orringer (Eds.), *Fitzpatrick's Dermatology*, 9e. McGraw-Hill Education. [dermatology.mhmedical.com/content.aspx?aid=1161340736](https://www.dermatology.mhmedical.com/content.aspx?aid=1161340736)
- Sutherland, B. A., Rahman, R. M. A., & Appleton, I. (2006). Mechanisms of action of green tea catechins, with a focus on ischemia-induced neurodegeneration. *The Journal of Nutritional Biochemistry*, 17(5), 291–306. <https://doi.org/10.1016/j.jnutbio.2005.10.005>
- Sykes Jr, N. L. (1995). CONDYLOMA ACUMINATUM. In *Journal of DermatolRV* (Issue S).
- Vaccarella, S., Herrero, R., Snijders, P. J. F., Dai, M., Thomas, J. O., Hieu, N. T., Ferreccio, C., Matos, E., Posso, H., de Sanjose, S., Shin, H. R., Sukvirach, S., Lazcano-Ponce, E., Munoz, N., Meijer, C. J. L. M., & Franceschi, S. (2008). Smoking and human papillomavirus infection: pooled analysis of the International Agency for Research on Cancer HPV Prevalence Surveys. *International Journal of Epidemiology*, 37(3), 536–546. <https://doi.org/10.1093/ije/dyn033>
- Wei, F., Gaisa, M. M., D'Souza, G., Xia, N., Giuliano, A. R., Hawes, S. E., Gao, L., Cheng, S.-H., Donà, M. G., Goldstone, S. E., Schim van der Loeff, M. F., Neukam, K., Meites, E., Poynten, I. M., Dai, J., Combes, J.-D., Wieland, U., Burgos, J., Wilkin, T. J., ... Clifford, G. M. (2021). Epidemiology of anal human papillomavirus infection and high-grade squamous intraepithelial lesions in 29 900 men according to HIV status, sexuality, and age: a collaborative pooled analysis of 64 studies. *The Lancet HIV*, 8(9), e531–e543. [https://doi.org/10.1016/S2352-3018\(21\)00108-9](https://doi.org/10.1016/S2352-3018(21)00108-9)
- Wei, F., Su, Y., Cui, X., Yu, X., Li, Y., Song, Q., Yin, K., Huang, S., Li, M., Zhang, J., Wu, T., & Xia, N. (2020). Sequential Acquisition of Human Papillomavirus Infection at Genital and Anal Sites, Liuzhou, China. *Emerging Infectious Diseases*, 26(10), 2387–2393. <https://doi.org/10.3201/eid2610.191646>
- Wieland, U., & Kreuter, A. (2017). Kondylome bei HIV-Infizierten. *Der Hautarzt*, 68(3), 192–198. <https://doi.org/10.1007/s00105-017-3938-z>
- Wieland, U., Kreuter, A., & Pfister, H. (2014). Human papillomavirus and immunosuppression. *Current Problems in Dermatology*, 45, 154–165. <https://doi.org/10.1159/000357907>
- Wiley, D. J., Harper, D. M., Elashoff, D., Silverberg, M. J., Kaestle, C., Cook, R. L., Heilemann, M., & Johnson, L. (2005). How condom use, number of receptive anal intercourse partners and history of external genital warts predict risk for external anal warts. *International Journal of STD & AIDS*, 16(3), 203–211. <https://doi.org/10.1258/0956462053420176>
- Witkiewicz, A. K., Knudsen, K. E., Dicker, A. P., & Knudsen, E. S. (2011). The meaning of p16(ink4a) expression in tumors: functional significance, clinical



- associations and future developments. *Cell Cycle (Georgetown, Tex.)*, 10(15), 2497–2503. <https://doi.org/10.4161/cc.10.15.16776>
- Workowski, K. A., Bolan, G. A., & Centers for Disease Control and Prevention. (2015). Sexually transmitted diseases treatment guidelines, 2015. *MMWR. Recommendations and Reports: Morbidity and Mortality Weekly Report. Recommendations and Reports*, 64(RR-03), 1–137.
- Yanofsky, V. R., Patel, R. V., & Goldenberg, G. (2012). Genital Warts A Comprehensive Review. In *J Clin Aesthet Dermatol* (Vol. 5, Issue 6).
- Yuan, H., Li, R., Lv, J., Yi, G., Sun, X., Zhao, N., Zhao, F., Xu, A., Kou, Z., & Wen, H. (2023). Epidemiology of human papillomavirus on condyloma acuminatum in Shandong Province, China. *Human Vaccines & Immunotherapeutics*, 19(1), 2170662. <https://doi.org/10.1080/21645515.2023.2170662>
- Zhang, D.-Y., Yin, Y.-P., Feng, T.-J., Hong, F.-C., Jiang, N., Wang, B.-X., & Chen, X.-S. (2014). HPV infections among MSM in Shenzhen, China. *PloS One*, 9(5), e96364. <https://doi.org/10.1371/journal.pone.0096364>