

DAFTAR PUSTAKA

- Abdulkadir Yıldız, Kaya, H., Faruk Ertas, Mustafa Oylumlu, Bilik, M.Z., Murat Yüksel, Polat, N., Akil, M.A., Zuhail Atılğan and Mehmet Sıddık Ülgen (2013). Association between Neutrophil to Lymphocyte Ratio and Pulmonary Arterial Hypertension. *Turk Kardiyoloji Dernegi Arsivi-Archives of the Turkish Society of Cardiology*, 41(7), pp.604–609. doi:<https://doi.org/10.5543/tkda.2013.93385>.
- Adatia, I., Kothari, S.S. and Feinstein, J.A. (2010). Pulmonary Hypertension Associated with Congenital Heart Disease. *Chest*, 137(6), pp.52S61S. doi:<https://doi.org/10.1378/chest.09-2861>.
- Ain, N., Hariyanto, D. and Rusdan, S. (2015). Karakteristik Penderita Penyakit Jantung Bawaan Pada Anak Di RSUP Dr. M. Djamil Padang Periode Januari 2010 – Mei 2012. *Jurnal Kesehatan Andalas*, [online] 4(3). doi:<https://doi.org/10.25077/jka.v4i3.388>.
- Aldabbous, L., Abdul-Salam, V., McKinnon, T., Duluc, L., Pepke-Zaba, J., Southwood, M., Ainscough, A.J., Hadinnapola, C., Wilkins, M.R., Toshner, M. and Wojciak-Stothard, B. (2016). Neutrophil Extracellular Traps Promote Angiogenesis. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 36(10), pp.2078–2087. doi:<https://doi.org/10.1161/atvbaha.116.307634>.
- Angkananard, T., Anothaisintawee, T., McEvoy, M., Attia, J. and Thakkinstian, A. (2018). Neutrophil Lymphocyte Ratio and Cardiovascular Disease Risk: a Systematic Review and Meta-Analysis. *BioMed Research International*, [online] 2018, p.2703518. doi:<https://doi.org/10.1155/2018/2703518>.
- Arvanitaki, A., Boutsikou, M., Anthi, A., Sotiria Apostolopoulou, Aikaterini Avgeropoulou, Eftychia Demerouti, Farmakis, D., Christos Feloukidis, Giannakoulas, G., Haralambos Karvounis, Panagiotis Karyofyllis, Ioanna Mitrouska, Mouratoglou, S., Naka, K.K., Orfanos, S.E., Evangelia Panagiotidou, Pitsiou, G., Spyridon Rammos, Stagaki, E. and Ioannis

- Stanopoulos (2019). Epidemiology and Initial Management of Pulmonary Arterial hypertension: Real-world Data from the Hellenic pulmonary hypertension registry (HOPE). *Pulmonary circulation*, 9(3), pp.1–12. doi:<https://doi.org/10.1177/2045894019877157>.
- Awerbach, J.D., Stackhouse, K.A., Lee, J., Talal Dahhan, Parikh, K.S. and Krasuski, R.A. (2019). Outcomes of Lung disease-associated Pulmonary Hypertension and Impact of Elevated Pulmonary Vascular Resistance. *Respiratory Medicine*, 150, pp.126–130. doi:<https://doi.org/10.1016/j.rmed.2019.03.004>.
- Basit, H., Wallen, T.J. and Sergent, B.N. (2021). *Eisenmenger Syndrome*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507800/>.
- Behr, J. and Ryu, J.H. (2008). Pulmonary hypertension in interstitial lung disease. *European Respiratory Journal*, 31(6), pp.1357–1367. doi:<https://doi.org/10.1183/09031936.00171307>.
- Bousseau, S., Fais, R.S., Gu, S., Frump, A. and Lahm, T. (2023). Pathophysiology and New Advances in Pulmonary Hypertension. *BMJ Medicine*, [online] 2(1). doi:<https://doi.org/10.1136/bmjmed-2022-000137>.
- Celermajer, D.S. (2017). Atrial Septal defects: Even Simple Congenital Heart Diseases Can Be Complicated. *European Heart Journal*, 39(12), pp.999–1001. doi:<https://doi.org/10.1093/eurheartj/ehx633>.
- Chang, K.Y., Duval, S., Badesch, D.B., Bull, T.M., Chakinala, M.M., De Marco, T., Frantz, R.P., Hennes, A., Mathai, S.C., Rosenzweig, E.B., Ryan, J.J., Thenappan, T., Allen, R., Bartolome, S., Benza, R., Cadaret, L., Eggert, M., Elwing, J., Fineman, J. and Foley, R. (2022). Mortality in Pulmonary Arterial Hypertension in the Modern Era: Early Insights from the Pulmonary Hypertension Association Registry. *Journal of the American Heart Association*, 11(9). doi:<https://doi.org/10.1161/jaha.121.024969>.

- Chun, H.J. and Yu, P.B. (2015). Elafin in Pulmonary Arterial Hypertension. Beyond Targeting Elastases. *American Journal of Respiratory and Critical Care Medicine*, [online] 191(11), pp.1217–1219. doi:<https://doi.org/10.1164/rccm.201504-0686ed>.
- Duffels, M.G.J., Engelfriet, P.M., Berger, R.M.F., van Loon, R.L.E., Hoendermis, E., Vriend, J.W.J., van der Velde, E.T., Bresser, P. and Mulder, B.J.M. (2007). Pulmonary Arterial Hypertension in Congenital Heart disease: an Epidemiologic Perspective from a Dutch Registry. *International Journal of Cardiology*, 120(2), pp.198–204. doi:<https://doi.org/10.1016/j.ijcard.2006.09.017>.
- Dunham-Snary, K.J., Wu, D., Sykes, E.A., Thakrar, A., Parlow, L.R.G., Mewburn, J.D., Parlow, J.L. and Archer, S.L. (2017). Hypoxic Pulmonary Vasoconstriction. *Chest*, 151(1), pp.181–192. doi:<https://doi.org/10.1016/j.chest.2016.09.001>.
- Ebru Özpelit, Bahri Akdeniz, Mehmet Emre Özpelit, Sedat Taş, Bozkurt, S., Kemal Can Tertemiz, Can Sevinc and Özer Badak (2015). Prognostic Value of neutrophil-to-lymphocyte Ratio in Pulmonary Arterial Hypertension. *Journal of International Medical Research*, 43(5), pp.661–671. doi:<https://doi.org/10.1177/0300060515589394>.
- Effah, C.Y., Drokow, E.K., Agboyibor, C., Ding, L., He, S., Liu, S., Akorli, S.Y., Nuamah, E., Sun, T., Zhou, X., Liu, H., Xu, Z., Feng, F., Wu, Y. and Zhang, X. (2021). Neutrophil-Dependent Immunity during Pulmonary Infections and Inflammations. *Frontiers in Immunology*, [online] 12, p.689866. doi:<https://doi.org/10.3389/fimmu.2021.689866>.
- El-Segaier, M., Pesonen, E., Lukkarinen, S., Peters, K., Ingemansson, J., Sörnmo, L. and Sepponen, R. (2006). Atrial Septal defect: a Diagnostic Approach. *Medical & Biological Engineering & Computing*, [online] 44(9), pp.739–745. doi:<https://doi.org/10.1007/s11517-006-0094-5>.

- Foris, V., Kovacs, G., Philipp Douschan, Avian, A., Olschewski, A. and Olschewski, H. (2016). Neutrophil- to-lymphocyte ratio as a prognostic parameter in pulmonary arterial hypertension. *European Respiratory Journal*, 48(60). doi:<https://doi.org/10.1183/13993003.congress-2016.pa2479>.
- Galiè, N., Channick, R.N., Frantz, R.P., Grünig, E., Jing, Z.C., Moiseeva, O., Preston, I.R., Pulido, T., Safdar, Z., Tamura, Y. and McLaughlin, V.V. (2019). Risk Stratification and Medical Therapy of Pulmonary Arterial Hypertension. *European Respiratory Journal*, 53(1), p.1801889. doi:<https://doi.org/10.1183/13993003.01889-2018>.
- Galiè, N., Humbert, M., Vachiery, J.-L., Gibbs, S., Lang, I., Torbicki, A., Simonneau, G., Peacock, A., Vonk Noordegraaf, A., Beghetti, M., Ghofrani, A., Gomez Sanchez, M.A., Hansmann, G., Klepetko, W., Lancellotti, P., Matucci, M., McDonagh, T., Pierard, L.A., Trindade, P.T. and Zompatori, M. (2016). 2015 ESC/ERS Guidelines for the Diagnosis and Treatment of Pulmonary hypertension: the Joint Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS): Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC), International Society for Heart and Lung Transplantation (ISHLT). *European Heart Journal*, [online] 37(1), pp.67–119. doi:<https://doi.org/10.1093/eurheartj/ehv317>.
- Geva, T., Martins, J.D. and Wald, R.M. (2014). Atrial Septal Defects. *The Lancet*, 383(9932), pp.1921–1932. doi:[https://doi.org/10.1016/s0140-6736\(13\)62145-5](https://doi.org/10.1016/s0140-6736(13)62145-5).
- Hanslik, A., Pospisil, U., Salzer-Muhar, U., Greber-Platzer, S. and Male, C. (2006). Predictors of Spontaneous Closure of Isolated Secundum Atrial Septal Defect in Children: a Longitudinal Study. *Pediatrics*, 118(4), pp.1560–1565. doi:<https://doi.org/10.1542/peds.2005-3037>.

- Heath, D. and Edwards, J.E. (1958). The Pathology of Hypertensive Pulmonary Vascular Disease. *Circulation*, 18(4), pp.533–547.
doi:<https://doi.org/10.1161/01.cir.18.4.533>.
- Herlambang, G., Widjaja, S.L., Hafidh, Y. and Salimo, H. (2019). Hubungan Rasio Netrofil Limfosit Dengan Hipertensi Arteri Pulmonal Pada Anak Dengan Penyakit Jantung Bawaan Asianotik. *Sari Pediatri*, 21(2), p.96.
doi:<https://doi.org/10.14238/sp21.2.2019.96-101>.
- Hoeper, M.M., Humbert, M., Souza, R., Idrees, M., Kawut, S.M., Sliwa-Hahnle, K., Jing, Z.-C. and Gibbs, J.S.R. (2016). A Global View of Pulmonary Hypertension. *The Lancet Respiratory Medicine*, 4(4), pp.306–322.
doi:[https://doi.org/10.1016/s2213-2600\(15\)00543-3](https://doi.org/10.1016/s2213-2600(15)00543-3).
- Humbert, M., Kovacs, G., Hoeper, M.M., Badagliacca, R., Berger, R.M.F., Brida, M., Carlsen, J., Coats, A.J.S., Escribano-Subias, P., Ferrari, P., Ferreira, D.S., Ghofrani, H.A., Giannakoulas, G., Kiely, D.G., Mayer, E., Meszaros, G., Nagavci, B., Olsson, K.M., Pepke-Zaba, J. and Quint, J.K. (2022). 2022 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension. *European Respiratory Journal*, 43(38), p.2200879.
doi:<https://doi.org/10.1183/13993003.00879-2022>.
- Hurdman, J., Condliffe, R., Elliot, C.A., Davies, C., Hill, C., Wild, J.M., Capener, D., Sephton, P., Hamilton, N., Armstrong, I.J., Billings, C., Lawrie, A., Sabroe, I., Akil, M., O’Toole, L. and Kiely, D.G. (2011). ASPIRE registry: Assessing the Spectrum of Pulmonary hypertension Identified at a REferral centre. *European Respiratory Journal*, 39(4), pp.945–955.
doi:<https://doi.org/10.1183/09031936.00078411>.
- Hurdman, J., Condliffe, R., Elliot, C.A., Swift, A., Rajaram, S., Davies, C., Hill, C., Hamilton, N., Armstrong, I.J., Billings, C., Pollard, L., Wild, J.M., Lawrie, A., Lawson, R., Sabroe, I. and Kiely, D.G. (2013). Pulmonary Hypertension in COPD: Results from the ASPIRE Registry. *The European*

Respiratory Journal, [online] 41(6), pp.1292–1301.
doi:<https://doi.org/10.1183/09031936.00079512>.

Iwaki, M., Ito, S., Morioka, M., Iwata, S., Yasushi Numaguchi, Ishii, M., Kondo, M., Kume, H., Keiji Naruse, Masahiro Sokabe and Hasegawa, Y. (2009). Mechanical Stretch Enhances IL-8 Production in Pulmonary Microvascular Endothelial Cells. *Biochemical and Biophysical Research Communications*, 389(3), pp.531–536. doi:<https://doi.org/10.1016/j.bbrc.2009.09.020>.

Jiang, T., Wang, Q., Zhang, Z., Qi, J., Yang, Z., Jiang, Q., Wei, J., Cao, D. and Yuan, L. (2023). Value of the neutrophil-to-lymphocyte Ratio in Chronic Obstructive Pulmonary Disease Complicated with Pulmonary Hypertension. *Journal of International Medical Research*, 51(9). doi:<https://doi.org/10.1177/03000605231200266>.

Jone, P., D. Dunbar Ivy, Hauck, A., Karamlou, T., Truong, U., Coleman, R., Juan Pablo Sandoval, Cerro, del, Pirooz Eghtesady, Tillman, K. and Krishnan, U. (2023). Pulmonary Hypertension in Congenital Heart Disease: a Scientific Statement from the American Heart Association. *Circulation-heart Failure*, 16(7). doi:<https://doi.org/10.1161/hhf.0000000000000080>.

Jonigk, D., Golpon, H., Bockmeyer, C.L., Maegel, L., Hoeper, M.M., Gottlieb, J., Nickel, N., Hussein, K., Maus, U., Lehmann, U., Janciauskiene, S., Welte, T., Haverich, A., Rische, J., Kreipe, H. and Laenger, F. (2011). Plexiform Lesions in Pulmonary Arterial Hypertension. *The American Journal of Pathology*, 179(1), pp.167–179. doi:<https://doi.org/10.1016/j.ajpath.2011.03.040>.

Khan, A.A., Tan, J.-L., Li, W., Dimopoulos, K., Spence, M.S., Chow, P. and Mullen, M.J. (2010). The Impact of Transcatheter Atrial Septal Defect Closure in the Older population: a Prospective Study. *JACC. Cardiovascular Interventions*, [online] 3(3), pp.276–281. doi:<https://doi.org/10.1016/j.jcin.2009.12.011>.

- Khirfan, G., Li, M., Wang, X., Dweik, R.A., Heresi, G.A. and Tonelli, A.R. (2021). Is Pulmonary Vascular Resistance Index Better than Pulmonary Vascular Resistance in Predicting Outcomes in Pulmonary Arterial hypertension? *The Journal of Heart and Lung Transplantation*, 40(7), pp.614–622. doi:<https://doi.org/10.1016/j.healun.2021.03.022>.
- Kim, Y.-M., Haghghat, L., Spiekerkoetter, E., Sawada, H., Alvira, C.M., Wang, L., Acharya, S., Rodriguez-Colon, G., Orton, A., Zhao, M. and Rabinovitch, M. (2011). Neutrophil Elastase Is Produced by Pulmonary Artery Smooth Muscle Cells and Is Linked to Neointimal Lesions. *The American Journal of Pathology*, 179(3), pp.1560–1572. doi:<https://doi.org/10.1016/j.ajpath.2011.05.051>.
- Kishi, K., Jirayut Jarutach, Ooi, Y.K., Wong, N.L., Mood, M.C., Geetha Kandhavello, Mazeni Alwi and Leong, M.C. (2022). High haemoglobin levels at the time of occlusion predict worse outcome for patients with patent ductus arteriosus and pulmonary hypertension. *Cardiology in the Young*, 33(8), pp.1359–1366. doi:<https://doi.org/10.1017/s104795112200244x>.
- Krasuski, R.A., Tobore Tobore, Studer, S., Jansa, P., Olivier Sitbon, Hoepfer, M.M., Channick, R., Gaine, S., Lang, I., Chin, K., Pulido, T., Mehta, S., Torbicki, A., Sastry, B., Tang, X., McLaughlin, V. and Reardon, L.C. (2025). Outcomes in Patients Receiving Treatment for Pulmonary Arterial Hypertension Associated with Repaired Congenital Heart Disease. *JACC Advances*, 4(3), pp.101626–101626. doi:<https://doi.org/10.1016/j.jacadv.2025.101626>.
- Lai, Y.-C., Potoka, K.C., Champion, H.C., Mora, A.L. and Gladwin, M.T. (2014). Pulmonary Arterial Hypertension: the Clinical Syndrome. *Circulation Research*, 115(1), pp.115–130. doi:<https://doi.org/10.1161/circresaha.115.301146>.

- Larosa, D.F. and Orange, J.S. (2008). Lymphocytes. *The Journal of Allergy and Clinical Immunology*, [online] 121(2 Suppl), pp.S364-369; quiz S412. doi:<https://doi.org/10.1016/j.jaci.2007.06.016>.
- Lars Harbaum, Baaske, K.M., Simon, M., Oqueka, T., Sinning, C., Glatzel, A., Lüneburg, N., Sydow, K., Carsten Bokemeyer and Klose, H. (2017). Exploratory Analysis of the Neutrophil to Lymphocyte Ratio in Patients with Pulmonary Arterial Hypertension. *BMC Pulmonary Medicine*, 17(1). doi:<https://doi.org/10.1186/s12890-017-0407-5>.
- Le Gloan, L., Legendre, A., Iserin, L. and Ladouceur, M. (2018). Pathophysiology and Natural History of Atrial Septal Defect. *Journal of Thoracic Disease*, [online] 10(S24), pp.S2854–S2863. doi:<https://doi.org/10.21037/jtd.2018.02.80>.
- Leary, P.J., Lindstrom, M., Johnson, C.O., Emmons-Bell, S., Rich, S., Corris, P.A., DuBrock, H.M., Ventetuolo, C.E., Abate, Y.H., Abdelmaseh, M., Aboagye, R.G., Hasan Abualruz, Eman Abu-Gharbieh, Salahdein Aburuz, Adamu, L.H., Rui Adão, Addo, I.Y., Adedoyin, R.A., Adetunji, J.B. and Adzigbli, L.A. (2024). Global, regional, and national burden of pulmonary arterial hypertension, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet Respiratory Medicine*, 13(1). doi:[https://doi.org/10.1016/s2213-2600\(24\)00295-9](https://doi.org/10.1016/s2213-2600(24)00295-9).
- Leber, L., Beaudet, A. and Muller, A. (2021). Epidemiology of Pulmonary Arterial Hypertension and Chronic Thromboembolic Pulmonary hypertension: Identification of the Most Accurate Estimates from a Systematic Literature Review. *Pulmonary Circulation*, 11(1), pp.1–12. doi:<https://doi.org/10.1177/2045894020977300>.
- Maeder, M.T., Weber, L., Buser, M., Gerhard, M., Haager, P.K., Maisano, F. and Rickli, H. (2018). Pulmonary Hypertension in Aortic and Mitral Valve

Disease. *Frontiers in Cardiovascular Medicine*, 5(40).
doi:<https://doi.org/10.3389/fcvm.2018.00040>.

McLaughlin, V.V. and McGoon, M.D. (2006). Pulmonary Arterial Hypertension. *Circulation*, 114(13), pp.1417–1431.
doi:<https://doi.org/10.1161/circulationaha.104.503540>.

Mehrbod Vakhshoori, Nemati, S., Sadeq Sabouhi, Yavari, B., Mehrnaz Shakarami, Niloofar Bondariyan, Sayed Ali Emami and Shafie, D. (2023). Neutrophil to Lymphocyte Ratio (NLR) Prognostic Effects on Heart failure; a Systematic Review and meta-analysis. *BMC Cardiovascular Disorders*, 23(1). doi:<https://doi.org/10.1186/s12872-023-03572-6>.

Menillo, A.M., Lee, L. and Pearson-Shaver, A.L. (2023). *Atrial Septal Defect (ASD)*. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK535440/>.

Mete Gursoy, Ece Salihoglu, Hatemi, A.C., A. Faruk Hokenek, Ozkan, S. and Hakan Ceyran (2015). Inflammation and Congenital Heart Disease Associated Pulmonary Hypertension. *The Heart Surgery Forum*, 18(1), pp.038–038. doi:<https://doi.org/10.1532/hsf.1228>.

Mortaz, E., Alipoor, S.D., Adcock, I.M., Mumby, S. and Koenderman, L. (2018). Update on Neutrophil Function in Severe Inflammation. *Frontiers in Immunology*, 9(2171). doi:<https://doi.org/10.3389/fimmu.2018.02171>.

Naik, R.J. and Shah, N.C. (2014). Teenage Heart Murmurs. *Pediatric Clinics of North America*, 61(1), pp.1–16.
doi:<https://doi.org/10.1016/j.pcl.2013.09.014>.

Naomie Jutras-Beaudoin, Toro, V., Annie Christine Lajoie, Breuils-Bonnet, S., Paulin, R. and Francois Potus (2022). Neutrophil-Lymphocyte Ratio as an Independent Predictor of Survival in Pulmonary Arterial Hypertension: an

- Exploratory Study. *Canadian Journal of Cardiology Open*, 4(4), pp.357–363. doi:<https://doi.org/10.1016/j.cjco.2021.11.010>.
- Naqvi, N., McCarthy, K.P. and Ho, S.Y. (2018). Anatomy of the Atrial Septum and Interatrial Communications. *Journal of Thoracic Disease*, 10(S24), pp.S2837–S2847. doi:<https://doi.org/10.21037/jtd.2018.02.18>.
- Nashat, H., Montanaro, C., Li, W., Kempny, A., Wort, S.J., Dimopoulos, K., Gatzoulis, M.A. and Babu-Narayan, S.V. (2018). Atrial Septal Defects and Pulmonary Arterial Hypertension. *Journal of Thoracic Disease*, [online] 10(S24), pp.S2953–S2965. doi:<https://doi.org/10.21037/jtd.2018.08.92>.
- Nathan, C. (2006). Neutrophils and immunity: Challenges and Opportunities. *Nature Reviews Immunology*, 6(3), pp.173–182. doi:<https://doi.org/10.1038/nri1785>.
- Nickel, N., Spiekerkoetter, E., Gu, M., Li, C.G., Li, H., Kaschwich, M., Diebold, I., Hennigs, J.K., Kim, K., Miyagawa, K., Wang, L., Cao, A., Sa, S., Jiang, X., Stockstill, R.W., Nicolls, M.R., Zamanian, R.T., Bland, R.D. and Rabinovitch, M. (2015). Elafin Reverses Pulmonary Hypertension via Caveolin-1–Dependent Bone Morphogenetic Protein Signaling. *American Journal of Respiratory and Critical Care Medicine*, 191(11), pp.1273–1286. doi:<https://doi.org/10.1164/rccm.201412-2291oc>.
- Nicolls, M.R., Taraseviciene-Stewart, L., Rai, P.R., Badesch, D.B. and Voelkel, N.F. (2005). Autoimmunity and Pulmonary Hypertension: a Perspective. *European Respiratory Journal*, 26(6), pp.1110–1118. doi:<https://doi.org/10.1183/09031936.05.00045705>.
- Núñez, J., Miñana, G., Bodí, V., Núñez, E., Sanchis, J., Husser, O. and Llàcer, A. (2011). Low Lymphocyte Count and Cardiovascular Diseases. *Current Medicinal Chemistry*, [online] 18(21), pp.3226–33. doi:<https://doi.org/10.2174/092986711796391633>.

- Núñez, J., Núñez, E., Bodí, V., Sanchis, J., Miñana, G., Mainar, L., Santas, E., Merlos, P., Rumiz, E., Darmofal, H., Heatta, A.M. and Llàcer, A. (2008). Usefulness of the Neutrophil to Lymphocyte Ratio in Predicting Long-Term Mortality in ST Segment Elevation Myocardial Infarction. *The American Journal of Cardiology*, 101(6), pp.747–752. doi:<https://doi.org/10.1016/j.amjcard.2007.11.004>.
- Oldroyd, S.H., Bhardwaj, A. and Manek, G. (2024). *Pulmonary Hypertension*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK482463/>.
- Patsiou, V., Arvanitaki, A., Farmakis, I.T., Anthi, A., Demerouti, E., Apostolopoulou, S., Feloukidis, C., Gourgiotis, P., Papadopoulos, G.E., Chrysochoidis-Trantas, T., Mpatsouli, A., Zimpounoumi, N., Mouratoglou, S.-A., Brili, S., Leontsinis, I., Stamatopoulou, V., Mitrouska, I., Frogoudaki, A., Frantzeskaki, F. and Tsangaris, I. (2024). Survival Prospects of Pulmonary Arterial Hypertension Associated with Congenital Heart disease: Insights from the HOPE Registry. *International Journal of Cardiology*, [online] 421, p.132894. doi:<https://doi.org/10.1016/j.ijcard.2024.132894>.
- Rabinovitch, M., Guignabert, C., Humbert, M. and Nicolls, M.R. (2014). Inflammation and Immunity in the Pathogenesis of Pulmonary Arterial Hypertension. *Circulation Research*, 115(1), pp.165–175. doi:<https://doi.org/10.1161/circresaha.113.301141>.
- Rasa Tamosiuniene, Tian, W., Dhillon, G., Wang, L., Yon Mi Sung, Gera, L., Patterson, A.D., Agrawal, R., Rabinovitch, M., Ambler, K., Long, C.S., Voelkel, N.F. and Nicolls, M.R. (2011). Regulatory T Cells Limit Vascular Endothelial Injury and Prevent Pulmonary hypertension. *Circulation Research*, 109(8). doi:<https://doi.org/10.1161/circresaha.110.236927>.
- Rosenkranz, S., Gibbs, J.S.R., Wachter, R., De Marco, T., Vonk-Noordegraaf, A. and Vachiéry, J.-L. (2016). Left Ventricular Heart Failure and Pulmonary

- Hypertension. *European Heart Journal*, [online] 37(12), pp.942–54.
doi:<https://doi.org/10.1093/eurheartj/ehv512>.
- Song, M., Graubard, B.I., Rabkin, C.S. and Engels, E.A. (2021). Neutrophil-to-lymphocyte Ratio and Mortality in the United States General Population. *Scientific Reports*, [online] 11(1), p.464.
doi:<https://doi.org/10.1038/s41598-020-79431-7>.
- Steinhorn, R.H. and Fineman, J.R. (1999). The Pathophysiology of Pulmonary Hypertension in Congenital Heart Disease. *Artif Organs*, 23(11), pp.970–974. doi:<https://doi.org/10.1046/j.1525-1594.1999.06447.x>.
- Taylor, S., Dirir, O., Zamanian, R.T., Rabinovitch, M. and Thompson, A.A.R. (2018). The Role of Neutrophils and Neutrophil Elastase in Pulmonary Arterial Hypertension. *Frontiers in Medicine*, 5.
doi:<https://doi.org/10.3389/fmed.2018.00217>.
- Tello, K., Axmann, J., Ghofrani, H.A., Naeije, R., Narcin, N., Rieth, A., Seeger, W., Gall, H. and Richter, M.J. (2018). Relevance of the TAPSE/PASP ratio in pulmonary arterial hypertension. *International Journal of Cardiology*, 266, pp.229–235. doi:<https://doi.org/10.1016/j.ijcard.2018.01.053>.
- Thomson, S.P., McMahon, L.J. and Nugent, C.A. (1980). Endogenous cortisol: a Regulator of the Number of Lymphocytes in Peripheral Blood. *Clinical Immunology and Immunopathology*, 17(4), pp.506–514.
doi:[https://doi.org/10.1016/0090-1229\(80\)90146-4](https://doi.org/10.1016/0090-1229(80)90146-4).
- Tichelbäcker, T., Dumitrescu, D., Gerhardt, F., Stern, D., Wissmüller, M., Adam, M., Schmidt, T., Frerker, C., Pfister, R., Halbach, M., Baldus, S. and Rosenkranz, S. (2019). Pulmonary Hypertension and Valvular Heart Disease. *Herz*, [online] 44(6), pp.491–501.
doi:<https://doi.org/10.1007/s00059-019-4823-6>.

- Ulrich, S., Nicolls, M.R., Taraseviciene, L., Speich, R. and Voelkel, N. (2008). Increased Regulatory and Decreased CD8+ Cytotoxic T Cells in the Blood of Patients with Idiopathic Pulmonary Arterial Hypertension. *Respiration*, 75(3), pp.272–280. doi:<https://doi.org/10.1159/000111548>.
- Valdeolmillos, E., Fournier, E., Sakhi, H., Vignaud, P., Audié, M., Isorni, M.-A., Provost, B., Lecerf, F., Batteux, C., Albenque, G., Sitbon, O., Montani, D., Jais, X., Savale, L., Humbert, M., Azarine, A. and Hascoët, S. (2025). Pulmonary Artery Remodelling Assessed by Four-Dimensional Flow Magnetic Resonance Imaging in Pulmonary Arterial Hypertension and Atrial Septal Defect. *CJC Pediatric and Congenital Heart Disease*, [online] 4(4), pp.189–197. doi:<https://doi.org/10.1016/j.cjcpc.2025.03.004>.
- Walmsley, S.R., Cowburn, A.S., Clatworthy, M.R., Morrell, N.W., Roper, E.C., Singleton, V., Maxwell, P., Whyte, M.K.B. and Chilvers, E.R. (2006). Neutrophils from Patients with Heterozygous Germline Mutations in the Von Hippel Lindau Protein (pVHL) Display Delayed Apoptosis and Enhanced Bacterial Phagocytosis. *Blood*, [online] 108(9), pp.3176–3178. doi:<https://doi.org/10.1182/blood-2006-04-018796>.
- Wang, Z., Li, L., Lyu, Y. and Guo, Y. (2025). Correlation between T-lymphocyte Subsets and Hemodynamics in Patients with Congenital Heart disease-associated Pulmonary Arterial Hypertension. *Medicine*, 104(11), pp.e41834–e41834. doi:<https://doi.org/10.1097/md.0000000000041834>.
- Wu, X., Luo, Q., Su, Z., Li, Y., Wang, H., Yuan, S. and Yan, F. (2021). Prognostic Value of Preoperative Absolute Lymphocyte Count in Children with Tetralogy of Fallot. *Journal of the American Heart Association*, 10(11). doi:<https://doi.org/10.1161/jaha.120.019098>.
- Yang, M.-C. and Wu, J.-R. (2018). Recent Review of Transcatheter Closure of Atrial Septal Defect. *The Kaohsiung Journal of Medical Sciences*, 34(7), pp.363–369. doi:<https://doi.org/10.1016/j.kjms.2018.05.001>.

- Zahorec, R. (2021). Neutrophil-to-lymphocyte ratio, past, Present and Future Perspectives. *Bratislavske Lekarske Listy*, [online] 122(7), pp.474–488. doi:https://doi.org/10.4149/BLL_2021_078.
- Zhang, M., Wang, N., Zhai, Z., Zhang, M., Zhou, R., Liu, Y. and Yang, Y. (2018). Incidence and Risk Factors of Chronic Thromboembolic Pulmonary Hypertension after Acute Pulmonary embolism: a Systematic Review and meta-analysis of Cohort Studies. *Journal of Thoracic Disease*, 10(8), pp.4751–4763. doi:<https://doi.org/10.21037/jtd.2018.07.106>.
- Zhang, X., Wei, R., Wang, X., Zhang, W., Li, M., Ni, T., Weng, W. and Li, Q. (2024a). The neutrophil-to-lymphocyte Ratio Is Associated with all-cause and Cardiovascular Mortality among Individuals with Hypertension. *Cardiovascular diabetology (Online)*, 23(1). doi:<https://doi.org/10.1186/s12933-024-02191-5>.
- Zhang, Y., Li, X., Li, S., Zhou, Y., Zhang, T. and Sun, L. (2024b). Immunotherapy for Pulmonary Arterial Hypertension: from the Pathogenesis to Clinical Management. *International Journal of Molecular Sciences*, 25(15), pp.8427–8427. doi:<https://doi.org/10.3390/ijms25158427>.