

DAFTAR PUSTAKA

- Abdel-Karim, O.H., Abo-Shady, A.M., Ismail, G.A. dan Gheda, S.F., 2022. Potential effect of *Turbinaria decurrens* acetone extract on the biochemical and histological parameters of alloxan-induced diabetic rats. *International Journal of Environmental Health Research*, 32(7), pp.1447-1468.
- AbouZid, S.F., Ahmed, O.M., Ahmed, R.R., Mahmoud, A., Abdella, E. dan Ashour, M.B., 2014. Antihyperglycemic effect of crude extracts of some Egyptian plants and algae. *Journal of medicinal food*, 17(3), pp.400-406.
- Adriawan, I.R., Andrie, M., Susilowati, R., Pramono, S. dan Nugroho, A.E., 2014. HOMA-IR index evaluation on antidiabetes mellitus effect of *Andrographis paniculata* (burm. f.) nees purified extract and andrographolide. *Traditional Medicine Journal*, 19(1), pp.19-23.
- Ahani, S., Ahani, S., Yousefi, M., Taheri Mirghaed, A. dan Abdel Rahman, A.N., 2024. Effects of dietary phytol supplementation on growth performance, immunological parameters, intestinal bacteria, and prevention of oxidative stress following transportation of Nile tilapia, *Oreochromis niloticus*. *Aquaculture Nutrition*, 2024(1), p.7039179.
- Ahmad, A., Manjrekar, P., Yadav, C., Agarwal, A., Srikantiah, R.M. dan Hegde, A., 2016. Evaluation of ischemia-modified albumin, malondialdehyde, and advanced oxidative protein products as markers of vascular injury in diabetic nephropathy. *Biomarker insights*, 11, pp.BMI-S39053.
- Ajaoa, F. O., Ehigieb, A. F., Odunitanb, T. T., Atandab, O. E., Ayoolac, P. B., dan Olaniyan, L. W., 2024. Computational Exploration of Psidii *Guajavae Folium* Bioactive Compounds as Novel DPP-IV Inhibitors for Type 2 Diabetes Mellitus Intervention. *European Journal of Pharmaceutical and Medical Research*.11(6), 11-25
- Akbarzadeh, S., Gholampour, H., Farzadinia, P., Daneshi, A., Ramavandi, B., Moazzeni, A., Keshavarz, M. dan Bargahi, A., 2018. Anti-diabetic effects of *Sargassum oligocystum* on Streptozotocin-induced diabetic rat. *Iranian Journal of Basic Medical Sciences*, 21(3), p.342..
- Alallam, B., Abdulameed, H.T. dan Lim, V., 2025. Unbiased Metabolomic and Chemometric profiles of three *Sargassum polycystum* extracts using GCMS and LCMS/MS: content analysis, correlation analysis and molecular docking. *Food Chemistry*, 470, p.142666.
- Ali, M.Y., Kim, D.H., Seong, S.H., Kim, H.R., Jung, H.A. dan Choi, J.S., 2017. α -Glucosidase and protein tyrosine phosphatase 1B inhibitory activity of plastoquinones from marine brown alga *Sargassum serratifolium*. *Marine drugs*, 15(12), p.368.
- Alipourfard, I., Datukishvili, N. dan Mikeladze, D., 2019. TNF- α Downregulation Modifies Insulin Receptor Substrate 1 (IRS-1) in Metabolic Signaling of Diabetic Insulin-Resistant Hepatocytes. *Mediators of inflammation*, 2019(1), p.3560819.

- Angrella, N., Indrawati, R. dan Dewi, L., 2020. Pengaruh pemberian virgin coconut oil terhadap kadar kreatinin dan urea nitrogen darah rattus norvegicus jantan. *Hang Tuah Medical Journal*, 17(2), pp.181-191.
- Aparna, V., Dileep, K.V., Mandal, P.K., Karthe, P., Sadasivan, C. dan Haridas, M., 2012. Anti-inflammatory property of n-hexadecanoic acid: structural evidence and kinetic assessment. *Chemical biology & drug design*, 80(3), pp.434-439.
- Araujo Nunes, E. dan Rafacho, A., 2017. Implications of palmitoleic acid (palmitoleate) on glucose homeostasis, insulin resistance and diabetes. *Current drug targets*, 18(6), pp.619-628.
- Araújo, R.P.N., da Silva Freitas, F.V., Nunes, D.B., da Silva Brito, A.K., da Costa, D.S., de Sousa, D.P., de Cássia Meneses Oliveira, R. dan Dos Santos, R.F., 2024. Investigating the pharmacological potential of phytol on experimental models of gastric ulcer in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology*, 397(10), pp.7757-7766.
- Artini, N.P.R. dan IWT, A., 2019. Efektivitas Bunga Wijaya Kusuma (*Epiphyllum oxypetalum*) Terhadap Penurunan Kadar Asam Urat Tikus Wistar. *The Journal of Muhammadiyah Medical Laboratory*, 2(2), pp.37-46.
- Azizah, R.N., Husni, A. dan Budhiyanti, S.A., 2019, November. Inhibitory activity of *Sargassum hystrix* extract and its chloroform fractions on inhibiting the α -glucosidase activity. In *IOP Conference Series: Earth and Environmental Science* (Vol. 370, No. 1, p. 012061). IOP Publishing.
- Azizi, W.A., Ekantari, N. dan Husni, A., 2019. Inhibitory activity of *Sargassum hystrix* extract and its methanolic fractions on inhibiting α -glucosidase activity. *Indonesian Journal of Pharmacy*, 30(1), p.36.
- Bao, L., Li, J., Zha, D., Zhang, L., Gao, P., Yao, T. dan Wu, X., 2018. Chlorogenic acid prevents diabetic nephropathy by inhibiting oxidative stress and inflammation through modulation of the Nrf2/HO-1 and NF- κ B pathways. *International immunopharmacology*, 54, pp.245-253.
- Bhardwaj, M., Sali, V.K., Mani, S. dan Vasanthi, H.R., 2020. Neophytadiene from *Turbinaria ornata* suppresses LPS-induced inflammatory response in RAW 264.7 macrophages and Sprague Dawley rats. *Inflammation*, 43(3), pp.937-950.
- Bodur, M., Aydoğdu, G., Özçelik, A.Ö. dan Yilmaz, E., 2022. An in vitro Approach to Protective Effect of Lactoferrin on Acrylamide-induced Oxidative Damage. *Anais da Academia Brasileira de Ciências*, 94(suppl 3), p.e20201882.
- Calle, P. dan Hotter, G., 2020. Macrophage phenotype and fibrosis in diabetic nephropathy. *International Journal of Molecular Sciences*, 21(8), p.2806.
- Cao, M., Li, Y., Famurewa, A.C. dan Olatunji, O.J., 2021. Antidiabetic and nephroprotective effects of polysaccharide extract from the seaweed *Caulerpa racemosa* in high fructose-streptozotocin induced diabetic nephropathy. *Diabetes, Metabolic Syndrome and Obesity*, pp.2121-2131.
- Cao, T., Xu, R., Xu, Y., Liu, Y., Qi, D. dan Wan, Q., 2019. The protective effect of Cordycepin on diabetic nephropathy through autophagy induction in vivo and in vitro. *International urology and nephrology*, 51(10), pp.1883-1892.

- Cao, Z. dan Cooper, M.E., 2011. Pathogenesis of diabetic nephropathy. *Journal of diabetes investigation*, 2(4), pp.243-247.
- Carvalho, A.M., Heimfarth, L., Pereira, E.W.M., Oliveira, F.S., Menezes, I.R., Coutinho, H.D., Picot, L., Antonioli, A.R., Quintans, J.S. dan Quintans-Júnior, L.J., 2020. Phytol, a chlorophyll component, produces antihyperalgesic, anti-inflammatory, and antiarthritic effects: Possible NFκB pathway involvement and reduced levels of the proinflammatory cytokines TNF-α and IL-6. *Journal of Natural Products*, 83(4), pp.1107-1117.
- Chao, P.C., Li, Y., Chang, C.H., Shieh, J.P., Cheng, J.T. dan Cheng, K.C., 2018. Investigation of insulin resistance in the popularly used four rat models of type-2 diabetes. *Biomedicine & Pharmacotherapy*, 101, pp.155-161.
- Chaovanalikit, A. dan Wrolstad, R.E., 2004. Total anthocyanins and total phenolics of fresh and processed cherries and their antioxidant properties. *Journal of food science*, 69(1), pp.FCT67-FCT72.
- Chen, H.W., Yang, M.Y., Hung, T.W., Chang, Y.C. dan Wang, C.J., 2019. Nelumbo nucifera leaves extract attenuate the pathological progression of diabetic nephropathy in high-fat diet-fed and streptozotocin-induced diabetic rats. *journal of food and drug analysis*, 27(3), pp.736-748.
- Chen, S., Meng, X.F. dan Zhang, C., 2013. Role of NADPH oxidase-mediated reactive oxygen species in podocyte injury. *BioMed research international*, 2013(1), p.839761.
- Chen, Y., Meng, Z., Li, Y., Liu, S., Hu, P. dan Luo, E., 2024. Advanced glycation end products and reactive oxygen species: uncovering the potential role of ferroptosis in diabetic complications. *Molecular Medicine*, 30(1), p.141.
- Cheng, Y., Sibusiso, L., Hou, L., Jiang, H., Chen, P., Zhang, X., Wu, M. dan Tong, H., 2019. *Sargassum fusiforme* fucoidan modifies the gut microbiota during alleviation of streptozotocin-induced hyperglycemia in mice. *International Journal of Biological Macromolecules*, 131, pp.1162-1170.
- Cheng, Y., Zhang, J., Guo, W., Li, F., Sun, W., Chen, J., Zhang, C., Lu, X., Tan, Y., Feng, W. dan Fu, Y., 2016. Up-regulation of Nrf2 is involved in FGF21-mediated fenofibrate protection against type 1 diabetic nephropathy. *Free Radical Biology and Medicine*, 93, pp.94-109.
- Chhabria, S., Mathur, S., Vadakan, S., Sahoo, D.K., Mishra, P. dan Paital, B., 2022. A review on phytochemical and pharmacological facets of tropical ethnomedicinal plants as reformed DPP-IV inhibitors to regulate incretin activity. *Frontiers in Endocrinology*, 13, p.1027237.
- Chin, Y.X., Lim, P.E., Maggs, C.A., Phang, S.M., Sharifuddin, Y. dan Green, B.D., 2015. Anti-diabetic potential of selected Malaysian seaweeds. *Journal of Applied Phycology*, 27(5), pp.2137-2148.
- Chuemere, A.N., Ujumadu, M.N., Obia, O. dan Ilochi, O.N., GC-MS Analyzed Phytochemicals and Justicia Carnea Remediation of Cadmium-Induced Oxidative Stress, Hyperglycaemia, and Hyperlipidaemia in Male Wistar Rats. *vol, 3*, pp.88-95.
- Costa, J., Islam, T., S Santos, P., B Ferreira, P., LS Oliveira, G., VOB Alencar, M., FCJ Paz, M., Ferreira, L.F., M Feitosa, C., MGL Citó, A. dan P Sousa, D.,

2016. Evaluation of antioxidant activity of phytol using non-and pre-clinical models. *Current Pharmaceutical Biotechnology*, 17(14), pp.1278-1284.
- Dai, M., Zhou, Y.L., Jiang, T., Luo, C.D., Wang, H., Du, W. dan Wang, M., 2019. Characterization of Polysaccharides Extracted from *Sargassum fusiforme* and Its Effective Prevention of Contrast-Induced Nephropathy via Enhancing Antioxidant Capacity. *International Journal of Polymer Science*, 2019(1), p.9035818.
- Deepak, P., Sowmiya, R., Kamaraj, C., Josebin, M.P.D., Aiswarya, D., Balasubramani, G., Amutha, V. dan Perumal, P., 2018. GC-MS profiling, chemical characterization, antioxidant, A-amylase and A-glucosidase inhibition of selected seaweeds from southeast coast of India: An in vitro approach. *Drug Delivery Therapeutics*, 8(2), pp.60-72.
- de Souza, C.O., Valenzuela, C.A., Baker, E.J., Miles, E.A., Rosa Neto, J.C. dan Calder, P.C., 2018. Palmitoleic acid has stronger anti-inflammatory potential in human endothelial cells compared to oleic and palmitic acids. *Molecular nutrition & food research*, 62(20), p.1800322.
- Dirar, A.I., Alsaadi, D.H.M., Wada, M., Mohamed, M.A., Watanabe, T. dan Devkota, H.P., 2019. Effects of extraction solvents on total phenolic and flavonoid contents and biological activities of extracts from Sudanese medicinal plants. *South African Journal of Botany*, 120, pp.261-267.
- Duran-Salgado, M.B. dan Rubio-Guerra, A.F., 2014. Diabetic nephropathy and inflammation. *World journal of diabetes*, 5(3), p.393.
- Elabscience®. (n.d.). *Dipeptidyl Peptidase IV (DPP4) Inhibitor Screening Assay Kit* (Catalog No: E-BC-D007). Elabscience. Retrieved from <https://www.elabscience.com/p/dipeptidyl-peptidase-iv-dpp4-inhibitor-screening-assay-kit-e-bc-d007?srsltid=AfmBOorHxw0zPVCML1jCeGuEETW5E-38lTO9Px-dQFVrGZWGAOPltkf9>
- Elhassaneen, Y.A., E Menusy, A., dan Zaki, A. N., 2025. The Potential Protective Effects of Brown Algae (*Sargassum subrepandum*) Powder on Benzo [A] Pyrene-Induced Hepatic and Renal Dysfunction in Rats. *Alexandria Science Exchange Journal*, 46(2), pp. 187-209.
- Elumalai, S., Karunakaran, U., Moon, J.S. dan Won, K.C., 2021. NADPH Oxidase (NOX) targeting in diabetes: A special emphasis on pancreatic β -cell dysfunction. *Cells*, 10(7), p.1573.
- El-Sawi, S.A. dan Sleem, A.A., 2009. Antihyperlipidemic, antihyperglycemic and chemical composition of *Senna surattensis* (Burm. f.) leaves. *Canadian Journal of Pure and Applied Sciences*, 3, pp.779-785.
- Emelda, 2019. Farmakognosi Untuk Mahasiswa Kompetensi Keahlian Farmasi. Pustaka Baru Press, Yogyakarta.
- Entezari, M., Hashemi, D., Taheriazam, A., Zabolian, A., Mohammadi, S., Fakhri, F., Hashemi, M., Hushmandi, K., Ashrafizadeh, M., Zarrabi, A. dan Ertas, Y.N., 2022. AMPK signaling in diabetes mellitus, insulin resistance and diabetic complications: A pre-clinical and clinical investigation. *Biomedicine & Pharmacotherapy*, 146, p.112563.
- Eso, A., Mulyawati, S. dan Rahmawati, E., 2020. Uji Daya Hambat Fraksi N-Heksan dan Etil Asetat Rumput Laut Cokelat (*Sargassum* sp.) terhadap

- Pertumbuhan Bakteri *Staphylococcus aureus* (Inhibitory Effect of N-Hexane and Ethyl Acetate Fraction of *Sargassum* sp. Seaweeds against *Staphylococcus aureus*). *Medula*, 7(1), pp.1-9.
- Fan, Y., Yang, Q., Yang, Y., Gao, Z., Ma, Y., Zhang, L., Liang, W. dan Ding, G., 2019. Sirt6 suppresses high glucose-induced mitochondrial dysfunction and apoptosis in podocytes through AMPK activation. *International journal of biological sciences*, 15(3), p.701.
- Farvin, K.S., Surendraraj, A., Al-Ghunaim, A. dan Al-Yamani, F., 2019. Chemical profile and antioxidant activities of 26 selected species of seaweeds from Kuwait coast. *Journal of Applied Phycology*, 31(4), pp.2653-2668.
- Fatimah, S., Radifar, M. dan Madanti, T., 2019. Pengaruh Pemberian Minyak Hati Ikan Hiu Botol (*Centrophorus atromarginatus*) terhadap Kolesterol Total Darah Tikus Hiperkolesterolemia. *Jurnal Farmasi Indonesia*, 16(1), pp.1-7.
- Feng, M., Liu, F., Xing, J., Zhong, Y. dan Zhou, X., 2021. Anemarrhena saponins attenuate insulin resistance in rats with high-fat diet-induced obesity via the IRS-1/PI3K/AKT pathway. *Journal of Ethnopharmacology*, 277, p.114251.
- Firdaus, M., 2021. *Sargassum polycystum* decoct improves hyperglycemic symptoms on the type 2 diabetic. In *IOP Conference Series: Earth and Environmental Science* (Vol. 695, No. 1, p. 012050). IOP Publishing.
- Firdaus, M. dan Chamidah, A.N.I.E.S., 2018. *Sargassum polycystum* methanol extract affects the nuclear factor-k beta and interleukin-6 expression in streptozotocin-induced diabetes rats. *Asian J. Pharm. Clin. Res*, 11(11), p.337.
- Firdaus, M., Nurdiani, R., Abadi, A.F. dan Regina, E.M., 2021, October. *Sargassum polycystum* juice alleviates the syndrome on the type 2 diabetic rats. In *IOP Conference Series: Earth and Environmental Science* (Vol. 860, No. 1, p. 012065). IOP Publishing.
- Firdaus, M., Nurdiani, R., Rivai, B., Hemassonida, W.H., Badzliyah, A. dan Sugiat, N.K., 2022. The glucose uptake of type 2 diabetic rats by *Sargassum olygocystum* extract: In silico and in vivo studies. *Journal of Applied Pharmaceutical Science*, 12(3), pp.132-139.
- Furman, B.L., 2021. Streptozotocin-induced diabetic models in mice and rats. *Current protocols*, 1(4), p.e78.
- Ganesan, T., Subban, M., Christopher Leslee, D.B., Kuppappan, S.B. dan Seedeivi, P., 2024. Structural characterization of n-hexadecanoic acid from the leaves of *Ipomoea eriocarpa* and its antioxidant and antibacterial activities. *Biomass Conversion and Biorefinery*, 14(13), pp.14547-14558.
- Gao, P., Li, L., Ji, L., Wei, Y., Li, H., Shang, G., Zhao, Z., Chen, Q., Jiang, T. dan Zhang, N., 2014. Nrf2 ameliorates diabetic nephropathy progression by transcriptional repression of TGF β 1 through interactions with c-Jun and SP1. *Biochimica et Biophysica Acta (BBA)-Gene Regulatory Mechanisms*, 1839(11), pp.1110-1120.
- Gao, C.C., Ding, F.F. dan Jiang, X., 2025. RRM2 attenuates the renal tubular ferroptosis in diabetic kidney disease through PI3K/Akt/Nrf2 pathway. *World Journal of Diabetes*, 16(11), p.111223.

- Ginting, E.E., Sari, C.F., Leny, L., Parhan, P. dan Ginting, P., 2022. Analisa senyawa metabolit sekunder dan pengaruh pemberian serbuk semut jepang terhadap kadar kolesterol pada tikus putih jantan. *JlIS (Jurnal Ilmiah Ibnu Sina): Ilmu Farmasi dan Kesehatan*, 7(1), pp.56-65.
- Gotama, T.L. dan Husni, A., 2018. Antidiabetic activity of *Sargassum hystrix* extracts in streptozotocin-induced diabetic rats. *Preventive nutrition and food science*, 23(3), p.189..
- Gunathilaka, T.L., Samarakoon, K.W., Ranasinghe, P. dan Peiris, L.D.C., 2019. In-vitro antioxidant, hypoglycemic activity, and identification of bioactive compounds in phenol-rich extract from the marine red algae *Gracilaria edulis* (Gmelin) Silva. *Molecules*, 24(20), p.3708.
- Gunathilaka, T.L., Samarakoon, K., Ranasinghe, P. dan Peiris, L.D.C., 2020. Antidiabetic potential of marine brown algae—a mini review. *Journal of diabetes research*, 2020(1), p.1230218.
- Gwon, W.G., Joung, E.J., Shin, T., Utsuki, T., Wakamatsu, N. dan Kim, H.R., 2018. Meroterpinoid-rich fraction of the ethanol extract from *Sargassum serratifolium* suppresses TNF- α -induced monocytes adhesion to vascular endothelium and vascular inflammation in high cholesterol-fed C57BL/6J mice. *Journal of Functional Foods*, 46, pp.384-393.
- Haider, S., Li, Z., Lin, H., Jamil, K. dan Wang, B.P., 2009. In vivo study of anti-allergenicity of ethanol extracts from *Sargassum tenerrimum*, *Sargassum cervicornis* and *Sargassum graminifolium* turn. *European Food Research and Technology*, 229(3), pp.435-441.
- He, W.F., Yao, L.G., Liu, H.L. dan Guo, Y.W., 2014. Thunberol, a new sterol from the Chinese brown alga *Sargassum thunbergii*. *Journal of Asian Natural Products Research*, 16(6), pp.685-689.
- Hidayah, S.N., Suma, A.A.T. dan Lukitaningsih, E., Volatilomics Profiling of Counterfeit Perfume by Gas Chromatography Hyphenated to Mass Spectrometry and Fourier-Transformed Infrared Spectroscopy. *Indonesian Journal of Chemistry*.
- Hira, K., Farhat, H., Sohail, N., Ansari, M., Ara, J. dan Ehteshamul-Haque, S., 2021. Hepatoprotective activity against acetaminophen-induced liver dysfunction and GC-MS profiling of a brown algae *Sargassum ilicifolium*. *Clinical Phytoscience*, 7(1), p.40.
- Hira, K., Sultana, V., Ara, J. dan Ehteshamul-Haque, S., 2017. Protective role of *Sargassum* species in liver and kidney dysfunctions and associated disorders in rats intoxicated with carbon tetrachloride and acetaminophen. *Pak J Pharm Sci*, 30(3), pp.721-728.
- Huang, H., Liu, Y., Xu, Z., Zhang, D., Feng, M., Zhao, T., Zhang, L., Li, W. dan Li, X., 2022. Effect of fucoidan on kidney injury in type 2 diabetic rats based on PI3K/AKT/Nrf2. *Journal of Functional Foods*, 90, p.104976.
- Husni, A., Anggara, F.P., Isnansetyo, A. dan Nugroho, A.E., 2016. Blood glucose level and lipid profile of streptozotocin-induced diabetic rats treated with *Sargassum polystum* extract. *Int J Pharm Clin Res*, 8(8), pp.445-50.

- Husni, A., Lailatussifa, R. dan Isnansetyo, A., 2019. *Sargassum hystrix* as a source of functional food to improve blood biochemistry profiles of rats under stress. *Preventive Nutrition and Food Science*, 24(2), p.150.
- Husni, A., Pawestri, S. dan Isnansetyo, A., 2016. Blood glucose level and lipid profile of alloxan-induced diabetic rats treated with Na-alginate from seaweed *Turbinaria ornata* (turner) J. Agardh. *Jurnal Teknologi (Sciences & Engineering)*, 78(4-2).
- Husni, A., Pratiwi, T., Samudra, A.G. dan Nugroho, A.E., 2018. In vitro antidiabetic activity of *Sargassum hystrix* and *Eucheuma denticulatum* from Yogyakarta Beach of Indonesia: Antidiabetic activity of *S. hystrix* and *E. denticulatum*. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*, 55(3), pp.1-8.
- Husni, A., Purwanti, D., dan Ustadi, U., 2016. Blood glucose level and lipid profile of streptozotocin-induced diabetes rats treated with sodium alginate from *Sargassum crassifolium*. *Journal of Biological Sciences*, 16(3), pp 58-64
- Husni, A., Sulisty, R. P., Rahma, S. A., Nugraheni, P. S., dan Budhiyanti, S. A., 2020. In vitro antidiabetic activity of *Sargassum hystrix* extract and its ethyl acetate fractions. *Sys. Rev. Pharm*, 11, pp 859-865.
- Hussain Lodhi, A., Ahmad, F.U.D., Furwa, K. dan Madni, A., 2021. Role of oxidative stress and reduced endogenous hydrogen sulfide in diabetic nephropathy. *Drug Design, Development and Therapy*, pp.1031-1043.
- Hwang, P.A., Hung, Y.L., Tsai, Y.K., Chien, S.Y. dan Kong, Z.L., 2015. The brown seaweed *Sargassum hemiphyllum* exhibits α -amylase and α -glucosidase inhibitory activity and enhances insulin release in vitro. *Cytotechnology*, 67(4), pp.653-660.
- Ichsani, A., Lubis, C.F., Urbaningrum, L.M., Rahmawati, N.D. dan Anggraini, S., 2021. Isolasi dan identifikasi senyawa flavonoid pada tanaman. *Jurnal Health Sains*, 2(6), pp.751-757.
- International Diabetes Federation. (2021). IDF Diabetes Atlas 10th edition, diakses pada 07 Februari 2023, https://diabetesatlas.org/idfawp/resource-files/2021/07/IDF_Atlas_10th_Edition_2021.pdf
- Islam, M.T., Rahman, M.A., Saeed, M., Ul-Haq, Z., Alam, M.J., Mondal, M., Hossain, R., Mubarak, M.S., Salehi, B., Setzer, W.N. dan Razis, A.F.A., 2020. Anti-diarrheal activities of phytol along with its possible mechanism of action through in-vivo and in-silico models. *Cellular and Molecular Biology*, 66(4), pp.243-249.
- Islam, M.T., Ali, E.S., Uddin, S.J., Shaw, S., Islam, M.A., Ahmed, M.I., Shill, M.C., Karmakar, U.K., Yarla, N.S., Khan, I.N. dan Billah, M.M., 2018. Phytol: A review of biomedical activities. *Food and chemical toxicology*, 121, pp.82-94.
- Israel, A. O., dan Olufunke, A. E., 2018. Phytol Reduces Oxidative Stress dan Cyclooxygenase-2 Expression in Kidney of Diabetic Wistar Rats. *Recent Advances in Biology and Medicine*, 4, pp16-19
- Jeong, S.H., 2018. Inhibitory effect of phytol on cellular senescence. *Biomedical Dermatology*, 2(1), p.13.

- Jha, J. C., Banal, C., Chow, B. S., Cooper, M. E., dan Jandeleit-Dahm, K., 2016. Diabetes and kidney disease: role of oxidative stress. *Antioxidants & redox signaling*, 25(12), pp. 657-684.
- Ji, L., Zhong, X., Xia, X., Yu, W. dan Qin, Y., 2021. Protective effect of syringaresinol on rats with diabetic nephropathy via regulation of Nrf2/HO-1 and TGF- β 1/Smads pathways. *Tropical Journal of Pharmaceutical Research*, 20(2), pp.275-280.
- Jia, R.B., Li, Z.R., Wu, J., Ou, Z.R., Zhu, Q., Sun, B., Lin, L. dan Zhao, M., 2020. Physicochemical properties of polysaccharide fractions from *Sargassum fusiforme* and their hypoglycemic and hypolipidemic activities in type 2 diabetic rats. *International Journal of Biological Macromolecules*, 147, pp.428-438.
- Jia, R.B., Wu, J., Li, Z.R., Ou, Z.R., Lin, L., Sun, B. dan Zhao, M., 2020. Structural characterization of polysaccharides from three seaweed species and their hypoglycemic and hypolipidemic activities in type 2 diabetic rats. *International journal of biological macromolecules*, 155, pp.1040-1049.
- Jia, R.B., Wu, J., Luo, D., Lin, L., Chen, C., Xiao, C. dan Zhao, M., 2022. The beneficial effects of two polysaccharide fractions from *Sargassum fusiforme* against diabetes mellitus accompanied by dyslipidemia in rats and their underlying mechanisms. *Foods*, 11(10), p.1416.
- Kajal, A. dan Singh, R., 2019. Coriandrum sativum seeds extract mitigate progression of diabetic nephropathy in experimental rats via AGEs inhibition. *PloS one*, 14(3), p.e0213147.
- Kashihara, N., Haruna, Y., K Kondeti, V. dan S Kanwar, Y., 2010. Oxidative stress in diabetic nephropathy. *Current medicinal chemistry*, 17(34), pp.4256-4269.
- Kashtoh, H. dan Baek, K.H., 2022. Recent updates on phytoconstituent alpha-glucosidase inhibitors: An approach towards the treatment of type two diabetes. *Plants*, 11(20), p.2722.
- Ke, B., Shen, X.D., Zhang, Y.U., Ji, H., Gao, F., Yue, S., Kamo, N., Zhai, Y., Yamamoto, M., Busuttil, R.W. dan Kupiec-Weglinski, J.W., 2013. KEAP1-NRF2 complex in ischemia-induced hepatocellular damage of mouse liver transplants. *Journal of hepatology*, 59(6), pp.1200-1207.
- Khairuddin, K., Sudirman, S., Huang, L. dan Kong, Z.L., 2020. *Caulerpa lentillifera* polysaccharides-rich extract reduces oxidative stress and proinflammatory cytokines levels associated with male reproductive functions in diabetic mice. *Applied Sciences*, 10(24), p.8768.
- Khalil, A.M., Kasem, N.R., Ali, A.S. dan Salman, M.M., 2020. Brown seaweed *Sargassum cinereum* extract ameliorates the hepato and nephrotoxicity induced by cyclophosphamide in male albino rats: hematological biochemical and histobiochemical examinations. *Saudi Journal of Pathology and Microbiology*, 5(2), pp.86-94.
- Kim, E., Cui, J., Kang, I., Zhang, G. dan Lee, Y., 2021. Potential antidiabetic effects of seaweed extracts by upregulating glucose utilization and alleviating inflammation in C2C12 myotubes. *International Journal of Environmental Research and Public Health*, 18(3), p.1367.

- Kim, E.N., Trang, N.M., Kang, H., Kim, K.H. dan Jeong, G.S., 2022. Phytol suppresses osteoclast differentiation and oxidative stress through Nrf2/HO-1 regulation in RANKL-induced RAW264. 7 cells. *Cells*, 11(22), p.3596.
- Kim, S.N., Lee, W., Bae, G.U. dan Kim, Y.K., 2012. Anti-diabetic and hypolipidemic effects of *Sargassum yezoense* in db/db mice. *Biochemical and biophysical research communications*, 424(4), pp.675-680.
- Ko, W., Lee, H., Kim, N., Jo, H.G., Woo, E.R., Lee, K., Han, Y.S., Park, S.R., Ahn, G., Cheong, S.H. dan Lee, D.S., 2021. The anti-oxidative and anti-neuroinflammatory effects of *sargassum horneri* by heme oxygenase-1 induction in BV2 and HT22 cells. *Antioxidants*, 10(6), p.859.
- Krishan, P. dan Chakkarwar, V.A., 2011. Diabetic nephropathy: Aggressive involvement of oxidative stress. *Journal of pharmaceutical education and research*, 2(1), p.35.
- Kumar, T.V., Lakshmanasenthil, S., Geetharamani, D., Marudhupandi, T., Suja, G. dan Suganya, P., 2015. Fucoidan—A α -d-glucosidase inhibitor from *Sargassum wightii* with relevance to type 2 diabetes mellitus therapy. *International journal of biological macromolecules*, 72, pp.1044-1047.
- Ladi, J.E., Herjanto, D.K., Wahyudianingsih, R. dan Hidayat, M., 2022. Pemberian Hidrolisat Protein Kacang Polong Terhadap Kadar Superoksida Dismutase dan Perbaikan Kerusakan Ginjal Tikus Laboratorium. *Jurnal Kedokteran Meditek*, 28(1), pp.8-16.
- Lakshmanasenthil, S., Vinoth Kumar, T., Geetharamani, D. dan Shanthi Priya, S., 2018. α -amylase and α -glucosidase inhibitory activity of tetradecanoic acid (TDA) from *Sargassum wightii* with relevance to type 2 diabetes mellitus. *Journal of Biologically Active Products from Nature*, 8(3), pp.180-191.
- Layal, K., 2016. Peran Nrf2 dalam patogenesis stres oksidatif dan inflamasi pada penyakit ginjal kronik. *Syifa'MEDIKA: Jurnal Kedokteran dan Kesehatan*, 7(1), pp.16-24.
- Leba, M.A.U., 2017. *Buku Ajar: Ekstraksi dan real kromatografi*. Deepublish.
- Lee, S.H. dan Jeon, Y.J., 2013. Anti-diabetic effects of brown algae derived phlorotannins, marine polyphenols through diverse mechanisms. *Fitoterapia*, 86, pp.129-136.
- Levita, J., Salim, S. A., Saptarini, N. M., dan Saputri, F. A. Review Artikel: Kelebihan dan Keterbatasan Pereaksi Folinciocalteu dalam Penentuan Kadar Fenol Total Pada Tanaman. *Farmaka*. 2020; 18 (1), pp 46–57.
- Li, L., Dong, H., Song, E., Xu, X., Liu, L. dan Song, Y., 2014. Nrf2/ARE pathway activation, HO-1 and NQO1 induction by polychlorinated biphenyl quinone is associated with reactive oxygen species and PI3K/AKT signaling. *Chemico-biological interactions*, 209, pp.56-67.
- Li, Z.R., Jia, R.B., Wu, J., Lin, L., Ou, Z.R., Liao, B., Zhang, L., Zhang, X., Song, G. dan Zhao, M., 2021. *Sargassum fusiforme* polysaccharide partly replaces acarbose against type 2 diabetes in rats. *International Journal of Biological Macromolecules*, 170, pp.447-458.

- Liao, X., Yang, L., Chen, M., Yu, J., Zhang, S. dan Ju, Y., 2015. The hypoglycemic effect of a polysaccharide (GLP) from *Gracilaria lemaneiformis* and its degradation products in diabetic mice. *Food & function*, 6(8), pp.2542-2549.
- Lim, A.K., 2014. Diabetic nephropathy—complications and treatment. *International journal of nephrology and renovascular disease*, pp.361-381.
- Lim, S., Choi, A.H., Kwon, M., Joung, E.J., Shin, T., Lee, S.G., Kim, N.G. dan Kim, H.R., 2019. Evaluation of antioxidant activities of various solvent extract from *Sargassum serratifolium* and its major antioxidant components. *Food chemistry*, 278, pp.178-184.
- Lindsey, A., Issac, R., Prabha, M.L., Renitta, R.E., Catherine, A., Samrot, A.V., Abirami, S., Prakash, P. dan Dhiva, S., 2021. Evaluation of antidiabetic activity of *Sargassum tenerrimum* in streptozotocin-induced diabetic mice. *J Pure Appl Microbiol*, 15(4), pp.2462-2472.
- Liu, J., Luthuli, S., Wu, Q., Wu, M., Choi, J.I. dan Tong, H., 2020. Pharmaceutical and nutraceutical potential applications of *Sargassum fulvellum*. *BioMed research international*, 2020(1), p.2417410.
- Liu, J., Wu, S., Cheng, Y., Liu, Q., Su, L., Yang, Y., Zhang, X., Wu, M., Choi, J.I. dan Tong, H., 2021. *Sargassum fusiforme* alginate relieves hyperglycemia and modulates intestinal microbiota and metabolites in type 2 diabetic mice. *Nutrients*, 13(8), p.2887.
- Liu, X., Zhang, C., Fu, Y., Xie, L., Kong, Y. dan Yang, X., 2025. Inflammation, apoptosis, and fibrosis in diabetic nephropathy: molecular crosstalk in proximal tubular epithelial cells and therapeutic implications. *Current Issues in Molecular Biology*, 47(11), p.885.
- Lu, C., Fan, G. dan Wang, D., 2020. Akebia Saponin D ameliorated kidney injury and exerted anti-inflammatory and anti-apoptotic effects in diabetic nephropathy by activation of NRF2/HO-1 and inhibition of NF-KB pathway. *International immunopharmacology*, 84, p.106467.
- Luc, K., Schramm-Luc, A., Guzik, T.J. dan Mikolajczyk, T.P., 2019. Oxidative stress and inflammatory markers in prediabetes and diabetes. *Journal of Physiology & Pharmacology*, 70(6).
- Maheswari, A. dan Salamun, D.E., 2022. In vitro correlation studies of antidiabetic, antioxidant activity and HPLC-ESI-MS/MS analysis of marine seaweeds from Gulf of Mannar. *Regional Studies in Marine Science*, 56, p.102682.
- Maulina, S., Suhendra, L. dan Gunam, I.B.W., 2018. Karakteristik Bubuk Alga Coklat (*Sargassum polycystum*) Pada Perlakuan Ukuran Bahan dan Suhu Pengeringan. *J Rekayasa Manaj Agroindustri*, 6(1), pp.1-10.
- Mbulang, Y.K. dan Kopon, A.E.A.A.M., 2021. Aktivitas AntiHiperkolesterolemia Ekstrak Akar dan Batang Kemangi Hutan (*Ocimum sanctum*) Pada Tikus Putih. *Jurnal Farmasi Medica/Pharmacy Medical Journal (PMJ)*, 4(1), pp.1-10.
- Mesripour, A., Gholamzadeh, E. dan Yegdaneh, A., 2022. Extraction and fractionation of the seaweed *Sargassum plagyophyllum* and evaluation of fractions on depression induced by interferon alpha in mice. *Advanced Biomedical Research*, 11(1), p.59.

- Moheimanian, N., Mirkhani, H., Sohrabipour, J. dan Jassbi, A.R., 2022. Inhibitory potential of six brown algae from the Persian Gulf on α -glucosidase and in vivo antidiabetic effect of *Sirophysalis trinodis*. *Iranian Journal of Medical Sciences*, 47(5), p.484.
- Motshakeri, M., Ebrahimi, M., Goh, Y.M., Matanjun, P. dan Mohamed, S., 2013. *Sargassum polycystum* reduces hyperglycaemia, dyslipidaemia and oxidative stress via increasing insulin sensitivity in a rat model of type 2 diabetes. *Journal of the Science of Food and Agriculture*, 93(7), pp.1772-1778.
- Motshakeri, M., Ebrahimi, M., Goh, Y.M., Othman, H.H., Hair-Bejo, M. dan Mohamed, S., 2014. Effects of brown seaweed (*Sargassum polycystum*) extracts on kidney, liver, and pancreas of type 2 diabetic rat model. *Evidence-Based Complementary and Alternative Medicine*, 2014(1), p.379407.
- Murakami, S., Hirazawa, C., Ohya, T., Yoshikawa, R., Mizutani, T., Ma, N., Moriyama, M., Ito, T. dan Matsuzaki, C., 2021. The edible brown seaweed *Sargassum horneri* (Turner) C. Agardh ameliorates high-fat diet-induced obesity, diabetes, and hepatic steatosis in mice. *Nutrients*, 13(2), p.551.
- Nasab, S.B., Homaei, A. dan Karami, L., 2020. Kinetic of α -amylase inhibition by *Gracilaria corticata* and *Sargassum angustifolium* extracts and zinc oxide nanoparticles. *Biocatalysis and Agricultural Biotechnology*, 23, p.101478.
- Natarajan, A., Jayavelu, A., Thangamani, R., Prabakarakrishnan, R., Choi, D., Mohammed, A.A., Khamis, H. dan Kumar, B.S., 2022. In vivo evaluation of protective effect of *Sargassum fusiforme* on cisplatin induced hepato-renal toxicity. *Physiological and Molecular Plant Pathology*, 117, p.101748.
- Newsholme, P., Cruzat, V.F., Keane, K.N., Carlessi, R. dan de Bittencourt Jr, P.I.H., 2016. Molecular mechanisms of ROS production and oxidative stress in diabetes. *Biochemical Journal*, 473(24), pp.4527-4550.
- Ng, C., Kim, M., Yanti dan Kwak, M.K., 2025. Oxidative stress and NRF2 signaling in kidney injury. *Toxicological Research*, 41(2), pp.131-147.
- Nurfahmi, A.R., Husni, A. dan Isnansetyo, A., 2018. Effect of *Sargassum hystrix* powder on the biochemical profile of diabetic wistar rats. *Pakistan journal of nutrition*, 17(5), pp.248-254.
- Nurhidajah, N., dan Nurrahman, N., 2016. Efek hipoglikemik kecambah beras merah pada tikus yang diinduksi STZ-NA dengan parameter kadar insulin, indeks HOMA-IR dan HOMA β . *Agritech*, 36 (4), pp. 433-439
- Oh, J.H., Kim, J. dan Lee, Y., 2016. Anti-inflammatory and anti-diabetic effects of brown seaweeds in high-fat diet-induced obese mice. *Nutrition research and practice*, 10(1), pp.42-48.
- Oliyai, N., Moosavi-Nasab, M., Tamaddon, A.M. dan Tanideh, N., 2021. Antidiabetic effect of fucoxanthin extracted from *Sargassum angustifolium* on streptozotocin-nicotinamide-induced type 2 diabetic mice. *Food Science & Nutrition*, 9(7), pp.3521-3529.
- Omoboyowa, D.A., Karigidi, K.O. dan Aribigbola, T.C., 2021. Nephro-protective efficacy of *Blighia sapida* stem bark ether fractions on experimentally induced diabetes nephropathy. *Comparative Clinical Pathology*, 30(1), pp.25-33.

- Park, J.W., Kang, K.S., Ha, I.S., Lee, S.I. dan Shin, S., 2023. Efficacy of fucoxanthin extract from *Sargassum horneri* on 3T3-L1 pre-adipocyte differentiation. *Cellular and Molecular Biology*, 69(2), pp.8-11.
- Pirian, K., Moein, S., Sohrabipour, J., Rabiei, R. dan Blomster, J., 2017. Antidiabetic and antioxidant activities of brown and red macroalgae from the Persian Gulf. *Journal of Applied Phycology*, 29(6), pp.3151-3159.
- Pradhan, B., Nayak, R., Patra, S., Jit, B.P., Ragusa, A. dan Jena, M., 2020. Bioactive metabolites from marine algae as potent pharmacophores against oxidative stress-associated human diseases: A comprehensive review. *Molecules*, 26(1), p.37.
- Pramitha, V. S., dan Sree K, N., 2016. Anti-Inflammatory, Anti-Oxidant, Phytochemical and GC-MS Analysis of Marine Brown Macroalga, *Sargassum Wighti*. *International Journal of Pharmaceutical, Chemical & Biological Sciences*, 6(1).
- Prasasty, V.D., Haryani, B., Hutagalung, R.A., Mulyono, N., Yazid, F., Rosmalena, R. dan Sinaga, E., 2019. Evaluation of antioxidant and antidiabetic activities from red seaweed (*Euclima cottonii*). *Systematic Reviews in Pharmacy*, 10(1), pp.276-288.
- Prasedya, E.S., Frediansyah, A., Martyasari, N.W.R., Ilhami, B.K., Abidin, A.S., Padi, H., Fahrurrozi, Juanssilfero, A.B., Widyastuti, S. dan Sunarwidhi, A.L., 2021. Effect of particle size on phytochemical composition and antioxidant properties of *Sargassum cristaefolium* ethanol extract. *Scientific Reports*, 11(1), p.17876.
- Prasedya, E.S., Martyasari, N.W.R., Abidin, A.S., Pebriani, S.A., Ilhami, B.T.K., Frediansyah, A., Sunarwidhi, A.L., Widyastuti, S. dan Sunarpi, H., 2020. Macroalgae *Sargassum cristaefolium* extract inhibits proinflammatory cytokine expression in BALB/C Mice. *Scientifica*, 2020(1), p.9769454.
- Prasetyo, D.J., Jatmiko, T.H. dan Poeloengasih, C.D., 2018. Karakteristik Pengeringan Rumput Laut *Ulva* sp. dan *Sargassum* sp. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 13(1), pp.1-12.
- Pratama, D.M., Yuliawati, K.M. dan Kodir, R.A., 2015. Identifikasi senyawa antioksidan dalam rumput laut *Sargassum duplicatum* J. G. Agardh. dari pantai ujung genteng. *Prosiding Penelitian SPeSIA Unisba. ISSN*, pp.2460-6472.
- Premarathna, A.D., Wijesekera, S.K., Jayasooriya, A.P., Waduge, R.N., Wijesundara, R.R.M.K.K., Tuvikene, R., Harishchandra, D.L., Ranahewa, T.H., Perera, N.A.N.D., Wijewardana, V. dan Rajapakse, R.P.V.J., 2021. In vitro and in vivo evaluation of the wound healing properties and safety assessment of two seaweeds (*Sargassum ilicifolium* and *Ulva lactuca*). *Biochemistry and biophysics reports*, 26, p.100986.
- Pujimulyani, D., Santoso, U., Luwihana, S. dan Maruf, A., 2020. Orally administered pressure-blanching white saffron (*Curcuma mangga* Val.) improves antioxidative properties and lipid profiles in vivo. *Heliyon*, 6(6).
- Purushothaman, R., Vishnuram, M.G. dan Ramanathan, D.T., 2024. Isolation and identification of N-hexadecanoic acid from *Excoecaria agallocha* L. and its

- antibacterial and antioxidant activity. *Journal of emerging technologies and innovative research*, 11(1), pp.332-342.
- Putra, I.M.W.A., Fakhrudin, N., Nurrochmad, A. dan Wahyuono, S., 2023. A review of medicinal plants with renoprotective activity in diabetic nephropathy animal models. *Life*, 13(2), p.560.
- Putri, F.E., Diharmi, A. dan Karnila, R., 2023. Identifikasi senyawa metabolit sekunder pada rumput laut coklat (*Sargassum plagyophyllum*) dengan metode fraksinasi. *Jurnal Teknologi Dan Industri Pertanian Indonesia*, 15(1), pp.40-46.
- Quintal-Novelo, C., Rangel-Méndez, J., Ortiz-Tello, Á., Graniel-Sabido, M., Vaca, R.P.C.D. dan Moo-Puc, R., 2018. A *Sargassum fluitans* Borgesen ethanol extract exhibits a hepatoprotective effect in vivo in acute and chronic liver damage models. *BioMed Research International*, 2018(1), p.6921845.
- Raghu, C., Arjun, H.A. dan Anantharaman, P., 2019. In vitro and in silico inhibition properties of fucoidan against α -amylase and α -D-glucosidase with relevance to type 2 diabetes mellitus. *Carbohydrate Polymers*, 209, pp.350-355.
- Rahayu, I., Arfian, N., Kustanti, C.Y. dan Wahyuningsih, M.S.H., 2024. The effectiveness of antioxidant agents in delaying progression of diabetic nephropathy: A systematic review of randomized controlled trials. *BioImpacts: BI*, 15, p.30129.
- Rajeswaran, S. dan Rajan, D.K., 2025. Neophytadiene: Biological Activities and Drug Development Prospects. *Phytomedicine*, p.156872.
- Ramasubbu, K. dan Devi Rajeswari, V., 2023. Impairment of insulin signaling pathway PI3K/Akt/mTOR and insulin resistance induced AGEs on diabetes mellitus and neurodegenerative diseases: a perspective review. *Molecular and Cellular Biochemistry*, 478(6), pp.1307-1324.
- Ramu, S., Anbu, J. dan Krishnaraj, K., 2021. Therapeutic potential of fucoidan derived from *Sargassum wightii* greville in diabetic encephalopathy-behavioural, biochemical, histopathological and histochemical evidences. *Phytomedicine Plus*, 1(1), p.100011.
- Renitta, R.E., Narayanan, R., PJ, J.C. dan Samrot, A.V., 2020. Antidiabetic potential of methanolic extracts of *Sargassum wightii* in streptozotocin induced diabetic mice. *Biocatalysis and agricultural biotechnology*, 28, p.101763.
- Riwanti, P., Izazih, F. dan Amaliyah, A., 2020. Pengaruh perbedaan konsentrasi etanol pada kadar flavonoid total ekstrak etanol 50, 70 dan 96% *Sargassum polycystum* dari Madura. *Journal of Pharmaceutical Care Anwar Medika (J-PhAM)*, 2(2), pp.82-95.
- Rizal, R. dan Shafiyah, S., 2024. Perbandingan Kadar Serum Kreatinin dengan Lama Menderita Penyakit pada Pasien Diabetes Melitus. *Jurnal Kesehatan Tambusai: Universitas Pahlawan Tuanku Tambusai*, 5(4), pp.12525-12532.
- Rohim, A., Khurniyati, M.I., Utama, D.K., Rahmadina, S. dan Putri, N.D., 2025. Exhaustive Extraction of Bioactive Components from *Sargassum cristaefolium* Brown Seaweed: Antioxidant Potential and Bioactivity. *HAYATI Journal of Biosciences*, 32(4), pp.859-878.

- Rushdi, M.I., Abdel-Rahman, I.A., Saber, H., Attia, E.Z., Abdelraheem, W.M., Madkour, H.A., Hassan, H.M., Elmaidomy, A.H. dan Abdelmohsen, U.R., 2020. Pharmacological and natural products diversity of the brown algae genus *Sargassum*. *RSC advances*, 10(42), pp.24951-24972.
- Sagoo, M.K. dan Gnudi, L., 2018. Diabetic nephropathy: is there a role for oxidative stress?. *Free Radical Biology and Medicine*, 116, pp.50-63.
- Sajal, H., Patil, S.M., Raj, R., Shbeer, A.M., Ageel, M. dan Ramu, R., 2022. Computer-aided screening of phytoconstituents from *Ocimum tenuiflorum* against diabetes mellitus targeting DPP4 inhibition: A combination of molecular docking, molecular dynamics, and pharmacokinetics approaches. *Molecules*, 27(16), p.5133.
- Salehi, B., Sharifi-Rad, J., Seca, A.M., Pinto, D.C., Michalak, I., Trincone, A., Mishra, A.P., Nigam, M., Zam, W. dan Martins, N., 2019. Current trends on seaweeds: Looking at chemical composition, phytopharmacology, and cosmetic applications. *Molecules*, 24(22), p.4182.
- Samsu, N., 2018. *Patogenesis Penyakit Ginjal Diabetik: Peran Disfungsi Podosit pada Perkembangan dan Progresivitas Glomerulosklerosis*. Universitas Brawijaya Press.
- Samudra, A.G., Dewi, B., Nugroho, A.E., dan Husni, A., 2015. Aktivitas inhibisi α -Amilase ekstrak alginat dan senyawa polifenol dari *Sargassum hystrix*. In *Prosiding Seminar Nasional and Workshop "Perkembangan Terkini Sains Farmasi Dan Klinik 5*, pp. 6-7.
- Samudra, A.G., Nugroho, A.E. dan Murwanti, R., 2024, June. Review of the pharmacological properties of marine macroalgae used in the treatment of diabetes mellitus in Indonesia. In *Annales Pharmaceutiques Françaises*, 82, (4), pp. 597-617.
- Samudra, A.G., Nugroho, A.E. dan Murwanti, R., 2025. Antioxidant and DPP-IV inhibitory activities of *Sargassum cristaefolium* extract: A therapeutic potential agent for type-2 diabetes. In *BIO Web of Conferences*, 168, p. 02001.
- Samudra, A.G., Sani, F. dan Chintama, M., 2018. Uji Perbandingan Efektivitas Antidiabetes Ekstrak Polisakarida dan Senyawa Polifenol Alga Coklat (*Sargassum* sp.) Pada Mencit yang Diinduksi Aloksan. *Jurnal Ilmiah Manuntung: Sains Farmasi Dan Kesehatan*, 4(1), pp.48-52.
- Sangeetha, R., 2020. Independent and synergistic activity of the flavonoids of *Gracilaria corticata* as promising antidiabetic agents. *Brazilian Journal of Pharmaceutical Sciences*, 56, p.e18766.
- Sanger, G., Rarung, L.K., Damongilala, L.J., Kaseger, B.E. dan Montolalu, L.A.D.Y., 2019, May. Phytochemical constituents and antidiabetic activity of edible marine red seaweed (*Halymenia durvillae*). In *IOP conference series: earth and environmental science*, 278(1), p. 012069).
- Santos, C.C.D.M.P., Salvadori, M.S., Mota, V.G., Costa, L.M., de Almeida, A.A.C., de Oliveira, G.A.L., Costa, J.P., de Sousa, D.P., de Freitas, R.M. dan de Almeida, R.N., 2013. Antinociceptive and antioxidant activities of phytol in vivo and in vitro models. *Neuroscience journal*, 2013(1), p.949452.

- Saraswati, Giriwono, P.E., Iskandriati, D. dan Andarwulan, N., 2021. Screening of in-vitro anti-inflammatory and antioxidant activity of *Sargassum ilicifolium* crude lipid extracts from different coastal areas in Indonesia. *Marine drugs*, 19(5), p.252.
- Seedevi, P., 2024. Chemical and structural characterization of polysaccharide from *Gracilaria verrucosa* and its anti-diabetic effect on streptozotocin (STZ)-induced Swiss albino mice. *Biomass Conversion and Biorefinery*, 14(16), pp.18513-18522.
- Subashini, S., Pugalendi, K.V., Baskaran, K. dan Ganesan, K., 2015. Evaluation of anti-hyperglycemic effect of *Gracilaria corticata* extract in Normal and Streptozotocin-induced Diabetic rats. *Chem Bio Lett*, 2(1), pp.6-11.
- Selvaraj, S., dan Palanisamy, S., 2014. Investigations on the anti-diabetic potential of novel marine seaweed *Sargassum longiotom* against alloxan-induced diabetes mellitus: A pilot study. *Bangladesh Journal of Pharmacology*, 9(2), pp. 194-197.
- Sen, Z., Weida, W., Jie, M., Li, S., Dongming, Z. dan Xiaoguang, C., 2019. Coumarin glycosides from *Hydrangea paniculata* slow down the progression of diabetic nephropathy by targeting Nrf2 anti-oxidation and smad2/3-mediated profibrosis. *Phytomedicine*, 57, pp.385-395.
- Senthil, S.L., Kumar, T.V., Geetharamani, D., Suja, G., Yesudas, R. dan Chacko, A., 2015. Fucoidan—an α -amylase inhibitor from *Sargassum wightii* with relevance to NIDDM. *International Journal of Biological Macromolecules*, 81, pp.644-647.
- Shan, X., Liu, X., Hao, J., Cai, C., Fan, F., Dun, Y., Zhao, X., Liu, X., Li, C. dan Yu, G., 2016. In vitro and in vivo hypoglycemic effects of brown algal fucoidans. *International Journal of Biological Macromolecules*, 82, pp.249-255.
- Sharma, B.R. dan Rhyu, D.Y., 2014. Anti-diabetic effects of *Caulerpa lentillifera*: stimulation of insulin secretion in pancreatic β -cells and enhancement of glucose uptake in adipocytes. *Asian Pacific journal of tropical biomedicine*, 4(7), pp.575-580.
- Sharma, B.R., Kim, H.J. dan Rhyu, D.Y., 2015. *Caulerpa lentillifera* extract ameliorates insulin resistance and regulates glucose metabolism in C57BL/KsJ-db/db mice via PI3K/AKT signaling pathway in myocytes. *Journal of Translational Medicine*, 13(1), p.62.
- Shi, H.H., Zhang, L.Y., Chen, L.P., Yang, J.Y., Wang, C.C., Xue, C.H., Wang, Y.M. dan Zhang, T.T., 2022. EPA-enriched phospholipids alleviate renal interstitial fibrosis in spontaneously hypertensive rats by regulating TGF- β signaling pathways. *Marine Drugs*, 20(2), p.152.
- Silva, R.O., Sousa, F.B.M., Damasceno, S.R., Carvalho, N.S., Silva, V.G., Oliveira, F.R.M., Sousa, D.P., Aragão, K.S., Barbosa, A.L., Freitas, R.M. dan Medeiros, J.V.R., 2014. Phytol, a diterpene alcohol, inhibits the inflammatory response by reducing cytokine production and oxidative stress. *Fundamental & clinical pharmacology*, 28(4), pp.455-464.

- Situmorang, N. dan Zulham, Z., 2020. Malondialdehyde (mda)(zat oksidan yang mempercepat proses penuaan). *Jurnal Keperawatan Dan Fisioterapi (JKF)*, 2(2), pp.117-123.
- Sohail, N., Farhat, H., Qureshi, S.A., Ullah, I. dan Ali, M.S., 2024, November. The brown algae: *Sargassum binderi* sonder shows a potential nephroprotective activity in in-vivo experimental model. In *Annales Pharmaceutiques Françaises*, 82 (6), pp. 1046-1061.
- Somade, O.T., Ajiboye, B.O., Osukoya, O.A., Jarikre, T.A. dan Oyinloye, B.E., 2023. Syringic acid ameliorates testicular oxidative stress via the conservation of endogenous antioxidant markers and inhibition of the activated Nrf2-Keap1-NQO1-HO1 signaling in methyl cellosolve-administered rats. *Pharmacological Research-Modern Chinese Medicine*, 6, p.100207.
- Sukandar, T.K., Sinaga, I. dan Santikawati, S., 2022. Fraksi aktif rumput laut cokelat (*Sargassum cinereum*) sebagai antioksidan dan antibakteri. *Tapian Nauli: Jurnal Penelitian Terapan Perikanan dan Kelautan*, 4(2), pp.66-74.
- Sun, H., Saedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B.B., Stein, C., Basit, A., Chan, J.C., Mbanya, J.C. dan Pavkov, M.E., 2022. IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes research and clinical practice*, 183, p.109119.
- Sun, X., Chen, L. dan He, Z., 2019. PI3K/Akt-Nrf2 and anti-inflammation effect of macrolides in chronic obstructive pulmonary disease. *Current drug metabolism*, 20(4), pp.301-304.
- Susila, W.A., Putra, M.A.H.R. dan Ulfah, M., 2019. *Sargassum: Karakteristik Biogeografi dan Potensi*. UGM PRESS.
- Szkudelski, T., 2012. Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental biology and medicine*, 237(5), pp.481-490.
- Tan, M., Fan, C., Wang, M., Li, X., Yuan, R., Yang, J., Dongzhi, Z., Huang, S., Wang, Y. dan Li, B., 2021. Improvement of E Se tea extracts on renal mesangial cell apoptosis and high-fat-diet/streptozotocin-induced diabetic nephropathy. *Journal of Functional Foods*, 84, p.104578.
- Tan, S.M. dan de Haan, J.B., 2014. Combating oxidative stress in diabetic complications with Nrf2 activators: how much is too much?. *Redox Report*, 19(3), pp.107-117.
- Tang, L., Li, K., Zhang, Y., Li, H., Li, A., Xu, Y. dan Wei, B., 2020. Quercetin liposomes ameliorate streptozotocin-induced diabetic nephropathy in diabetic rats. *Scientific reports*, 10(1), p.2440.
- Teimouri, M., Hosseini, H., ArabSadeghabadi, Z., Babaei-Khorzoughi, R., Gorgani-Firuzjaee, S. dan Meshkani, R., 2022. The role of protein tyrosine phosphatase 1B (PTP1B) in the pathogenesis of type 2 diabetes mellitus and its complications. *Journal of physiology and biochemistry*, 78(2), pp.307-322.

- Tesch, G.H. dan Allen, T.J., 2007. Rodent models of streptozotocin-induced diabetic nephropathy (Methods in Renal Research). *Nephrology*, 12(3), pp.261-266.
- Tetti, M., 2014. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, 7(2).
- Thakor, P., Subramanian, R.B., Thakkar, S.S., Ray, A. dan Thakkar, V.R., 2017. Phytol induces ROS mediated apoptosis by induction of caspase 9 and 3 through activation of TRAIL, FAS and TNF receptors and inhibits tumor progression factor Glucose 6 phosphate dehydrogenase in lung carcinoma cell line (A549). *Biomedicine & Pharmacotherapy*, 92, pp.491-500.
- Thangapandiyar, S., Ramesh, M., Miltonprabu, S., Hema, T., Jothi, G.B. dan Nandhini, V., 2019. Sulforaphane potentially attenuates arsenic-induced nephrotoxicity via the PI3K/Akt/Nrf2 pathway in albino Wistar rats. *Environmental Science and Pollution Research*, 26(12), pp.12247-12263.
- Thete, M. dan Dilip, A., 2020. Recent advances and methods for in-vitro evaluation of antidiabetic activity: A review. *Int. J. Eng. Appl. Sci. Technol*, 4, pp.194-198.
- Tinku, Mujeeb, M., Ahad, A., Aqil, M., Siddiqui, W.A., Najmi, A.K., Akhtar, M., Shrivastava, A., Qadir, A. dan Moolakkadath, T., 2022. Ameliorative effect of rubiadin-loaded nanocarriers in STZ-NA-induced diabetic nephropathy in rats: formulation optimization, molecular docking, and in vivo biological evaluation. *Drug delivery and translational research*, 12(3), pp. 615-628
- Tonelli, C., Chio, I.I.C. dan Tuveson, D.A., 2018. Transcriptional regulation by Nrf2. *Antioxidants & redox signaling*, 29(17), pp.1727-1745.
- Turkmen, K., 2017. Inflammation, oxidative stress, apoptosis, and autophagy in diabetes mellitus and diabetic kidney disease: the Four Horsemen of the Apocalypse. *International urology and nephrology*, 49(5), pp.837-844.
- Unnikrishnan, P.S., Suthindhiran, K. dan Jayasri, M.A., 2014. Inhibitory potential of *Turbinaria ornata* against key metabolic enzymes linked to diabetes. *BioMed research international*, 2014(1), p.783895.
- Unnikrishnan, P.S., Suthindhiran, K. dan Jayasri, M.A., 2023. Effect of marine red algal (*Portieria hornemannii*) extracts on starch digestion rate and its possible role in diabetes management. *Aquaculture International*, 31(6), pp.3239-3256.
- Vijay, N.K.G. dan Vellapandian, C., 2023. Ameliorative effects of phlorotannin-rich fraction of *Sargassum tenerrimum* in high-fat diet and low dose streptozotocin-induced metabolic changes and oxidative stress in diabetic rats. *Journal of Herbmед Pharmacology*, 12(3), pp.367-379.
- Vinodkumar, M. dan Packirisamy, A.S.B., 2024. Exploration of bioactive compounds from *Sargassum myriocystum*; a novel approach on catalytic inhibition against free radical formation and glucose elevation. *Topics in Catalysis*, 67(1), pp.60-73.
- Wahjuningsih, S.B., Haslina, H. dan Marsono, M., 2018. Hypolipidaemic effects of high resistant starch sago and red bean flour-based analog rice on diabetic rats. *Materia socio-medica*, 30(4), p.232.

- Wahyuni, S., 2015. *Superoksida dismutase (SOD) sebagai prekursor antioksidan endogen pada stress oksidatif*. Udayana University Press
- Wan, Q., Zhou, J., Wu, Y., Shi, L., Liu, W., Ou, J. dan Gao, J., 2022. TNF- α -mediated podocyte injury via the apoptotic death receptor pathway in a mouse model of IgA nephropathy. *Renal failure*, 44(1), pp.1217-1227.
- Wang, D., Liu, J. dan Jiang, H., 2021. Triclosan regulates the Nrf2/HO-1 pathway through the PI3K/Akt/JNK signaling cascade to induce oxidative damage in neurons. *Environmental toxicology*, 36(9), pp.1953-1964.
- Wang, G., Deng, J. dan Hua, Z., 2024. Crocin protects against endoplasmic reticulum stress-related tubular injury in diabetic nephropathy via the activation of the PI3K/AKT/Nrf2 pathway. *Iranian Journal of Basic Medical Sciences*, 27(4), p.439.
- Wang, J., Hu, L., Chen, Y., Fu, T., Jiang, T., Jiang, A. dan You, X., 2019. Sitagliptin improves renal function in diabetic nephropathy in male Sprague Dawley rats through upregulating heme oxygenase-1 expression. *Endocrine*, 63(1), pp.70-78.
- Wang, J., Hu, X., Ai, W., Zhang, F., Yang, K., Wang, L., Zhu, X., Gao, P., Shu, G., Jiang, Q. dan Wang, S., 2017. Phytol increases adipocyte number and glucose tolerance through activation of PI3K/Akt signaling pathway in mice fed high-fat and high-fructose diet. *Biochemical and biophysical research communications*, 489(4), pp.432-438.
- Weimann, E., Silva, M.B.B., Murata, G.M., Bortolon, J.R., Dermargos, A., Curi, R. dan Hatanaka, E., 2018. Topical anti-inflammatory activity of palmitoleic acid improves wound healing. *PloS one*, 13(10), p.e0205338.
- Wen, L., Zhang, Y., Sun-Waterhouse, D., You, L. dan Fu, X., 2017. Advantages of the polysaccharides from *Gracilaria lemaneiformis* over metformin in antidiabetic effects on streptozotocin-induced diabetic mice. *RSC advances*, 7(15), pp.9141-9151.
- Widiasari, K.R., Wijaya, I.M.K. dan Suputra, P.A., 2021. Diabetes melitus tipe 2: Faktor risiko, diagnosis, dan tatalaksana. *Ganesha Medicina*, 1(2), pp.114-120.
- Wijaya, A., Nurani, L.H. dan Nurkhasa, N., 2014. Aktivitas Antioksidan Sediaan Nanopartikel Kitosan Ekstrak Etanol Kelopak Rosela (*Hibiscus sabdariffa* L) Pada Tikus Hiperkolesterol: Pengukuran Kadar Malondialdehid (MDA). *Kartika: Jurnal Ilmiah Farmasi*, 2(1), pp.1-6.
- Wu, S., Zuo, J., Cheng, Y., Zhang, Y., Zhang, Z., Wu, M., Yang, Y. dan Tong, H., 2021. Ethanol extract of *Sargassum fusiforme* alleviates HFD/STZ-induced hyperglycemia in association with modulation of gut microbiota and intestinal metabolites in type 2 diabetic mice. *Food Research International*, 147, p.110550.
- Wu, T., Ding, L., Andoh, V., Zhang, J. dan Chen, L., 2023. The mechanism of hyperglycemia-induced renal cell injury in diabetic nephropathy disease: an update. *Life*, 13(2), p.539.
- Wu, X., Li, J., Dong, Y., Li, J., Bian, J., Liu, C., Zhang, H., Han, L. dan Wang, M., 2025. Targeting the Nrf2/TGF- β 1/Smad Signaling Pathway: A Novel Strategy for Urolithin A to Alleviate Renal Fibrosis. *Food Frontiers*.

- Xiao, Q., Piao, R., Wang, H., Li, C. dan Song, L., 2018. Orientin-mediated Nrf2/HO-1 signal alleviates H₂O₂-induced oxidative damage via induction of JNK and PI3K/AKT activation. *International journal of biological macromolecules*, 118, pp.747-755.
- Xiao, S., Yang, Y., Liu, Y.T. dan Zhu, J., 2021. Liraglutide Regulates the Kidney and Liver in Diabetic Nephropathy Rats through the miR-34a/SIRT1 Pathway. *Journal of diabetes research*, 2021(1), 8873956.
- Xie, X., Chen, C. dan Fu, X., 2023. Modulation effects of *Sargassum pallidum* extract on hyperglycemia and hyperlipidemia in type 2 diabetic mice. *Foods*, 12(24), p.4409.
- Xie, Z., Chen, Z. dan Chen, J., 2021. Combination therapy with Exendin-4 and islet transplantation as a synergistic treatment for diabetic nephropathy in rats. *Life sciences*, 271, p.119207.
- Yang, C.F., Lai, S.S., Chen, Y.H., Liu, D., Liu, B., Ai, C., Wan, X.Z., Gao, L.Y., Chen, X.H. dan Zhao, C., 2019. Anti-diabetic effect of oligosaccharides from seaweed *Sargassum confusum* via JNK-IRS1/PI3K signalling pathways and regulation of gut microbiota. *Food and Chemical Toxicology*, 131, p.110562.
- Yanowsky-Escatell, F.G., Andrade-Sierra, J., Pazarín-Villaseñor, L., Santana-Arciniega, C., Torres-Vázquez, E.D.J., Chávez-Iñiguez, J.S., Zambrano-Velarde, M.Á. dan Preciado-Figueroa, F.M., 2020. The role of dietary antioxidants on oxidative stress in diabetic nephropathy. *Iranian journal of kidney diseases*, 14(2).
- Ye, H., Zhou, C., Sun, Y., Zhang, X., Liu, J., Hu, Q. dan Zeng, X., 2009. Antioxidant activities in vitro of ethanol extract from brown seaweed *Sargassum pallidum*. *European Food Research and Technology*, 230(1), pp.101-109.
- Yu, W., Chen, C., Zhuang, W., Wang, W., Liu, W., Zhao, H., Lv, J., Xie, D., Wang, Q., He, F. dan Xu, C., 2022. Silencing TXNIP ameliorates high uric acid-induced insulin resistance via the IRS2/AKT and Nrf2/HO-1 pathways in macrophages. *Free Radical Biology and Medicine*, 178, pp.42-53.
- Yu, Y., Wang, L., Fu, X., Wang, L., Fu, X., Yang, M., Han, Z., Mou, H. dan Jeon, Y.J., 2019. Anti-oxidant and anti-inflammatory activities of ultrasonic-assistant extracted polyphenol-rich compounds from *Sargassum muticum*. *Journal of Oceanology and Limnology*, 37(3), pp.836-847.
- Zhang, G., Kang, Y., Zhou, C., Cui, R., Jia, M., Hu, S., Ji, X., Yuan, J., Cui, H. dan Shi, G., 2018. Amelioratory effects of testosterone propionate on age-related renal fibrosis via suppression of TGF-β1/Smad signaling and activation of Nrf2-ARE signaling. *Scientific Reports*, 8(1), p.10726.
- Zhang, H., Hui, J., Yang, J., Deng, J. dan Fan, D., 2020. Eurocristatine, a plant alkaloid from *Eurotium cristatum*, alleviates insulin resistance in db/db diabetic mice via activation of PI3K/AKT signaling pathway. *European journal of pharmacology*, 887, p.173557.
- Zhang, H., Liu, Y.Y., Jiang, Q., Li, K.R., Zhao, Y.X., Cao, C. dan Yao, J., 2014. Salvianolic acid A protects RPE cells against oxidative stress through activation of Nrf2/HO-1 signaling. *Free Radical Biology and Medicine*, 69, pp.219-228.

- Zhang, H., Yu, M., Zhang, Y., Lu, D. dan Liu, G., 2025. LCZ696 improves oxidative stress injury in human podocytes induced by increased glucose levels via Nrf2/HO-1 signaling pathway. *European Journal of Medical Research*, 30(1), p.598.
- Zhang, M., Hagiwara, S., Matsumoto, M., Gu, L., Tanimoto, M., Nakamura, S., Kaneko, S., Gohda, T., Qian, J., Horikoshi, S. dan Tomino, Y., 2006. Effects of eicosapentaenoic acid on the early stage of type 2 diabetic nephropathy in KKAY/Ta mice: involvement of anti-inflammation and antioxidative stress. *Metabolism*, 55(12), pp.1590-1598.
- Zhang, M., Yang, R., Yu, S. dan Zhao, W., 2022. A novel α -glucosidase inhibitor polysaccharide from *Sargassum fusiforme*. *International Journal of Food Science and Technology*, 57(1), pp.67-77.
- Zhang, X.G., Liu, A.X., Zhang, Y.X., Zhou, M.Y., Li, X.Y., Fu, M.H., Pan, Y.P., Xu, J. dan Zhang, J.Q., 2022. A diarylheptanoid compound from *Alpinia officinarum* Hance ameliorates high glucose-induced insulin resistance by regulating PI3K/AKT-Nrf2-GSK3 β signaling pathways in HepG2 cells. *Journal of Ethnopharmacology*, 295, p.115397.
- Zhao, T., Dong, Q., Zhou, H. dan Yang, H., 2022. Drying kinetics, physicochemical properties, antioxidant activity and antidiabetic potential of *Sargassum fusiforme* processed under four drying techniques. *LWT*, 163, p.113578.
- Zheng, M. dan Wang, P., 2021. Role of insulin receptor substance-1 modulating PI3K/Akt insulin signaling pathway in Alzheimer's disease. *3 Biotech*, 11(4), p.179.
- Zhou, X., Liu, Z., Ying, K., Wang, H., Liu, P., Ji, X., Chi, T., Zou, L., Wang, S. dan He, Z., 2020. WJ-39, an Aldose Reductase Inhibitor, Ameliorates Renal Lesions in Diabetic Nephropathy by Activating Nrf2 Signaling. *Oxidative Medicine and Cellular Longevity*, 2020(1), p.7950457.