

REFERENCES

- [1] A. Clark and I. Ahmad, “Touchless and nonverbal human-robot interfaces: An overview of the state-of-the-art”, *Smart Health*, vol. 27, p. 100 365, 2023.
- [2] S. Murnani, N. A. Setiawan, and S. Wibirama, “Spontaneous gaze interaction based on smooth pursuit eye movement using difference gaze pattern method”, *Communications in Science and Technology*, vol. 7, no. 1, pp. 8–14, 2022.
- [3] G. Krastev and I. Ralev, “Gesture based system for user interface control”, in *2021 5th International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT)*, 2021, pp. 438–441. DOI: 10.1109/ISMSIT52890.2021.9604693.
- [4] K. B. Lee and R. A. Grice, “The design and development of user interfaces for voice application in mobile devices”, in *2006 IEEE International Professional Communication Conference*, 2006, pp. 308–320. DOI: 10.1109/IPCC.2006.320364.
- [5] H. Brignull and Y. Rogers, “Enticing people to interact with large public displays in public spaces”, in *Interact*, vol. 3, 2003, pp. 17–24.
- [6] S. Wibirama, S. Murnani, I. D. Sukowati, and R. Ferdiana, “Gaze-controlled digital signage for public health education during covid-19 pandemic”, in *2021 9th International Conference on Information and Communication Technology (ICoICT)*, IEEE, 2021, pp. 7–12.
- [7] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, H. Jarodzka, and J. van de Weijer, *Eye Tracking: A Comprehensive Guide to Methods and Measures*. Oxford University Press, 2011. DOI: 10.1093/acprof:oso/9780199697083.001.0001.
- [8] S. Wibirama, T. Wijayanto, H. A. Nugroho, M. Bahit, and M. N. Winadi, “Quantifying visual attention and visually induced motion sickness during day-night driving and sleep deprivation”, in *2015 International Conference on Data and Software Engineering (ICoDSE)*, IEEE, 2015, pp. 191–194.
- [9] S. Murnani, N. A. Setiawan, and S. Wibirama, “Robust object selection in spontaneous gaze-controlled application using exponential moving average and hidden markov model”, *IEEE Transactions on Human-Machine Systems*, vol. 54, no. 5, pp. 485–498, 2024.
- [10] M. Dorr, T. Martinetz, K. R. Gegenfurtner, and E. Barth, “Variability of eye movements when viewing dynamic natural scenes”, *Journal of Vision*, vol. 10, no. 10, p. 28, 2010. DOI: 10.1167/10.10.28. [Online]. Available: <https://doi.org/10.1167/10.10.28>.

- [11] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades”, *Behavior Research Methods*, vol. 45, no. 1, pp. 203–215, 2013. DOI: 10 . 3758 / s13428 - 012 - 0234 - 9. [Online]. Available: <https://doi.org/10.3758/s13428-012-0234-9>.
- [12] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, “Using machine learning to detect events in eye-tracking data”, *Behavior research methods*, vol. 50, pp. 160–181, 2018.
- [13] I. Faris and F. Utaminigrum, “Eye movement detection using histogram oriented gradient and k-nearest neighbors”, in *2021 International Conference on ICT for Smart Society (ICISS)*, 2021, pp. 1–5. DOI: 10 . 1109 / ICISS53185.2021.9533232.
- [14] D. Kit and B. Sullivan, “Classifying mobile eye tracking data with hidden markov models”, in *Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct*, ser. MobileHCI ’16, Florence, Italy: Association for Computing Machinery, 2016, pp. 1037–1040, ISBN: 9781450344135. DOI: 10 . 1145 / 2957265 . 2965014. [Online]. Available: <https://doi.org/10.1145/2957265.2965014>.
- [15] R. Zemblys, D. C. Niehorster, and K. Holmqvist, “Gazenet: End-to-end eye-movement event detection with deep neural networks”, *Behavior Research Methods*, vol. 51, no. 2, pp. 840–864, Oct. 2018, ISSN: 1554-3528. DOI: 10 . 3758 / s13428 - 018 - 1133 - 5. [Online]. Available: <http://dx.doi.org/10.3758/s13428-018-1133-5>.
- [16] J. Goltz, M. Grossberg, and R. Etemadpour, “Exploring simple neural network architectures for eye movement classification”, in *Proceedings of the 11th ACM Symposium on Eye Tracking Research & Applications*, ser. ETRA ’19, Denver, Colorado: Association for Computing Machinery, 2019, ISBN: 9781450367097. DOI: 10 . 1145 / 3314111 . 3319813. [Online]. Available: <https://doi.org/10.1145/3314111.3319813>.
- [17] K. Anusree and J. Amudha, “Eye movement event detection with deep neural networks”, in *Computational Vision and Bio-Inspired Computing*. Springer International Publishing, 2020, pp. 921–930, ISBN: 9783030372187. DOI: 10 . 1007 / 978 - 3 - 030 - 37218 - 7_98. [Online]. Available: http://dx.doi.org/10.1007/978-3-030-37218-7_98.
- [18] C. Elmadjian, C. Gonzales, R. L. d. Costa, and C. H. Morimoto, “Online eye-movement classification with temporal convolutional networks”, *Behavior Research Methods*, vol. 55, no. 7, pp. 3602–3620, 2023.
- [19] M. Startsev, I. Agtzidis, and M. Dorr, “1D CNN with BLSTM for automated classification of fixations, saccades, and smooth pursuits”, *Behav. Res. Methods*, vol. 51, no. 2, pp. 556–572, 2019. DOI: 10 . 3758 / s13428 - 018 - 1144 - 2.

- [20] J. Bergstra, R. Bardenet, Y. Bengio, and B. Kégl, “Algorithms for hyperparameter optimization”, in *Advances in Neural Information Processing Systems*, 2011, pp. 2546–2554.
- [21] B. Shahriari, K. Swersky, Z. Wang, R. P. Adams, and N. de Freitas, “Taking the human out of the loop: A review of bayesian optimization”, *Proceedings of the IEEE*, vol. 104, no. 1, pp. 148–175, 2016. DOI: 10.1109/JPROC.2015.2494218.
- [22] J. Snoek, H. Larochelle, and R. P. Adams, “Practical bayesian optimization of machine learning algorithms”, in *Advances in Neural Information Processing Systems*, vol. 4, 2012, pp. 2951–2959.
- [23] J. Bergstra, D. Yamins, and D. Cox, “Making a science of model search: Hyperparameter optimization in hundreds of dimensions for vision architectures”, in *Proceedings of the 30th International Conference on Machine Learning*, S. Dasgupta and D. McAllester, Eds., ser. Proceedings of Machine Learning Research, vol. 28, Atlanta, Georgia, USA: PMLR, Jun. 2013, pp. 115–123. [Online]. Available: <https://proceedings.mlr.press/v28/bergstra13.html>.
- [24] H.-P. Nguyen, J. Liu, and E. Zio, “A long-term prediction approach based on long short-term memory neural networks with automatic parameter optimization by tree-structured parzen estimator and applied to time-series data of npp steam generators”, *Applied Soft Computing*, vol. 89, p. 106116, 2020, ISSN: 1568-4946. DOI: <https://doi.org/10.1016/j.asoc.2020.106116>. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1568494620300569>.
- [25] S. Khessiba, A. G. Blaiech, A. Manzanera, K. Ben Khalifa, A. Ben Abdallah, and M. H. Bedoui, “Hyperparameter optimization of deep learning models for EEG-based vigilance detection”, in *Advances in Computational Collective Intelligence*, ser. Communications in computer and information science, Cham: Springer International Publishing, 2022, pp. 200–210.
- [26] D. D. Salvucci and J. H. Goldberg, “Identifying fixations and saccades in eye-tracking protocols”, in *Proceedings of the 2000 Symposium on Eye Tracking Research & Applications*, ser. ETRA '00, Palm Beach Gardens, Florida, USA: Association for Computing Machinery, 2000, pp. 71–78, ISBN: 1581132808. DOI: 10.1145/355017.355028. [Online]. Available: <https://doi.org/10.1145/355017.355028>.
- [27] N. Anantrasirichai, I. D. Gilchrist, and D. R. Bull, “Fixation identification for low-sample-rate mobile eye trackers”, in *2016 IEEE International Conference on Image Processing (ICIP)*, 2016, pp. 3126–3130. DOI: 10.1109/ICIP.2016.7532935.
- [28] S. Hoppe and A. Bulling, “End-to-end eye movement detection using convolutional neural networks”, *CoRR*, vol. abs/1609.02452, 2016.

- [29] F. Hutter, L. Kotthoff, and J. Vanschoren, Eds., *Automated Machine Learning - Methods, Systems, Challenges*. Springer, 2019.
- [30] J. Bergstra and Y. Bengio, “Random search for hyper-parameter optimization”, *J. Mach. Learn. Res.*, vol. 13, pp. 281–305, 2012.
- [31] J. Wu and P. I. Frazier, “Practical two-step lookahead bayesian optimization”, in *Advances in Neural Information Processing Systems 32 (NeurIPS 2019)*, 2019, pp. 9810–9820. [Online]. Available: <https://papers.nips.cc/paper/9174-practical-two-step-lookahead-bayesian-optimization>.
- [32] M. Tahkola and Z. Guangrong, “Atsc-nex: Automated time series classification with sequential model-based optimization and nested cross-validation”, *IEEE Access*, vol. 10, pp. 39 299–39 312, 2022. DOI: 10.1109/ACCESS.2022.3166525.
- [33] M. Dzieżyc, M. Gjoreski, P. Kazienko, S. Saganowski, and M. Gams, “Can we ditch feature engineering? end-to-end deep learning for affect recognition from physiological sensor data”, *Sensors*, vol. 20, no. 22, 2020, ISSN: 1424-8220. DOI: 10.3390/s20226535. [Online]. Available: <https://www.mdpi.com/1424-8220/20/22/6535>.
- [34] D. Siekierski and K. Siwek, “Heart beats classification method using a multi-signal ecg spectrogram and convolutional neural network with residual blocks”, *Computer Methods and Programs in Biomedicine Update*, vol. 2, p. 100 075, 2022, ISSN: 2666-9900. DOI: <https://doi.org/10.1016/j.cmpbup.2022.100075>. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S266699002200026X>.
- [35] R. Andersson, L. Larsson, K. Holmqvist, M. Stridh, and M. Nyström, “One algorithm to rule them all? an evaluation and discussion of ten eye movement event-detection algorithms”, *Behavior Research Methods*, vol. 49, no. 2, pp. 616–637, 2017. DOI: 10.3758/s13428-016-0738-9. [Online]. Available: <https://doi.org/10.3758/s13428-016-0738-9>.
- [36] O. V. Komogortsev, D. V. Gobert, S. Jayarathna, and S. Koh D-Hand Gowda, “Standardization of automated analyses of oculomotor fixation and saccadic behaviors”, in *IEEE Trans. Biomed. Eng.*, vol. 57, no. 11, pp. 2635–2645, Nov. 2010.
- [37] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning”, *Nature*, vol. 521, no. 7553, pp. 436–444, May 2015.
- [38] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.

- [39] K. Hornik, M. B. Stinchcombe, and H. White, “Multilayer feedforward networks are universal approximators”, *Neural Networks*, vol. 2, no. 5, pp. 359–366, 1989. DOI: 10.1016/0893-6080(89)90020-8. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/0893608089900208>.
- [40] D. P. Kingma and J. Ba, “Adam: A method for stochastic optimization”, *arXiv preprint arXiv:1412.6980*, 2014. [Online]. Available: <https://arxiv.org/abs/1412.6980>.
- [41] S. Ioffe and C. Szegedy, “Batch normalization: Accelerating deep network training by reducing internal covariate shift”, in *Proceedings of the 32nd International Conference on Machine Learning (ICML 2015)*, F. Bach and D. Blei, Eds., ser. Proceedings of Machine Learning Research, vol. 37, Lille, France: PMLR, 2015, pp. 448–456. [Online]. Available: <https://proceedings.mlr.press/v37/ioffe15.html>.
- [42] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: A simple way to prevent neural networks from overfitting”, *Journal of Machine Learning Research*, vol. 15, no. 1, pp. 1929–1958, 2014. [Online]. Available: <http://jmlr.org/papers/v15/srivastava14a.html>.
- [43] S. Kiranyaz *et al.*, “1d convolutional neural networks and applications: A survey”, *Signal Processing*, vol. 186, p. 108 070, 2021. DOI: 10.1016/j.sigpro.2021.108070.
- [44] S. Kiranyaz, T. Ince, R. Hamila, and M. Gabbouj, “Real-time patient-specific ecg classification by 1-d convolutional neural networks”, in *37th IEEE Engineering in Medicine and Biology Society Conference (EMBC)*, 2015, pp. 1317–1320. DOI: 10.1109/EMBC.2015.7318926.
- [45] Y. Zheng, Q. Liu, E. Chen, Y. Ge, and J. Zhao, “Time series classification using multi-channels deep convolutional neural networks”, in *Web-Age Information Management (WAIM) - Lecture Notes in Computer Science, Vol. 8485*, 2014, pp. 298–310. DOI: 10.1007/978-3-319-11872-8_30.
- [46] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, “Gradient-based learning applied to document recognition”, *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998. DOI: 10.1109/5.726791. [Online]. Available: <https://yann.lecun.com/exdb/publis/pdf/lecun-01a.pdf>.
- [47] V. J. Lawhern, A. J. Solon, N. R. Waytowich, S. M. Gordon, C. P. Hung, and B. J. Lance, “Eegnet: A compact convolutional network for eeg-based brain-computer interfaces”, *Journal of Neural Engineering*, vol. 15, no. 5, p. 056 013, 2018. DOI: 10.1088/1741-2552/aace8c. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1741-2552/aace8c>.

- [48] S. Bai, J. Z. Kolter, and V. Koltun, “An empirical evaluation of generic convolutional and recurrent networks for sequence modeling”, *arXiv preprint arXiv:1803.01271*, 2018. [Online]. Available: <https://arxiv.org/abs/1803.01271>.
- [49] S. Hochreiter and J. Schmidhuber, “Long short-term memory”, *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997. DOI: 10.1162/neco.1997.9.8.1735. [Online]. Available: <https://doi.org/10.1162/neco.1997.9.8.1735>.
- [50] A. Graves and J. Schmidhuber, “Framewise phoneme classification with bidirectional lstm networks”, *Neural Networks*, vol. 18, no. 5-6, pp. 602–610, 2005. DOI: 10.1016/j.neunet.2005.06.042. [Online]. Available: <https://doi.org/10.1016/j.neunet.2005.06.042>.
- [51] F. J. Ordóñez and D. Roggen, “Deep convolutional and lstm recurrent neural networks for multimodal wearable activity recognition”, *Sensors*, vol. 16, no. 1, p. 115, 2016. DOI: 10.3390/s16010115. [Online]. Available: <https://doi.org/10.3390/s16010115>.
- [52] M. Zeng, H. Gao, T. Yu, *et al.*, “Understanding and improving recurrent networks for human activity recognition by continuous attention”, in *Proceedings of the 2018 ACM International Symposium on Wearable Computers (ISWC)*, 2018, pp. 56–63. DOI: 10.1145/3267242.3267286. [Online]. Available: <https://doi.org/10.1145/3267242.3267286>.
- [53] S. Roy, I. Kiral-Kornek, and S. Harrer, “Chrononet: A deep recurrent neural network for abnormal eeg identification”, in *Proceedings of the 20th Artificial Intelligence in Medicine Conference (AIME 2019)*, 2019, pp. 47–56. DOI: 10.1007/978-3-030-21642-9_8. [Online]. Available: https://doi.org/10.1007/978-3-030-21642-9_8.
- [54] P. Bashivan, I. Rish, M. Yeasin, and N. Codella, “Learning representations from eeg with deep recurrent-convolutional neural networks”, in *Proceedings of the International Conference on Learning Representations (ICLR) 2016*, 2016. [Online]. Available: <https://arxiv.org/abs/1511.06448>.
- [55] C. Lea, M. D. Flynn, R. Vidal, A. Reiter, and G. D. Hager, “Temporal convolutional networks for action segmentation and detection”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 156–165. DOI: 10.1109/CVPR.2017.113. [Online]. Available: https://openaccess.thecvf.com/content_cvpr_2017/html/Lea_Temporal_Convolutional_Networks_CVPR_2017_paper.html.
- [56] R. Kohavi, “A study of cross-validation and bootstrap for accuracy estimation and model selection”, in *Proceedings of the Fourteenth International Joint Conference on Artificial Intelligence (IJCAI 1995)*, Morgan Kaufmann, vol. 14, 1995, pp. 1137–1145.

- [57] B. A. Smith, Q. Yin, S. K. Feiner, and S. K. Nayar, “Gaze locking: Passive eye contact detection for human-object interaction”, in *Proceedings of the ACM Symposium on User Interface Software and Technology (UIST 2013)*, 2013, pp. 271–280.
- [58] D. M. W. Powers, “Evaluation: From precision, recall and f-measure to roc, informedness, markedness & correlation”, *Journal of Machine Learning Technologies*, vol. 2, no. 1, pp. 37–63, 2011. [Online]. Available: <http://www.bioinfo.in/contents.php?id=51>.
- [59] F. Pedregosa, G. Varoquaux, A. Gramfort, *et al.*, “Scikit-learn: Machine learning in python”, *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [60] E. R. Girden, *ANOVA: Repeated Measures* (SAGE University Paper Series on Quantitative Applications in the Social Sciences). Newbury Park, CA: SAGE Publications, 1992, vol. 84.
- [61] J. Demšar, “Statistical comparisons of classifiers over multiple data sets”, *Journal of Machine Learning Research*, vol. 7, no. 1, pp. 1–30, 2006. [Online]. Available: <https://jmlr.org/papers/v7/demsar06a.html>.
- [62] S. S. Shapiro and M. B. Wilk, “An analysis of variance test for normality (complete samples)”, *Biometrika*, vol. 52, no. 3-4, pp. 591–611, 1965. DOI: 10.1093/biomet/52.3-4.591.
- [63] M. Friedman, “The use of ranks to avoid the assumption of normality implicit in the analysis of variance”, *Journal of the American Statistical Association*, vol. 32, no. 200, pp. 675–701, 1937. DOI: 10.1080/01621459.1937.10503522.
- [64] Student, “The probable error of a mean”, *Biometrika*, vol. 6, no. 1, pp. 1–25, 1908. DOI: 10.1093/biomet/6.1.1.
- [65] F. Wilcoxon, “Individual comparisons by ranking methods”, *Biometrics Bulletin*, vol. 1, no. 6, pp. 80–83, 1945. DOI: 10.2307/3001968.
- [66] W. L. Hays, *Statistics*, 5th ed. Fort Worth, TX: Harcourt Brace, 1994.
- [67] D. C. Howell, *Statistical Methods for Psychology*, 8th ed. Belmont, CA: Wadsworth Cengage Learning, 2012.
- [68] A. Field, *Discovering Statistics Using IBM SPSS Statistics*, 4th ed. London: SAGE Publications, 2013.
- [69] T. Akiba, S. Sano, T. Yanase, T. Ohta, and M. Koyama, “Optuna: A next-generation hyperparameter optimization framework”, in *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, ACM, 2019, pp. 2623–2631. DOI: 10.1145/3292500.3330701.

- [70] M. Dorr, E. Vig, T. Martinetz, and E. Barth, “Gazecom: A dataset for studying gaze and comprehension of dynamic scenes”, in *Proceedings of the Symposium on Eye-Tracking Research and Applications*, ACM, 2010, pp. 229–236.
- [71] R. J. K. Jacob, “The use of eye movements in human-computer interaction techniques”, in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 1991.
- [72] A. T. Duchowski, *Eye Tracking Methodology: Theory and Practice*, 3rd. Springer, 2018.
- [73] D. D. Salvucci, “Intelligent gaze-added interfaces”, *Human-Computer Interaction*, 2000.
- [74] I. Agtzidis, M. Startsev, and M. Dorr, “A ground-truth data set and a classification algorithm for eye movements in 360-degree videos”, *arXiv preprint arXiv:1903.06474*, 2019, Preprint.
- [75] C. H. Goay, N. S. Ahmad, and P. Goh, “Temporal convolutional networks for transient simulation of high-speed channels”, en, *Alex. Eng. J.*, vol. 74, pp. 643–663, Jul. 2023.
- [76] D. A. Suryakusuma, A. Wicaksono, R. Hartanto, S. Wibirama, *et al.*, “Implementing design thinking in the development of digital signage user interface for public health education”, in *2022 8th International Conference on Science and Technology (ICST)*, IEEE, vol. 1, 2022, pp. 1–6.