

## DAFTAR PUSTAKA

- Aboshady, H. M., Choury, A., Montout, L., Félicité, Y., Godard, X., & Bambou, J.-C. (2023). Metagenome reveals caprine abomasal microbiota diversity at early and late stages of *Haemonchus contortus* infection. *Scientific Reports*, *13*(1), 2450.
- Ahmad, A., Husain, A., Mujeeb, M., Khan, S. A., Alhadrami, H. A. A., & Bhandari, A. (2015). Quantification of total phenol, flavonoid content and pharmacognostical evaluation including HPTLC fingerprinting for the standardization of *Piper nigrum* Linn fruits. *Asian Pacific Journal of Tropical Biomedicine*, *5*(2), 101–107.
- Ahmad, R. Z., & Tiffarent, R. (2020). Pathological aspects of haemonchosis in goats and sheeps. *Wartazoa*, *30*(2), 91–102.
- Aimulajiang, K., Cao, M., Liao, S., Naqvi, M. A.-H., Tian, X., Li, Z., Lu, M., Lakho, S. A., Li, X., & Xu, L. (2020). Development and potential application of ras domain containing protein from *Haemonchus contortus* for diagnosis of goat infection. *Animals*, *10*(1), 138.
- Akinpelu, D. A., Alayande, K. A., Aiyegoro, O. A., Akinpelu, O. F., & Okoh, A. I. (2015). Probable mechanisms of biocidal action of *Cocos nucifera* Husk extract and fractions on bacteria isolates. *BMC Complementary and Alternative Medicine*, *15*, 1–9.
- Akinyemi, O. A., & Oyelere, F. S. (2019). Phytochemical profile of selected morphological organs of *cocos nucifera* l. *European Journal of Biomedical and Pharmaceutical Sciences*, *6*(11), 54–58.
- Alemu, Z., Kechero, Y., Kebede, A., & Mohammed, A. (2014). Comparison of the in vitro inhibitory effects of doses of tannin rich plant extracts and ivermectin on egg hatchability, larvae development and adult mortality of *Haemonchus contortus*. *Acta Parasitol. Glob*, *5*(3), 160–168.
- Alowanou, G. G., Azando, E. V., Adenilé, A. D., Koudandé, D. O., Chrysostome, C. A., & Hounzangbé-Adoté, S. M. (2020). Evaluation of the in vivo anthelmintic properties of *Mitragyna inermis* (Willd.) as a livestock dewormer against parasitic hematophagous worm *Haemonchus contortus* infections in different breeds of lambs. *Tropical Animal Health and Production*, *52*(1), 309–319.
- Amanda, E., N. ., P. ., (2009). *Perbandingan Sifat Fisika dan Kimia Minyak Kelapa Dari Kelapa Hijau (*Cocos Nucifera* Var. *Viridis*) dan Kelapa Gading (*Cocos Nucifera* Var. *Eburnea*) Hasil Proses Enzimatis Menggunakan Daging Buah Nanas*. Universitas Airlangga.
- Andre, W. P. P., Ribeiro, W. L. C., Cavalcante, G. S., Santos, J. M. L. dos, Macedo, I. T. F., Paula, H. C. B. de, De Freitas, R. M., De Moraes, S. M., Melo, J. V. de, & Bevilaqua, C. M. L. (2016). Comparative efficacy and toxic effects of carvacryl acetate and carvacrol on

- sheep gastrointestinal nematodes and mice. *Veterinary Parasitology*, 218, 52–58.  
<https://doi.org/10.1016/j.vetpar.2016.01.001>
- Angulo-Cubillán, F., García-Coiradas, L., Alunda, J., Cuquerella, M., & De La Fuente, C. (2010). Biological characterization and pathogenicity of three *Haemonchus contortus* isolates in primary infections in lambs. *Veterinary Parasitology*, 171(1–2), 99–105.
- Arifin, K., Kusnoto, K., Yudhana, A., Sunarso, A., Purnama, M. T. E., & Praja, R. N. (2019). Prevalensi Haemonchiasis Pada Kambing Peranakan Etawah di Kecamatan Kalipuro, Banyuwangi. *Jurnal Medik Veteriner*, 2(2), 108.
- Aumont, G., Gruner, L., & Hostache, G. (2003). Comparison of the resistance to sympatric and allopatric isolates of *Haemonchus contortus* of Black Belly sheep in Guadeloupe (FWI) and of INRA 401 sheep in France. *Veterinary Parasitology*, 116(2), 139–150.
- Baihaqi, Z. A., Widiyono, I., Angeles, A. A., Suwignyo, B., & Nurcahyo, W. (2023). Anthelmintic activity of *Carica pubescens* aqueous seed extract and its effects on rumen fermentation and methane reduction in Indonesian thin-tailed sheep: An in vitro study. *Veterinary World*, 1421–1428. <https://doi.org/10.14202/vetworld.2023.1421-1428>
- Baihaqi, Z. A., Widiyono, I., & Nurcahyo, W. (2020). In vitro anthelmintic activity of aqueous and ethanol extracts of *Paraserianthes falcataria* bark waste against *Haemonchus contortus* obtained from a local slaughterhouse in Indonesia. *Veterinary World*, 13(8), 1549.
- Baihaqi, Z., Nurcahyo, W., & Widiyono, I. (2020). Prevalence naturally infected gastrointestinal parasites and complete blood count condition on Wonosobo sheep at Wonosobo District, Central Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(7).
- Ballent, M., Maté, M. L., Dominguez, P., Virkel, G., Albérich, M., Lespine, A., Lanusse, C., & Lifschitz, A. L. (2019). Assessment of the long-acting ivermectin formulation in sheep: Further insight into potential pharmacokinetic interactions. *Journal of Veterinary Pharmacology and Therapeutics*, 42(2), 189–196.
- Balqis, U., Hambal, M., Rinidar, Athaillah, F., Ismail, Azhar, Vanda, H., & Darmawi. (2017). Cuticular surface damage of *Ascaridia galli* adult worms treated with *Veitchia merrillii* betel nuts extract in vitro. *Veterinary World*, 10(7), 732–737. <https://doi.org/10.14202/vetworld.2017.732-737>
- Barone, C. D., Zajac, A. M., Manzi-Smith, L. A., Howell, A. B., Reed, J. D., Krueger, C. G., & Petersson, K. H. (2018). Anthelmintic efficacy of cranberry vine extracts on ovine *Haemonchus contortus*. *Veterinary Parasitology*, 253, 122–129. <https://doi.org/10.1016/j.vetpar.2018.02.016>

- Barrère, V., Keller, K., von Samson-Himmelstjerna, G., & Prichard, R. K. (2013). Efficiency of a genetic test to detect benzimidazole resistant *Haemonchus contortus* nematodes in sheep farms in Quebec, Canada. *Parasitology International*, 62(5), 464–470.
- Basyoni, M. M. A., & Rizk, E. M. A. (2016). Nematodes ultrastructure: Complex systems and processes. *Journal of Parasitic Diseases*, 40(4), 1130–1140. <https://doi.org/10.1007/s12639-015-0707-8>
- Besier, R., Kahn, L., Sargison, N., & Van Wyk, J. A. (2016). The pathophysiology, ecology and epidemiology of *Haemonchus contortus* infection in small ruminants. *Advances in Parasitology*, 93, 95–143.
- Bordoloi, G., Jas, R., & Ghosh, J. (2012). Changes in the haemato-biochemical pattern due to experimentally induced haemonchosis in Sahabadi sheep. *Journal of Parasitic Diseases*, 36, 101–105.
- Borges, D. G. L., de Araújo, M. A., Carollo, C. A., Carollo, A. R. H., Lifschitz, A., Conde, M. H., de Freitas, M. G., dos Santos Freire, Z., Tutija, J. F., & Nakatani, M. T. M. (2020). Combination of quercetin and ivermectin: In vitro and in vivo effects against *Haemonchus contortus*. *Acta Tropica*, 201, 105213.
- Botura, M. B., dos Santos, J. D. G., da Silva, G. D., de Lima, H. G., de Oliveira, J. V. A., de Almeida, M. A. O., Batatinha, M. J. M., & Branco, A. (2013). In vitro ovicidal and larvicidal activity of *Agave sisalana* Perr.(sisal) on gastrointestinal nematodes of goats. *Veterinary Parasitology*, 192(1–3), 211–217.
- Cabardo, D. E., & Portugaliza, H. P. (2017). Anthelmintic activity of *Moringa oleifera* seed aqueous and ethanolic extracts against *Haemonchus contortus* eggs and third stage larvae. *International Journal of Veterinary Science and Medicine*, 5(1), 30–34. <https://doi.org/10.1016/j.ijvsm.2017.02.001>
- Cabrera-Manzano, A., Osorio-Osorio, R., Hernández-Becerra, J. A., De La Cruz-Zapata, G., Cruz-Hernández, A., & Chay-Canul, A. J. (2024). Acaricidal activity of ethanolic leaf extracts of medicinal and culinary plants against *Raoiella indica* Hirst (Acari: Tenuipalpidae). *Revista de La Sociedad Entomológica Argentina*, 83(02), 40–46. <https://doi.org/10.25085/rsea.830205>
- Calvete, C., González, J. M., Ferrer, L. M., Ramos, J. J., Lacasta, D., Delgado, I., & Uriarte, J. (2020). Assessment of targeted selective treatment criteria to control subclinical gastrointestinal nematode infections on sheep farms. *Veterinary Parasitology*, 277, 109018.
- Chambers, E., Ryan, L. A., Hoey, E. M., Trudgett, A., McFerran, N. V., Fairweather, I., & Timson, D. J. (2010). Liver fluke  $\beta$ -tubulin isotype 2 binds albendazole and is thus a probable

target of this drug. *Parasitology Research*, 107(5), 1257–1264.  
<https://doi.org/10.1007/s00436-010-1997-5>

Costa, C. N. C., Bevilaqua, C. M. L., Morais, S. M. D., Oliviera, L. M. B. D., Camurça-Vasconcelos, A. L. F., Maciel, M. D. F., & Lima, K. S. B. D. (2011). Ovicidal and larvicidal activity of *Cocos nucifera* l. Extracts on *Haemonchus contortus*. *Ciência Animal*, 21(2), 87–95.

Davuluri, T., Chennuru, S., Pathipati, M., Krovvidi, S., & Rao, G. S. (2020). In Vitro Anthelmintic Activity of Three Tropical Plant Extracts on *Haemonchus contortus*. *Acta Parasitologica*, 65(1), 11–18. <https://doi.org/10.2478/s11686-019-00116-x>

De Jesús-Martínez, X., Rivero-Pérez, N., Zamilpa, A., González-Cortazar, M., Olivares-Pérez, J., Zaragoza-Bastida, A., Mendoza-de Gives, P., Villa-Mancera, A., & Olmedo-Juárez, A. (2024). In vitro ovicidal and larvicidal activity of a hydroalcoholic extract and its fractions from *Cyrtocarpa procera* fruits on *Haemonchus contortus*. *Experimental Parasitology*, 262, 108777. <https://doi.org/10.1016/j.exppara.2024.108777>

dos Santos, J. M. L., Monteiro, J. P., Ribeiro, W. L. C., Macedo, I. T. F., de Araújo Filho, J. V., Andre, W. P. P., Araújo, P. R. M., Vasconcelos, J. F., de Freitas, E. P., & Camurça-Vasconcelos, A. L. F. (2017). High levels of benzimidazole resistance and  $\beta$ -tubulin isotype 1 SNP F167Y in *Haemonchus contortus* populations from Ceará State, Brazil. *Small Ruminant Research*, 146, 48–52.

Duarte, R. E., Duarte Matias, A., Almeida Bastos, G., Cordeiro Maia, R., Soares Martins, V., Maia Soares, A. C., Dos Santos Magaço, F., De Oliveira, N. J. F., & Dos Santos, T. A. X. (2019). Anthelmintic efficacy of trichlorfon and blood parameters of young lambs infected with *Haemonchus contortus*. *Veterinary Parasitology*, 272, 40–43. <https://doi.org/10.1016/j.vetpar.2019.06.015>

Ehrenreich, I. M., Bloom, J., Torabi, N., Wang, X., Jia, Y., & Kruglyak, L. (2012). Genetic architecture of highly complex chemical resistance traits across four yeast strains. *PLoS Genetics*, 8(3), e1002570.

El-Ashram, S., Al Nasr, I., Abouhajer, F., El-Kemary, M., Huang, G., Dinçel, G., Mehmood, R., Hu, M., & Suo, X. (2017). Microbial community and ovine host response varies with early and late stages of *Haemonchus contortus* infection. *Veterinary Research Communications*, 41(4), 263–277.

Elsayed, A. N., Badawy, A. I., Sarhan, M., & Abdel-Aziz, A. (2019). *Haemonchus longistipes* Railliet & Henry, 1909(Nematoda, Trichostrongyloidea) from dromedary, *Camelus dromedarius* (Artiodactyla, Camelidae). *Egypt: Prevalence and Comparative Assessment of Vulvar Morphology. Int. J. Biol. Res*, 4(3), 107–112.

- Emery, D. L., Hunt, P. W., & Le Jambre, L. F. (2016). *Haemonchus contortus*: The then and now, and where to from here? *International Journal for Parasitology*, 46(12), 755–769.
- Farhan, H., Rammal, H., Hijazi, A., Hamad, H., Daher, A., Reda, M., & Badran, B. (2012). In vitro antioxidant activity of ethanolic and aqueous extracts from crude *Malva parviflora L.* grown in Lebanon. *Asian Journal of Pharmaceutical and Clinical Research*, 5(3), 234–238.
- Fazel, S., Hamidreza, M., Rouhollah, G., & Verdianrizi, M. (2010). Spectrophotometric determination of total alkaloids in some Iranian medicinal plants. *Journal of Applied Horticulture*, 12(1), 69–70.
- Flay, K. J., Hill, F. I., & Muguiro, D. H. (2022). A Review: *Haemonchus contortus* infection in pasture-based sheep production systems, with a focus on the pathogenesis of anaemia and changes in haematological parameters. *Animals*, 12(10), 1238.
- Freitas, L. A., Ferreira, R. E., Savegnago, R. P., Dórea, J. R., Stafuzza, N. B., Rosa, G. J., & Paz, C. C. (2023). Image analysis to automatically classify anemia based on Famacha score in sheep using ocular conjunctiva images. *Translational Animal Science*, 7(1), txad118.
- Gareh, A., Elhawary, N. M., Tahoun, A., Ramez, A. M., El-Shewehy, D. M., Elbaz, E., Khalifa, M. I., Alsharif, K. F., Khalifa, R. M., & Dyab, A. K. (2021). Epidemiological, morphological, and morphometric study on *Haemonchus* spp. Recovered from goats in Egypt. *Frontiers in Veterinary Science*, 8, 705619.
- Getachew, T., Dorchies, P., & Jacquiet, P. (2007). Trends and challenges in the effective and sustainable control of *Haemonchus contortus* infection in sheep. Review. *Parasite*, 14(1), 3–14.
- Gilleard, J., & Redman, E. (2016). Genetic diversity and population structure of *Haemonchus contortus*. *Advances in Parasitology*, 93, 31–68.
- Goel, V., Sharma, S., Chakroborty, N. K., Singla, L. D., & Choudhury, D. (2023). Targeting the nervous system of the parasitic worm, *Haemonchus contortus* with quercetin. *Heliyon*, 9(2).
- Gomes, D. C., de Lima, H. G., Vaz, A. V., Santos, N. S., Santos, F. O., Dias, Ê. R., Botura, M. B., Branco, A., & Batatinha, M. J. M. (2016). In vitro anthelmintic activity of the *Zizyphus joazeiro* bark against gastrointestinal nematodes of goats and its cytotoxicity on Vero cells. *Veterinary Parasitology*, 226, 10–16.
- Greiffer, L., Liebau, E., Herrmann, F. C., & Spiegler, V. (2022). Condensed tannins act as anthelmintics by increasing the rigidity of the nematode cuticle. *Scientific Reports*, 12(1), 18850.

- Hade, B. F., Al-Biatee, S. T., & Al-Rubaie, H. M. (2022). Traditional and molecular diagnosis of *Haemonchus contortus* in sheep in Babylon province, Iraq. *Iraqi Journal of Veterinary Sciences*, 36(2), 479–481. <https://doi.org/10.33899/ijvs.2021.130533.1842>
- Handayani, F., Apriliana, A., & Ariyanti, L. (2019). Perbandingan Metode Maserasi dan Refluks Terhadap Rendemen Ekstrak Daun Selutui Puka (*Tabernaemontana macrocarpa* Jack). *Jurnal Farmasi Galenika*, 6(1), 33–42.
- Handayani, R. S., Khaidir, K., Usnawiyah, U., & AlFitra, A. Y. (2023). Eksplorasi dan Karakterisasi Budidaya Tanaman Kelapa di Kecamatan Dewantara Kabupaten Aceh Utara. *Journal of Biodiesel Research and Innovation (Journal of BRAIN)*, 1(1), 35–40.
- Harder, A. (2016). The Biochemistry of *Haemonchus contortus* and Other Parasitic Nematodes. In *Advances in Parasitology* (Vol. 93, pp. 69–94). Elsevier. <https://doi.org/10.1016/bs.apar.2016.02.010>
- Haryuningtyas, D., & Artama, W. T. (2008). Analisis Sekuen Gen Tubulin- $\beta$  Isotipe 1 Cacing *Haemonchus contortus* Isolat Resisten terhadap Benzimidazole pada Domba di Indonesia. *Jurnal AgroBiogen*, 4(2), 45–50.
- Hooda, V., Sharma, G. N., Tyagi, N., & Hooda, A. (2012). Phytochemical and pharmacological profile of *Cocos nucifera*: An overview. *International Journal of Pharmacy & Therapeutics*, 3(2), 131–132.
- Indriati, D., Erista, Y. N., Widiyono, I., Baihaqi, Z. A., & Yanuartono, Y. (2025). In Vitro Anthelmintic Activity of *Tectona grandis* Linn. Leaves Nanoemulsion. *Journal of Animal Health and Production*, 13(2). <https://doi.org/10.17582/journal.jahp/2025/13.2.346.354>
- Ismail, H. F., Akhir, F. N. M., Othman, N., & Hara, H. (2024). Bioresources of Anticancer and Potential Medicinal Compound from Coconut Waste. *Journal of Advanced Research Design*, 119(1), 16–26.
- Jose, M., Cyriac, M. B., Pai, V., Varghese, I., & Shantaram, M. (2014). Antimicrobial properties of *Cocos nucifera* (coconut) husk: An extrapolation to oral health. *Journal of Natural Science, Biology, and Medicine*, 5(2), 359.
- Jouffroy, S., Bordes, L., Grisez, C., Sutra, J., Cazajous, T., Lafon, J., Dumont, N., Chastel, M., Vial-Novella, C., & Achard, D. (2023). First report of eprinomectin-resistant isolates of *Haemonchus contortus* in 5 dairy sheep farms from the Pyrénées Atlantiques département in France. *Parasitology*, 150(4), 365–373.
- Kandil, O., Shalaby, H. A., Hendawy, S. H., Abdelfattah, M. S., Sedky, D., Hassan, N. M., El Namaky, A. H., Ashry, H. M., Abu El Ezz, N. M., Mahmoud, M. S., & Mahmoud, A. A. (2023). In vitro and in vivo anthelmintic efficacy of condensed tannins extracted from

- the seeds of alfalfa (*Medicago sativa L.*) against *Haemonchus contortus* infection. *Iraqi Journal of Veterinary Sciences*, 37(1), 229–237. <https://doi.org/10.33899/ijvs.2022.133537.2247>
- Khan, H., Marya, Amin, S., Kamal, M. A., & Patel, S. (2018). Flavonoids as acetylcholinesterase inhibitors: Current therapeutic standing and future prospects. *Biomedicine & Pharmacotherapy*, 101, 860–870. <https://doi.org/10.1016/j.biopha.2018.03.007>
- Kotecha, J. L., & Ram, V. R. (2023). *Extraction and Identification of Phytochemicals in N-hexane and Methanol Extracts of Cocos Nucifera L. Leaves.*
- Kustantinah, K., Yusiati, L., Suwignyo, B., & Nurcahyo, R. (2024). In Vitro: Anthelmintic Activity of Aqueous Leaf Extract of *Indigofera tinctoria L* Againsts *Haemonchus contortus*. *MAJALAH ILMIAH PETERNAKAN Учреждения: Universitas Udayana*, 27(2), 105.
- Le Jambre, L. (1995). Relationship of blood loss to worm numbers, biomass and egg production in *Haemonchus* infected sheep. *International Journal for Parasitology*, 25(3), 269–273.
- Leathwick, D., Miller, C., Atkinson, D., Haack, N., Alexander, R., Oliver, A., Waghorn, T., Potter, J., & Sutherland, I. (2006). Drenching adult ewes: Implications of anthelmintic treatments pre-and post-lambing on the development of anthelmintic resistance. *New Zealand Veterinary Journal*, 54(6), 297–304.
- Lima, E., Sousa, C., Meneses, L., Ximenes, N., Júnior, S., Vasconcelos, G., Lima, N., Patrocínio, M. C. A., Macedo, D., & Vasconcelos, S. (2015). *Cocos nucifera (L.)*(Arecaceae): A phytochemical and pharmacological review. *Brazilian Journal of Medical and Biological Research*, 48, 953–964.
- Liu, H., Zeng, H., Yao, Q., Yuan, J., Zhang, Y., Qiu, D., Yang, X., Yang, H., & Liu, Z. (2012). *Steinernema glaseri* surface enolase: Molecular cloning, biological characterization, and role in host immune suppression. *Molecular and Biochemical Parasitology*, 185(2), 89–98. <https://doi.org/10.1016/j.molbiopara.2012.06.006>
- Liu, R.-M., Xu, P., Chen, Q., Feng, S., & Xie, Y. (2020). A multiple-targets alkaloid nuciferine overcomes paclitaxel-induced drug resistance in vitro and in vivo. *Phytomedicine*, 79, 153342.
- Ljungström, S., Melville, L., Skuce, P. J., & Höglund, J. (2018). Comparison of four diagnostic methods for detection and relative quantification of *Haemonchus contortus* eggs in feces samples. *Frontiers in Veterinary Science*, 4, 239.
- Maestrini, M., Tava, A., Mancini, S., Tedesco, D., & Perrucci, S. (2020). In Vitro Anthelmintic Activity of Saponins from *Medicago* spp. Against Sheep Gastrointestinal Nematodes. *Molecules*, 25(2), 242. <https://doi.org/10.3390/molecules25020242>

- Manjusa, A., & Pradeep, K. (2022). Herbal anthelmintic agents: A narrative review. *Journal of Traditional Chinese Medicine*, 42(4), 641.
- Mares, M. M., Abdel-Gaber, R., Murshed, M., Aljawdah, H., & Al-Quraishy, S. (2023). In vitro anthelmintic activity of *Croton tiglium* seeds extract on *Haemonchus contortus*. *Indian Journal of Animal Research*, 57(12), 1703–1706.
- Mariyam, D., Sosiawati, S. M., Santoso, K. P., Koedarto, S., Sarmanu, S., & Yudaniayanti, I. S. (2018). Prevalence of Nematodiasis in Omasum and Abomasum of Goats Slaughtered at Pegirian Surabaya Slaughter House Through Gastrointestinal Surgery Method. *Journal of Parasite Science*, 2(1), 45–50.
- Martínez-Ortíz-de-Montellano, C., Arroyo-López, C., Fourquaux, I., Torres-Acosta, J. F. J., Sandoval-Castro, C. A., & Hoste, H. (2013). Scanning electron microscopy of *Haemonchus contortus* exposed to tannin-rich plants under in vivo and in vitro conditions. *Experimental Parasitology*, 133(3), 281–286. <https://doi.org/10.1016/j.exppara.2012.11.024>
- Matheos, H. (2014). Aktivitas antioksidan dari ekstrak daun kayu bulan (*Pisonia alba*). *Pharmakon*, 3(3).
- Maurizio, A., Dotto, G., Tessarin, C., Beraldo, P., Franzo, G., & Cassini, R. (2025). Use of a Novel Real-Time PCR to Investigate Anthelmintic Efficacy Against *Haemonchus contortus* in Sheep and Goat Farms. *Veterinary Sciences*, 12(6), 569.
- Mravčáková, D., Komáromyová, M., Babják, M., Urda Dolinská, M., Königová, A., Petrič, D., Čobanová, K., Ślusarczyk, S., Cieslak, A., & Várady, M. (2020). Anthelmintic activity of wormwood (*Artemisia absinthium L.*) and mallow (*Malva sylvestris L.*) against *Haemonchus contortus* in sheep. *Animals*, 10(2), 219.
- Naeem, M., Iqbal, Z., & Roohi, N. (2021). Ovine haemonchosis: A review. *Tropical Animal Health and Production*, 53(1), 19.
- Nayak, A., Gayen, P., Saini, P., Maitra, S., & Sinha Babu, S. P. (2011). Albendazole induces apoptosis in adults and microfilariae of *Setaria cervi*. *Experimental Parasitology*, 128(3), 236–242. <https://doi.org/10.1016/j.exppara.2011.03.005>
- Nizami, M. S. A., Hossain, K. M., & Islam, M. S. (2019). PHYTOCHEMICAL SCREENING AND IN-VITRO ANTIOXIDANT AND ANTI-INFLAMMATORY POTENTIAL EVALUATIONS OF METHANOLIC EXTRACTS OF *COCOS NUCIFERA (L.)* LEAVES. *Universal Journal of Pharmaceutical Research*.
- Ogbuanu, C. C., L.N., N., Enugu State University of Science and Technology, Department of Industrial Chemistry, Faculty of Applied Natural Sciences, P.M.B. 01660, Enugu, Nigeria., C.N., E., University of Nigeria Enugu Campus, Centre for Environmental

- Management and Control., N.I., A., Department of Biochemistry, Tansian University, Umunya., J.T.C., O., & Department of Microbiology, Tansian University, Umunya, Anambra State, Nigeria. (2024). Phytochemical screening of coconut husk and potentials of its activated charcoal as a stomach acid adsorbent. *NEWPORT INTERNATIONAL JOURNAL OF SCIENTIFIC AND EXPERIMENTAL SCIENCES*, 4(3), 11–21. <https://doi.org/10.59298/NIJSES/2023/33.2.1161>
- Oliveira, L., Bevilaqua, C., Costa, C., Macedo, I., Barros, R., Rodrigues, A., Camurça-Vasconcelos, A., Morais, S., Lima, Y., & Vieira, L. (2009). Anthelmintic activity of *Cocos nucifera L.* against sheep gastrointestinal nematodes. *Veterinary Parasitology*, 159(1), 55–59.
- Oliveira, M. B., Valentim, I. B., Santos, T. R., Xavier, J. A., Ferro, J. N., Barreto, E. O., Santana, A. E., Melo, L. V., Bottoli, C. B., & Goulart, M. O. (2021). Photoprotective and antiglycation activities of non-toxic *Cocos nucifera* Linn.(Arecaceae) husk fiber ethanol extract and its phenol chemical composition. *Industrial Crops and Products*, 162, 113246.
- Parvin, S., Dey, A. R., Shohana, N. N., Anisuzzaman, Md., Rony, S. A., Akter, S., Talukder, H., & Alam, M. Z. (2023). Ex-vivo efficacy of commercially available anthelmintics against blood feeding stomach worm *Haemonchus contortus* of ruminants. *Journal of Parasitic Diseases*, 47(2), 250–256. <https://doi.org/10.1007/s12639-023-01565-y>
- Pitaksakulrat, O., Chaiyasaeng, M., Artchayasawat, A., Eamudomkarn, C., Boonmars, T., Kopolrat, K. Y., Prasopdee, S., Petney, T. N., Blair, D., & Sithithaworn, P. (2021). Genetic diversity and population structure of *Haemonchus contortus* in goats from Thailand. *Infection, Genetics and Evolution*, 95, 105021. <https://doi.org/10.1016/j.meegid.2021.105021>
- Prabowo, F. R. P. (2021). *POTENSI AIR KELAPA MUDA DAN AIR KELAPA OBAT DALAM MENGHAMBAT PERTUMBUHAN BAKTERI Methicillin-Resistant Staphylococcus aureus (MRSA) DENGAN METODE DILUSI.*
- Pramu, P., Nurcahyo, R. W., Prastowo, J., & Widiyono, I. (2025). Potential of secondary metabolite compounds of sweet potato (*Ipomoea batatas*) leaves as anthelmintic against *Haemonchus contortus*. *Open Veterinary Journal*, 15(11), 5538–5538.
- Pujari, P. S., Kokane, S. P., & Pharmacy, M. (2023). *COCONUT LEAVES: ANTIBACTERIAL & ANTIFUNGAL POTENTIAL.* 11(9).
- Putra, D. Y., Dewi, S. M., & Sidarta, E. (2019). Efek antimikroba air kelapa terhadap pertumbuhan bakteri *Salmonella typhi*. *Tarumanagara Medical Journal*, 1(2), 291–295.

- Rahayu, A., Prakoso, Y. A., & Palgunadi, B. U. (2023). Community Service Reports: Animal Health Education, Service, and Prevention of Helminthiasis in Livestock Based on Herbal Areca catechu in Desa Bodag, Kare, Madiun. *Indonesian Journal of Cultural and Community Development*, 14(3).
- Rahmanti, M. (2014). *PREVALENSI DAN DERAJAT INFEKSI CACING SALURAN PENCERNAAN KAMBING DI KECAMATAN RENGEL KABUPATEN TUBAN*.
- Ramdani, D., Yuniarti, E., Jayanegara, A., & Chaudhry, A. S. (2023). Roles of essential oils, polyphenols, and saponins of medicinal plants as natural additives and anthelmintics in ruminant diets: A systematic review. *Animals*, 13(4), 767.
- Ribeiro, W. L. C., Andre, W. P. P., Cavalcante, G. S., De Araújo-Filho, J. V., Santos, J. M. L., Macedo, I. T. F., De Melo, J. V., De Moraes, S. M., & Bevilaqua, C. M. L. (2017). Effects of *Spigelia anthelmia* decoction on sheep gastrointestinal nematodes. *Small Ruminant Research*, 153, 146–152. <https://doi.org/10.1016/j.smallrumres.2017.06.001>
- Ribeiro, W. L. C., & Vilela, V. L. R. (2023). Alternatives for the control of parasites to promote sustainable livestock. *Frontiers in Veterinary Science*, 9, 1097432.
- Rodiah, M., Nur Asma Fhadhila, Z., Kawasaki, N., Noor Asiah, H., & Aziah, M. (2018). Antioxidant activity of natural pigment from husk of coconut. *Pertanika Journal of Tropical Agricultural Science*, 41(1).
- Saccareau, M., Sallé, G., Robert-Granié, C., Duchemin, T., Jacquiet, P., Blanchard, A., Cabaret, J., & Moreno, C. R. (2017). Meta-analysis of the parasitic phase traits of *Haemonchus contortus* infection in sheep. *Parasites & Vectors*, 10(1), 201.
- Salgado, J. A., Cruz, L. V., Rocha, L. O. da, Sotomaior, C. S., Borges, T. D., & Santos, C. de P. (2019). Implication of the fecal egg count reduction test (FECRT) in sheep for better use of available drugs. *Revista Brasileira de Parasitologia Veterinária*, 28(4), 700–707.
- Salle, G., Doyle, S. R., Cortet, J., Cabaret, J., Berriman, M., Holroyd, N., & Cotton, J. A. (2019). The global diversity of *Haemonchus contortus* is shaped by human intervention and climate. *Nature Communications*, 10(1), 4811.
- Santos, A. C. V., Santos, F. O., Lima, H. G., Da Silva, G. D., Uzêda, R. S., Dias, Ê. R., Branco, A., Cardoso, K. V., David, J. M., & Botura, M. B. (2018). In vitro ovicidal and larvicidal activities of some saponins and flavonoids against parasitic nematodes of goats. *Parasitology*, 145(14), 1884–1889.
- Schwarz, E. M., Korhonen, P. K., Campbell, B. E., Young, N. D., Jex, A. R., Jabbar, A., Hall, R. S., Mondal, A., Howe, A. C., & Pell, J. (2013). The genome and developmental

transcriptome of the strongylid nematode *Haemonchus contortus*. *Genome Biology*, 14(8), R89.

- Sepúlveda-Vázquez, J., Lara-Del Rio, M. J., Vargas-Magaña, J. J., Quintal-Franco, J. A., Alcaraz-Romero, R. A., Ojeda-Chi, M. M., Rodríguez-Vivas, R. I., Mancilla-Montelongo, G., González-Pech, P. G., & de Jesús Torres-Acosta, J. F. (2021). Frequency of sheep farms with anthelmintic resistant gastrointestinal nematodes in the Mexican Yucatán peninsula. *Veterinary Parasitology: Regional Studies and Reports*, 24, 100549.
- Shehab, H. H., & Hassan, S. D. (2023). Detection of resistance against anti-helminths drugs in gastrointestinal nematodes of calves using fecal egg count reduction test FECRT. *Iraqi Journal of Veterinary Sciences*, 37(1), 283–288. <https://doi.org/10.33899/ijvs.2022.134037.2333>
- Singh, G., Singh, Rajeev, Verma, P. K., Singh, Rajiv, & Anand, A. (2016). Anthelmintic efficacy of aqueous extract of *Zanthoxylum armatum* DC. seeds against *Haemonchus contortus* of small ruminants. *Journal of Parasitic Diseases*, 40(2), 528–532. <https://doi.org/10.1007/s12639-014-0540-5>
- Singla, R. K., & Dubey, A. K. (2019). Phytochemical profiling, GC-MS analysis and  $\alpha$ -amylase inhibitory potential of ethanolic extract of *Cocos nucifera* linn. Endocarp. *Endocrine, Metabolic & Immune Disorders-Drug Targets (Formerly Current Drug Targets-Immune, Endocrine & Metabolic Disorders)*, 19(4), 419–442.
- Sungpradit, S., Leesombun, A., Chanakarn, C., Nakthong, C., & Boonmasawai, S. (2025). Anthelmintic effects of *Areca catechu* L.(Arecaceae) and *Piper betle* L.(Piperaceae) combination on adult *Haemonchus* spp.: A scanning electron microscopy study. *BMC Veterinary Research*, 21(1), 491.
- Taki, A. C., Byrne, J. J., Wang, T., Sleebs, B. E., Nguyen, N., Hall, R. S., Korhonen, P. K., Chang, B. C., Jackson, P., & Jabbar, A. (2021). High-throughput phenotypic assay to screen for anthelmintic activity on *Haemonchus contortus*. *Pharmaceuticals*, 14(7), 616.
- Tandi, J., Widodo, A., Yanuarty, R., Handayani, T. W., & Kanan, M. (2024). Phytochemicals, Antioxidant, and Antidiabetic Activities of Ethanol Extract of *Coleus atropurpureus* Benth. Leaves. *Rasayan J. Chem*, 17(2), 487–492.
- Taylor, N. M., De Jesús, R., Spadafora, R., Coronado, L. M., & Spadafora, C. (2020). Antiplasmodial activity of *Cocos nucifera* leaves in *Plasmodium berghei*-infected mice. *Journal of Parasitic Diseases*, 44(2), 305–313.
- Taylor, M. (2010). Parasitological examinations in sheep health management. *Small Ruminant Research*, 92(1–3), 120–125.

- Tehrani, M. H., SHEMSHADI, B., SHAYAN, P., SHIRALI, S., & PANAHI, N. (2024). PCR-RFLP STUDY ON DRUG RESISTANCE OF HAEMONCHUS CONTORTUS TO BENZIMIDAZOLE IN SHEEP, NORTH REGION OF IRAN. *Bulgarian Journal of Veterinary Medicine*, 27(1).
- Temikotan, T., Daniels, A., & Adeoye, A. (2021). Phytochemical properties and antibacterial analysis of aqueous and alcoholic extracts of coconut husk against selected bacteria. *Funksec Here*, 3(2), 95–103.
- Teng, B., Wu, J., & Chen, W. (2017). Penetration of the polyflavonoids and simple phenolics: A mechanistic investigation of vegetable tanning. *Journal of the American Leather Chemists Association*, 112(12), 420–427.
- Trasia, R. F. (2023). Epidemiological Review: Mapping Cases and Prevalence of Helminthiasis in Indonesia on 2020-2022. *International Islamic Medical Journal*, 4(2), 37–50.
- Upadhyaya, K., Hamidullah, H., Singh, K., Arun, A., Shukla, M., Srivastava, N., Ashraf, R., Sharma, A., Mahar, R., Shukla, S. K., Sarkar, J., Ramachandran, R., Lal, J., Konwar, R., & Tripathi, R. P. (2016). Identification of gallic acid based glycoconjugates as a novel tubulin polymerization inhibitors. *Organic & Biomolecular Chemistry*, 14(4), 1338–1358. <https://doi.org/10.1039/C5OB02113H>
- Vo, N. N. Q., Fukushima, E. O., & Muranaka, T. (2017). Structure and hemolytic activity relationships of triterpenoid saponins and sapogenins. *Journal of Natural Medicines*, 71(1), 50–58.
- Wang, C., Li, F., Zhang, Z., Yang, X., Ahmad, A. A., Li, X., Du, A., & Hu, M. (2017). Recent research progress in China on *Haemonchus contortus*. *Frontiers in Microbiology*, 8, 1509.
- Widiarso, B. P., Kurniasih, K., Prastowo, J., & Nurcahyo, W. (2018). Morphology and morphometry of *Haemonchus contortus* exposed to *Gigantochloa apus* crude aqueous extract. *Veterinary World*, 11(7), 921–925. <https://doi.org/10.14202/vetworld.2018.921-925>
- Wirawan, I. G. K. O., Yuliani, N. S., Toelle, N. N., & Suryawati, . (2022). Perkembangan Telur Cacing *Haemonchus contortus* Menjadi Larva Stadium Pertama pada Media Air Secara In Situ. *Buletin Veteriner Udayana*, 759. <https://doi.org/10.24843/bulvet.2022.v14.i06.p20>
- Zajac, A. M., & Garza, J. (2020). Biology, epidemiology, and control of gastrointestinal nematodes of small ruminants. *Veterinary Clinics of North America: Food Animal Practice*, 36(1), 73–87.
- Zamilpa, A., García-Alanís, C., López-Arellano, M., Hernández-Velázquez, V., Valladares-Cisneros, M., Salinas-Sánchez, D., & Mendoza-de Gives, P. (2019). In vitro nematicidal

effect of *Chenopodium ambrosioides* and *Castela tortuosa* n-hexane extracts against *Haemonchus contortus* (Nematoda) and their anthelmintic effect in gerbils. *Journal of Helminthology*, 93(4), 434–439.