

DAFTAR PUSTAKA

- Agustina, M., Rimbawan, R., Setiawan, B., Herminati, A., 2021. Pengaruh pemberian diet rendah protein dan restriksi pakan pada pertumbuhan dan protein serum tikus lepas sapih. *Nutri-Sains: Jurnal Gizi, Pangan dan Aplikasinya*. 5(1):1–14. Available at : <https://doi.org/10.21580/ns.2021.5.1.4653>
- Ahmad, F., Megia, R. and Poerba, Y.S. (2014). Genetic Diversity of *Musa balbisiana* Colla in Indonesia Based on AFLP Marker. *Hayati Journal of Biosciences*, 21(1), pp. 39–47. Available at: <https://doi.org/10.4308/hjb.21.1.39>.
- Ampong, I., Watkins, A., Gutierrez-Merino, J., Ikwuobe, J., Griffiths, H.R. (2020) Dietary protein insufficiency: an important consideration in fatty liver disease?. *British Journal of Nutrition*, 123(6), pp 601–609. Available at: [doi:10.1017/S0007114519003064](https://doi.org/10.1017/S0007114519003064).
- Bergmans, R.S., Nikodemova, M., Stull, V.J., Rapp, A., Malecki, K., 2020. Comparison of cricket diet with peanut-based and milk-based diets in the recovery from protein malnutrition in mice and the impact on growth, metabolism and immune function. *PLoS ONE*. 15:1–16.
- Black, R. E., Victora, C. G., Walker, S. P., Bhutta, Z. A., Christian, P., de Onis, M., Uauy, R. (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. *The Lancet*, 382(9890), pp 427–451. Available at: [https://doi.org/10.1016/S0140-6736\(13\)60937-X](https://doi.org/10.1016/S0140-6736(13)60937-X).
- Bobrovnikova, E., Hatzivassiliou, G., Grigoriadou, C., Romero, M., Cavener, D.R., Diehl, J.A., (2008). PERK-dependent regulation of lipogenesis during mouse mammary gland development and adipocyte differentiation. *Proc Natl Acad Sci U S A*, 105(42), pp 16314–16319. Available at: [doi:10.1073/pnas.0808517105](https://doi.org/10.1073/pnas.0808517105).
- Borborah, K., Borthakur, S.K. and Tanti, B. (2016). *Musa balbisiana* Colla-Taxonomy, Traditional knowledge and economic potentialities of the plant in Assam, India. *Indian Journal of Traditional Knowledge*, 15(1), pp. 116–120.
- Brito, M.V.H., Pantoja, M.D.S., Brito, A.P.O., Palheta, C. da S.A., Da Silva, M.P. & Da Silva, W.C. (2016). Experimental malnutrition : A Systematic Review. *Integrative Food, Nutrition and Metabolism*, 3(3), pp. 305–308. Available at: <https://doi.org/10.15761/IFNM.1000148>.
- Cederholm, T., Jensen, G. L., Correia, M. I. T. D., Gonzalez, M. C., Fukushima, R., Higashiguchi, T., Compher, C. (2019). GLIM criteria for the diagnosis of malnutrition: A consensus report from the global clinical nutrition community. *Clinical Nutrition*, 38(1), pp 1–9. Available at: <https://doi.org/10.1016/j.clnu.2018.08.002>.
- Chen, P., Chen, C., Hu, M., Cui, R., Liu, F., Yu, H., & Ren, Y. (2020). S-allyl-L-cysteine protects hepatocytes from indomethacin-induced apoptosis by attenuating endoplasmic reticulum stress. *FEBS Open Bio*, 10(9), pp 1787–1796. Available at: <https://doi.org/10.1002/2211-5463.12945>.
- Chang, P. V., Hao, L., Offermanns, S., & Medzhitov, R. (2014). The microbial metabolite butyrate regulates intestinal macrophage function via histone deacetylase inhibition. *Proceedings of the National Academy of Sciences of the United States of America*, 111(6), 2247–2252. <https://doi.org/10.1073/pnas.1322269111>

- Demers, N.D., Riccio, V., Jo, D.S., Bhandari, S., Law, K.B., Liao, W., (2023). PEX13 prevents pexophagy by regulating ubiquitinated PEX5 and peroxisomal ROS. *Autophagy*, 19(6), pp 1781–1802. Available at doi:10.1080/15548627.2022.2160566.
- Dalvi, P. S., Yang, S., Swain, N., Kim, J., Saha, S., Bourdon, C., Bandsma, R. H. J. (2018). Long-term metabolic effects of malnutrition: Liver steatosis and insulin resistance following early-life protein restriction. *PLoS ONE*, 13(7), e0199916. Available at: <https://doi.org/10.1371/journal.pone.0199916>.
- de Onis, M., Borghi, E., Arimond, M., Webb, P., Crof, T., Saha, K. (2019). Prevalence thresholds for wasting, overweight and stunting in children under 5 years. *Public Health Nutrition*. 22(1), pp 175–179. Available at: doi:10.1017/S1368980018002434.
- Ding, J., Liu, J., Chen, J., Cheng, X., Cao, H., Guo, X., Hu, G., & Zhuang, Y. (2024). Sodium butyrate alleviates free fatty acid-induced steatosis in primary chicken hepatocytes via the AMPK/PPAR α pathway. *Poultry Science*, 103(4), 103482. Available at: <https://doi.org/10.1016/j.psj.2024.103482>.
- Dipasquale, V., Cucinotta, U., Romano, C., (2020). Acute malnutrition in children: Pathophysiology, clinical effects and treatment. *Nutrients*, 12(8), 2413. Available at: <https://doi.org/10.3390/nu12082413>
- Dostal, A., Lacroix, C., Bircher, L., Pham, V. T., Follador, R., Zimmermann, M. B., & Chassard, C. (2015). Iron modulates butyrate production by a child gut microbiota in vitro. *mBio*, 6(6), e01453-15. <https://doi.org/10.1128/mBio.01453-15>
- Dukhi, N., (2020). Global prevalence of malnutrition : Efidence from literature. *Malnutrition* , 1(6), pp 81-97.
- D’Souza, V., Madhura, R.J., Shetty, M., Varsha, A., Chakraborty, Kumar B.M., et al. (2023). Protein Malnutrition in BALB/c Mice: An Experimental Model Resembling Clinical Scenario. *Journal of Health and Allied Sciences NU*, 13(04), pp. 490–496. Available at: <https://doi.org/10.1055/s-0042-1758526>.
- Edyanto, A.S., Huriyati, E., Ainun, N., Nurrahma, B.A. and Farmawati Arta. (2023). Iron-fortified klutuk banana (*Musa balbisiana Colla*) flour supplementation prevented growth failure by suppressing FGF21 in malnourished rats. *Nutrition & Food Scienc [Preprint]*. Available at: <https://doi.org/10.1108/NFS-05-2022-0165>.
- Estrela, D., Lemes, C., Guimarães, A., Malafaia, G., 2014. Effects of short-term malnutrition in rats. *Scientia Plena*. 10(7):1–13.
- Fang, J., Yu, C.-H., Li, X.-J., Yao, J.-M., Fang, Z.-Y., Yoon, S.-H., & Yu, W.-Y. (2022). Gut dysbiosis in nonalcoholic fatty liver disease: Pathogenesis, diagnosis, and therapeutic implications. *Frontiers in Cellular and Infection Microbiology*, 12, Article 997018. Available at: <https://doi.org/10.3389/fcimb.2022.997018>.
- Farmawati, A., Huriyati, E., Nisa, A., Edyanto , A. S., & Nurrahma, B. A. (2024). Potensi tepung pisang klutuk terfortifikasi besi sebagai alternatif pangan fungsional: kajian kandungan gizi, mikrobiologi, organoleptik, dan umur simpan. Dalam S. Widowati, & R. A. Nurfitriani (Ed.), *Diversifikasi Pangan Lokal untuk Ketahanan Pangan: Perspektif Teknologi dan Peningkatan Nilai*

- Tambah (101–132). Penerbit BRIN. DOI: 10.55981/brin.1587.c1217 E-ISBN: 978-602-6303-39-4.
- Ferreira-Paes, T., Seixas-Costa, P., & Almeida-Amaral, E. E. (2021). Validation of a feed protocol in a mouse model that mimics marasmic malnutrition. *Frontiers in Veterinary Science*, 8, 757136. <https://doi.org/10.3389/fvets.2021.757136>
- Gentile, C.L., Frye, M., Pagliassotti, M.J., (2011). Endoplasmic reticulum stress and the unfolded protein response in nonalcoholic fatty liver disease. *Antioxid Redox Signal*. 15(2), pp 505–521. Available at doi:10.1089/ars.2010.3790.
- Gurumayum, N., Khound, P. and Devi, R. (2024). *Musa balbisiana* seed ameliorates methylglyoxal- induced oxidative stress and advanced glycation end-product formation via modulation of RAGE expression and SIRT1/PGC-1 α /TFAM activation in HepG2 cells. *Food Bioscience*, 60, p. 104415. Available at: <https://doi.org/10.1016/j.fbio.2024.104415>.
- Hastuti, H., 2021. Pisang Batu *Musa Balbisana Colla* : Kajian Botani dan Pemanfaatannya. *EduMatSains : Jurnal Pendidikan, Matematika dan Sains*, 5(2), pp.249–262.
- Heeren, J., & Scheja, L. (2021). Metabolic-associated fatty liver disease and lipoprotein metabolism. *Molecular Metabolism*, 50, 101238. <https://doi.org/10.1016/j.molmet.2021.101238>
- Kammoun, H.L., Chabanon, H., Hainault, I., Luquet, S., Magnan, C., Koike, T., (2009). GRP78 expression inhibits insulin- and ER stress–induced SREBP-1c activation and reduces hepatic steatosis in mice. *J Clin Invest.*, 119(5), pp 1201–15. Available at: doi:10.1172/JCI37007.
- Karajibani, M., Montazerifar, F., Hosseini R., Suni F., Dashipour, A.R., Fadaaeimokhtarkanlo, M., (2021). The relationship between malnutrition and liver enzymes in hospitalized children in Zahedan: a case-control study. *Zahedan Journal Research Medical Sciences*. 23(1), pp. . Available at: <https://doi.org/10.5812/zjrms.102994>.
- Kemendes RI, 2023. Hasil Survei Status Gizi Indonesia, Kementerian Kesehatan RI.
- Kersten, S., (2014). Integrated physiology and systems biology of PPAR α . *Molecular Metabolism*, 3(4), pp 354–71. Available at: doi:10.1016/j.molmet.2014.02.002.
- Kilberg, M.S., Balasubramanian, M., Fu, L. and Shan, J. (2012). The Transcription Factor Network Associated With the Amino Acid Response in Mammalian Cells. *Advances in Nutrition*, 3(3), pp. 295–306. Available at: <https://doi.org/10.3945/an.112.001891>.
- Kujawowicz, K., Mironczuk-Chodakowska, I., & Witkowska, A. M. (2023). Sirtuin 1 as a potential biomarker of undernutrition in the elderly: A narrative review. *Critical Reviews in Food Science and Nutrition*, pp 1–22. Available at: <https://doi.org/10.1080/10408398.2023.2214208>
- Kumari, S., Katare, P.B., Elancheran, R., Nizami, H.L., Paramesha, B., Banerjee, S.K., et al. (2020). *Musa balbisiana* Fruit Rich in Polyphenols Attenuates Isoproterenol-Induced Cardiac Hypertrophy in Rats via Inhibition of Inflammation and Oxidative Stress. *Oxidative Medicine and Cellular Longevity*, 2020, pp. 1–14.

- Lee, J.N., Ya, J.. (2004). Proteolytic activation of sterol regulatory element-binding protein induced by cellular stress through depletion of Insig-1. *J Biological Chemistry*. 279(43), pp 45257–65. Available at: doi:10.1074/jbc.M408235200.
- Lin, X., Shi, Y., Cao, Y., Tan, X., Zeng, Y., Liao, D., et al. (2022). Sanguinarine protects against intestine injury in rats by regulating the NRF2/NF- κ B pathways. *Frontiers in pharmacology*, 13, p. 960140. Available at: <https://doi.org/10.3389/fphar.2022.960140>.
- Ling, P.R., Bistrrian, B.R., 2009. Comparison of the effects of food versus protein restriction on selected nutritional and inflammatory markers in rats. *Metabolism: Clinical and Experimental*. 58(6):835–842.
- Liu, C., Zhou, B., Meng, M., Hu, C., Xu, L., Lu, Y., et al. (2021). FOXA3 induction under endoplasmic reticulum stress contributes to non-alcoholic fatty liver disease. *Journal of Hepatology*, 75(1), 150–162. <https://doi.org/10.1016/j.jhep.2021.03.019>.
- Luo, M., Li, T., & Sang, H. (2023). The role of hypoxia-inducible factor 1 α in hepatic lipid metabolism. *Journal of Molecular Medicine*, 101(487–500). <https://doi.org/10.1007/s00109-023-02308-5>
- Mall, J.-P.G., Fart, F., Sabet, J.A., Lindqvist, C.M., Nestestog, R., Hegge, F.T., Keita, A.V., Brummer, R.J., Schoultz, I., 2020. Effects of Dietary Fibres on Acute Indomethacin-Induced Intestinal Hyperpermeability in the Elderly: A Randomised Placebo Controlled Parallel Clinical Trial. *Nutrients*, 12(7), p.1954.
- Mopuri, R., Kalyesubula, M., Rosov, A., Edery, N., Moallem, U., & Dvir, H. (2021). Improved Folch method for liver-fat quantification. *Frontiers in Veterinary Science*, 7, 594853. Available at: <https://doi.org/10.3389/fvets.2020.594853>.
- Moro, J. et al. 2021. Severe protein deficiency induces hepatic expression and systemic level of FGF21 but inhibits its hypothalamic expression in growing rats. *Scientific Reports*. 11(1):1–9.
- Naik, A.A., Patro, I.K., Patro, N., 2015. Slow physical growth, delayed reflex ontogeny, and permanent behavioral as well as cognitive impairments in rats following intra-generational protein malnutrition. *Frontiers in Neuroscience*. 9(DEC):1–18.
- Nandal, A., Ruiz, J. C., Subramanian, P., Ghimire-Rijal, S., Sinnamon, R. A., Stemmler, T. L., Bruick, R. K., & Philpott, C. C. (2011). Activation of the HIF prolyl hydroxylase by the iron chaperones PCBP1 and PCBP2. *Cell Metabolism*, 14(5), 647–657. <https://doi.org/10.1016/j.cmet.2011.08.015>
- Nassir, F., Rector, R. S., Hammoud, G. M., & Ibdah, J. A. (2015). Pathogenesis and prevention of hepatic steatosis. *Gastroenterology & Hepatology*, 11(3), pp 167-175.
- Ning, J., Hong, T., Ward, A., Pi, J., Liu, Z., Liu, H.Y., Cao, W.. (2011). Constitutive role for IRE1 α -XBP1 signaling pathway in the insulin-mediated hepatic lipogenic program. *Endocrinology*. 152(6), pp 2247–55. Available at : doi:10.1210/en.2010-1036.
- Ohlsson, C., Mohan, S., Sjögren, K., Tivesten, Å., Isgaard, J., Svensson, J. et al. (2009). The role of liver-derived insulin-like growth factor-I. *Endocrine*

- Reviews, 30(5), pp. 494–535. Available at: <https://doi.org/10.1210/er.2009-0010>.
- Park J., Kim M., Kang S., Jannasch A., Cooper B., Patterson J., Kim C. Asam lemak rantai pendek menginduksi efekor dan sel T pengatur dengan menekan histone deacetylases dan pengaturan jalur mTOR-S6K. *Imunol Mukosa*. 2015;8:80–93. doi: 10.1038/mi.2014.44.
- Parker, J. (2022). Pathophysiology Effects of Acute Malnutrition in Children. *Maternal and Pediatric Nutrition*, 7(6), p. 1.
- Pawlak, M., Lefebvre, P., & Staels, B. (2015). Molecular mechanism of PPAR α action and its impact on lipid metabolism, inflammation and fibrosis in non-alcoholic fatty liver disease. *Journal of Hepatology*, 62(3), pp 720–733. Available at: <https://doi.org/10.1016/j.jhep.2014.10.039>.
- Perron, N. R., & Brumaghim, J. L. (2009). A review of the antioxidant mechanisms of polyphenol compounds related to iron binding. *Cell Biochemistry and Biophysics*, 53(2), 75–100. <https://doi.org/10.1007/s12013-009-9043-x>
- Pezeshki, A. et al. 2016. Low protein diets produce divergent effects on energy balance. *Scientific Reports*. 6:1–13.
- Rutkowski, D.T., Kaufman, R.J., (2004). A trip to the ER: coping with stress. *Trends Cell Biology*, 14(1), pp 20–28. Available at doi:10.1016/j.tcb.2003.11.001.
- Sasaki, H. (2019). Whey protein intake modulates lipid metabolism by transcriptionally affecting PPARs and SREBP1c and their downstream enzymes in mice. *Food and Nutrition Sciences*, 10(9), 1045–1055. <https://doi.org/10.4236/fns.2019.109075>.
- Seck, N., Basse, I., Boiro, D., Keïta, Y., Thiam, L., Ndongo, A. A., & Diagne-Gueye, N. R., (2021). Management of severe acute malnutrition in a Senegalese paediatric hospital. *Open Journal of Pediatrics*, 11(2), pp 190–198. Available at: <https://doi.org/10.4236/ojped.2021.112019>.
- Sharma, V . and Patial, V . (2024). Insights into the molecular mechanisms of associated steatohepatitis : A review. 2023, pp. 2156–2173. Available at: <https://doi.org/10.1111/liv.15932>.
- Small, L., Nguyen, T.-V., Larance, M., Saunders, D. N., Hoy, A. J., Schmitz-Peiffer, C., Cooney, G. J., & Brandon, A. E. (2024). Liver proteomics identifies a disconnect between proteins associated with de novo lipogenesis and triglyceride storage. *Journal of Lipid Research*, 65(12), pp 100687. Available at: <https://doi.org/10.1016/j.jlr.2024.100687>.
- Suh, J.H., Kim, K.H., Conner, M.E., Moore, D.D., Preidis, G.A., (2022). Hepatic PPAR α is destabilized by SIRT1 deacetylase in undernourished male mice. *Front Nutrien*, 9:831879. Available at: doi:10.3389/fnut.2022.831879.
- Sulistyaningsih, L.D., Megia, R. and Widjaja, E.A. (2014). Two New Records of Wild Bananas (*Musa balbisiana* and *Musa itinerans*) from Sulawesi. *Makara Journal of Science*, 18(1), pp. 1–6. Available at: <https://doi.org/10.7454/mss.v18i1.3043>.
- Sun, B., Jia, Y., Hong, J., Sun, Q., Gao, S., Hu, Y., Zhao, N., & Zhao, R. (2018). Sodium Butyrate Ameliorates High-Fat-Diet-Induced Non-alcoholic Fatty Liver Disease through Peroxisome Proliferator-Activated Receptor α -Mediated Activation of β Oxidation and Suppression of Inflammation. *Journal*

- of Agricultural and Food Chemistry, 66(29), 7633–7642. Available at: <https://doi.org/10.1021/acs.jafc.8b01189>.
- Swargiary, A., Boro, H., Roy, M.K., Akram, M., Boro, H. and Akram, M. (2021). Phytochemistry and Pharmacological Property of *Musa balbisiana Colla* : A Mini-Review. *Pharmacognosy Reviews*, 15(29), pp. 91–95. Available at: <https://doi.org/10.5530/phrev.2021.15.x>.
- Todisco, S., Santarsiero, A., Convertini, P., De Stefano, G., Gilio, M., Iacobazzi, V., & Infantino, V. (2022). PPAR alpha as a metabolic modulator of the liver: Role in the pathogenesis of nonalcoholic steatohepatitis (NASH). *Biology*, 11(5), 792. Available at: <https://doi.org/10.3390/biology11050792>.
- Triawanti, Yunanto, A., Sanyoto, D., Nur'Amin H., 2018. Nutritional status improvement in Malnourished rat (*Rattus norvegicus*) after Seluang fish (*Rasbora spp.*) treatment. *Current Research in Nutrition and Food Science*. 6(1):127–134.
- United Nations Children’s Fund (UNICEF), World Health Organization (WHO), & World Bank Group. (2024). Levels and trends in child malnutrition: Joint Child Malnutrition Estimates (JME).
- Van Zutphen, T. Ciapaite, J., Bloks, V.W., Ackereley, C., Gerding, A., Bandsma, R.H.J. et al. (2016). Malnutrition-associated liver steatosis and ATP depletion is caused by peroxisomal and mitochondrial dysfunction. *Journal of Hepatology*, 65(6), pp. 1198–1208. Available at: <https://doi.org/10.1016/j.jhep.2016.05.046>.
- Veerabagu, M.P. et al. 1996. Mode of food intake reduction in Lewis rats with indomethacin-induced ulcerative ileitis. *Physiology and Behavior*. 60(2): 381–387.
- Yan, Y., Zhou, X., Guo, K., Zhou, F., Yang, H., 2020. Chlorogenic Acid Protects Against Indomethacin-Induced Inflammation and Mucosa Damage by Decreasing Bacteroides-Derived LPS. *Frontiers in Immunology*. 11:1–10.
- Yasmine, N., Aldrin, E., Permana, Y.S. & Farmawati, A. (2022). Literature Review Potensi Pisang Klutuk Terfortifikasi Fe dan *Lactobacillus* Sebagai Pangan Fungsional Penanganan Anemia. *Jurnal Dunia Gizi*, 5(2), pp. 43–53.
- Yokota, S.I., Ando, M., Aoyama, S., Nakamura, K. and Shibata, S. (2015). Leucine restores murine hepatic triglyceride accumulation induced by a low-protein diet by suppressing autophagy and excessive endoplasmic reticulum stress. *Amino Acids*, 48(4), pp. 1013–1021. Available at: <https://doi.org/10.1007/s00726-015-2149-0>.
- Zhao, Z.H., Wang, Z.X., Zhou, D., Han, Y., Ma, F., Hu, Z., (2021). Sodium butyrate supplementation inhibits hepatic steatosis by stimulating liver kinase B1 and insulin-induced gene. *Cellular Molecular Gastroenterology Hepatology*. 12(3), pp 858-874.
- Zhao, W., Wang, X., Nie, W., Jiang, M., Zhao, Y., Zhang, T., Ding, Y., (2024). Zhimu-Huangbai herb-pair ameliorates hepatic steatosis in mice by regulating IRE1 α /XBP1s pathway to inhibit SREBP-1c. *Phytomedicine*. 134:156017. Available at : <https://doi.org/10.1016/j.phymed.2024.156017>.