

## DAFTAR PUSTAKA

- Abbas, A.O., A.A. Alaqil, H.S. El-Beltagi, H.K. Abd El-Atty, and N.N. Kamel. 2020. Modulating laying hens productivity and immune performance in response to oxidative stress induced by *E. coli* challenge using dietary propolis supplementation. *Antioxidants* 9(9):893.
- Abdel-Moneim, A.M.E., N.M. Mesalam, B. Yang, and M.F. Elsadek. 2025. Dietary incorporation of biological curcumin nanoparticles improved growth performance, ileal architecture, antioxidative status, serum lipid profile, and humoral immune response of heat-stressed broiler chickens. *Poult. Sci.* 104(2):104740.
- Abdulkareem, Z.A., N.I. Mohammed, A. Abdollahi, O.R. Ahmed, O.R. Ghaffar, H.A. Khdir, D.A. Salam, S.A. Aziz, M.M. Mustafa, W.M. Mustafa, Z.A. Abas, and O.I. Abid. 2023. Effects of garlic, onion, and apple cider vinegar as a herbal mixture on performance and blood traits of broilers inoculated with chicken infectious anemia virus. *Heliyon* 9(7): e17768.
- Abed, I.S. and Al-Shukri, A.Y. 2024. Improving blood characteristics of broilers exposed to heat stress by diet supplemented with capsaicin and chili powder. . *IOP Conf. Ser.: Earth Environ. Sci.* 1371(7): 072044.
- Abou-Elkhair, R., S. Selim, and E. Hussein. 2018. Effect of supplementing layer hen diet with phytogenic feed additives on laying performance, egg quality, egg lipid peroxidation and blood biochemical constituents. *Anim. Nutr.* 4(4):394–400.
- Abou-Rjeileh, U. and G.A. Contreras. 2021. Redox regulation of lipid mobilization in adipose tissues. *Antioxidants* 10(7):1090.
- Aderemi, F., O. Alabi, and O. Ayoola. 2013. Evaluating pepper (*Capsicum annum*) and garlic (*Allium sativum*) on performance egg trait and serum parameters of old layers. *J. Biol. Agric. Healthc.* 3(7):90-96.
- Aderemi, F.A., and O.M. Alabi. 2023. Turmeric (*Curcuma longa*): an alternative to antibiotics in poultry nutrition. *Transl. Anim. Sci.* 7(1): txad133.
- Adil, S., and S. N. Magray. 2012. Impact and manipulation of gut microflora in poultry: a review. *J. Anim. Vet. Adv.* 11(6):873-877.
- Agboola, A.F., B.R. Omidwura, and J.O. Olurinola. 2017. Influence of four dietary oils on selected blood constituents in egg-type chickens. *J. Agric. Sci.* 62(3):251–263.
- Aggarwal, B. B., and B. Sung. 2009. Pharmacological basis for the role of curcumin in chronic diseases: an age-old spice with modern targets. *Trends Pharmacol. Sci.* 30(2):85-94.
- Aggarwal, B., and A. Chandra Bharti. 2003. Anticancer potential of curcumin: preclinical and clinical studies screening of herbs for its anticancer and antiviral activity view project. *Anticancer Res.* 23(1/A):363–398.

- Ahn, D., E. Park, S. Kim, K. H. Ku, J. H. Lim, and J. Lee. 2022. Capsaicinoid content and quality attributes of commercial red pepper powder according to the labeled pungency levels. *Food Sci. Preserv.* 29(6):907-917.
- Aikpitanyi, K. U., and J. A. Imasuen. 2023. Assessment of production performance and egg quality of commercial laying hens fed black pepper and red pepper additives. *Eur. J. Vet. Med.* 3(3):1-7.
- Aikpitanyi, K.U., and J.A. Imasuen. 2024. Evaluation of blood biochemical indices and egg yolk lipid profile in laying hens fed diets with black pepper and red pepper additives. *Eur. J. Vet. Med.* 4(6):1–9.
- Aispuro, J.A.M., J.L.F. Velasco, M.T. Sánchez-Torres, and J.L.C. Mora. 2020. Unconventional plants as a source of phytochemicals for broiler chicken. *Agro Prod.* 13(9):21-25.
- Ait-Kaki, A., Y. Chebli, S. El Otmani, and N. Moula. 2022. Effects of yellow mealworm larvae (*Tenebrio molitor*) and turmeric powder (*Curcuma*) on laying hens performance, physical, and nutritional eggs quality. *J. Indones. Trop. Anim. Agric.* 47(2).
- Akbarian, A., J. Michiels, J. Degroote, M. Majdeddin, A. Golian, and S. De Smet. 2016. Association between heat stress and oxidative stress in poultry; mitochondrial dysfunction and dietary interventions with phytochemicals. *J. Anim. Sci. Biotechnol.* 7(1):37.
- Akdemir, F.A.T.İ.H., and K. Sahin. 2009. Genistein supplementation to the quail: effects on egg production and egg yolk genistein, daidzein, and lipid peroxidation levels. *Poult. Sci.* 88(10):2125-2131.
- Akhtar, M., Y. Chen, Z. Ma, X. Zhang, D. Shi, J. A. Khan, and H. Liu. 2022. Gut microbiota-derived short chain fatty acids are potential mediators in gut inflammation. *Anim. Nutr.* 8:350-360
- Akinola, L.A.F., and J.O. Egwuanumku. 2017. Haematology and serum biochemistry of laying hens fed red pepper (*Capsicum annum* L.) as feed additive. *Niger. J. Anim. Sci.* 19(1):127–134.
- Akinyemi, A.J., N. Onyebueke, O.A. Faboya, S.A. Onikanni, A. Fadaka, and I. Olayide. 2017. Curcumin inhibits adenosine deaminase and arginase activities in cadmium-induced renal toxicity in rat kidney. *J. Food Drug Anal.* 25(2):438–446.
- Akter, J., M.A. Hossain, K. Takara, M.Z. Islam, and D.X. Hou. 2019. Antioxidant activity of different species and varieties of turmeric (*Curcuma* spp): Isolation of active compounds. *Comp. Biochem. Physiol. C: Toxicol. Pharmacol.* 215:9–17.
- Akter, S., M.G. Rasul, M. Zakaria, M.M. Sarker, I.S. Nila, S. Dutta, M.M. Haque, and M.M. Rohman. 2018. Effect of polyamine on pigmentation, reactive oxidative species and antioxidant under drought in maize (*Zea mays* L.). *Turk. J. Agric.-Food Sci. Technol.* 6(7):799-811.

- Al-Doori, A.A., K.S. Sarheed, A.A. Allaw, A.A. Al-Mjbel, H.A. Abed, and M.N. Musafar. 2024. Effect of adding red pepper powder on meat quality characteristics in broilers without adding antibiotics or vaccines. IOP Conf. Ser.: Earth Environ. Sci. 1371(7):072040
- Al-Harhi, M.A. 2004. Responses of laying hens to different levels of amoxicillin, hot pepper or green tea and their effects on productive performance, egg quality and chemical composition of yolk and blood plasma constituents. Egypt. Poult. Sci. 24:845–868.
- Al-Harhi, M.A. 2004. Responses of laying hens to different levels of amoxicillin, hot pepper or green tea and their effects on productive performance, egg quality and chemical composition of yolk and blood plasma constituents. Egypt. Poult. Sci. 24:845–868.
- Al-Harhi, M.A. 2014. The effect of natural and synthetic antioxidants on performance, egg quality and blood constituents of laying hens grown under high ambient temperature. Ital. J. Anim. Sci. 13(2):3239.
- Ali, W.A.H., A.M.H. Ahmed, and H.E. El-Gabry. 2016. Effects of capsaicin supplementation on productive and physiological performance of Pekin ducks during summer season. Egypt. J. Nutr. Feeds 19(3):549-561.
- Allahverdi, A., A. Feizi, H. A. Takhtfooladi, and H. Nikpiran. 2013. Effects of heat stress on acid-base imbalance, plasma calcium concentration, egg production and egg quality in commercial layers. Glob. Vet. 10(2):203-207.
- Allemand, A., B.F. Leonardi, A.R. Zimmer, S. Moreno, P.R.T. Romao, and G. Gosmann. 2016. Red pepper (*Capsicum baccatum*) extracts present anti-inflammatory effects in vivo and inhibit the production of TNF-alpha and NO in vitro . J. Med. Food 19(8):759-767.
- Al-Shukri, A.Y.A. 2001. The effect of adding vitamin C to drinking water and fasting on some productive and physiological traits of broilers raised at high temperatures. College of Agriculture, University of Baghdad.
- Al-Sultan, S. I., and A. A. Gameel. 2004. Histopathological changes in the livers of broiler chicken supplemented with turmeric (*Curcuma longa*). Int. J. Poult. Sci. 3(5):333–336.
- Al-Suwailem, N.K., N.N. Kamel, A.O. Abbas, F.S. Nassar, H.S. Mohamed, G.F. Gouda, and H.M. Safaa. 2024. The impact of dietary Moringa oleifera leaf supplementation on stress markers, immune responses, and productivity in heat-stressed broilers. Int. J. Vet. Sci. 13(6):980-987.
- American Egg Board. History of Commercial Egg Production. Available online: <https://www.aeb.org/farmers-and-marketers/history-of-egg-production> (diakses 29 Januari 2026)

- Amevor, F.K., Z. Cui, X. Du, Z. Ning, X. Deng, D. Xu, Y. Wu, X. Cao, S. Wei, G. Shu, X. Han, Y. Tian, D. Li, Y. Wang, Y. Zhang, X. Du, Q. Zhu, and X. Zhao. 2022. Synergy between dietary quercetin and vitamin e supplementation in aged hen's diet improves hatching traits, embryo quality, and antioxidant capacity of chicks hatched from eggs subjected to prolonged storage. *Front. Physiol.* 13: 873551.
- Angkanaporn, K., T. Nampimoon, and S. Sirirut. 2024. Efficacy of a capsicum extract on growth, blood parameters and intestinal bacterial population of broilers. *Anim. Prod. Sci.* 64(5): AN23272.
- Anjomshoa, S., M. Namazian, and M.R. Noorbala. 2017. Is curcumin a good scavenger of reactive oxygen species? a computational investigation. *Theor. Chem. Acc.* 136(9):103.
- Aprilia, Y. I., N. Khuriyati, and A. C. Sukartiko. 2021. Classification of chili powder (*Capsicum annuum* L.) antioxidant activity based on near infrared spectra. *Food Res.* 5(S2):51-6.
- Arain, M. A., Z. Mei, F. U. Hassan, M. Saeed, M. Alagawany, A. H. Shar, and I. R. Rajput. 2018. Lycopene: A natural antioxidant for prevention of heat-induced oxidative stress in poultry. *World's Poult. Sci. J.* 74(1):89-100.
- Araujo, A., A. Rübben, P. J. Bentley, and D. Basanta. 2020. Testing three hypotheses of the contribution of geometry and migration dynamics to intestine crypt evolution. In: *ALIFE 2018 - 2018 Conference on Artificial Life: Beyond AI* (pp. 420–427).
- Arroyave-Ospina, J.C., Z. Wu, Y. Geng, and H. Moshage. 2021. Role of oxidative stress in the pathogenesis of non-alcoholic fatty liver disease: Implications for prevention and therapy. *Antioxidants* 10(2):174.
- Ashayerizadeh, O., B. Dastar, M. Shams Shargh, A. E. Soumeh, and V. Jazi. 2023. Effects of black pepper and turmeric powder on growth performance, gut health, meat quality, and fatty acid profile of Japanese quail. *Front. Physiol.* 14:1218850.
- Attia, F. M. 2018. The influence of supplementing chamomile and turmeric powder on productive performance and egg quality of laying hens. *Egypt. Poult. Sci. J.* 38(2):451-463.
- Ávila, D.L., W. Fernandes-Braga, J.L. Silva, E.A. Santos, G. Campos, P.C.L. Leocádio, L.S.A. Capettini, E.C. Aguilar, and J.I. Alvarez-Leite. 2024. Capsaicin improves systemic inflammation, atherosclerosis, and macrophage-derived foam cells by stimulating PPAR gamma and TRPV1 receptors. *Nutrients* 16(18):3167.
- Awobona, E. O., K. E. Akande, and A. T. Ijaiya. 2024. Evaluation of turmeric (*Curcuma longa*) as a potent natural antioxidant for poultry. *Nig. J. Anim. Prod.* 1241–1243.

- Ayala, A., M. F. Muñoz, and S. Argüelles. 2014. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxid. Med. Cell Longev.* 2014(1):360438.
- Ayeni, A. O., A. E. Oladedun, and J. O. Agbede. 2020. Performance and egg qualities of old-laying hens fed with diets containing selected phytogetic feed additives. *J. Food, Nutr. Agric.* 3:19–25.
- Ayodele, A.D., G.O. Tayo, M.D. Olumide, O.A. Adeyemi, and A.S. Akanbi. 2021. Haematological and serum biochemical responses of pullet chicks fed diets containing single and combined levels of turmeric and clove. *Niger. J. Anim. Prod.* 48(3):71–85.
- Azeez, O. I., A. A. Oyagbemi, and J. O. Oyewale. 2011. Erythrocyte membrane stability after transportation stress in the domestic chicken as modulated by pretreatment with vitamins C and E. *J. Anim. Vet. Adv.* 10(10): 1273–1277.
- Azouz, H.M.M., S.S. Gadelrab, M.M. Beshara, Z.M. Desouki, and S.A. Shazly. 2019. Effects of dietary turmeric and hot pepper powder supplementation on productive performance of local laying hens. *Egypt. Poult. Sci. J.* 39(4):935-951.
- Badan Pusat Statistik. 2022. Laju Pertumbuhan Penduduk 2020-2022. Jakarta.
- Badan Pusat Statistik. Peternakan Dalam Angka Tahun 2022. Jakarta
- Bae, H., G.K. Jayaprakasha, J. Jifon, and B.S. Patil. 2012. Extraction efficiency and validation of an HPLC method for flavonoid analysis in peppers. *Food Chem.* 130(3):751–758.
- Bai, K., E. Hao, C. X. Huang, Q. X. Yue, D. H. Wang, L. Shi, Y. F. Chen, H. Chen, and R. L. Huang. 2023. Melatonin alleviates ovarian function damage and oxidative stress induced by dexamethasone in the laying hens through FOXO1 signaling pathway. *Poult. Sci.* 102(8):102745.
- Bala, D.A., E.R.D.A.L. Matur, E.E. Ekiz, I. Akyazi, E. Ergen, M. Erek, G.İ.Z.E.M. Atmaca, H. Eseceli, and M. Keten. 2020. Can dried tomato and red pepper powder be used as a dietary supplement to strengthen defence systems and production performance in laying hens? *Eur. Poult. Sci.* 84:1-15.
- Balogun, E., M. Hoque, P. Gong, E. Killeen, C. J. Green, R. Foresti, and R. Motterlini. 2003a. Curcumin activates the haem oxygenase-1 gene via regulation of Nrf2 and the antioxidant-responsive element. *Biochem. J.* 371(3):887-895.
- Balogun, E., R. Foresti, C. J. Green, and R. Motterlini. 2003b. Changes in temperature modulate heme oxygenase-1 induction by curcumin in renal epithelial cells. *Biochem. Biophys. Res. Commun.* 308(4):950-955.
- Barzegar, A. 2012. The role of electron-transfer and H-atom donation on the superb antioxidant activity and free radical reaction of curcumin. *Food Chem.* 135(3):1369-1376.

- Batkowska, J., K. Drabik, A. Brodacki, A. Czech, and A. Adamczuk. 2021. Fatty acids profile, cholesterol level and quality of table eggs from hens fed with the addition of linseed and soybean oil. *Food Chem.* 334: 127612.
- Bejdić, P., R. Avdić, L. Amidžić, V. Čutahija, F. Tandir, and N. Hadžiomerović. 2014. Developmental changes of lymphoid tissue in the Harderian gland of laying hens. *Mac. Vet. Rev.* 37(1):83-88.
- Beltran, J., A.K. Ghosh, and S. Basu. 2007. Immunotherapy of tumors with neuroimmune ligand capsaicin. *J. Immunol.* 178(5):3260-3264.
- Belvisi, M.G., D.J. Hele, and M.A. Birrell. 2006. Peroxisome proliferator-activated receptor gamma agonists as therapy for chronic airway inflammation. *Eur. J. Pharmacol.* 533(1-3):101-109.
- Bennoune, O., M. Melizi, K. Khazal, R. Bourouba, and A. Ayachi. 2009. Chicken heterophils: a model for non-oxidative antimicrobial activity. *World's Poult. Sci. J.* 65(4):625-632
- Berger, O.H. 2012. Free radicals: An overview. pp. 1–31. In *Oxidative Stress and the Critically Ill Patient*, R. Rodrigo and B. von Dessauer, eds. Nova Science Publishers, Inc., New York.
- Best, P. 2000. Health boosters from botany. *Feed Int.* 6:15–16.
- Bharath, B.R., T. Vasanthkumar, H. Manjunatha, and C. Bharath. 2017. Interaction of curcumin and capsaicin with LPS induced TRAF6 expression in peripheral blood mononuclear cells. *Medicinal Chem. Res.* 26(10):2399–2409.
- Bhaumick, D., S. Acharya, and T.K. Basu. 2008. The potential benefits if Saponin from Canadian-grown fenugreek (*Trigonella foenum-graecum* L.) in modifying cholesterol status. *World Heart J.* 1(3):263-269.
- Bideski, A., M. Karimi-Dehkordi, and M. Gholami-Ahangaran. 2023. Relationship between serum biochemical parameters and kidney lesions in broiler chickens with acute tubular necrosis. *Indian J. Anim. Sci.* 93(6):578–582.
- Binek, M., A.A. Cisek, M.R.D. Chrobak-Chmiel, I. Stefańska, and M. Kizerwetter-Świda. 2017. Chicken intestinal microbiome: *Dev. Func. Med. Weter.* 73(10):618-625.
- Biswas, S., and P.K. Shukla. 2023. A DFT study on the scavenging activity of curcumin toward methyl and ethyl radicals. *Mol. Simul.* 49(6):589-598.
- Blanco-Rios, A. K., L. A. Medina-Juarez, and N. Gamez-Meza. 2017. Drying and pickling on phenols, capsaicinoids, and free radical-scavenging activity in Anaheim and Jalapeño peppers. *Ciênc. Rural.* 47(9):e20160722.
- Bogucka, J., D. M. Ribeiro, M. Bogusławska-Tryk, A. Dankowiakowska, R. P. R. da Costa, and M. Bednarczyk. 2019. Microstructure of the small intestine in broiler chickens fed a diet with probiotic or synbiotic supplementation. *J. Anim. Physiol. Anim. Nutr.* 103(6):1785–1791.

- Borghain, R., J. G. Handique, A. K. Guha, and S. Pratihar. 2016. A theoretical study on antioxidant activity of ferulic acid and its ester derivatives. *J. Theor. Comput. Chem.* 15(04):1650028.
- Borsari, M., E. Ferrari, R. Grandi, and M. Saladini. 2002. Curcuminoids as potential new iron-chelating agents: spectroscopic, polarographic and potentiometric study on their Fe (III) complexing ability. *Inorganica Chim. Acta* 328(1):61–68.
- Bovšková, H., K. Míková, and Z. Panovská. 2014. Evaluation of egg yolk colour. *Czech J. Food Sci.* 32(3):213-217.
- Bråthen, V. S., D. B. Skomsø, and C. Bech. 2025. The Heterophil-to-Lymphocyte (H/L) ratio indicates varying physiological characteristics in nestlings compared to adults in a long-lived seabird. *Birds.* 6(1): 4.
- Brown, I. 2018. Proximal small intestine: Inflammatory patterns. pp. 191–214. In *Endoscopic Biopsy Interpretation: A Practical Guide*, M.P. Kumarasinghe and I. Brown, eds. Springer International Publishing, Cham.
- Buglak, A. A., and T. A. Telegina. 2025. Antioxidant properties of 34 alkaloids of natural origin: A density functional theory study. *Free Radic. Res.* 59(6-7):531-544.
- Bułdak, R.J., Ł. Bułdak, M. Kukla, A. Gabriel, and K. Żwirska-Korczala. 2014. Significance of selected antioxidant enzymes in cancer cell progression. *Pol. J. Pathol.* 65(3):167-175.
- Bulut, N., U. M. Koçyiğit, I. H. Gecibesler, T. Dastan, H. Karci, P. Taslimi, S. Durna Dastan, I. Gulcin, and A. Cetin. 2018. Synthesis of some novel pyridine compounds containing bis-1,2,4-triazole moiety and investigation of their antioxidant properties, carbonic anhydrase and acetylcholinesterase enzymes inhibition profiles. *J. Biochem. Mol. Toxicol.* 32(1): e22006.
- Campbell, T.W. and K.R. Grant. 2015. Hematologic Techniques for Quantitative Assessment in Birds. In *Exotic Animal Hematology and Cytology*, 4th ed., T.W. Campbell and K.R. Grant, eds. John Wiley and Sons, New Jersey.
- Cao, S., M. Liang, L. Shi, J. Shao, C. Song, K. Bian, and Z. Yang. 2017. Accumulation of carotenoids and expression of carotenogenic genes in peach fruit. *Food Chem.* 214:137-146.
- Cao, Y., Y. Wen, Z. Zhou, R. Xi, W. Shuai, J. Zhang, and F. Wang. 2025. Discovery of novel capsaicin analogs as TRPV1 inhibitors for the treatment of idiopathic pulmonary fibrosis. *Eur. J. Med. Chem.* 284:117229.
- Carrasco, J.M.D., N.A. Casanova, and M.E. Fernández Miyakawa. 2019. Microbiota, gut health and chicken productivity: what is the connection? *Microorganisms* 7(10): 374.

- Cedraz, H., J. G. G. Gromboni, A. A. P. Garcia, R. V. Farias Filho, T. M. Souza, E. R. D. Oliveira, E. B. D. Oliveira, C. S. D. Nascimento, C. Meneghetti, and A. A. Wenceslau. 2017. Heat stress induces expression of HSP genes in genetically divergent chickens. *PLoS One* 12(10): e0186083.
- Chakravarty, A. K., S. N. Chatterjee, H. Yasmin, and T. Mazumder. 2009. Comparison of efficacy of turmeric and commercial curcumin in immunological functions and gene regulation. *Int. J. Pharmacol.* 5(6): 233–345.
- Chandel, C., V. K. Sharma, P. S. Rana, M. Dabral, S. Aggrawal, and P. Saklani. 2020. Assessment of antimicrobial and antioxidant potential of cytoplasmic male sterile lines of pepper. *SN Appl. Sci.* 2(7):1181.
- Chandimali, N., S. G. Bak, E. H. Park, H.-J. Lim, Y.-S. Won, E.-K. Kim, S.-I. Park, and S. J. Lee. 2025. Free radicals and their impact on health and antioxidant defenses: A review. *Cell Death Discov.* 11(1):19.
- Chang, C. H., P. Y. Teng, T. T. Lee, and B. Yu. 2019. The effects of the supplementation of multi-strain probiotics on intestinal microbiota, metabolites and inflammation of young SPF chickens challenged with *Salmonella enterica* subsp. *enterica*. *Anim. Sci. J.* 90(6):737-746.
- Chang, H.C., K.H. Lin, Y.T. Tai, J.T. Chen, and R.M. Chen. 2010. Lipoteichoic acid-induced TNF- $\alpha$  and IL-6 gene expressions and oxidative stress production in macrophages are suppressed by ketamine through downregulating toll-like receptor 2-mediated activation of ERK1/2 and NF $\kappa$ B. *Shock* 33(5):485–492.
- Chávez-Santoscoy, R.A., J.A. Gutiérrez-Urbe, and S.O. Serna-Saldívar. 2013. Effect of flavonoids and saponins extracted from black bean (*Phaseolus vulgaris* L.) seed coats as cholesterol micelle disruptors. *Plant Foods Hum. Nutr.* 68(4):416-423.
- Chen, L., X. Li, Y. Wu, J. Wang, and J. Pi. 2024. Differential analysis of ovarian tissue between high and low-yielded laying hens in the late laying stage and the effect of LECT2 gene on follicular granulosa cells proliferation. *Mol. Biol. Rep.* 51(1): 240.
- Chen, X., F. Li, X. Xu, L. Wang, Y. Yu, J. Yan, and S. Pan. 2024. Dietary curcumin supplementation enhances growth performance and anti-inflammatory functions by modulating gut microbiota, microbiota-derived metabolites, and expression of inflammation-related genes in broilers. *J. Anim. Sci.* 102: skae296.
- Chen, X., S. Pan, F. Li, X. Xu, and H. Xing. 2022. Plant-derived bioactive compounds and potential health benefits: involvement of the gut microbiota and its metabolic activity. *Biomolecules* 12(12):1871.
- Chen, Z., R. Tian, S. Zhigang, J. Cai, and H. Li. 2020. Role of oxidative stress in the pathogenesis of nonalcoholic fatty liver disease. *Free Radic. Biol. Med.* 152:116-141.

- Chou, A.H., H.C. Lee, C.C. Liao, H.P. Yu, and F.C. Liu. 2023. ERK/NF- $\kappa$ B/COX-2 signaling pathway plays a key role in curcumin protection against acetaminophen-induced liver injury. *Life* 13(11): 2150.
- Chowdhury, M.F.N., M.R. Yusop, S.I. Ismail, S.I. Ramlee, Y. Oladosu, M. Hosen, and G. Miah. 2020. Development of anthracnose disease resistance and heat tolerance chili through conventional breeding and molecular approaches: A review. *Biocell* 44(3):269–278.
- Cibior, D., and H. Czeczot. 2006. *Catalase*: Structure, properties, functions [Katalaza - budowa, właściwości, funkcje]. *Postepy Hig. Med. Dosw.* 60:170-180.
- Cillard, J., and P. Cillard. 2006. Mécanismes de la peroxydation lipidique et des antioxydations. *Oleagineux, Corps Gras, Lipides* 13(1):24–29.
- Cimrin, T., M.D. Avsaroglu, R.I. Tunca, S. Kandir, and T. Ayasan. 2019. Effects of the dietary supplementation of layer diets with natural and synthetic antioxidant additives on yolk lipid peroxidation and fatty acid composition of eggs stored at different temperatures and duration. *Braz. J. Poult. Sci.* 21(02): eRBCA-2019.
- Circu, M.L. and T.Y. Aw. 2012. Intestinal redox biology and oxidative stress. *Semin. Cell Dev. Biol.* 23(7): 729-737.
- Classen, H. L., J. Apajalahti, B. Svihus, and M. Choct. 2016. The role of the crop in poultry production. *World's Poult. Sci. J.* 72(3):459-472.
- Collisson, E., L. Griggs, and Y. Drechsler. 2017. Macrophages from disease resistant B2 haplotype chickens activate T lymphocytes more effectively than macrophages from disease susceptible B19 birds. *Dev. Comp. Immunol.* 67:249-256.
- Corduk, M., S. Sarica, and G. F. Yarim. 2013. Effects of oregano or red pepper essential oil supplementation to diets for broiler chicks with delayed feeding after hatching. 1. Performance and microbial population. *J. Appl. Poult. Res.* 22(4):738-749.
- Cortassa, S., S.J. Sollott, and M.A. Aon. 2017. Mitochondrial respiration and ROS emission during  $\beta$ -oxidation in the heart: An experimental-computational study. *PLoS Comput. Biol.* 13(6):e1005588.
- Costantini, D., and A. P. Moller. 2009. Does immune response cause oxidative stress in birds? A meta-analysis. *Comp. Biochem. Physiol.* 153:339–344.
- Cui, J., H. Li, T. Zhang, F. Lin, M. Chen, G. Zhang, and Z. Feng. 2025. Research progress on the mechanism of curcumin anti-oxidative stress based on signaling pathway. *Front. Pharmacol.* 16:1548073.
- Cui, X., X. Ma, C. Li, H. Meng, and C. Han. 2023. A review: structure–activity relationship between saponins and cellular immunity. *Mol. Biol. Rep.* 50(3):2779-2793.

- Cui, Y., S. Yu, W. Gao, Z. Zhao, J. Wu, M. Xiao, and L. An. 2022. Dietary curcumin supplementation regulates the lipid metabolism in laying hens. *Italian J. Anim. Sci.* 21(1):1106–1116.
- Cutler, S. A., M. A. Rasmussen, M. J. Hensley, K. W. Wilhelms, R. W. Griffith, and C. G. Scanes. 2005. Effects of Lactobacilli and lactose on Salmonella typhimurium colonisation and microbial fermentation in the crop of the young turkey. *Br. Poult. Sci.* 46(6):708-716.
- Dąbrowska, A., R. Słotwiński, and S. Kędziora. 2012. The role of Toll-like receptors in health and disease – Short review. *Cent. Eur. J. Immunol.* 37(1): 85–89.
- Dai, X., Jiang, Z. He, H. Shi, Z. Lin, X. Huang, and B. Zheng. 2024a. Effects of turmeric on antioxidant capacity, immune regulation, digestion and absorption function, and microbial community in the small intestine of yellow-feathered broilers. *Chin. J. App. Environ. Biol.* 30(4):818-828.
- Dai, Y., H. Chen, Y. Li, R. Hui, and Z. Zhang. 2024b. Promising new methods based on the SOD enzyme and SAUR36 gene to screen for canola materials with heavy metal resistance. *Biology* 13(6): 441.
- Dai, Z., Z. Li, E. Shi, M. Nie, L. Feng, G. Chen, R. Gao, X. Zeng, and D. Li. 2022. Study on the interaction between four typical carotenoids and human gut microflora using an in vitro fermentation model. *J. Agric. Food Chem.* 70(42):13592–13601.s
- Dal Pont, G.C., B.L. Belote, A. Lee, C. Bortoluzzi, C. Eyng, M. Sevastiyanova, A. Khadem, E. Santin, Y.Z. Farnell, C. Gougoulis, and M.H. Kogut. 2021. Novel models for chronic intestinal inflammation in chickens: Intestinal inflammation pattern and biomarkers. *Front. Immunol.* 12:676628.
- Daneshyar, M., H. Kermanshahi, and A. Golian. 2012. The effects of turmeric supplementation on antioxidant status, blood gas indices and mortality in broiler chickens with T3-induced ascites. *Br. Poult. Sci.* 53(3): 379–385.
- Daood, H. G., R. Tömösközi-Farkas, and J. Kapitany. 2006. Antioxidant content of bio and conventional spice red pepper (*Capsicum annuum* L.) as determined by HPLC. *Acta Agron. Hung.* 54(2):133-140.
- Daramola, O.T. 2020. Growth performance and serum metabolites of broiler chickens fed turmeric (*Curcuma longa*) powder supplemented diets. *Lives. Res. Rural Dev.* 32(12):188.
- De Ketelaere, B., M. Corion, I. Adriaens, P. Van Liedekerke, and W. Saeys. 2023. Non-destructive eggshell strength assessment using hertz contact theory part I: Theory and applicability. *Foods* 12(6):1189.
- De La Haba, C., J.R. Palacio, P. Martínez, and A. Morros. 2013. Effect of oxidative stress on plasma membrane fluidity of THP-1 induced macrophages. *Biochim. Biophys. Acta Biomembr.* 1828(2):357-364.

- Değirmencioğlu, S., P. Çetinalp, M. Seyithanoğlu, S.T. Küçük, H. Kocak, and Y.Ö. İyidoğan. 2024. Capsaicin modulates adipocyte cell differentiation and inflammatory gene expression. *Experimed* 14(2):116-125.
- Dehzad, M.J., H. Ghalandari, M. Nouri, and M. Askarpour. 2023. Effects of curcumin/turmeric supplementation on obesity indices and adipokines in adults: A grade-assessed systematic review and dose–response meta-analysis of randomized controlled trials. *Phytother. Res.* 37(4):1703-1728.
- Del Vesco, A. P., A. S. Khatlab, E. S. R. Goes, K. S. Utsunomiya, J. S. Vieira, A. O. Neto, and E. Gasparino. 2017. Age-related oxidative stress and antioxidant capacity in heat-stressed broilers. *Animal* 11(10): 1783–1790.
- Delgado-Alfaro, R. A., and Z. Gómez-Sandoval. 2023. How Sn (IV) Influences on the reaction mechanism of 11, tri-butyl p-coumarate and its tri-butyl-tin p-coumarate considering the solvent effect: A DFT Level Study. *Computation* 11(11):220.
- Dembic, Z. 2022. Cytokines in Innate Immunity. In *Encyclopedia of Infection and Immunity*. 1:170–192.
- Ding, X., J. Du, K. Zhang, S. Bai, Q. Zeng, H. Peng, Y. Xuan, Z. Su, and J. Wang. 2020. Tandem mass tag-based quantitative proteomics analysis and gelling properties in egg albumen of laying hens feeding tea polyphenols. *Poult. Sci.* 99(1): 430–440.
- Dixit, S., S.K. Purshottam, S.K. Khanna, and M. Das. 2009. Surveillance of the quality of turmeric powders from city markets of India on the basis of curcumin content and the presence of extraneous colours. *Food Addit. Contam.* 26(9):1227–1231.
- Doğan, M., K. Çavuşoğlu, E. Yalçın, and A. Acar. 2022. Comprehensive toxicity screening of Pazarsuyu stream water containing heavy metals and protective role of lycopene. *Sci. Rep.* 12(1):16615.
- Dong, X.F., W.W. Gao, J.L. Su, J.M. Tong, and Q. Zhang. 2011. Effects of dietary polysavone (Alfalfa extract) and chlortetracycline supplementation on antioxidation and meat quality in broiler chickens. *Br. Poult. Sci.* 52(3): 302–309.
- Dono, N.D. 2013. Turmeric (*Curcuma longa* Linn.) Supplementation as an alternative to antibiotics in poultry diets. *Wartazoa* 23(1):41-49.
- Dono, N.D., 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Doctoral dissertation. University of Glasgow.
- Du, E., M. Jiang, F. Chen, Q. Fan, S. Guo, N. Zhao, F. Jin, W. Guo, S. Huang, and J. Wei. 2024. Dietary honokiol supplementation improves antioxidant capacity, enhances intestinal health, and modulates cecal microbial composition and function of broiler chickens. *Poult. Sci.* 103(7):103798.

- Duskaev, G., M. Kurilkina, and O. Zavyalov. 2023. Growth-stimulating and antioxidant effects of vanillic acid on healthy broiler chickens. *Vet. World* 16(3):518-525.
- Đuračková, Z. 2010. Some current insights into oxidative stress. *Physiol. Res.* 59(4): 459–469.
- Duranova, H., V. Valkova, and L. Gabriny. 2022. Chili peppers (*Capsicum* spp.): The spice not only for cuisine purposes: An update on current knowledge. *Phytochem. Rev.* 21(4):1379–1413.
- Ebrahimi, R., M. Ebrahimi, and M. Shakeri. 2023. Mitigating the adverse effects of lead and cadmium heavy metals-induced oxidative stress by phytogetic compounds in poultry. *Poultry* 2(2): 235–251.
- Eid, Y., T. Ebeid, M. Moawad, and M. El-Habbak. 2008. Reduction of dexamethasone-induced oxidative stress and lipid peroxidation in laying hens by dietary vitamin E supplementation. *Emirates J. Food Agric.* 20(2):28-40.
- El Sabry, M. I., and W. A. Abd El-Ghany. 2020. A mathematical model for calculating intestinal villus surface area in broiler chickens. *Int. J. Vet. Sci.* 10(4):317–322.
- Eldken, Z.H., O.M. Youssef, R.M. Khalil, A.A.M. Kassab, A. Ramadan, and N.H. Sakr. 2025. Curcumin's dual effect on pyroptosis and autophagy in metabolic-associated fatty liver disease: a potential therapeutic strategy. *Sci. Rep.* 15(1):34309.
- El-Gogary, M.R., T.M. Dorra, and H.R. Khalil. 2024. Effect of dietary supplementation of hot red pepper on growth performance, carcass characteristics, blood parameters, microbiological traits and physiological status of broiler chicks. *J. Anim. Poult. Prod.* 15(6):111-117.
- El-Hack, M.E.A., M.T. El-Saadony, A.A. Swelum, M. Arif, M.M. Abo Ghanima, M. Shukry, A. Noreldin, A.E. Taha, and K.A. El-Tarabily. 2021. Curcumin, the active substance of turmeric: its effects on health and ways to improve its bioavailability. *J. Sci. Food Agric.* 101(14):5747–5762.
- El-Hack, M.E.A., M.T. El-Saadony, A.R. Elbestawy, A.R. Gado, M.M. Nader, A.M. Saad, A.M. El-Tahan, A.E. Taha, H.M. Salem, and K.A. El-Tarabily. 2022. Hot red pepper powder as a safe alternative to antibiotics in organic poultry feed: an updated review. *Poult. Sci.* 101(4):101684.
- Elkhedir, A., A. Yahya, E.H. Jadelrab, M.M. Salih, A. Albahi, Y. Haran, M.A. Homaida, H. Hamed, and X. Xu. 2025. Capsaicinoid glucoside attenuates lipid accumulation in HepG2 cells through TRPV1/AMPK-Dependent signaling pathway. *Food Sci. Nutr.* 13(7):e70564.
- Elkin, R. G. 2006. Reducing shell egg cholesterol content. I. Overview, genetic approaches, and nutritional strategies. *World's Poult. Sci. J.* 62 (4): 665-687.

- Elmastas, M., S. M. Celik, N. Genc, H. Aksit, R. Erenler, and I. Gulçin. 2018. Antioxidant activity of an Anatolian herbal tea- *Origanum minutiflorum*: Isolation and characterization of its secondary metabolites. *Int. J. Food Prop.* 21(1):374–384.
- Elnaggar, A.S., R. Ali, and E. A. El-Said. 2021. Complementary effect of black pepper and turmeric on productive performance and physiological responses of Japanese quail. *Egypt. Poult. Sci. J.* 41(1):77-91.
- Elnesr, S. S., M. Alagawany, H. A. Elwan, M. A. Fathi, and M. R. Farag. 2020. Effect of sodium butyrate on intestinal health of poultry – a review. *Ann. Anim. Sci.* 20(1):29–41.
- El-Salam, A. A., Y. Hamouda, S. El-safy, and A. El-attar. 2022. Genetic differences in egg quality traits between w-36 and brown breeder strains. *Adv. Anim. Vet. Sci.* 10(8):1827-1833.
- El-Samie, L.K.A. 2019. Comparative study on effect of turmeric powder, probiotic and prebiotic supplementation on broiler performance and immunity. *Assiut Vet. Med. J.* 65(163):143-151.
- Emami, N.K., U. Jung, B. Voy, and S. Dridi. 2021. Radical response: Effects of heat stress-induced oxidative stress on lipid metabolism in the avian liver. *Antioxidants* 10(1):1–15.
- Erdoğan, Ü. 2022. Antioxidant activities and chemical composition of essential oil of rhizomes of *Zingiber officinale* (ginger) and *Curcuma longa* L. (turmeric). *Int. J. Sec. Metab.* 9(2):137-148.
- Ergün, C. and M. Urhan. 2019. Effects of curcumin on metabolic syndrome components. *Turk. Klinikleri Cardiovasc. Sci.* 31(1):52-62.
- Eshaghian, A., A. Khodarahmi, F. Safari, F. Binesh, and A. Moradi. 2018. Curcumin attenuates hepatic fibrosis and insulin resistance induced by bile duct ligation in rats. *Br. J. Nutr.* 120(4): 393–403.
- Estévez, M. 2015. Oxidative damage to poultry: from farm to fork. *Poult. Sci.* 94(6):1368–1378.
- Fadus, M.C., C. Lau, J. Bikhchandani, and H.T. Lynch. 2017. Curcumin: An age-old anti-inflammatory and anti-neoplastic agent. *J. Tradit. Complement. Med.* 7(3):339–346.
- Faliarizao, N. T., M. Siddiq, and K. D. Dolan. 2025. Total phenolics, antioxidant, and physical properties of red chili peppers (*Capsicum annum* L.) as affected by drying methods. *Int. J. Food Prop.* 28(1):2492823.
- Fan, Q., S. Tan, H. Li, J. Wang, S. Mao, S. Zhang, Z. Chen, and S. Jiang. 2023. Effects of capsaicin on growth performance, plasma biochemical indices and intestine health of 818 chickens. *Chin. J. Anim. Nutr.* 35(2): 855–864.

- Fathi, M., V. Rezaee, K. Zarrinkavyani, and P. Mardani. 2024b. The impact of curcumin nanoparticles (CurNPs) on growth performance, antioxidant indices, blood biochemistry, gut morphology, and cecal microbial profile of broiler chickens. *Acta Agric. Scand. Sect. A—Anim. Sci.* 73(1-2):10–21.
- Fattah, A. A., and M. F. Tawfik. 2016. Antioxidant activities of raw and nano turmeric (*Curcuma longa* L.) powders. *J. Food Dairy Sci.* 7(10):443-450.
- Fawaz, M.A., K. Südekum, H.A. Hassan, and A.A.A. Abdel-Wareth. 2022. Productive, physiological and nutritional responses of laying hens fed different dietary levels of turmeric powder. *J. Anim. Physiol. Anim. Nutr.* 107(1):214-221.
- Federico, S., L. Pozzetti, A. Papa, G. Carullo, S. Gemma, S. Butini, G. Campiani, and N. Relitti. 2020. Modulation of the innate immune response by targeting toll-like receptors: A perspective on their agonists and antagonists. *J. Med. Chem.* 63(22): 13466–13513.
- Feng, Y., Y. Wang, P. Wang, Y. Huang, and F. Wang. 2018. Short-Chain Fatty Acids Manifest Stimulative and Protective Effects on Intestinal Barrier Function Through the Inhibition of NLRP3 Inflammasome and Autophagy. *Cell. Physiol. Biochem.* 49(1):190–205.
- Ferreira, R.A. 2016. *Maior produção com melhor ambiente para aves, suínos e bovinos. Aprenda Fácil, Viçosa.* p.296.
- Ferro, P.J., C.L. Swaggerty, H. He, L. Rothwell, P. Kaiser, and M.H. Kogut. 2005. Recombinant chicken IL-6 does not activate heterophils isolated from day-old chickens *in vitro*. *Dev. Comp. Immunol.* 29(4):375-383.
- Filik, G., I. Coşkun, O. K. Tekin, and A. G. Filik. 2020. Effects of dietary hot pepper waste powder on gut health and small intestine properties in Japanese quails. *Braz. J. Poult. Sci.* 22(04): eRBCA-2019.
- Firman, J., L. Liu, K. Mahalak, C. Tanes, K. Bittinger, V. Tu, J. Bobokalonov, L. Mattei, H. Zhang, and P. V. den Abbeele. 2022. The impact of environmental pH on the gut microbiota community structure and short chain fatty acid production. *FEMS Microbiol. Ecol.* 98(5):fiac038.
- Fonseca, B. B., M. E. Beletti, M. S. D. Silva, P. L. D. Silva, I. N. Duarte, and D. A. Rossi. 2010. Microbiota of the cecum, ileum morphometry, pH of the crop and performance of broiler chickens supplemented with probiotics. *Rev. Bras. Zootec.* 39:1756-1760.
- Forcina, L., C. Franceschi, and A. Musarò. 2022. The hormetic and hermetic role of IL-6. *Ageing Res. Rev.* 80:101697.
- Frick, J. S., and I. B. Autenrieth. 2013. The gut microflora and its variety of roles in health and disease. *Curr. Top. Microbiol. Immunol.* 358:273-289.

- Fu, M., K.-S. Yoon, J. Ha, I. Kang, and W. Choe. 2025. Crosstalk Between Antioxidants and Adipogenesis: Mechanistic Pathways and Their Roles in Metabolic Health. *Antioxidants* 14(2):203.
- Gábor, M., P. Lengyel, A. Kulcsár, J. Kulcsárné Petrilla, and Z. Neogrády. 2014. Special characteristics of carbohydrate metabolism and insulin homeostasis in chicken. Literature review. *Magy Állatorv Lap*, 136(6):342–349.
- Gaby, J.M., A.N. Baker, and J.E. Hayes. 2019. Vanillin modifies affective responses to but not burning sensations from ethanol in mixtures. *Physiol. Behav.* 211:112668.
- Galano, A., and A. Martínez. 2012. Capsaicin, a tasty free radical scavenger: mechanism of action and kinetics. *J. Phys. Chem. B* 116(3):1200-1208.
- Galano, A., R. Álvarez-Diduk, M.T. Ramírez-Silva, G. Alarcón-Ángeles, and A. Rojas-Hernández. 2009. Role of the reacting free radicals on the antioxidant mechanism of curcumin. *Chem. Phys.* 363(1-3):13-23.
- Galli, G. M., A. S. Da Silva, A. H. Biazus, J. H. Reis, M. M. Boiago, J. P. Topazio, and L. M. Stefani. 2018. Feed addition of curcumin to laying hens showed anticoccidial effect, and improved egg quality and animal health. *Res. Vet. Sci.* 118:101-106
- Gandhi, P., K. Khan, and N. Chakraverty. 2011. Soluble curcumin: a promising oral supplement for health management. *J. Appl. Pharm. Sci.* 1: 1–7
- Gao, J., H. J. Zhang, S. H. Yu, S. G. Wu, I. Yoon, J. Quigley, Y. P. Gao, and G. H. Qi. 2008. Effects of yeast culture in broiler diets on performance and immunomodulatory functions. *Poult Sci*, 87(7):1377–1384.
- Gao, X., J. Kuo, H. Jiang, D. Deeb, Y. Liu, G. Divine, R. A. Chapman, S. A. Dulchavsky, and S. C. Gautam. 2004. Immunomodulatory activity of curcumin: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production *in vitro*. *Biochem. Pharmacol.* 68(1): 51–61.
- Gao, Y., Y. Zhang, Y. Yao, X. Guan, Y. Liu, X. Qi, and Y. Gao. 2016. Avian leukosis virus subgroup J induces VEGF expression via NF- $\kappa$ B/PI3K-dependent IL-6 production. *Oncotarget* 7(49):80275.
- García, J.J., L. López-Pingarrón, P. Almeida-Souza, A. Tres, P. Escudero, F.A. García-Gil, D.-X. Tan, R.J. Reiter, J.M. Ramírez, and M. Bernal-Pérez. 2014. Protective effects of melatonin in reducing oxidative stress and in preserving the fluidity of biological membranes: A review. *J. Pineal Res.* 56(3):225-237.
- Gausi, H., A. Omede, E. P. Chang'a, T. Gondwe, J. Gibson, and P. A. Iji. 2025. Nutrient content of feedstuffs scavenged by local chickens kept by smallholder farmers in Lilongwe, Malawi. *Livest. Res. Rural Develop.* 37(3).

- Gautam, S.C., X. Gao, and S. Dulchavsky. 2007. Immunomodulation by curcumin. pp. 321–341. In *The Molecular Targets and Therapeutic Uses of Curcumin in Health and Disease*, Adv. Exp. Med. Biol., vol. 595, B.B. Aggarwal, Y.J. Surh, and S. Shishodia, eds. Springer, Boston, MA.
- Gawel, A., K. Bobrek, and J. P. Madej. 2025. Early posthatch feeding influences small intestine development in broiler chickens. *Poult. Sci.* 104(11):105861.
- George, J.O., D. Edwards, S. Pun, and D. Williams. 2022. Evaluation of antioxidant capacity (ABTS and CUPRAC) and total phenolic content (Folin-Ciocalteu) assays of selected fruit, vegetables, and spices. *Int. J. Food Sci.* 2022(1):2581470.
- Gharib, H.S., A.I. Abdelaty, W.M. Gomaa, A. Gouda, H.Y. Amer, S.A. Mohamed, and R.I. Hassan. 2025. Using curcumin (*Curcuma longa*) as a dietary supplement modulates performance, behavior, blood metabolites, antioxidant status, and histomorphological changes in heat-stressed broiler chickens. *J. Therm. Biol.* 130:104144.
- Ghasemian, M., and R. Jahanian. 2016. Dietary mannan-oligosaccharides supplementation could affect performance, immunocompetence, serum lipid metabolites, intestinal bacterial populations, and ileal nutrient digestibility in aged laying hens. *Anim Feed Sci Technol*, 213:81–89.
- Gholami-Ahangaran, M., N. Rangsz, and S. Azizi. 2016. Evaluation of turmeric (*Curcuma longa*) effect on biochemical and pathological parameters of liver and kidney in chicken aflatoxicosis. *Pharm. Biol.* 54(5):780-787
- Ghorbanpour, A., S. Salari, T. Baluchnejadmojarad, and M. Roghani. 2023. Capsaicin protects against septic acute liver injury by attenuation of apoptosis and mitochondrial dysfunction. *Heliyon* 9(3): e14205.
- Gigon, L., T. Fettlelet, S. Yousefi, D. Simon, and H. U. Simon. 2023. Eosinophils from A to Z. *Allergy*. 78(7): 1810–1846.
- Gilmore, P.L. 2011. *Lipids: Categories, Biological Functions and Metabolism, Nutrition and Health*. Nova Science Publishers, Inc.
- Gökbulut, A., and E. Şarer. 2008. Carotenoids and health. *J. Fac. Pharm. Ankara Univ.* 37(3):235-256.
- Gondret, F., P. Ferré, and I. Dugail. 2001. ADD-1/SREBP-1 is a major determinant of tissue differential lipogenic capacity in mammalian and avian species. *J Lipid Res*, 42(1):106–113.
- Goo, D., J.H. Kim, G.H. Park, J.B. Delos Reyes, and D.Y. Kil. 2019. Effect of heat stress and stocking density on growth performance, breast meat quality, and intestinal barrier function in broiler chickens. *Animals* 9(3):107.
- Gorabi, A.M., B. Razi, S. Aslani, M. Abbasifard, D. Imani, T. Sathyapalan, and A. Sahebkar. 2021. Effect of curcumin on proinflammatory cytokines: A meta-analysis of randomized controlled trials. *Cytokine* 143:155541.

- Gosler, A. G., J. P. Higham, and S. J. Reynolds. 2005. Why are birds' eggs speckled?. *Ecol. Lett.* 8(10):1105-1113.
- Goupy, P., M. Carail, A. Giuliani, D. Dufлот, O. Dangles, and C. Caris-Veyrat. 2018. Carotenoids: Experimental ionization energies and capacity at inhibiting lipid peroxidation in a chemical model of dietary oxidative stress. *J. Phys. Chem. B* 122(22):5860–5869.
- Graßmann, J., S. Hippeli, R. Spitzenberger, and E.F. Elstner. 2005. The monoterpene terpinolene from the oil of *Pinus mugo* L. in concert with  $\alpha$ -tocopherol and  $\beta$ -carotene effectively prevents oxidation of LDL. *Phytomedicine* 12(6-7):416-423.
- Gu, Y.F., Y.P. Chen, R. Jin, C. Wang, C. Wen, and Y.M. Zhou. 2022. Dietary chitooligosaccharide supplementation alleviates intestinal barrier damage, and oxidative and immunological stress in lipopolysaccharide-challenged laying hens. *Poult. Sci.* 101(4):101701.
- Guil-Guerrero, J.L., L. Ramos, J.Z. Paredes, M. Carlosama-Yépez, C. Moreno, and P. Ruales. 2017. Effects of turmeric rhizome powder and curcumin in poultry production. A review. *J. Anim. Feed Sci.* 26(4):293-302.
- Guimarães, R. R., M. A. D. Oliveira, H. C. Oliveira, S. C. O. L. Doró, L. A. Machado, and M. C. D. Oliveira. 2021. Turmeric powder in the diet of Japanese quails improves the quality of stored eggs. *Rev. Bras. Saúde Prod. Anim.* 22: e2122052021.
- Gulcin, İ. 2020. Antioxidants and antioxidant methods: An updated overview. *Arch. Toxicol.* 94(3):651-715.
- Gulcin, I., S. Beydemir, F. Topal, N. Gagua, A. Bakuridze, R. Bayram, and A. Gepdiremen. 2012. Apoptotic, antioxidant and antiradical effects of majdine and isomajdine from *Vinca herbacea* Waldst. and kit. *J. Enzyme Inhib. Med. Chem.* 27(4):587–594.
- Güler, S., and B. Zik. 2018. Effects of capsaicin on ovarian granulosa cell proliferation and apoptosis. *Cell Tissue Res.* 372(3):603-609.
- Gümüş, H., M.N. Oguz, K.E. Bugdayci, and F.K. Oguz. 2018. Effects of sumac and turmeric as feed additives on performance, egg quality traits, and blood parameters of laying hens. *R. Bras. Zootec.* 47: e20170114.
- Guo, B., B. Yang, X. Pang, T. Chen, F. Chen, and K.W. Cheng. 2019. Fucoxanthin modulates cecal and fecal microbiota differently based on diet. *Food Funct.* 10(9):5644–5655.
- Gupta, D.K., J.M. Palma, and F.J. Corpas (Eds.). 2018. Antioxidants and antioxidant enzymes in higher plants. Springer International Publishing. Berlin. Pp. 1-300.

- Gurjar, R.S., S.L. Gulley, and F.W. van Ginkel. 2013. Cell-mediated immune responses in the head-associated lymphoid tissues induced to a live attenuated avian coronavirus vaccine. *Dev. Comp. Immunol.* 41(4):715-722.
- Gurnani, N., M. Gupta, D. Mehta, and B.K. Mehta. 2016. Chemical composition, total phenolic and flavonoid contents, and *in vitro* antimicrobial and antioxidant activities of crude extracts from red chilli seeds (*Capsicum frutescens* L.). *J. Taibah Univ. Sci.* 10(4):462-470.
- Guzman, I., S. Hamby, J. Romero, P.W. Bosland, and M.A. O'Connell. 2010. Variability of carotenoid biosynthesis in orange colored *Capsicum* spp. *Plant Sci.* 179(1-2):49-59.
- Habtemariam, S. 2019. The Nrf2/HO-1 Axis as targets for flavanones: neuroprotection by pinocebrin, Naringenin, and Eriodictyol. *Oxid. Med. Cell. Longev.* 2019: 4724920.
- Hacke, A., D.B. Rodrigues, C.B.B. Cazarin, and L.R.B. Mariutti. 2021. Carotenoids. pp. 119-138. In *Bioactive Food Components Activity in Mechanistic Approach*, C.B.B. Cazarin, J.L. Bicas, G.M. Pastore, and M.R. Marostica Junior, eds. Academic Press.
- Hadj Ayed, M., A. Aïssa, and M. Noumi. 2018. A comparative study between the effects of feed inclusion with garlic (*Allium sativum*), cloves and turmeric (*Curcuma longa*) rhizome powder on laying hens' performance and egg quality. *Iran J. Appl. Anim. Sci.* 8(4):693-701.
- Hadžiomerović, N., F. Babović, A. Vejzović, A. Bešić, E. Čičkušić, N. Dučić, and M. Katica. 2025. The influence of different food types on the morphological characteristics of rat small intestine. *Mac. Vet. Rev.* 48(1):5-13.
- Hafez, M.H., S.E. El-Kazaz, B. Alharthi, H.I. Ghamry, M.A. Alshehri, S. Sayed, M. Shukry, and Y.S. El-Sayed. 2022. The impact of curcumin on growth performance, growth-related gene expression, oxidative stress, and immunological biomarkers in broiler chickens at different stocking densities. *Animals* 12(8):958.
- Ham, H. M., M. S. Sung, Y. H. Kim, Y. M. Choi, H. S. Jeong, and J. S. Lee. 2012. Determination of capsaicinoids in selected commercial pepper powders and pepper-containing products using HPLC and method validation. *J. Korean Soc. Food Sci. Nutr.* 41(6): 870-874.
- Hamed, M., D. Kalita, M. E. Bartolo, and S. S. Jayanty. 2019. Capsaicinoids, polyphenols and antioxidant activities of *Capsicum annum*: Comparative study of the effect of ripening stage and cooking methods. *Antioxidants.* 8(9):364.
- Hammershøj, M., U. Kidmose, and S. Steenfeldt. 2010. Deposition of carotenoids in egg yolk by short-term supplement of coloured carrot (*Daucus carota*) varieties as forage material for egg-laying hens. *J. Sci. Food Agric.* 90(7):1163-1171.

- Han, H., H. Yılmaz, and I. Gulcin. 2018. Antioxidant activity of flaxseed (*Linum usitatissimum* L.) and analysis of its polyphenol contents by LC-MS/MS. *Rec. Nat. Prod.* 12(4):397–402.
- Hanif, M. F., B. Ariyadi, M. Muhlisin, and A. Agus. 2023a. Response of turmeric powder supplementation on commercial laying hens performance: A meta-analysis. *Livest. Res. Rural Develop.* 35(9).
- Hanif, M. F., B. Ariyadi, M. Muhlisin, and A. Agus. 2023b. Effect of dietary turmeric powder on egg quality and yolk cholesterol level of laying hens: a meta-analysis. *Livest. Res. Rural Develop.* 35(12).
- Hanif, M. F., B. Ariyadi, M. Muhlisin, and A. Agus. 2024. Effect of pepper (*Capsicum* sp) on productivity and egg quality of laying hens: A meta-analysis. *Vet. Integr. Sci.* 22(3):749-767.
- Hashim, N.T., R. Babiker, N.C.S.K. Chaitanya, R. Mohammed, S.P. Priya, V. Padmanabhan, A. Ahmed, S.P. Dasnadi, M.S. Islam, B.G. Gismalla, and M.M. Rahman. 2025. New Insights in Natural Bioactive Compounds for Periodontal Disease: Advanced Molecular Mechanisms and Therapeutic Potential. *Molecules* 30(4):807.
- Hasimun, P., E.Y. Sukandar, I.K. Adnyana, and D.H. Tjahjono. 2011. Synergistic effect of curcuminoid and S-methyl cysteine in regulation of cholesterol homeostasis. *Int. J. Pharmacol.* 7(2):268-272.
- Hassan, M. H., M. Edfawy, A. Mansour, and A. A. Hamed. 2012. Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol. Ind. Health.* 28(5):428-438.
- Hassan, R.A., E.S. Soliman, R.T. Hamad, O.M. El-Borady, A.A. Ali, and M.S. Helal. 2020. Selenium and nano-selenium ameliorations in two breeds of broiler chickens exposed to heat stress. *S. Afr. J. Anim. Sci.* 50(2): 215–232.
- Hassan, S., M. Hassan, F. Soliman, and A. Safwat. 2023. Influence of hot red pepper oil in broiler diets on blood, antioxidant, immunological parameters and intestinal bacteria counts. *Anim. Biotechnol.* 34(4):1295-1304.
- Hassan, S.M. 2016. Effects of adding different dietary levels of turmeric (*Curcuma longa* Linn) powder on productive performance and egg quality of laying hens. *Int. J. Poult. Sci.* 15(4): 156–160.
- Haugh, R. 1937. The Haugh unit for measuring egg quality. *U.S. Egg Poultry Magazine.* 43:522–555.
- Hayat, Z., G. Cherian, T.N. Pasha, F.M. Khattak, and M.A. Jabbar. 2010. Oxidative stability and lipid components of eggs from flax-fed hens: effect of dietary antioxidants and storage. *Poult. Sci.* 89(6): 1285–1292.
- Hayman, M. and P.C. Kam. 2008. Capsaicin: A review of its pharmacology and clinical applications. *Curr. Anaesth. Crit. Care* 19(5-6): 338-343.

- He, H., K.M. MacKinnon, K.J. Genovese, and M.H. Kogut. 2011. CpG oligodeoxynucleotide and double-stranded RNA synergize to enhance nitric oxide production and mRNA expression of inducible nitric oxide synthase, pro-inflammatory cytokines and chemokines in chicken monocytes. *Innate Immun.* 17(2):137–144.
- He, Q., and W. Wang. 2018. The role of Toll-like receptor 4 in acute pancreatitis. *Zhonghua Wei Zhong Bing Ji Jiu Yi Xue* 30(12): 1206–1208.
- Hemmami, H., B.B. Seghir, A. Rebiai, A. Khelef, and Z. Soumeia. 2020. Comparative study on polyphenols content and antioxidant activity of three sweet peppers varieties (*Capsicum annuum* L.). *Curr. Chem. Biol.* 14(4):250-261.
- Heredia, A., A. Asensio-Grau, J. Calvo-Lerma, and A. Andrés. 2021. Interactions among macronutrients and their effect on lypolysis. In *Bioaccessibility and Digestibility of Lipids from Food*, M. M. L. Grundy, and P. J. Wilde, eds. pp. 151 - 168. Springer International Publishing.
- Hernández-García, P. A., L. D. Granados-Rivera, J. F. Orzuna-Orzuna, G. Vázquez-Silva, C. Díaz-Galván, and P. B. Razo-Ortíz. 2025. Meta-Analysis of dietary curcumin supplementation in broiler chickens: growth performance, antioxidant status, intestinal morphology, and meat quality. *Antioxidants.* 14(4):460.
- Hernández-Pérez, T., M. D. R. Gómez-García, M. E. Valverde, and O. Paredes-López. 2020. *Capsicum annuum* (hot pepper): An ancient Latin-American crop with outstanding bioactive compounds and nutraceutical potential. A review. *Compr. Rev. Food Sci. Food Saf.* 19(6):2972-2993
- Herranz, B., C. Romero, I. Sánchez-Román, M. López-Torres, A. Viveros, I. Arija, M.D. Álvarez, S. de Pascual-Teresa, and S. Chamorro. 2024. Enriching Eggs with Bioactive Compounds through the Inclusion of Grape Pomace in Laying Hens Diet: Effect on Internal and External Egg Quality Parameters. *Foods* 13(10):1553.
- Hervert-Hernández, D., S.G. Sáyago-Ayerdi, and I. Goñi. 2010. Bioactive compounds of four hot pepper varieties (*Capsicum annuum* L.), antioxidant capacity, and intestinal bioaccessibility. *J. Agric. Food Chem.* 58(6):3399-3406.
- Hester, P.Y. 2017. Preventive measures for avoiding the deleterious effects of heat stress on egg production and quality. pp. 337–346. In *Egg Innovations and Strategies for Improvements*, P.Y. Hester, ed. Academic Press.
- Hieda, Y. 2017. Total syntheses of multi-substituted carbazole alkaloids and phenolic related compounds, and evaluation of their antioxidant activities. *Yakugaku Zasshi.* 137(10):1255-1263.

- Hlokoe, V.R., T.L. Tyasi, and V.G. Mbazima. 2025. Morphological variations of the ovarian follicles and oviduct of commercial Lohmann Brown and indigenous Potchefstroom Koekoek breeds. *Acta Zool.* 106: 454–462.
- Honchar, V., O. Iakubchak, L. Shevchenko, S. Midyk, V. Korniyenko, V. Kondratiuk, T. Rozbytska, V. Melnik, and Y. Kryzhova. 2022. The effect of astaxanthin and lycopene on the content of fatty acids in the yolks of chicken eggs under different storage regimes. *Slovak J. Food Sci.* 16: 473–489.
- Hong, T., J. Zou, J. Yang, H. Liu, Z. Cao, Y. He, and D. Feng. 2023. Curcumin protects against bisphenol A-induced hepatic steatosis by inhibiting cholesterol absorption and synthesis in CD-1 mice. *Food Sci. Nutr.* 11(9):5091-5101.
- Horwitz, W., and G. W. 2005. Official Methods of Analysis of AOAC Internasional 18th. AOAC International. USA.
- Hosseini-Vashan, S.J., A. Golian, and A. Yaghobfar. 2015. Effects of turmeric rhizome powder and source of oil in diet on blood metabolites, immune system and antioxidant status in heat stressed broiler chickens. *J. Livest. Sci. Technol.* 3(2):13-20.
- Hossen, M.S., E.M. Tanvir, M.B. Prince, S. Paul, M. Saha, M.Y. Ali, S.H. Gan, M.I. Khalil, and N. Karim. 2017. Protective mechanism of turmeric (*Curcuma longa*) on carbofuran-induced hematological and hepatic toxicities in a rat model. *Pharm. Biol.* 55(1):1937-1945.
- Hu, J., Y. Xiong, R. S. Gates, and H. W. Cheng. 2021. Perches as cooling devices for reducing heat stress in caged laying hens: A review. *Animals* 11(11): 3026.
- Hu, W., H. Wang, L. Gan, Y. Lin, Y. Fu, W. Tan, X. Dou, and L. Ye. 2025. Sulfonation of Capsaicin by sulfotransferases produces an anti-inflammatory metabolite with NF-kappaB pathway modulatory activity. *Fitoterapia* 182: 106463.
- Huang, D. S., D. F. Li, J. J. Xing, Y. X. Ma, Z. J. Li, and S. Q. Lv. 2006. Effects of feed particle size and feed form on survival of *Salmonella typhimurium* in the alimentary tract and cecal *S. typhimurium* reduction in growing broilers. *Poult. Sci.* 85(5):831-836.
- Huang, S. 2017. Upregulation of TLR4 mRNA expression levels in broiler chickens under acute heat stress. *Rev. Bras. Cienc. Avic.* 19(01): 87–94.
- Huang, S., Y. Gao, Z. Wang, X. Yang, J. Wang, and N. Zheng. 2022. Anti-inflammatory actions of acetate, propionate, and butyrate in fetal mouse jejunum cultures *ex vivo* and immature small intestinal cells *in vitro*. *Food Sci. Nutr.* 10(2):564-576.
- Hue, O. 2012. Living and training in a tropical environment: A challenge for aerobic exercise applied knowledge and perspectives. *West Indian Med. J.* 61(1): 94-97.

- Huertas, J.R., S. Stanner, and E. Weichselbaum. 2023. Antioxidants: Physiology and dietary sources. pp. 61–75. In *Encyclopedia of Human Nutrition: Vol. 1-4*, 4th ed., B. Caballero, ed. Academic Press.
- Hui, J., L. Li, R. Li, M. Wu, Y. Yang, J. Wang, Y. Fan, and X. Zheng. 2020. Effects of supplementation with  $\beta$ -carotene on the growth performance and intestinal mucosal barriers in layer-type cockerels. *Anim. Sci. J.* 91(1): e13344.
- Ibitoye, E. B., I. H. Lokman, M. N. M. Hezmee, Y. M. Goh, A. B. Z. Zuki, A. A. Jimoh, A. Danmaigoro, and N. P. Nicholas. 2019. Gut health and serum growth hormone levels of broiler chickens fed dietary chitin and chitosan from cricket and shrimp. *Poult. Sci.* 98(2):745-752.
- Igielska-Kalwat, J. 2019. Analysis of composition and stability of emulsions containing carotenoids with high performance liquid chromatography (HPLC). *Biomed. J. Sci. Technol. Res.* 13:9764-9773.
- Igielska-Kalwat, J., J. Gościńska, and I. Nowak. 2015. Karotenoidy jako naturalne antyoksydanty. *Adv. Hyg. Exp. Med.* 69.
- Ismoyowati, I., D. Indrasanti, and A. Ratriyanto. 2022. Egg production, egg quality, and fatty acid profile of Indonesian local ducks fed with turmeric, curcuma, and probiotic supplementation. *Trop. Anim. Sci. J.* 45(3):319-326.
- Jaelani, A., N. Abelina, R. Samudera, T. Rostini, Masganti, and A.I. Setyowati. 2021. The effect of additional turmeric flour in rations on the performance and egg quality of laying chicken isa brown strain age 70 thweeks. *IOP Conf. Ser.: Earth Environ. Sci.* 888(1): 012054.
- Jain, A., and J. Shakkarpude. 2024. Oxidative stress: A biomarker for animal health and production: A review. *Indian J. Anim. Res.* 58(1): 1–12.
- Jain, D., K. Singh, P. Gupta, J.K. Gupta, P.K. Sahu, S. Dwivedi, M.C. Sharma, and S. Kumar. 2025. Exploring synergistic benefits and clinical efficacy of turmeric in management of inflammatory and chronic diseases: A traditional Chinese medicine based review. *Pharmacol. Res. Mod. Chin. Med.* 14:100572.
- Jamroz, D., T. Wartecki, M. Houszka, and C. Kamel. 2006. Influence of diet type on the inclusion of plant origin active substances on morphological and histochemical characteristics of the stomach and jejunum walls in chicken. *J. Anim. Physiol. Anim. Nutr.* 90(5-6):255-268.
- Jasim, S., A.A. Abdalkareem, A.M.B.A. Al-Dhalimy, M. Zokaei, S. Salimi, M.J. Alnajjar, A. Kumar, E.R. Alwaily, A.H. Zwamel, S.A. Hussein, and M. Gholami-Ahangan. 2024. The beneficial application of turmeric (*Curcuma longa* L.) on health and egg production, in layers: A review. *Vet. Med. Sci.* 10(6):e70115.
- Jayaprakasha, G.K., L. Jaganmohan Rao, and K.K. Sakariah. 2006. Antioxidant activities of curcumin, demethoxycurcumin, and bisdemethoxycurcumin. *Food Chem.* 98(4):720–724.

- Jiang, Q., B. Huang, S. Chen, L. Zhao, Z. Ban, and B. Zhang. 2025. Intestinal inflammation disrupts energy metabolism in layer pullets: Insights into energy partitioning and intestinal metabolomic profiling. *J. Anim. Sci. Biotechnol.* 16(1):76.
- Jimenez-Escrig, A. 2006. Polyphenol and carotenoid protection in biological systems through the modulation of antioxidant enzymes. *Curr. Enzyme Inhib.* 2(3): 231–248.
- Jin, L.Z., Y.W. Ho, N. Abdullah, and S. Jalaludin. 2000. Digestive and bacterial enzyme activities in broilers fed diets supplemented with *Lactobacillus* cultures. *Poult. Sci.* 79(6):886-891.
- Jin, X., T.A. Zimmers, E.A. Perez, R.H. Pierce, Z. Zhang, and L.G. Koniaris. 2006. Paradoxical effects of short-and long-term interleukin-6 exposure on liver injury and repair. *Hepatology* 43(3):474-484.
- Joe, B., and B.R. Lokesh. 1997. Prophylactic and therapeutic effects of n-3 polyunsaturated fatty acids, capsaicin, and curcumin on adjuvant induced arthritis in rats. *J. Nutr. Biochem.* 8(7), 397-407.
- Joe, B., and B.R.L. Lokesh. 1994. Role of capsaicin, curcumin, and dietary n-3 fatty acids in lowering the generation of reactive oxygen species in rat peritoneal macrophages. *Biochim. Biophys. Acta* 1224:255–263.
- Jonkers, D.M.A.E. 2016. Microbial perturbations and modulation in conditions associated with malnutrition and malabsorption. *Best Pract. Res. Clin. Gastroenterol.* 30(2):161–172.
- Joung, E.J., M.H. Li, H.G. Lee, N. Somparn, Y.S. Jung, H.K. Na, S.H. Kim, Y.N. Cha, and Y.J. Surh. 2007. Capsaicin induces heme oxygenase-1 expression in HepG2 cells via activation of PI3K-Nrf2 signaling: NAD(P)H:quinone oxidoreductase as a potential target. *Antioxid. Redox Signal.* 9(12):2087-2098.
- Jovanovic, S. v., C.W. Boone, S. Steenken, M. Trinoga, and R.B. Kaskey. 2001. How curcumin works preferentially with water soluble antioxidants. *J. Am. Chem. Soc.* 123(13):3064–3068.
- Józefiak, D., A. Rutkowski, B. B. Jensen, and R. M. Engberg. 2006. The effect of beta-glucanase supplementation of barley-and oat-based diets on growth performance and fermentation in broiler chicken gastrointestinal tract. *Br. Poult. Sci.* 47(1):57-64.
- Kalaiyarasi, D., V. Manobharathi, and S. Mirunalini. 2022. Capsaicin in hot chili peppers as a potent free radical scavenger: An *in vitro* approach. *Res. J. Biotechnol.* 17(4):68-75.
- Kalaiyarasu, S., M. Kumar, D.S. Kumar, S. Bhatia, S.K. Dash, S. Bhat, R.K. Khetan, and S. Nagarajan. 2016. Highly pathogenic avian influenza H5N1 virus induces cytokine dysregulation with suppressed maturation of chicken monocyte-derived dendritic cells. *Microbiol. Immunol.* 60(10):687-693.

- Kale, M.K. 2014. Thyroid gland in free radical-induced oxidative stress. pp. 159–173. In *Free Radicals in Human Health and Disease*, V. Rani and U.C.S. Yadav, eds. Springer India, New Delhi.
- Kanagaraju, P., A.V. Omprakash, S. Rathnapraba, and G. Rajmanohar. 2017. Effect of Turmeric (*Curcuma longa*) on the egg production and biochemical parameters in layers. *Indian Vet. J.* 94(04):24-26.
- Kang, O.H., S.B. Kim, Y.S. Seo, D.K. Joung, S.H. Mun, J.G. Choi, Y.M. Lee, D.G. Kang, H.S. Lee, and D.Y. Kwon. 2013. Curcumin decreases oleic acid-induced lipid accumulation via AMPK phosphorylation in hepatocarcinoma cells. *Eur. Rev. Med. Pharmacol. Sci.* 17(19): 2578-2586.
- Kang, Z., C. Z. Altuntas, M. F. Gulen, C. Liu, N. Giltiy, H. Qin, L. Liu, W. Qian, R. M. Ransohoff, C. Bergmann, S. Stohlman, V. K. Tuohy, and X. Li. 2010. Astrocyte-restricted ablation of interleukin-17-induced Act1-mediated signaling ameliorates autoimmune encephalomyelitis. *Immunity.* 32(3):414-425.
- Karamać, M. 2009. Chelation of Cu (II), Zn (II), and Fe (II) by tannin constituents of selected edible nuts. *Int. J. Mol. Sci.* 10(12): 5485–5497.
- Karimi-Dehkordi, M., A. Bideshki, and M. Gholami-Ahangan. 2023. The value of kidney biochemical parameters in diagnosis of acute tubular necrosis (ATN) in chickens. *Comparative Clin Pathol*, 32(5):761–768.
- Karmakar, A., A.K. Das, N. Ghosh, and P.C. Sil. 2022. *Superoxide dismutase*. pp. 139–166. In *Antioxidants Effects in Health: The Bright and the Dark Side*, S.M. Nabavi and A.S. Silva, eds. Elsevier.
- Kasai, S., S. Shimizu, Y. Tatara, J. Mimura, and K. Itoh. 2020. Regulation of Nrf2 by mitochondrial reactive oxygen species in physiology and pathology. *Biomolecules* 10(2): 320.
- Kasiyati, K., W. Manalu, S. Sumiati, and D. R. Ekastuti. 2016. Efficacy of curcumin and monochromatic light in improving liver functions of sexually mature Magelang ducks. *J. Indones. Trop. Anim. Agric.* 41(3):153-160.
- Katu, J. K., T. Tóth, and L. Varga. 2025. Enhancing the nutritional quality of low-grade poultry feed ingredients through fermentation: A review. *Agric.* 15(5):476.
- Kawasaki, T., T. Iwasaki, I. Ohya, Y. Hasegawa, M. Noguchi, and T. Watanabe. 2020. Effects of sampling and storage method on chicken blood glucose measurement. *J. Poult. Sci.* 57(3):241–245.
- Keppel, G., and T. D. Wickens. 2004. *Design and Analysis: A Researcher's Handbook* (4th ed.). Pearson. London.
- Kermanshahi, H., and A. Riasi. 2006. Effect of turmeric rhizome powder (*Curcuma longa*) and soluble NSP degrading enzyme on some blood parameters of laying hens. *Int J Poult Sci*, 5(5):494–498.

- Khan, A.M., O.U.R. Abid, and S. Mir. 2020. Assessment of biological activities of chitosan Schiff base tagged with medicinal plants. *Biopolymers* 111(3): e23338
- Khanji, A.N., F. Michaux, D. Salameh, T. Rizk, S. Banon, and J. Jasniewski. 2018. The study of curcumin interaction with micellar casein and lactic acid bacteria cell envelope. *LWT - Food Sci. Technol.* 91:293–302.
- Khatun, M., M.A. Nur, S. Biswas, M. Khan, and M.Z. Amin. 2021. Assessment of the anti-oxidant, anti-inflammatory and anti-bacterial activities of different types of turmeric (*Curcuma longa*) powder in Bangladesh. *J. Agric. Food Res.* 6: 100201.
- Khoiriyah, N., D. Forgenie, A.A. Sa'diyah, U. Nandiroh, B. Siswadi, L.R. Maula, and H. Apriliawan. 2025. Analysing protein consumption patterns and determinants in Indonesia: a probit model approach. *Trop. Agric.* 102(1):52–61.
- Khoiriyah, N., D. Forgenie, and A. Iriany. 2023. Estimating household price and income elasticities for animal-sourced food: the case of Bengkulu province, Indonesia. *Agris Online Pap. Econ. Informatics* 15(3):73–85.
- Khuriyati, N., A. C. Sukartiko, and R. N. Alfiani. 2022. Non-destructive measurement of antioxidant activity and water content in chili powder (*Capsicum annuum* L.) using near-infrared spectroscopy. *Int. Food Res. J.* 29(2):320-327
- Kida, R., H. Yoshida, M. Murakami, M. Shirai, O. Hashimoto, T. Kawada, T. Matsui, and M. Funaba. 2016. Direct action of capsaicin in brown adipogenesis and activation of brown adipocytes. *Cell Biochem. Funct.* 34(1):34-41.
- Kijparkorn, S. and K. Angkanaporn. 2003. Effect of turmeric (*Curcuma longa* Linn.) as an antioxidant on immune status and growth performances of stressed broilers. M.Sc. thesis. The Chulalongkorn University, Faculty of Veterinary Science. Thailand.
- Kikusato, M. 2021. Phytobiotics to improve health and production of broiler chickens: functions beyond the antioxidant activity 34(3):345–353.
- Kikusato, M., J. J. Ramsey, T. Amo, and M. Toyomizu. 2010. Application of modular kinetic analysis to mitochondrial oxidative phosphorylation in skeletal muscle of birds exposed to acute heat stress. *FEBS Lett.* 584(14): 3143–3148.
- Kilic, I., and E. Simsek. 2013. The effects of heat stress on egg production and quality of laying hens. *J. Anim. Vet. Adv.* 12(1):42–47.
- Kim, C.S., T. Kawada, B.S. Kim, I.S. Han, S.Y. Choe, T. Kurata, and R. Yu. 2003. Capsaicin exhibits anti-inflammatory property by inhibiting I $\kappa$ B- $\alpha$  degradation in LPS-stimulated peritoneal macrophages. *Cell Signal* 15(3):299–306.

- Kim, G. D., Y. S. Lee, J. Y. Cho, Y. H. Lee, K. J. Choi, Y. Lee, and J. H. Moon. 2010. Comparison of the content of bioactive substances and the inhibitory effects against rat plasma oxidation of conventional and organic hot peppers (*Capsicum annuum* L.). *J. Agric. Food Chem.* 58(23):12300-12306.
- Kim, H. R., P. Seong, K. H. Seol, J. E. Park, H. Kim, W. Park, J. H. Cho, and S. D. Lee. 2025. Effects of heat stress on growth performance, physiological responses, and carcass traits in broilers. *J. Therm. Biol.* 127: 103994
- Kim, H. S., H. J. Kwon, G. E. Kim, M. H. Cho, S. Y. Yoon, A. J. Davies, S. B. Oh, H. Lee, Y. K. Cho, C. H. Joo, S. W. Kwon, S. C. Kim, and Y. K. Kim. 2014. Attenuation of natural killer cell functions by capsaicin through a direct and TRPV1-independent mechanism. *Carcinogenesis.* 35(7):1652-1660.
- Kim, H. W., S. Y. Lee, S. J. Hur, D. Y. Kil, and J. H. Kim. 2023. Effects of functional nutrients on chicken intestinal epithelial cells induced with oxidative stress. *J. Anim. Sci. Technol.* 65(5):1040.
- Kim, H.J., S.Y. Park, O.J. Park, and Y.M. Kim. 2013. Curcumin suppresses migration and proliferation of Hep3B hepatocarcinoma cells through inhibition of the Wnt signaling pathway. *Mol. Med. Rep.* 8(1):282-286.
- Kim, J.H., M.H. Baek, B.Y. Chung, S.G. Wi, and J.S. Kim. 2004. Alterations in the photosynthetic pigments and antioxidant machineries of red pepper (*Capsicum annuum* L.) seedlings from gamma-irradiated seeds. *J. Plant Biol.* 47(4):314-321.
- Kim, M.K., W. Jeong, J. Kang, and Y. Chong. 2011. Significant enhancement in radical-scavenging activity of curcuminoids conferred by acetoxy substituent at the central methylene carbon. *Bioorg. Med. Chem.* 19(12):3793-3800.
- Kinati, C., N. Ameha, M. Girma, and A. Nurfeta. 2021. Effective microorganisms, turmeric (*Curcuma longa*) as feed additives on production performance and sensory evaluation of eggs from White Leghorn hens. *Livest. Res. Rural Dev.* 33(1):3.
- Kiokias, S., and M.H. Gordon. 2004. Antioxidant properties of carotenoids *in vitro* and *in vivo*. *Food Rev. Int.* 20(2):99–121.
- Ko, H-C., M. Haile, S. Lee, A. Hwang, G-A. Lee, Y-M. Choi, B-S. Hahn, and N. Ro. 2022. Correlation of Carotenoids Content and ASTA Values of Pepper (*Capsicum chinense*) genetic resources. *Horticulturae.* 8(6):486.
- Kogut, M.H. 2021. Avian granulocytes. pp. 197–203. In *Avian Immunology*, K.A. Schat, P. Kaiser, and B. Kaspers, eds. Elsevier.
- Komonsing, N., P. Khuwijtjaru, M. Nagle, J. Müller, and B. Mahayothee. 2022. Effect of drying temperature together with light on drying characteristics and bioactive compounds in turmeric slice. *J. Food Eng.* 317: 110695.

- Korkmaz, D., N. Kirar, Ş. Top, Ö. Yıldırım, S.S. Aydın, Ö. Korkmaz, M. Çetin, and İ.M. Polat. 2023. The effects of hot pepper seeds added to the diet in quails on the morphology of the oviduct and ovary. *Anim. Health Prod. Hyg.* 12(2):20–26.
- Korotkova, E. I., O. I. Lipskikh, M. A. Kiseleva, and V. V. Ivanov. 2008. Voltammetric study of the antioxidant properties of *catalase* and *superoxide dismutase*. *Pharm. Chem. J.* 42(8):485–487.
- Krajmalnik-Brown, R., Z.E. Ilhan, D.W. Kang, and J.K. DiBaise. 2012. Effects of gut microbes on nutrient absorption and energy regulation. *Nutr. Clin. Pract.* 27(2):201–214.
- Kralik, G., Z. Kralik, M. Grčević, and D. Hanžek. 2019. Qualitative characteristics of fatty acid profile in fresh and boiled n-3 PUFA enriched eggs. *J. Cent. Eur. Agric.* 20(3): 802–808.
- Kreuz, B.S., M.D.S. Duarte, L.F.T. Albino, S.O. Borges, M.C.N. Piazza, M.E.S.D. Carvalho, J.V.D.S. Miranda, and A.A. Calderano. 2022. Capsaicinoids affect intestinal mRNA expression of genes related to oxidative stress in broilers. *Rev. Bras. Zootec.* 51:e20220077.
- Kubes, P., and C. Jenne. 2018. Immune responses in the liver. *Annu. Rev. Immunol.* 36(1):247–277.
- Kujero, M., O. Adeyemi, C. Njoku, O. Sogunle, R. Sobayo, and O.E. Oke. 2024. Reproductive and physiological responses and egg quality traits of Isa Brown chickens fed diets with ginger or turmeric powder under tropical hot environments. *Arch. Vet. Sci.* 29(2):1–11.
- Kumar, T.V., H. Manjunatha, and K. Rajesh. 2017. Anti-inflammatory activity of curcumin and capsaicin augmented in combination. *Int. J. Pharm. Pharm. Sci.* 9(6):145–149.
- Laganá, C., E. S. B. Saldanha, J. R. Sartori, E. Gonzales, R. L. Luciano, G. Zanatta, and V. B. Fascina. 2019. Turmeric and vitamin E on the performance and quality of eggs from white layers. *Agric. Sci.* 10(6):720–726.
- Lai, C.-S., J.-C. Wu, S.-F. Yu, V. Badmaev, K. Nagabhushanam, C.-T. Ho, and M.-H. Pan. 2011. Tetrahydrocurcumin is more effective than curcumin in preventing azoxymethane-induced colon carcinogenesis. *Mol. Nutr. Food Res.* 55(12):1819–1828.
- LaRosa, D. F., and J. S. Orange. 2008. 1. Lymphocytes. *J. Allergy Clin. Immunol.* 121(2): S364–S369.
- Lauvau, G., P. N. Loke, and T. M. Hohl. 2015. Monocyte-mediated defense against bacteria, fungi, and parasites. *Semin. Immunol.* 27(6): 397–409.

- Le Tan, H., G. Ferrentino, K. Morozova, M. C. Tenuta, and M. Scampicchio. 2025. Supercritical CO<sub>2</sub> extraction and fractionation of turmeric polyphenols: Antioxidant capacity and inhibition of lipid oxidation in sunflower oil. *Food Biosci.* 69:106906.
- Lee, H. J., D. K. Yoon, N. Y. Lee, and C. H. Lee. 2019. Effect of aged and fermented garlic extracts as natural antioxidants on lipid oxidation in pork patties. *Food Sci. Anim. Resour.* 39(4):610.
- Lee, M.T., W.C. Lin, B. Yu, and T.T. Lee. 2016. Antioxidant capacity of phytochemicals and their potential effects on oxidative status in animals—A review. *Asian-Australas. J. Anim. Sci.* 30(3): 299.
- Lee, S. A., J. Dunne, E. Febery, C. A. Brearley, T. Mottram, and M. R. Bedford. 2018. Exogenous phytase and xylanase exhibit opposing effects on real-time gizzard pH in broiler chickens. *Br. Poult. Sci.* 59(5):568-578.
- Lee, S. A., J. Dunne, T. Mottram, and M. R. Bedford. 2017. Effect of diet phase change, dietary Ca and P level and phytase on bird performance and real-time gizzard pH measurements. *Br. Poult. Sci.* 58(3):290-297.
- Li, C., J. Gao, S. Guo, B. He, and W. Ma. 2023a. Effects of curcumin on the egg quality and hepatic lipid metabolism of laying hens. *Animals* 14(1):138.
- Li, D., A. Wang, Y. Li, Z. Ruan, H. Zhao, J. Li, Q. Zhang, and B. Wu. 2024. Nonlinear relationship of red blood cell indices (MCH, MCHC, and MCV) with all-cause and cardiovascular mortality: A cohort study in US adults. *PLoS One.* 19(8): e0307609.
- Li, G.M., L.P. Liu, B. Yin, Y.Y. Liu, W.W. Dong, S. Gong, J. Zhang, and J.H. Tan. 2020. Heat stress decreases egg production of laying hens by inducing apoptosis of follicular cells via activating the FasL/Fas and TNF- $\alpha$  systems. *Poult. Sci.* 99(11):6084-6093.
- Li, H., L. Jin, F. Wu, P. Thacker, X. Li, J. You, X. Wang, S. Liu, S. Li, and Y. Xu. 2012a. Effect of red pepper (*Capsicum frutescens*) powder or red pepper pigment on the performance and egg yolk color of laying hens. *Asian-Australas. J. Anim. Sci.* 25(11):1605–1610.
- Li, J., H. Wang, L. Zhang, N. An, W. Ni, Q. Gao, and Y. Yu. 2021a. Capsaicin affects macrophage anti-inflammatory activity via the MAPK and NF- $\kappa$ B signaling pathways. *Int. J. Vitam. Nutr. Res.* 93(4):289-297.
- Li, J., I.H. Leghari, B. He, W. Zeng, Y. Mi, and C. Zhang. 2014. Estrogen stimulates expression of chicken hepatic vitellogenin II and very low-density apolipoprotein II through ER- $\alpha$ . *Theriogenology* 82:517–524.
- Li, J., K. Xiong, Y. Gong, and X. Yu. 2016. Advances in studies on anti-oxidant mechanism of curcumin based on signal transduction pathway. *Chin. Trad. Herbal Drugs* 47(13):2373-2380.

- Li, L., J. Chen, Y. Ni, X. Feng, Z. Zhao, P. Wang, and Z. Zhu. 2012b. TRPV1 activation prevents nonalcoholic fatty liver through UCP2 upregulation in mice. *Pflügers Arch.-Eur. J. Physiol.* 463(5):727-732
- Li, S., R. Liu, S. Xia, G. Wei, M. Ishfaq, Y. Zhang, and X. Zhang. 2022a. Protective role of curcumin on aflatoxin B1-induced TLR4/RIPK pathway mediated-necroptosis and inflammation in chicken liver. *Ecotoxicol. Environ. Saf.* 233:113319.
- Li, X., and X. Liu. 2005. Effect of curcumin on immune function of mice. *Curr. Med. Sci.* 25(2): 137–140.
- Li, Y., K. Wang, and C. Li. 2024. Oxidative stress in poultry and the therapeutic role of herbal medicine in intestinal health. *Antioxidants* 13(11): 1375.
- Li, Y., W. Chen, J. Zeng, J. Liu, J. Li, and G. Li. 2021b. Iet-7d-5p Mediated Antioxidant Activity of Curcumin. *J. Chin. Inst. Food Sci. Technol.* 21(6):19-25.
- Li, Y., X. Deng, X. Tan, Q. Li, Z. Yu, W. Wu, X. Ma, J. Zeng, and X. Wang. 2024. Protective role of curcumin in disease progression from non-alcoholic fatty liver disease to hepatocellular carcinoma: A meta-analysis. *Front. Pharmacol.* 15: 1343193.
- Li, Z., J. Zhang, K. Cheng, L. Zhang, and T. Wang. 2023b. Capsaicin alleviates the intestinal oxidative stress via activation of TRPV1/PKA/UCP2 and Keap1/Nrf2 pathways in heat-stressed mice. *J. Funct. Foods* 108:105749.
- Li, Z., J. Zhang, T. Wang, J. Zhang, L. Zhang, and T. Wang. 2022b. Effects of capsaicin on growth performance, meat quality, digestive enzyme activities, intestinal morphology, and organ indexes of broilers. *Front. Vet. Sci.* 9:841231.
- Li, Z., M. Kumar, M. Irfan, M. T. Khan, G. Faran, G. Abbas, K. Prince, G. A. Dilbar, M. A. Gondal, M. Rauf, and I. Ahmed. 2025. Impact of dietary turmeric and ginger powder on performance, serum chemistry and gut microbiota in laying hens. *J. Appl. Poult. Res.* 34(4):100605.
- Lichman, B.R. 2021. The scaffold-forming steps of plant alkaloid biosynthesis. *Nat. Prod. Rep.* 38(1): 103-129.
- Liczbiński, P., J. Michałowicz, and B. Bukowska. 2020. Molecular mechanism of curcumin action in signaling pathways: Review of the latest research. *Phytother. Res.* 34(8):1992–2005.
- Lien, T.F., H.S. Yeh, and W.T. Su. 2008. Effect of adding extracted hesperetin, naringenin and pectin on egg cholesterol, serum traits and antioxidant activity in laying hens. *Arch. Anim. Nutr.* 62(1): 33–43
- Lin, H., H. C. Jiao, J. Buyse, and E. Decuyper. 2006. Strategies for preventing heat stress in poultry. *World's Poult. Sci. J.* 62(1): 71–86.

- Lin, X., D. Bai, Z. Wei, Y. Zhang, Y. Huang, H. Deng, and X. Huang. 2019. Curcumin attenuates oxidative stress in RAW264.7 cells by increasing the activity of antioxidant enzymes and activating the Nrf2-Keap1 pathway. *PLoS One* 14(5):e0216711.
- Lin, X., Z. Gou, Q. Fan, J. Ye, Y. Wang, and S. Jiang. 2022. Effects of dietary plant essential oil on laying performance, egg quality, hatching performance, reproductive organ development and plasma and liver biochemical indices of yellow-feathered breeder hens. *Chin. J. Anim. Nutr.* 34(2): 888–896.
- Lin, Z., Y. Gong, C. Yu, C. Yang, L. Yin, D. Zhang, Y. Tang, F. Xu, Y. Wang, and Y. Liu. 2025. IGF2BP3 curbed by miR-15c-3p restores disrupted lipid storage and progesterone secretion in chicken granulosa cells under oxidative stress through AKT-Raf1-ERK1/2 signaling pathway. *Poult. Sci.* 104(2):104761.
- Liu, H. W., K. Li, J. S. Zhao, and W. Deng. 2018. Effects of chestnut tannins on intestinal morphology, barrier function, pro-inflammatory cytokine expression, microflora and antioxidant capacity in heat-stressed broilers. *J. Anim. Physiol. Anim. Nutr.* 102(3): 717–726.
- Liu, J., L. Zhao, Z. Zhao, Y. Wu, J. Cao, H. Cai, P. Yang, and Z. Wen. 2022a. Rubber (*Hevea brasiliensis*) seed oil supplementation attenuates immunological stress and inflammatory response in lipopolysaccharide-challenged laying hens. *Poult. Sci.* 101(9):102040.
- Liu, J., Y. Li, H. Shi, T. Wang, X. Wu, X. Sun, and L.L. Yu. 2016. Components characterization of total tetraploid jiaogulan (*Gynostemma pentaphyllum*) saponin and its cholesterol-lowering properties. *J. Funct. Foods* 23:542-555.
- Liu, J.G., W.G. Xia, W. Chen, K.F.M. Abouelezz, D. Ruan, S. Wang, Y.N. Zhang, X.B. Huang, K.C. Li, C.T. Zheng, and J.P. Deng. 2021a. Effects of capsaicin on laying performance, follicle development, and ovarian antioxidant capacity in aged laying ducks. *Poult. Sci.* 100(7):101155.
- Liu, L., J. Shen, C. Zhao, X. Wang, J. Yao, Y. Gong, and X. Yang. 2015. Dietary Astragalus polysaccharide alleviated immunological stress in broilers exposed to lipopolysaccharide. *Int. J. Biol. Macromol.* 72:624-632.
- Liu, L., Q. Li, Y. Yang, and A. Guo. 2021b. Biological function of short-chain fatty acids and its regulation on intestinal health of poultry. *Front. Vet. Sci.* 8:736739.
- Liu, M., Y. Lu, P. Gao, X. Xie, D. Li, D. Yu, and M. Yu. 2020. Effect of curcumin on laying performance, egg quality, endocrine hormones, and immune activity in heat-stressed hens. *Poult. Sci.* 99(4):2196–2202.
- Liu, N., B. Zhang, L. Zhang, M. Zhu, M. Hao, P. Song, X. Yao, and R. Xu. 2021b. Effects of dietary tea polyphenols on performance, egg quality, plasma antioxidant parameters and oviduct morphology of Changshun green-shell laying hens. *Chin. J. Anim. Nutr.* 33(11): 6137–6146.

- Liu, S.J., J. Wang, T.F. He, H.S. Liu, and X.S. Piao. 2021c. Effects of natural *Capsicum* extract on growth performance, nutrient utilization, antioxidant status, immune function, and meat quality in broilers. *Poult. Sci.* 100(9):101301.
- Liu, T., C. Wang, Y. Y. Wang, L. L. Wang, O. Ojo, Q. Q. Feng, X. S. Jiang, and X. H. Wang. 2022b. Effect of dietary fiber on gut barrier function, gut microbiota, short-chain fatty acids, inflammation, and clinical outcomes in critically ill patients: A systematic review and meta-analysis. *J. Parenter. Enteral Nutr.* 46(5):997-1010.
- Liu, W., X. Cui, Y. Zhong, R. Ma, B. Liu, and Y. Xia. 2023. Phenolic metabolites as therapeutic in inflammation and neoplasms: Molecular pathways explaining their efficacy. *Pharmacol. Res.* 193:106812.
- Liu, X., K. Di, X. Chen, C. Huang, F. Hou, J. Hou, E. Hao, K. Bai, D. Wang, L. Shi, Y. Chen, and H. Chen. 2025. Melatonin protects chicken follicular granulosa cells against oxidative damage-induced apoptosis via inhibiting FOXO1 signaling pathway. *Poult. Sci.* 104(9):105472.
- Liu, X-F., J-H. Shao, Y-T. Liao, L-N. Wang, Y. Jia, P-j. Dong, Z-z. Liu, D-d. He, C. Li, and X. Zhang. 2023a. Regulation of short-chain fatty acids in the immune system. *Front. Immunol.* 14:1186892.
- Liu, Y., Z. Wang, W. Xie, Z. Gu, Q. Xu, and L. Su. 2017. Oxidative stress regulates mitogen-activated protein kinases and c-Jun activation involved in heat stress and lipopolysaccharide-induced intestinal epithelial cell apoptosis. *Mol. Med. Rep.* 16(3): 2579-2587.
- Liu, Z.P., J.R. Chao, P.T. Xu, H.Y. Lv, B.Y. Ding, Z.F. Zhang, L.L. Li, and S.S. Guo. 2023b. *Lonicera flos* and *Cnicus japonicus* extracts improved egg quality partly by modulating antioxidant status, inflammatory-related cytokines and shell matrix protein expression of oviduct in laying hens. *Poult. Sci.* 102(4): 102561.
- Lokaewmanee, K., K. Yamauchi, and N. Okuda. 2013. Effects of dietary red pepper on egg yolk colour and histological intestinal morphology in laying hens. *J. Anim. Physiol. Anim. Nutr.* 97(5):986–995.
- Lokaewmanee, K., K. Yamauchi, T. Komori, and K. Saito. 2011. Enhancement of yolk color in raw and boiled egg yolk with lutein from marigold flower meal and marigold flower extract. *J. Poult. Sci.* 48(1):25–32.
- Lokhande, S. M., R. V. Kale, A. K. Sahoo, and R. C. Ranveer. 2013. Effect of curing and drying methods on recovery, curcumin and essential oil content of different cultivars of turmeric (*Curcuma longa* L). *Int. Food Res. J.* 20(2):745.
- Lopez-Cervantes, J., D. I. Sanchez-Machado, P. Cruz-Flores, M. F. Mariscal-Domínguez, G. S. de la Mora-López, and O. N. Campas-Baypoli. 2018. Antioxidant capacity, proximate composition, and lipid constituents of *Aloe vera* flowers. *J. Appl. Res. Med. Arom. Plants* 10:93-98.

- Lu, M., C.-T. Ho, and Q. Huang. 2017. Extraction, bioavailability, and bioefficacy of capsaicinoids. *J. Food Drug Anal.* 25:27–36.
- Lu, Z., X. He, B. Ma, L. Zhang, J. Li, Y. Jiang, G. Zhou, and F. Gao. 2017. Chronic heat stress impairs the quality of breast-muscle meat in broilers by affecting redox status and energy-substance metabolism. *J. Agric. Food Chem.* 65(51): 11251–11258.
- Lucas, M., M. Freitas, F. Carvalho, E. Fernandes, and D. Ribeiro. 2022. Antioxidant and Pro-oxidant Activities of Carotenoids. pp. 123–148. In *Reference Series in Phytochemistry*, A.I. Pavlov, H.M. Ekiert, B.B. Aggarwal, S. Jha, M. Wink, P. Waffo-Téguo, and C. Rivièrè, eds. Springer.
- Luqman, S., and S.I. Rizvi. 2006. Protection of lipid peroxidation and carbonyl formation in proteins by capsaicin in human erythrocytes subjected to oxidative stress. *Phytother. Res.* 20(4):303–306.
- Ma, B., T. Xing, J. Li, L. Zhang, Y. Jiang, and F. Gao. 2022. Chronic heat stress causes liver damage via endoplasmic reticulum stress-induced apoptosis in broilers. *Poult. Sci.* 101(10): 102063.
- Ma, T. H., Y. Y. Zhang, G. H. Liu, C. H. Zhong, Z. Zhu, F. F. Wang, and Y. X. Shi. 2019. Heat stress damages the morphology of duodenal endothelium via TLR4-MYD88-NF- $\kappa$ B signaling in broiler chicken. *J. Anim. Plant Sci.* 29(6): 1535–1540.
- Macáková, K., R. Afonso, L. Saso, and P. Mladěnka. 2019. The influence of alkaloids on oxidative stress and related signaling pathways. *Free Radic. Biol. Med.* 134:429-444.
- Macedo, M. H., N. Torras, M. Garcia-Diaz, C. Barrias, B. Sarmiento, and E. Martínez. 2023. The shape of our gut: Dissecting its impact on drug absorption in a 3D bioprinted intestinal model. *Biomater. Adv.* 153:213564.
- Madani, A. M. A., M. Muhlisin, A. Kurniawati, A. P. Baskara, and M. A. Anas. 2024. Dietary jack bean (*Canavalia ensiformis* L.) supplementation enhanced intestinal health by modulating intestinal integrity and immune responses of broiler chickens. *Heliyon* 10: e34389.
- Mahalak, K. K., L. S. Liu, J. Bobokalonov, A. B. Narrowe, J. Firrman, K. Bittinger, W. Hu, S. M. Jones, and A. M. Moustafa. 2024. Supplementation with soluble or insoluble rice-bran fibers increases short-chain fatty acid producing bacteria in the gut microbiota *in vitro*. *Front. Nutr.* 11:1304045.
- Mahdavi, R., A. H. Piray, and M. Torki. 2024. Effect of feed form on performance, gut morphology, and cecal microflora in late-phase laying hens under cyclic high ambient temperature. *J. Livest. Sci. Technol.* 12(2):12–29.
- Mahmood, K., K.M. Zia, M. Zuber, M. Salman, and M.N. Anjum. 2015. Recent developments in curcumin and curcumin based polymeric materials for biomedical applications: A review. *Int. J. Biol. Macromol.* 81:877–890.

- Malekizadeh, M., Moeini, M.M. and Ghazi, S., 2012. The effects of different levels of ginger (*Zingiber officinale* Rosc) and turmeric (*Curcuma longa* Linn) rhizomes powder on some blood metabolites and production performance characteristics of laying hens. 14(1): 127-134.
- Manju, S., and K. Sreenivasan. 2012. Gold nanoparticles generated and stabilized by water soluble curcumin–polymer conjugate: Blood compatibility evaluation and targeted drug delivery onto cancer cells. J. Colloid Interface Sci. 368(1):144–151.
- Manjunatha, H., and K. Srinivasan. 2006. Protective effect of dietary curcumin and capsaicin on induced oxidation of low-density lipoprotein, iron-induced hepatotoxicity and carrageenan-induced inflammation in experimental rats. FEBS J. 273(19):4528–4537.
- Manjunatha, H., and K. Srinivasan. 2007a. Hypolipidemic and antioxidant effects of dietary curcumin and capsaicin in induced hypercholesterolemic rats. Lipids 42(12):1133.
- Manjunatha, H., and K. Srinivasan. 2007b. Hypolipidemic and antioxidant effects of curcumin and capsaicin in high-fat-fed rats. Can. J. Physiol. Pharmacol. 85(6):588–596.
- Manolova, Y., V. Deneva, L. Antonov, E. Drakalska, D. Momekova, and N. Lambov. 2014. The effect of the water on the curcumin tautomerism: A quantitative approach. Spectrochim. Acta A Mol. Biomol. Spectrosc. 132:815–820.
- Marchiori, M. S., R. C. Oliveira, C. F. Souza, M. D. Baldissera, Q. M. Ribeiro, R. Wagner, S. S. Gündel, A. F. Ourique, J. K. Kirinus, L. M. Stefani, M. M. Boiago, and A. S. da Silva. 2019. Curcumin in the diet of quail in cold stress improves performance and egg quality. Anim. Feed Sci. Technol. 254:114192.
- Martín, A. P., J. B. Escudero, C. G. Torrijos, and J. M. Sanz. 2013. Linfocitos B. Medicina - Programa de Formación Médica Continuada Acreditado. 11(28): 1710–1719.
- Matsui, Y., K. Kobayashi, H. Masuda, H. Kigoshi, M. Akao, H. Sakurai, and H. Kumagai. 2009. Quantitative analysis of saponins in a tea-leaf extract and their antihypercholesterolemic activity. Biosci. Biotechnol. Biochem. 73(7):1513-1519.
- Mbajorgu, C. A., and N. O. Ramaphala. 2014. Insight into egg weight and its impact on chick hatch-weight, hatchability and subsequent growth indices in chickens-A review. Indian J. Anim. Res. 48(3):209-213.
- McDermott, J.H. 2000. Antioxidant nutrients: Current dietary recommendations and research update. J. Am. Pharm. Assoc. 40(6):785–799.
- Medalcho, T. H., K. A. Ali, and E. D. Augchew. 2025. Effects of spices mixture and cooking on antioxidant activity in Ethiopian spicy hot red pepper powder. Sci. Rep. 15(1):5203.

- Meimandipour, A., M. Shuhaimi, A. F. Soleimani, K. Azhar, M. Hair-Bejo, B. M. Kabeir, and A. M. Yazid. 2010. Selected microbial groups and short-chain fatty acids profile in a simulated chicken cecum supplemented with two strains of *Lactobacillus*. *Poult. Sci.* 89(3):470-476.
- Melekoglu, R., O. Ciftci, S. Eraslan, A. Cetin, and N. Basak. 2018. Beneficial effects of curcumin and capsaicin on cyclophosphamide-induced premature ovarian failure in a rat model. *J. Ovarian Res.* 11:33.
- Memarzia, A., M. R. Khazdair, S. Behrouz, Z. Gholamnezhad, M. Jafarnezhad, S. Saadat, and M. H. Boskabady. 2021. Experimental and clinical reports on anti-inflammatory, antioxidant, and immunomodulatory effects of *Curcuma longa* and curcumin, an updated and comprehensive review. *BioFactors*, 47(3):311–350.
- Mendes, N. de, M.C.P. Santos, M.C.B. Santos, L.C. Cameron, M.S.L. Ferreira, and É.C.B.A. Gonçalves. 2019. Characterization of pepper (*Capsicum baccatum*) - A potential functional ingredient. *LWT* 112:108209.
- Mendivil, E.J., A. Sandoval-Rodriguez, A. Meza-Ríos, L. Zuñiga-Ramos, A. Dominguez-Rosales, M. Vazquez-Del Mercado, L. Sanchez-Orozco, A. Santos-Garcia, and J. Armendariz-Borunda. 2019. Capsaicin induces a protective effect on gastric mucosa along with decreased expression of inflammatory molecules in a gastritis model. *J. Funct. Foods* 59:345-351.
- Merino, J. J., J. M. Parmigiani-Cabaña, J. M. Parmigiani-Izquierdo, R. Fernández-García, and M. E. Cabaña-Muñoz. 2024. Decreased Systemic Monocyte Colony Protein-1 (MCP-1) Levels and Reduced sCD14 Levels in Curcumin-Treated Patients with Moderate Anxiety: A Pilot Study. *Antioxidants*. 13(9): 1052.
- Mesa-Garcia, M.D., J. Plaza-Diaz, and C. Gomez-Llorente. 2018. Molecular basis of oxidative stress and inflammation. pp. 41–62. In *Obesity: Oxidative Stress and Dietary Antioxidants*, A.M. Del Moral and C.M.A. García, eds. Academic Press, San Diego.
- Messa, S., M.V.N. Rodrigues, C.L.D.C. Vianna, and R.A.F. Rodrigues. 2025. Chromatographic evaluation of curcumin content in commercial samples. *Braz. J. Food Technol.* 28: e2024134.
- Minias, P. 2019. Evolution of heterophil/lymphocyte ratios in response to ecological and life-history traits: A comparative analysis across the avian tree of life. *J Anim Ecol*, 88(4):554–565.
- Minias, P. 2020. Ecology and evolution of blood oxygen-carrying capacity in birds. *Am. Nat.* 195(5):788-801.
- Mirbod, M., A.H. Mahdavi, A.H. Samie, and M. Mehri. 2016. Effects of *Curcuma longa* rhizome powder on egg quality, performance, and some physiological indices of laying hens fed different levels of metabolizable energy. *J. Sci. Food Agric.* 97(4):1286–1294.

- Mishra, B., and R. Jha. 2019. Oxidative stress in the poultry gut: Potential challenges and interventions. *Front. Vet. Sci.* 6:60.
- Mishra, B., K. Indira Priyadarsini, M.K. Bhide, R.M. Kadam, and H. Mohan. 2004. Reactions of superoxide radicals with curcumin: Probable mechanisms by optical spectroscopy and EPR. *Free Radic. Res.* 38(4):355–362.
- Moeini, M. M., S. H. Ghazi, S. Sadeghi, and M. Malekizadeh. 2013. The effect of red pepper (*Capsicum annuum*) and marigold flower (*Tagetes erectus*) powder on egg production, egg yolk color, and some blood metabolites of laying hens. *Iran. J. Appl. Anim. Sci.* 3(2):301–305.
- Mohanty, J.G., E. Nagababu, and J.M. Rifkind. 2014. Red blood cell oxidative stress impairs oxygen delivery and induces red blood cell aging. *Front. Physiol.* 5:84.
- Mohd Hassan, N., N.A. Yusof, A.F. Yahaya, N.N. Mohd Rozali, and R. Othman. 2019. Carotenoids of *Capsicum* fruits: Pigment profile and health-promoting functional attributes. *Antioxidants* 8(10):469.
- Mola, G., R. Riccetti, D. Sergi, A. Trentini, V. Rosta, A. Passaro, J.M. Sanz, and C. Cervellati. 2025. Effect of Dietary PUFAs and Antioxidants on Antioxidant and Anti-Inflammatory Functions of HDL in a Cohort of Women. *Antioxidants* 14(10):1221.
- Moniei, F., S. Gharahveysi, A. Seidavi, and M. Irani. 2024. Effect of different levels of turmeric (*Curcuma longa*) on productivity in broiler chickens. *J. Hellenic Vet. Med. Soc.* 75(3):7801-7814.
- Moraes, S.R.P. de, T. Yanagi Júnior, A.L.R. de Oliveira, S. de N.M. Yanagi, and M.B. Café. 2008. Classification of the temperature and humidity index (THI), aptitude of the region, and conditions of comfort for broilers and layer hens in Brazil. In *Proceedings of the International Conference of Agricultural Engineering, XXXVII Brazilian Congress of Agricultural Engineering, International Livestock Environment Symposium - ILES VIII, Iguassu Falls City, Brazil*. Unpaginated.
- Moullick, S.P., F. Jahan, M.B. Islam, M.A. Basher, M.S. Hasan, M.J. Islam, S. Ahmed, D. Karmakar, F. Ahmed, T. Saha, S.S. Dey, F. Boby, M. Saha, B.K. Saha, and M.N.H. Bhuiyan. Nutritional characteristics and antiradical activity of turmeric (*Curcuma longa* L.), beetroot (*Beta vulgaris* L.), and carrot (*Daucus carota* L.) grown in Bangladesh. *Heliyon* 9(11).
- Mousa, B. H., A. M. Awad, H. A. A. Alhamdani, H. H. Nafea, and A. A. Alhamdani. 2019. Inclusion of garlic (*Allium sativum*) and turmeric (*Curcuma longa* L.) powder to laying hens' diets on egg quality traits, bacterial population, and intestinal histomorphology. *Ann. Trop. Med. Public Health* 22(4):373.

- Muchacka, R., E. Sosnówka-Czajka, I. Skomorucha, E. Kapusta, and A. Greń. 2018. The activity of antioxidant enzymes in blood plasma and eggs of laying hens kept in various rearing systems during the summer heat period. *European Poult. Sci.* 82:1-16.
- Mudalal, S., and I. Badran. 2025. Effect of *Capsicum annum* L. powder on growth performance of chicken broilers. *An-Najah Univ. J. Res.-A (Nat. Sci.)*. 39(2):175-180.
- Munglang, N.N. and V.K. Vidyarthi. 2019. Hot red pepper powder supplementation diet of broiler chicken—a review. *Livest. Res. Int.* 7(3): 159-167.
- Murugesan, G. R., B. Syed, S. Haldar, and C. Pender. 2015. Phytogenic feed additives as an alternative to antibiotic growth promoters in broiler chickens. *Front. Vet. Sci.* 2:21.
- Mustafa, M. M., F. Karadas, and I. T. Tayeb. 2021. Adding different levels of turmeric powder and curcumin in the diet on broiler performance, carcass traits, immunity and gut morphology of broiler chicken under normal and heat stress condition. *Iraqi J. Agric. Sci.* 52(2):512–526.
- Nadia, R., R.A. Hassan, E.M. Qota, and H.M. Fayek. 2008. Effect of natural antioxidant on oxidative stability of eggs and productive and reproductive performance of laying hens. *Int. J. Poult. Sci.* 7(2):134–150.
- Naeini, M.B., A.A. Momtazi, M.R. Jaafari, T.P. Johnston, G. Barreto, M. Banach, and A. Sahebkar. 2019. Antitumor effects of curcumin: a lipid perspective. *J. Cell. Physiol.* 234(9): 14743–14758.
- Nafiu, M. O., A. O. T. Ashafa, and S. Sabiu. 2018. Anti-nephrolithiatic potential and the protective role of saponin-rich extract of *Dianthus basuticus* against acetaminophen-induced damage in HEK293 cells. *Indian J. Nat. Prod. Resour.* 9:117-125.
- Nakagawa, K., M. Okamoto, M. Nishida, K. Terashima, M. Kobayashi, K. Teramoto, and A. Kubo. 2025. On-tissue derivatization for mass spectrometry imaging reveals the distribution of short chain fatty acids in murine digestive tract. *Front. Cell. Infect. Microbiol.* 15:1584487.
- Nam, T.-G. 2011. Lipid peroxidation and its toxicological implications. *Toxicol. Res.* 27(1):1-6.
- Napiórkowska-Baran, K., P. Treichel, A. Dardzińska, A. Majcherczak, A. Pilichowicz, M. Szota, B. Szymczak, E. Alska, J. Przybyszewska, and Z. Bartuzi. 2025. Immunomodulatory effects of selected non-nutritive bioactive compounds and their role in optimal nutrition. *Curr. Issues Mol. Biol.* 47(2):89.
- Narang, N., W. Jiraungkoorskul, and P. Jamrus. 2017. Current understanding of antiobesity property of capsaicin. *Pharmacogn. Rev.* 11(21):23.

- Narinc, D., A. Aygun, E. Karaman, and T. Aksoy. 2015. Egg shell quality in Japanese quail: Characteristics, heritabilities and genetic and phenotypic relationships. *Animal* 9(7):1091-1096.
- Narinc, D., S. Erdoğan, E. Tahtabiçen, and T. Aksoy. 2016. Effects of thermal manipulations during embryogenesis of broiler chickens on developmental stability, hatchability and chick quality. *Animal* 10(8): 1328–1335.
- Nascimento, G.M., R.C. Cervi, J.B. dos Santos, B. de Paiva Mota, A.R.A. Leonídio, N.S.M. Leandro, M.B. Café, and M.A. Andrade. 2019. Effects of *Curcuma longa* on the intestinal health of chicks infected with *Salmonella typhimurium*. *Rev. Bras. Zootecnia* 48: e20180197.
- Nawab, A., G. Li, L. An, L. Chao, M. Xiao, Y. Zhao, M.W. Birmani, and M.W. Ghani. 2019. Effect of curcumin supplementation on TLR4 mediated non-specific immune responses in liver of laying hens under high-temperature conditions. *J. Therm. Biol.* 84:384-397.
- Nawab, A., G. Li, W. Liu, R. Lan, J. Wu, Y. Zhao, K. Kang, B. Kieser, C. Sun, S. Tang, and M. Xiao. 2019a. Effect of dietary curcumin on the antioxidant status of laying hens under high-temperature condition. *J. Thermal Biol.* 86:102449.
- Nawab, A., G. Li, W. Liu, R. Lan, J. Wu, Y. Zhao, K. Kang, B. Kieser, C. Sun, S. Tang, and M. Xiao. 2019b. Effect of dietary curcumin on the antioxidant status of laying hens under high-temperature conditions. *Braz. J. Poult. Sci.* 21(02): eRBCA-2018.
- Nawab, A., S. Tang, G. Li, L. An, J. Wu, W. Liu, and M. Xiao. 2020. Dietary curcumin supplementation effects on blood immunological profile and liver enzymatic activity of laying hens after exposure to high temperature conditions. *J. Therm. Biol.* 90:102573.
- Nguyen, S.D. and D.-E. Sok. 2003. Beneficial effect of oleoylated lipids on paraoxonase 1: Protection against oxidative inactivation and stabilization. *Biochem. J.* 375(2):275-285.
- Nicolson, G.L., and M.E. Ash. 2014. Lipid replacement therapy: A natural medicine approach to replacing damaged lipids in cellular membranes and organelles and restoring function. *Biochim. Biophys. Acta Biomembr.* 1838(6):1657–1679.
- Nieto, G., K. Huvaere, and L. H. Skibsted. 2011. Antioxidant activity of rosemary and thyme by-products and synergism with added antioxidant in a liposome system. *Eur. Food Res. Technol.* 233(1):11-18.
- Nii, T. 2022. Relationship between mucosal barrier function of the oviduct and intestine in the productivity of laying hens. *J. Poult. Sci.* 59(2):105-113.

- Nimalaratne, C., J. Wu, and A. Schieber. 2013. Egg yolk carotenoids: Composition, analysis, and effects of processing on their stability. pp. 219–225. In *Carotenoid Cleavage Products*, P. Winterhalter and S.E. Ebeler, eds. American Chemical Society.
- Nireeksha, A. Maniangat Luke, S. Kumari N, M.N. Hegde, and N.N. Hegde. 2025. Metabolic interplay of SCFA's in the gut and oral microbiome: A link to health and disease. *Front. Oral. Health* 6:1646382.
- Nishimichi, N., M. Aosasa, T. Kawashima, H. Horiuchi, S. Furusawa, and H. Matsuda. 2005. Biological activity of recombinant chicken interleukin-6 in chicken hybridoma cells. *Vet. Immunol. Immunopathol.* 106(1-2):97-105.
- Nolte, T., S. Jansen, S. Weigend, D. Moerlein, I. Halle, H. Simianer, and A. R. Sharifi. 2021. Genotypic and dietary effects on egg quality of local chicken breeds and their crosses fed with faba beans. *Animals* 11(7):1947.
- Nugroho, A.P., I. Ismoyowati, E. Tugiyanti, R. Rosidi, S. Sufiriyanto, and D. Indrasanti. 2021. Profil hematologi ayam niaga petelur yang diberi pakan basal dengan suplementasi tepung kunyit (*Curcuma domestica* Val). pp. 220–226. In *Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (STAP) ke-8*, Universitas Jenderal Soedirman.
- Nunes, R. A., K. M. M. Dias, M. S. Duarte, C. O. Brito, R. V. Nunes, T. G. Petrolli, S. O. Borges, L. P. Castro, B. G. Vale, and A. A. Calderano. 2025. Impact of capsaicinoid supplementation in health and performance of broiler chickens subjected to lipopolysaccharide challenge. *Animals* 15(15):2203.
- O'Neill, J., C. Brock, A.E. Olesen, T. Andresen, M. Nilsson, and A.H. Dickenson. 2012. Unravelling the mystery of capsaicin: A tool to understand and treat pain. *Pharmacol. Rev.* 64(4):939–971.
- Obianwuna, U. E., K. Qiu, J. Wang, H. J. Zhang, G. H. Qi, L. L. Huang, and S. G. Wu. 2023a. Effects of dietary *Clostridium butyricum* and fructooligosaccharides, alone or in combination, on performance, egg quality, amino acid digestibility, jejunal morphology, immune function, and antioxidant capacity of laying hens. *Front. Microbiol.* 14:1125897.
- Okada, Y., K. Tanaka, E. Sato, and H. Okajima. 2010. Kinetics and antioxidative sites of capsaicin in homogeneous solution. *J. Am. Oil Chem. Soc.* 87(12):1397-1405.
- Oke, O. E., O. A. Akosile, A. I. Oni, I. O. Opowoye, C. A. Ishola, J. O. Adebisi, A. J. Odeyemi, B. Adjei-Mensah, V. A. Uyanga, and M. O. Abioja. 2024. Oxidative stress in poultry production. *Poult. Sci.* 103(9): 104003.
- Oke, O.E., F.O. Sorungbe, M.O. Abioja, O. Oyetunji, and A.O. Onabajo. 2016. Effect of different levels of honey on physiological, growth and carcass traits of broiler chickens during dry season. *Acta Agric. Slov.* 108(1): 45-53.

- Okpuzor, J., V.I. Okochi, H.A. Ogbunugafor, S.T. Ogonnia, F. Fagbayi, and C. Obidiegwu. 2009. Estimation of cholesterol level in different brands of vegetable oils. *Pak. J. Nutr.* 8:57–62.
- Oliveira Filho, J.G.de, M.J. de Almeida, T.L. Sousa, D.C. dos Santos, and M.B. Egea. 2021. Bioactive compounds of turmeric (*Curcuma longa* L.). pp. 297–318. In *Bioactive Compounds in Underutilized Vegetables and Legumes*, H.N. Murthy and K.Y. Paek, eds. Springer International Publishing, Cham.
- Oliveira, D.D.de, N.C. Baião, S.D.V. Cançado, B.L.D. Oliveira, Â.M.Q. Lana, and T.C.D. Figueiredo. 2011. Effects of the use of soybean oil and animal fat in the diet of laying hens on production performance and egg quality. *Ciênc. Agrotec.* 35: 995–1001.
- Olukosi, O. A., and N. D. Dono. 2014. Modification of digesta pH and intestinal morphology with the use of benzoic acid or phytobiotics and the effects on broiler chicken growth performance and energy and nutrient utilization. *J. Anim. Sci.* 92(9):3945-3953.
- Omidi, M., S. Rahimi, and M. A. K. Torshizi. 2015. Modification of egg yolk fatty acids profile by using different oil sources. *Vet. Res. Forum.* 6(2):137.
- Omri, B., N. Alloui, A. Durazzo, M. Lucarini, A. Aiello, R. Romano, and H. Abdouli. 2019. Egg yolk antioxidants profiles: Effect of diet supplementation with linseeds and tomato-red pepper mixture before and after storage. *Foods* 8(8):320.
- Onrust, L., S. Baeyen, F. Haesebrouck, R. Ducatelle, and F. Van Immerseel. 2020. Effect of in feed administration of different butyrate formulations on *Salmonella enteritidis* colonization and cecal microbiota in broilers. *Vet. Res.* 51(1):56.
- Ooi, P. S., A. R. Rohaida, A. D. Nur Hardy, D. Devina, A. H. Borhan, S. Kartini, J. S. Jupikely, M. A. Rahman, and A. R. Alimon. 2018. Effect of local medicinal herbs as feed additives on production performance and faecal parameters in laying hens. *Mal. J. Anim. Sci.* 21(2):59–67.
- Orndorff, B.W., C.L. Novak, F.W. Pierson, D.J. Caldwell, and A.P. McElroy. 2005. Comparison of prophylactic or therapeutic dietary administration of capsaicin for reduction of *Salmonella* in broiler chickens. *Avian Dis.* 49(4):527-533.
- Orteca, G., F. Pisaneschi, S. Rubagotti, T.W. Liu, G. Biagiotti, D. Piwnica-Worms, M. Iori, P.C. Capponi, E. Ferrari, and M. Asti. 2019. Development of a potential gallium-68-labelled radiotracer based on DOTA-curcumin for colorectal carcinoma: From synthesis to *in vivo* studies. *Molecules* 24(3):644.
- Othman, Z.A. al, Y.B.H. Ahmed, M.A. Habila, and A.A. Ghafar. 2011. Determination of capsaicin and dihydrocapsaicin in *Capsicum* fruit samples using high performance liquid chromatography. *Molecules* 16(10):8919–8929.

- Overmann, J. 2017. Leukocytes. pp. 119–125. In Interpretation of equine laboratory diagnostics, N. Pusterla and J. Higgins, eds. John Wiley & Sons, Inc., Hoboken, NJ.
- Özer, A., H. Erdost, and B. Zök. 2005. Histological investigations on the effects of feeding a diet containing red hot pepper on the reproductive organs of the chicken. *Phytother. Res.* 19(6):501–505.
- Özyürek, M., K. Güçlü, and R. Apak. 2011. The main and modified CUPRAC methods of antioxidant measurement. *TrAC Trends Anal. Chem.* 30(4):652-664.
- Pan, Q., L. Xie, H. Zhu, Z. Zong, D. Wu, R. Liu, and Y. Pu. 2024. Curcumin-incorporated EGCG-based nano-antioxidants alleviate colon and kidney inflammation via antioxidant and anti-inflammatory therapy. *Regen. Biomater.* 11:rbae122.
- Panaite, T. D., V. Nour, M. Saracila, R. P. Turcu, A. E. Untea, and P. A. Vlaicu. 2021. Effects of linseed meal and carotenoids from different sources on egg characteristics, yolk fatty acid and carotenoid profile and lipid peroxidation. *Foods* 10(6):1246.
- Pang, M., Y. Yuan, D. Wang, T. Li, D. Wang, X. Shi, M. Guo, C. Wang, X. Zhang, G. Zheng, B. Yu, and H. Wang. 2017. Recombinant CC16 protein inhibits the production of pro-inflammatory cytokines via NF- $\kappa$ B and p38 MAPK pathways in LPS-activated RAW264.7 macrophages. *Acta Biochim. Biophys. Sin.* 49(5):435–443.
- Pang, X., X. Wei, Y. Wu, S. Nan, J. Feng, F. Wang, and C. Nie. 2024. Capsaicin modulates hepatic and intestinal inflammation and oxidative stress by regulating the colon microbiota. *Antioxidants* 13(8):942.
- Papenfuss, T. and B. Bolon. 2016. Lymphocytes. pp. 559–566. In *Encyclopedia of Immunotoxicology*, H.W. Vohr, ed. Springer, Berlin, Heidelberg.
- Paramasivam, M., R. Poi, H. Banerjee, and A. Bandyopadhyay. 2009. High-performance thin layer chromatographic method for quantitative determination of curcuminoids in *Curcuma longa* germplasm. *Food Chem.* 113(2):640–644.
- Park, J. H., S. N. Kang, D. Shin, and K. S. Shim. 2015. Antioxidant enzyme activity and meat quality of meat type ducks fed with dried oregano (*Origanum vulgare* L.) powder. *Asian-Australas. J. Anim. Sci.* 28(1):79.
- Park, J., S. Do, M. Lee, S. Ha, and K. G. Lee. 2022. Preparation of turmeric powder with various extraction and drying methods. *Chem. Biol. Technol. Agric.* 9(1):39.
- Park, J.Y., T. Kawada, I.S. Han, B.S. Kim, T. Goto, N. Takahashi, T. Fushiki, T. Kurata, and R. Yu. 2004. Capsaicin inhibits the production of tumor necrosis factor  $\alpha$  by LPS-stimulated murine macrophages, RAW 264.7: a PPAR $\gamma$  ligand-like action as a novel mechanism. *FEBS Lett.* 572(1-3):266-270.

- Park, S.-S., J.-M. Kim, E.-J. Kim, H.-S. Kim, B.-K. An, and C.-W. Kang. 2012. Effects of dietary turmeric powder on laying performance and egg qualities in laying hens. *Korean J. Poult. Sci.* 39(1):27–32.
- Partio, E.K.U., F. Tedjakusuma, and R. Surya. 2023. Analysis of antioxidant and hedonic acceptance of turmeric extract-enriched milk. *IOP Conf. Ser.: Earth Environ. Sci.* 1169(1): 012091.
- Patcharatrakul, T., C. Kriengkirakul, T. Chaiwatanarat, and S. Gonlachanvit. 2020. Acute effects of red chili, a natural capsaicin receptor agonist, on gastric accommodation and upper gastrointestinal symptoms in healthy volunteers and gastroesophageal reflux disease patients. *Nutrients* 12(12):3740.
- Patterson, E., J.F. Cryan, G.F. Fitzgerald, R.P. Ross, T.G. Dinan, and C. Stanton. 2014. Gut microbiota, the pharmabiotics they produce and host health. *Proc. Nutr. Soc.* 760.
- Pawar, S.S., B. Sajjanar, V.D. Lonkar, N.P. Kurade, A.S. Kadam, A.V. Nirmal, M.P. Brahmane, and S.K. Bal. 2016. Assessing and mitigating the impact of heat stress in poultry. *Adv. Anim. Vet. Sci.* 4(6): 332–341.
- Pea, F., and M. Furlanut. 2001. Pharmacokinetic aspects of treating infections in the intensive care unit: Focus on drug interactions. *Clin. Pharmacokinet.* 40:833–868.
- Pearce, S.C., V. Mani, R.L. Boddicker, J.S. Johnson, T.E. Weber, J.W. Ross, L.H. Baumgard, and N.K. Gabler. 2012. Heat stress reduces barrier function and alters intestinal metabolism in growing pigs. *J. Anim. Sci.* 90(suppl\_4): 257-259.
- Pedreiro, S., M. Lopes, A.S. Silva, and F. Ramos. 2024. Antioxidant methods, *in vitro* and *in vivo* studies of phenolic acids. pp. 61–144. In *Advancement of Phenolic Acids in Drug Discovery: Fundamentals and Applications*, N. Kumar, N. Goel, and J.S. Gandara, eds. Elsevier.
- Peluso, J. J. and J. K. Pru. 2014. Non-canonical progesterone signaling in granulosa cell function. *Reproduction* 147(5): 169 – 178.
- Pérez-Reytor, D., C. Puebla, E. Karahanian, and K. García. 2021. Use of short-chain fatty acids for the recovery of the intestinal epithelial barrier affected by bacterial toxins. *Front. Physiol.* 12:650313.
- Phuong, L. T., and N. T. Thuy. 2021. Effect of herbal powder supplementations in feed on egg performances and intestinal microflora of small size local hens in the south of Vietnam. *Livest. Res. Rural Dev.* 33(9):116
- Pietta, P. G. 2000. Flavonoids as antioxidants. *J. Nat. Prod.* 63:1035–1042.
- Pillay, S.R., A. Roy, S. Rajeshkumar, and T. Lakshmi. 2019. Antimicrobial activity of turmeric, cumin, and ginger oil on oral pathogens. *Drug Invent. Today* 11(5):1-6.

- Platel, K., and K. Srinivasan. 2004. Digestive stimulant action of spices: a myth or reality?. *Indian J. Med. Res.* 119(5), 167.
- Popov, I. V., N. Belkassam, R. Schrijver, I. P. Chebotareva, M. L. Chikindas, A. M. Ermakov, and K. Venema. 2024. Modulation of poultry cecal microbiota by a phytogetic blend and high concentrations of casein in a validated *in vitro* cecal chicken alimentary tract model. *Vet. Sci.* 11(8):377.
- Pothirat, C. and S. Charoenratanakul. 2005. Tropical infections and the lungs. pp. 223–257. In *Respiratory medicine: An Asian perspective*, M. Ip, M. Chan-Yeung, W.K. Lam, and N.S. Zhong, eds. Hong Kong University Press.
- Pradana, S. W., Zuprizal, and B. Ariyadi. 2025. Grower feed in the starter phase: A cost-effective approach for broiler parent stock management. *Adv. Anim. Vet. Sci.* 13(4):720-726.
- Prado-Audelo, M.L.del, I.H. Caballero-Florán, J.A. Meza-Toledo, N. Mendoza-Muñoz, M. González-Torres, B. Florán, H. Cortés, and G. Leyva-Gómez. 2019. Formulations of curcumin nanoparticles for brain diseases. *Biomolecules* 9:1-28.
- Prieto, M. T., and J. L. Campo. 2010. Effect of heat and several additives related to stress levels on fluctuating asymmetry, heterophil:lymphocyte ratio, and tonic immobility duration in White Leghorn chicks. *Poult. Sci.* 89(10):2071–2077.
- Priyadarsini, K.I. 2009. Photophysics, photochemistry and photobiology of curcumin: Studies from organic solutions, bio-mimetics and living cells. *J. Photochem. Photobiol. C: Photochem. Rev.* 10(2):81–95.
- Priyadarsini, K.I. 2014. The chemistry of curcumin: From extraction to therapeutic agent. *Molecules* 19(12):20091–20112.
- Proszkowiec-Weglarz, M. 2022. Gastrointestinal anatomy and physiology. pp. 485–527. In *Sturkie's Avian Physiology*, C.G. Scanes and S. Dridi, eds. Elsevier.
- Pruthvi, G.R., M.R. Apoorva, T. Anuthilakesh, K. Bhargavi, G.S. Nithish, and R.R. Achar. 2024. Food polyphenols: Antioxidant properties and health benefits. pp. 1–20. In *Polyphenols: Food, Nutraceutical, and Nanotherapeutic Applications*, M. Rudrapal, ed. Wiley.
- Pusat Sosial Ekonomi dan Kebijakan Pertanian. 2023. Laporan Tahunan Pusat Sosial Ekonomi dan Kebijakan Pertanian 2022. Pusat Sosial Ekonomi dan Kebijakan Pertanian. Bogor.
- Puvača, N., L. Kostadinović, D. Ljubojević, D. Lukač, J. Lević, S. Popović, N. Novakov, B. Vidović, and O. Đuragić. 2015. Effect of garlic, black pepper, and hot red pepper on productive performances and blood lipid profile of broiler chickens. *Eur. Poult. Sci.* 79:1–13.

- Qin, K., X. Cong, H. Wang, M. Yan, X. Xu, M. Liu, F. Song, D. Wang, X. Xu, and J. Zhao. 2024. Effects of supplementing selenium-enriched *Cardamine violifolia* to laying hens on egg quality and yolk antioxidant capacity during storage at 4 °C and 25 °C. *Foods*, 13(5): 802.
- Qu, J., W. Wang, Q. Zhang, and S. Li. 2020. Inhibition of lipopolysaccharide-induced inflammation of chicken liver tissue by selenomethionine via TLR4-NF-kappaB-NLRP3 signaling pathway. *Biol. Trace Elem. Res.* 195(1):205-214.
- Rabee, A. E., O. Raef, A. M. Sallam, E. A. Elwakeel, R. S. Mohammed, I. S. A. El-Hamid, and M. M. M. Ghandour. 2025. Growth performance, carcass traits, and histological changes of goats supplemented with different sources of phytochemicals. *Sci. Rep.* 15(1):20264.
- Ráčková, L., M. Májeková, D. Košťálová, and M. Štefek. 2004. Antiradical and antioxidant activities of alkaloids isolated from *Mahonia aquifolium*. Structural aspects. *Bioorg. Med. Chem.* 12(17):4709-4715.
- Rahardja, D.P., M. R. Hakim and V.S. Lestari. 2015. Egg production performance of old laying hen fed dietary turmeric powder. *Inter. J. Anim. Vet. Sci.*, 9(7):748-752.
- Rahman, M.A. 2013. An introduction to morphology of the reproductive system and anatomy of hen's egg. *J. Life Earth Sci.* 8:1–10.
- Rahman, M.S., M.H. Al-Rizeiqi, N. Guizani, M.S. Al-Ruzaiqi, A.H. Al-Aamri, and S. Zainab. 2015. Stability of vitamin C in fresh and freeze-dried *Capsicum* stored at different temperatures. *J. Food Sci. Technol.* 52(3):1691–1697.
- Rajendran, M., P. Manisankar, R. Gandhidasan, and R. Murugesan. 2004. Free radicals scavenging efficiency of a few naturally occurring flavonoids: a comparative study. *J. Agric. Food Chem.* 52(24):7389-7394.
- Rajput, N., M. Naeem, S. Ali, J.F. Zhang, L. Zhang, and T.J.P.S. Wang. 2013. The effect of dietary supplementation with the natural carotenoids curcumin and lutein on broiler pigmentation and immunity. *Poult. Sci.* 92(5):1177–1185.
- Ramnath, V., and P. S. Rekha. 2009. Brahma Rasayana enhances *in vivo* antioxidant status in cold-stressed chickens (*Gallus gallus domesticus*). *Indian J Pharmacol*, 41(3):115–119.
- Rapti, E., T. Adamantidi, P. Efthymiopoulos, G.Z. Kyzas, and A. Tsoupras. 2024. Potential applications of the anti-inflammatory, antithrombotic and antioxidant health-promoting properties of curcumin: A Critical Review. *Nutraceuticals* 4(4):562-595.
- Rashid, Z., M. Z. Yousaf, S. M. H. Gilani, S. Zehra, A. Ali, A. Azhar, and S. Galani. 2021. Comparative analysis of chicken cecal microbial diversity and taxonomic composition in response to dietary variation using 16S rRNA amplicon sequencing. *Mol. Biol. Rep.* 48(11):7203-7214.

- Rashid, Z., S. M. H. Gilani, A. Ashraf, S. Zehra, A. Azhar, K. A. Al-Ghanim, and S. Galani. 2020. Benchmark taxonomic classification of chicken gut bacteria based on 16S rRNA gene profiling in correlation with various feeding strategies. *J. King Saud Univ. Sci.* 32(1):1034-1041.
- Raza, T., N. Chand, R. U. Khan, M. S. Shahid, and A. M. Abudabos. 2016. Improving the fatty acid profile in egg yolk through the use of hempseed (*Cannabis sativa*), ginger (*Zingiber officinale*), and turmeric (*Curcuma longa*) in the diet of Hy-Line White Leghorns. *Arch. Anim. Breed.* 59(2):183-190.
- Reda, F.M., M. Alagawany, H.K. Mahmoud, S.A. Mahgoub, and S.S. Elnesr. 2020. Use of red pepper oil in quail diets and its effect on performance, carcass measurements, intestinal microbiota, antioxidant indices, immunity and blood constituents. *Anim.* 14(5):1025-1033.
- Reddy, A.C.P., and B.R. Lokesh. 1992. Studies on spice principles as antioxidants in the inhibition of lipid peroxidation of rat liver microsomes. *Mol. Cell. Biochem.* 111(1): 117-124.
- Reddy, A.C.P., and B.R. Lokesh. 1994b. Effect of dietary turmeric (*Curcuma longa*) on iron-induced lipid peroxidation in the rat liver. *Food Chem. Toxicol.* 32(3): 279-283.
- Reddy, A.C.P., and Lokesh, B.R., 1994a. Studies on anti-inflammatory activity of spice principles and dietary n-3 polyunsaturated fatty acids on carrageenan induced inflammation in rats. *Ann. Nutr. Metab.* 38: 343-358.
- Redmond, S.B., R.M. Tell, D. Coble, C. Mueller, D. Palić, C.B. Andreasen, and S.J. Lamont. 2010. Differential splenic cytokine responses to dietary immune modulation by diverse chicken lines. *Poult. Sci.* 89(8):1635-1641.
- Rehman, Z. U., C. Meng, Y. Sun, A. Safdar, R. H. Pasha, M. Munir, and C. Ding. 2018. Oxidative stress in poultry: Lessons from the viral infections. *Oxid. Med. Cell. Longev.* 2018(1): 5123147.
- Reilly, C.A., F. Henion, T.S. Bugni, M. Ethirajan, C. Stockmann, K.C. Pramanik, S.K. Srivastava, and G.S. Yost. 2013. Reactive intermediates produced from the metabolism of the vanilloid ring of capsaicinoids by P450 enzymes. *Chem. Res. Toxicol.* 26(1):55–66.
- Ressaissi, A., N. Attia, R. Pacheco, P.L. Falé, and M.L.M. Serralheiro. 2020. Cholesterol transporter proteins in HepG2 cells can be modulated by phenolic compounds present in *Opuntia ficus-indica* aqueous solutions. *J. Funct. Foods* 64:103674.
- Reyes-Escogido, M., E.G. Gonzalez-Mondragon, and E. Vazquez-Tzompantzi. 2011. Chemical and pharmacological aspects of capsaicin. *Molecules* 16(2):1253–1270.

- Rezai, M., Ç. Bayrak, P. Taslimi, I. Gulcin, and A. Menzek. 2018. The first synthesis, antioxidant and anticholinergic activities of 1-(4,5-dihydroxybenzyl)pyrrolidin-2-one derivative bromophenols including natural products. *Turk. J. Chem.* 42(3):808–825.
- Riasi, A., H. Kermanshahi, and A. H. Mahdavi. 2012. Production performance, egg quality, and some serum metabolites of older commercial laying hens fed different levels of turmeric rhizome (*Curcuma longa*) powder. *J. Med. Plants Res.* 6(11):2141–2145.
- Robinson, M. W., C. Harmon, and C. O’Farrelly. 2016. Liver immunology and its role in inflammation and homeostasis. *Cell Mol Immunol*, 13(3):267–276.
- Rodríguez-Pérez, C., A. Segura-Carretero, and M. del Mar Contreras. 2019. Phenolic compounds as natural and multifunctional anti-obesity agents: A review. *Crit. Rev. Food Sci. Nutr.* 59(8):1212-1229.
- Rohman, A., A. T. Can, Irnawati, M. Rafi, E. Lukitaningsih, and N. A. Fadzilah. 2020. Principal component analysis of antioxidant activities, total phenolic contents, and total flavonoid contents of turmeric (*Curcuma longa* L.). *Int. J. Pharm. Res.* 12:2966-2972.
- Rosa, A., M. Deiana, V. Casu, S. Paccagnini, G. Appendino, M. Ballero, and M.A. Dessí. 2002. Antioxidant activity of capsinoids. *J. Agric. Food Chem.* 50(25):7396–7401.
- Rosa, G. da, V. Dazuk, D.F. Alba, G.M. Galli, V. Molosse, M.M. Boiago, C.F. Souza, L.B. Abbad, M.D. Baldissera, L.M. Stefani, and A.S. da Silva. 2020. Curcumin addition in diet of laying hens under cold stress has antioxidant and antimicrobial effects and improves bird health and egg quality. *J. Therm. Biol.* 91:102618.
- Rowghani, E., A. Maddahian, and M. Arab Abousadi. 2006. Effects of addition of marigold flower, safflower petals, and red pepper on egg-yolk color and egg production in laying hens. *Pak. J. Biol. Sci.* 9:1333–1337.
- Ruan, D., S. Wu, A. M. Fouad, Y. Zhu, W. Huang, Z. Chen, and S. Jiang. 2022. Curcumin alleviates LPS-induced intestinal homeostatic imbalance through reshaping gut microbiota structure and regulating group 3 innate lymphoid cells in chickens. *Food Funct.* 13(22):11811-11824.
- Rynsburger, J. M. 2009. Physiological and nutritional factors affecting protein digestion in broiler chickens. Disertasi Doktoral. University of Saskatchewan, Saskatoon.
- Sadr, A. S., M. Nassiri, M. Ghaderi-Zefrehei, M. Heidari, J. Smith, and M. Muhaghegh Dolatabady. 2023. RNA-Seq profiling between commercial and indigenous Iranian chickens highlights differences in innate immune gene expression. *Genes* 14(4): 793.

- Sahebkar, A., and Y. Henrotin. 2015. Analgesic efficacy and safety of curcuminoids in clinical practice: A systematic review and meta-analysis of randomized controlled trials. *Pain Med.* 17(6):1192-1202.
- Sahin, K., C. Orhan, M. Tuzcu, S. Ali, N. Sahin, and A. Hayirli. 2010. Epigallocatechin-3-gallate prevents lipid peroxidation and enhances antioxidant defense system via modulating hepatic nuclear transcription factors in heat-stressed quails. *Poult. Sci.* 89(10):2251-2258.
- Sahin, K., E. Sahin, P. B. Deeh, V. Kayri, C. Orhan, and N. Sahin. 2023. Role of the antioxidant defence system and transcription factors in preventing heat stress in poultry: A dietary approach. *World's Poult. Sci. J.* 79(4): 651–687.
- Sahin, N., A. Hayirli, C. Orhan, M. Tuzcu, J. R. Komorowski, and K. Sahin. 2018. Effects of the supplemental chromium form on performance and metabolic profile in laying hens exposed to heat stress. *Poult. Sci.* 97(4): 1298–1305.
- Sahin, N., C. Orhan, M. Tuzcu, V. Juturu, and K. Sahin. 2017. Capsaicinoids improve egg production by regulating ovary nuclear transcription factors against heat stress in quail. *Brit. Poult. Sci.* 58(2):177-183.
- Sahin, N., F.A.T.İ.H. Akdemir, C. Orhan, O. Kucuk, A. Hayirli, and K. Sahin. 2008. Lycopene-enriched quail egg as functional food for humans. *Food Res. Int.* 41(3):295-300.
- Sahoo, D.K., R.M. Heilmann, B. Paital, A. Patel, V.K. Yadav, D. Wong, and A.E. Jergens. 2023. Oxidative stress, hormones, and effects of natural antioxidants on intestinal inflammation in inflammatory bowel disease. *Front. Endocrinol.* 14: 1217165.
- Sahoo, N., S. Mishra, R. Swain, A. Acharya, S. Pattnaik, K. Sethy, and L. Sahoo. 2019. Effect of turmeric and ginger supplementation on immunity, antioxidant, liver enzyme activity, gut bacterial load and histopathology of broilers. *Indian J. Anim. Sci.* 89(7):774-779.
- Salamatullah, A.M., K. Hayat, F. Mabood Husain, M. Asif Ahmed, S. Arzoo, M. Musaad Althbiti, A. Alzahrani, B.A.M. Al-Zaied, H. Kahlil Alyahya, N. Albader, H.A. Nafidi, and M. Bourhia. 2022. Effects of different solvents extractions on total polyphenol content, hplc analysis, antioxidant capacity, and antimicrobial properties of peppers (red, yellow, and green (*Capsicum annum* L.)). *J. Evid. Based. Complementary Altern. Med.* 2022:7372101.
- Saleh, A.A., E. Gawish, S.F. Mahmoud, K. Amber, W. Awad, M.H. Alzawqari, M. Shukry, and A.M.E. Abdel-Moneim. 2021. Effect of natural and chemical colorant supplementation on performance, egg-quality characteristics, yolk fatty-acid profile, and blood constituents in laying hens. *Sustainability* 13(8):4503.

- Saleh, A.A., M.S. Eltantawy, E.M. Gawish, H.H. Younis, K.A. Amber, A.E.M.E. Abd El-Moneim, and T.A. Ebeid. 2020. Impact of dietary organic mineral supplementation on reproductive performance, egg quality characteristics, lipid oxidation, ovarian follicular development, and immune response in laying hens under high ambient temperature. *Biol. Trace Elem. Res.* 195(2):506–514.
- Salles, J. P. and R.X. Faria. 2024. Pharmacological Applications of Capsaicin in the Treatment of Diseases. pp. 335–352. In *Capsaicinoids*, M.K. Swamy and A. Kumar, eds. Springer, Singapore.
- Samantaray, L., and Y. Nayak. 2023. Effects of black pepper, turmeric, and fennel on essential and non-essential chemical contents of egg. *J World Poult Res*, 13(1):61–70
- Samia, M. M., A. M. Rizk, and O. A. El-Sayed. 2018. Effect of supplementing diet with *Spirulina platensis* algae or turmeric on productive and reproductive performance of Golden Montazah layers. *Egypt Poult Sci J*, 38(1):109–125.
- Samuel, J., M. U. Kaisan, Y. S. Sanusi, S. Narayan, B. Menacer, M. Valenzuela, A. Salas, A. Oñate, F. O. Mahroogi, and V. Tuninetti. 2024. Assessing antioxidant and pour point depressant capacity of turmeric rhizome extract in biolubricants. *Lubricants*. 12(8):282.
- Sanlier, N., and D. Üstün. 2021. Egg consumption and health effects: A narrative review. *J. Food Sci.* 86(10):4250–4261.
- Santos, E. A., J. L. Silva, P. C. L. Leocádio, M. E. R. Andrade, C. M. Queiroz-Junior, N. S. S. Oliveira, J. L. Alves, J. S. Oliveira, E. C. Aguilar, K. Boujour, B. Cogliati, V. N. Cardoso, S. O. A. Fernandes, A. M. C. Faria, and J. I. Alvarez-Leite. 2024. Cutaneous application of capsaicin cream reduces clinical signs of experimental colitis and repairs intestinal barrier integrity by modulating the gut microbiota and tight junction proteins. *ACS Pharmacol. Transl. Sci.* 7(7):2143-2153.
- Santos-Bocanegra, E., X. Ospina-Osorio, and E.O. Oviedo-Rondon. 2004. Evaluation of xanthophylls extracted from *Tagetes erectus* (Marigold flower) and *Capsicum* sp. (Red pepper paprika) as a pigment for egg yolks compared with synthetic pigments. *Int. J. Poult. Sci.* 3(11):685–689.
- Saponaro, C., M. Gaggini, F. Carli, and A. Gastaldelli. 2015. The subtle balance between lipolysis and lipogenesis: A critical point in metabolic homeostasis. *Nutrients* 7(11):9453-9474.
- Saraswati, T.R., W. Manalu, D.R. Ekastuti, and N. Kusumorini. 2013a. Increased egg production of Japanese quail (*Cortunix japonica*) by improving liver function through turmeric powder supplementation. *Int. J. Poult. Sci.* 12(10): 601-614.

- Saraswati, T.R., W. Manalu, D.R. Ekastuti, and N. Kusumorini. 2013b. The role of turmeric powder in lipid metabolism and its effect on quality of the first quail's egg. *J. Indones. Trop. Anim. Agric.* 38(2): 123-130.
- Saraswati, T.R., W. Manalu, D.R. Ekastuti, and N. Kusumorini. 2014. Effect of turmeric powder on estriol and progesterone hormone profile of laying hens during one cycle of ovulation. *Int. J. Poult. Sci.* 13(9):504.
- Sathiyasekaran, M. 2017. Elevated transaminases in a child - approach. *Indian J. Pract. Pediatr.* 19(4):347-352.
- Sato, R. 2020. Recent advances in regulating cholesterol and bile acid metabolism. *Biosci. Biotechnol. Biochem.* 84(11):2185-2192.
- Sayed, M. A., M. A. Shahta, N. M. Ali, M. H. Kotob, U. T. Mahmoud, M. A. Mahmoud, and O. A. Amen. 2023. Evaluate the effect of some phytobiotics on the control of necrotic enteritis in broilers chicken. *Assiut Vet. Med. J.* 69(177):89-104.
- Scheidegger, S., B. Debrunner, and A. Huber. 2006. Eosinophilie. *Ther. Umschau.* 63(1): 83–88.
- Schneeberger, E. E., M. S. Arriola, H. Fainboim, T. Schroder, J. González, D. Baiges, M. Luque, J. A. Maldonado Coco, and G. Citera. 2012. Idiopathic inflammatory myopathies: Its association with liver disorders. *Rev. Fac. Cien. Med. Córdoba*, 69(3):139–143.
- Schneider, C. D., and A. R. Oliveira. 2004. Radicais livres de oxigênio e exercício: Mecanismos de formação e adaptação ao treinamento físico. *RBME.* 10:308–313.
- Schweiggert, U., A. Schieber, and R. Carle. 2005. Inactivation of peroxidase, polyphenoloxidase, and lipoxygenase in paprika and chili powder after immediate thermal treatment of the plant material. *Innov. Food Sci. Emerg. Technol.* 6(4):403-411.
- Sekelova, Z., O. Polansky, H. Stepanova, R. Fedr, M. Faldynova, I. Rychlik, and L. Vlasatikova. 2017. Different roles of CD4, CD8 and  $\gamma\delta$  T-lymphocytes in naive and vaccinated chickens during *Salmonella enteritidis* infection. *Proteomics* 17(13-14):1700073
- Şekeroğlu, V., B. Aydın, Z.A. Şekeroğlu, and Y.Ö. Kömpe. 2018. Hepatoprotective effects of capsaicin and alpha-tocopherol on mitochondrial function in mice fed a high-fat diet. *Biomed. Pharmacother.* 98:821-825.
- Serafini, M. M., M. Catanzaro, F. Fagiani, E. Simoni, R. Caporaso, M. Dacrema, and C. Lanni. 2020. Modulation of Keap1/Nrf2/ARE signaling pathway by curcuma-and garlic-derived hybrids. *Front. Pharmacol.* 10:1597.
- Seremelis, I., G. P. Danezis, A. C. Pappas, E. Zoidis, and K. Fegeros. 2019. Avian stress-related transcriptome and selenotranscriptome: Role during exposure to heavy metals and heat stress. *Antioxidants* 8(7): 216.

- Serra, V., G. Salvatori, and G. Pastorelli. 2021. Dietary polyphenol supplementation in food producing animals: Effects on the quality of derived products. *Animals*. 11(2):401.
- Shabbir, M.Z., A. Ahmad, M.N. Zahid, J. Nazir, M. Nawaz, and H. Akbar. 2013. *Sample collection guide: A practical approach*. Nexus Academic Publisher, Lahore.
- Shahid, M.S., S. Zhou, W. Nie, L. Wang, H. Lv, and J. Yuan. 2022. Phytogenic antioxidants prolong n-3 fatty acid-enriched eggs' shelf life by activating the Nrf-2 pathway through phosphorylation of MAPK. *Foods* 11(20): 3158.
- Shaikh, S.A.M., B.G. Singh, A. Barik, N.V. Balaji, G.V. Subbaraju, D.B. Naik, and K.I. Priyadarsini. 2019. Unravelling the effect of  $\beta$ -diketo group modification on the antioxidant mechanism of curcumin derivatives: a combined experimental and DFT approach. *J. Mol. Struct.* 1193:166-176.
- Shalan, N., A. Khaleel, and A. Al-Samydai. 2024. The role of capsaicin and transient receptor potential vanilloid 1 gene activation in preventing kidney stone: A comprehensive review. *Trop. J. Pharm. Res.* 23(6):1031-1037.
- Shamri, R., J. J. Xenakis, and L. A. Spencer. 2011. Eosinophils in innate immunity: an evolving story. *Cell Tissue Res.* 343(1): 57–83.
- Shamsi, S., H. Tran, R.S.J. Tan, Z.J. Tan, and L.Y. Lim. 2017. Curcumin, piperine, and capsaicin: A comparative study of spice-mediated inhibition of human cytochrome P450 isozyme activities. *Drug Metab. Dispos.* 45(1):49–55.
- Shang, H., W. Gou, S. Liu, W. Yuan, Z. Cao, Y. Guo, and N. Zhang. 2025. Integrated metagenomics and metabolomics to reveal the effects of dietary comfrey polysaccharides on the oxidative stability and fatty acid composition of egg yolks in laying hens. *Poult. Sci.* 104(10):105553.
- Shang, K., T. Amna, M. Amina, N. M. Al-Musayeib, S. S. Al-Deyab, and I. Hwang. 2017. Influence of capsaicin on inflammatory cytokines induced by lipopolysaccharide in myoblast cells under in vitro environment. *Pharmacogn. Mag.* 13(Suppl 1):S26.
- Sharma, V. and T.G. Singh. 2025. *Reactive Oxygen Species and Dyslipidemia. In Role of Free Radicals in Pathology*, S. Devi, R. Singh, N. Mittal, T. G. Singh, eds. pp. 137 - 156. Apple Academic Press.
- Shen, L., H. Luo, L. Fan, X. Tian, A. Tang, X. Wu, and Z. Su. 2023. Potential immunoregulatory mechanism of plant saponins: a review. *Molecules.* 29(1):113.
- Shen, L., L. Liu, and H.F. Ji. 2017. Regulative effects of curcumin spice administration on gut microbiota and its pharmacological implications. *Food Nutr. Res.* 61(1):1361780.

- Shi, H., Q. Yu, Z. He, X. Dai, X. Huang, and Z. Lin. 2024. Effects of dietary supplementation with turmeric powder on antioxidant and lipid metabolism in yellow-feathered broilers. *Chin. J. Appl. Environ. Biol.* 30(3):607-614.
- Shimano, H. 2001. Sterol regulatory element-binding proteins (SREBPs): Transcriptional regulators of lipid synthetic genes. *Prog Lipid Res.* 40(6):439–452.
- Shini, S., G.R. Huff, A. Shini, and P. Kaiser. 2010. Understanding stress-induced immunosuppression: exploration of cytokine and chemokine gene profiles in chicken peripheral leukocytes. *Poult. Sci.* 89(4):841-851.
- Shomali, T., S. Hamed, H. Solhdoost, K. Branch, and I. Alborz. 2017. Levamisole improves histomorphometric parameters of small intestinal wall of broiler chickens. *Bulgarian J Vet Med.* 20(4):385–391.
- Silva, R.da, J. N. de Azevedo, J. P. Machado, and J. M. Rodrigues. 2025. pH dynamics in Crohn's disease: implications for the gut microbiota and therapeutic strategies. *Review. Mod. Gastroenterol.* 1(139):87-95.
- Silveira Agostini-Costa, T.da, I. da Silva Gomes, L.A.M.P. de Melo, F.J.B. Reifschneider, and C.S. da Costa Ribeiro. 2017. Carotenoid and total vitamin C content of peppers from selected Brazilian cultivars. *J. Food Comp. Anal.* 57:73–79.
- Simon, Á., G. Gulyás, Z. Mészár, M. Bhide, J. Oláh, P. Bai, É. Csősz, A. Jávora, I. Komlósi, J. Remenyik, and L. Czeglédi. 2019. Proteomics alterations in chicken jejunum caused by 24 h fasting. *PeerJ.* 7:e6588.
- Singh, A., P. Kaur, M. Kumar, S. Shafi, P. K. Upadhyay, A. Tiwari, and Y. Garg. 2025. The Role of Phytochemicals in Modulating the Gut Microbiota: Implications for Health and Disease. *Med. Microecol.* 100125.
- Singh, D.P., P. Khare, J. Zhu, K.K. Kondepudi, J. Singh, R.K. Baboota, R.K. Boparai, R. Khardori, K. Chopra, and M. Bishnoi. 2016a. A novel probiotic-based preventive approach against high-fat diet-induced adiposity, nonalcoholic fatty liver and gut derangement in mice. *Int. J. Obes.* (2005) 40(3):487–496.
- Singh, P., R.K. Kesharwani, K. Misra, and S.I. Rizvi. 2016b. Modulation of erythrocyte plasma membrane redox system activity by curcumin. *Biochem. Res. Int.* 2016(1):6025245.
- Sinha, A., T.T.T. Chu, M. Dao, and R. Chandramohanadas. 2015. Single-cell evaluation of red blood cell biomechanical and nanostructural alterations upon chemically induced oxidative stress. *Sci. Rep.* 5:9768.
- Skinnider, B. F., and T. W. Mak. 2010. Interleukins and lymphoid neoplasia. Di: I. J. Margath (Ed.). *The Lymphoid Neoplasms* 3rd ed. CRC Press, Boca Raton, FL. p. 17.

- Smolentsev, S., L. Holodova, A. Rozhentsov, S. Bryukhacheva, K. Belyakova, O. Gracheva, and V. Milaev. 2024. Comparative characteristics of metabolism in stress-sensitive and stress-resistant broiler chickens. *BIO Web Conf.* 130:07011.
- Smutzer, G. and R.K. Devassy. 2016. Integrating TRPV1 receptor function with capsaicin psychophysics. *Adv. Pharmacol. Sci.* 2016:1512457.
- Soliman N. K., and S. F. AlAfifi. 2020. The productive performance, intestinal bacteria and histomorphology of broiler chicks fed diets containing hot red pepper. *Egypt. Poult. Sci. J.* 40(2):345-357.
- Soliman, A. and A.M. Safwat. 2020. Climate change impact on immune status and productivity of poultry as well as the quality of meat and egg products. pp. 481–498. In *Climate Change Impacts on Agriculture and Food Security in Egypt*, E.S. Ewis Omran and A. Negm, eds. Springer Water. Springer Nature.
- Solis-Cruz, B., D. Hernandez-Patlan, V.M. Petrone, K.P. Pontin, J.D. Latorre, E. Beyssac, X. Hernandez-Velasco, R. Merino-Guzman, C. Owens, B.M. Hargis, and R. Lopez-Arellano. 2019. Evaluation of cellulosic polymers and curcumin to reduce aflatoxin B1 toxic effects on performance, biochemical, and immunological parameters of broiler chickens. *Toxins* 11(2):121.
- Song, H., M. Xie, H. Xu, J. Liu, A. Su, Y. Liu, Y. Wang, Y. Wang, F. Pei, and W. Yang. 2025. Capsaicin regulated lipid metabolism in HepG2 via mitochondrial autophagy PINK1/Parkin pathway. *Gene* 968:149752.
- Song, W.-Y., and J.-H. Choi. 2016. Korean *Curcuma longa* L. induces lipolysis and regulates leptin in adipocyte cells and rats. *Nutr. Res. Pract.* 10(5):487-493.
- Sørensen, B., O. H. Larsen, C. J. Rea, M. Tang, J. H. Foley, and C. Fenger-Eriksen. 2012. Fibrinogen as a hemostatic agent. *Semin. Thromb. Hemost.*, 38(3): 268–273
- Sözcü, A., 2019. Effects of supplementing layer hen diet with red pepper (*Capsicum annuum* L.) powder as natural yolk colourant on laying performance, pigmentation of yolk, egg quality and serum immunoglobulin levels. *J. Poult. Res.*, 16(2):80-85.
- Spiller, F., M.K. Alves, S.M. Vieira, T.A. Carvalho, C.E. Leite, A. Lunardelli, J.A. Poloni, F.Q. Cunha, and J.R. de Oliveira. 2008. Anti-inflammatory effects of red pepper (*Capsicum baccatum*) on carrageenan-and antigen-induced inflammation. *J. Pharm. Pharmacol.* 60(4):473-478.
- Srinivasan, K. 2016. Biological activities of red pepper (*Capsicum annuum*) and its pungent principle capsaicin: A review. *Crit. Rev. Food Sci. Nutr.* 56(9):1488–1500.
- Srinivasan, K., K. Sambaiah, and N. Chandrasekhara. 2004. Spices as beneficial hypolipidemic food adjuncts: a review. *Food Rev. Int.* 20(2), 187-220.

- Stacy, N. I., C. Hollinger, J. E. Arnold, C. Cray, H. Pendl, P. J. Nelson, and J. W. Harvey. 2022. Left shift and toxic change in heterophils and neutrophils of non-mammalian vertebrates: A comparative review, image atlas, and practical considerations. *Vet. Clin. Pathol.* 51(1): 18–44.
- Subbaiah, K. C. V., D. Raniprameela, G. Visweswari, W. Rajendra, and V. Lokanatha. 2011. Perturbations in the antioxidant metabolism during Newcastle disease virus (NDV) infection in chicken: Protective role of vitamin E. *Naturwissenschaften*, 98(12):1019–1026.
- Sugiharto, S. 2020. Alleviation of heat stress in broiler chicken using turmeric (*Curcuma longa*) - a short review. *J Anim Behav Biometeorol*, 8(3):215–222.
- Suktham, T., A. Jones, A. Soliven, G. R. Dennis, and R. A. Shalliker. 2019. A comparison of the performance of the cupric reducing antioxidant potential assay and the ferric reducing antioxidant power assay for the analysis of antioxidants using reaction flow chromatography. *Microchem. J.* 149:104046.
- Sun, T., H. Yuan, H. Cao, M. Yazdani, Y. Tadmor, and L. Li. 2018. Carotenoid metabolism in plants: the role of plastids. *Mol. Plant.* 11(1):58-74.
- Suprihatin, T., S. Widyarti, M. Rifa'i, and S. Rahayu. 2017. Computational study of curcumin as antioxidant and potential inhibitor to abrogate Keap1-Nrf2 interaction. *Med. Plants-Int. J. Phytomed. Relat. Ind.* 9(3):150-153.
- Surai, P. F., and I. I. Kochish. 2019. Nutritional modulation of the antioxidant capacities in poultry: The case of selenium. *Poult. Sci.* 98(10): 4231–4239
- Surai, P. F., I. I. Kochish, and V. I. Fisinin. 2018. Glutathione peroxidases in poultry biology: Part 2. Modulation of enzymatic activities. *World's Poult. Sci. J.* 74(2): 239–250.
- Surai, P. F., V. I. Fisinin, and F. Karadas. 2016. Antioxidant systems in chick embryo development. Part 1. Vitamin E, carotenoids and selenium. *Anim. Nutr.* 2(1): 1–11.
- Surai, P.F. 2002. *Natural Antioxidants in Avian Nutrition and Reproduction* Nottingham University Press. Nottingham
- Surai, P.F., B.K. Speake, and N.H.C. Sparks. 2001. Carotenoids in avian nutrition and embryonic development. 1. Absorption, availability and levels in plasma and egg yolk. *J. Poult. Sci.* 38(1):1-27.
- Surai, P.F., I.I. Kochish, V.I. Fisinin, and M.T. Kidd. 2019. Antioxidant defence systems and oxidative stress in poultry biology: An update. *Antioxidants* 8(7):235.
- Suresh, D., and K. Srinivasan. 2006. Influence of curcumin, capsaicin, and piperine on the rat liver drug-metabolizing enzyme system in vivo and in vitro. *Can. J. Physiol. Pharmacol.* 84(12):1259–1265.

- Surh, Y.-J. 2002. Anti-tumor promoting potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review. *Food Chem. Toxicol.* 40(8):1091–1097.
- Sutrisno, J., W. Swastike, A. Prayudi, and A. Pramono. 2019. The effect of vegetable waste flour as substitution of feed on production performance and income over feed cost of male quail (*Coturnix coturnix japonica*). *IOP Conf. Ser.: Earth Environ. Sci.* 347(1): 012067.
- Suwarta, F.X., and C.L. Suryani. 2019. The effects of supplementation of cinnamon and turmeric powder mixture in ration of quail on performance and quality of eggs. *World's Vet. J.* 9(4): 249–254.
- Svihus, B. 2011. The gizzard: function, influence of diet structure and effects on nutrient availability. *World's Poult. Sci. J.* 67(2):207-224.
- Svihus, B. 2014. Function of the digestive system. *J. Appl. Poult. Res.* 23(2):306-314.
- Svihus, B., M. Choct, and H.L. Classen. 2013. Function and nutritional roles of the avian caeca: A review. *World's Poult. Sci. J.* 69(2):249-264.
- Svihus, B., V. B. Lund, B. Borjgen, M. R. Bedford, and M. Bakken. 2013. Effect of intermittent feeding, structural components and phytase on performance and behaviour of broiler chickens. *Br. Poult. Sci.* 54(2):222-230.
- Swaggerty, C.L., C. Bortoluzzi, A. Lee, C. Eyng, G.D. Pont, and M.H. Kogut. 2022. Potential Replacements for Antibiotic Growth Promoters in Poultry: Interactions at the Gut Level and Their Impact on Host Immunity. pp. 145–159. In *Advances in Experimental Medicine and Biology*, vol. 1354, N. Rezaei, O. Steinlein, A. Rosenhouse-Dantsker, and R. Gerlai, eds. Springer.
- Swaggerty, C.L., P. Kaiser, L. Rothwell, I.Y. Pevzner, and M.H. Kogut. 2006. Heterophil cytokine mRNA profiles from genetically distinct lines of chickens with differential heterophil-mediated innate immune responses. *Avian Pathol.* 35(02):102-108.
- Tallentire, C.W., I. Leinonen, and I. Kyriazakis, I. 2016. Breeding for efficiency in the broiler chicken: A review. *Agron. Sustain. Dev.* 36(66).
- Tamber, S. S., P. Bansal, S. Sharma, R. B. Singh, and R. Sharma. 2023. Biomarkers of liver diseases. *Mol Biol Rep*, 50(9):7815–7823.
- Tang, D., J. Wu, H. Jiao, X. Wang, J. Zhao, and H. Lin. 2019. The development of antioxidant system in the intestinal tract of broiler chickens. *Poult. Sci.* 98(2): 664–678.
- Tang, J., K. Luo, Y. Li, Q. Chen, D. Tang, D. Wang, and J. Xiao. 2015. Capsaicin attenuates LPS-induced inflammatory cytokine production by upregulation of LXR $\alpha$ . *Int. Immunopharmacol* 28(1):264–269.

- Tarumi, W., M.T. Itoh, and N. Suzuki. 2014. Effects of 5alpha dihydrotestosterone and 17beta-estradiol on mouse ovarian follicle development and oocyte maturation. *PLoS One* 9:e99423.
- Tayyem, R.F., D.D. Heath, W.K. Al-Delaimy, and C.L. Rock. 2006. Curcumin content of turmeric and curry powders. *Nutr. Cancer* 55(2):126–131
- Tellez-Isaias, G., W. Eisenreich, V.M. Petrone-Garcia, X. Hernandez-Velasco, I. Castellanos-Huerta, G. Tellez Jr., J.D. Latorre, W.G. Bottje, R. Señas-Cuesta, M.E. Coles, B.M. Hargis, S. El-Ashram, B.D. Graham, and A.A. Shehata. 2023. Effects of chronic stress and intestinal inflammation on commercial poultry health and performance: A review. *Ger. J. Vet. Res.* 3(1):38–57.
- Teng, L., C. Wang, B. Cui, J. Zhang, S. Zhou, X. Pan, F. Pan, Y. Dai, and N. Feng. 2023. Lanostane triterpenoids from mycelia-associated *Ganoderma sinense* and their anti-inflammatory activity. *Phytochemistry* 215:113870.
- Tenza, T., L. C. Mhlongo, C. N. Ncobela, and Z. Rani. 2025. Effect of breed, sex, and age on the body and internal organ weight of chickens for food security in resource-poor communities of KwaZulu-Natal, South Africa. *Front. Anim. Sci.* 6:1565246.
- Thiam, M., A. L. Barreto Sánchez, J. Zhang, J. Wen, G. Zhao, and Q. Wang. 2022. Investigation of the potential of heterophil/lymphocyte ratio as a biomarker to predict colonization resistance and inflammatory response to *Salmonella enteritidis* infection in chicken. *Pathogens* 11(1): 72.
- Thiam, M., A. L. Barreto Sánchez, J. Zhang, M. Zheng, J. Wen, G. Zhao, and Q. Wang. 2021. Association of heterophil/lymphocyte ratio with intestinal barrier function and immune response to *Salmonella enteritidis* infection in chicken. *Animals* 11(12): 3498.
- Tomohiro, D., K. Mizuta, T. Fujita, Y. Nishikubo, and E. Kumamoto. 2013. Inhibition by capsaicin and its related vanilloids of compound action potentials in frog sciatic nerves. *Life Sci.* 92(6-7):368–378.
- Tsikas, D., M. T. Suchy, J. Niemann, P. Tossios, Y. Schneider, S. Rothmann, and D. O. Stichtenoth. 2012. Glutathione promotes prostaglandin H synthase (cyclooxygenase)-dependent formation of malondialdehyde and 15 (S)-8-iso-prostaglandin F2 alpha. *FEBS Lett.* 586(20):3723-3730.
- Udayakumar, N., K. Reefa Fathima, P.S. Umme Hani, and N. Mounika. 2024. A review on phytochemical analysis and in-vitro antioxidant activity of curcumin from *Curcuma longa* L. rhizomes. *Int. J. Drug Deliv. Technol.* 14(2):1106-1109.
- Urban, J., K.Y. Kareem, A. Matuszewski, D. Bień, P. Ciborowska, K. Lutostański, and M. Michalczuk. 2025. Enhancing broiler chicken health and performance: the impact of phytobiotics on growth, gut microbiota, antioxidants, and immunity. *Phytochem. Rev.* 24(2):2131-2145.

- Ürüsan, H., and Ş. C. Bölükbasi. 2017. Effects of dietary supplementation levels of turmeric powder (*Curcuma longa*) on performance, carcass characteristics, and gut microflora in broiler chickens. *J Anim Plant Sci*, 27(3): 732-736
- Usman, M., M. Rafii, M. Ismail, Md. Malek, and M. Latif. 2014. Capsaicin and dihydrocapsaicin determination in chili pepper genotypes using ultra-fast liquid chromatography. *Molecules* 19(5):6474–6488.
- Valle, A. D., M. P. Dimmito, G. Zengin, S. Pieretti, A. Mollica, M. Locatelli, and A. Stefanucci. 2020. Exploring the nutraceutical potential of dried pepper *Capsicum annum* L. on market from Altino in Abruzzo region. *Antioxidants*. 9(5):400.
- Van Immerseel, F., V. Fievez, J. De Buck, F. Pasmans, A. Martel, F. Haesebrouck, and R. Ducatelle. 2004. Microencapsulated short-chain fatty acids in feed modify colonization and invasion early after infection with *Salmonella enteritidis* in young chickens. *Poult. Sci.* 83(1):69-74.
- Van Phuoc, T., N.N. Xuan Dung, L. Huu Manh, and N.N. Vinh Tu. 2019. Effect of dietary Turmeric (*Curcuma longa*) extract powder on productive performance and egg quality of black-bone chicken (Ac chicken). *Livest. Res. Rural Dev.* 31(2): 23.
- Varghese, S., P. Kubatka, L. Rodrigo, K. Gazdikova, M. Caprnda, J. Fedotova, A. Zulli, P. Kruzliak, and D. Büsselberg. 2017. Chili pepper as a body weight-loss food. *Int. J. Food Sci. Nutr.* 68(4):392–401.
- Varzaru, I., A. Untea, M. Saracila, A. Oancea, and A. Vlaicu. 2024. Nutritional profile and health properties of turmeric and curcumin extract: A comparative analysis. *Sci. Pap. Anim. Sci. Biotechnol.* 57(1):36–36.
- Vasanthkumar, T., M. Hanumanthappa, and B.T. Prabhakar. 2018. Protective effect of dietary curcumin and capsaicin on LPS-induced inflammation in mice. *Pharmacogn. J.* 10:725–729.
- Vasanthkumar, T., M. Hanumanthappa, and R. Lakshminarayana. 2019. Curcumin and capsaicin modulate LPS-induced expression of COX-2, IL-6, and TGF- $\beta$  in human peripheral blood mononuclear cells. *Cytotechnology* 71:963–976.
- Vasanthkumar, T., M. Hanumanthappa, and S.K. Hanumanthappa. 2017. Hepatoprotective effect of curcumin and capsaicin against lipopolysaccharide induced liver damage in mice. *Pharmacogn. J.* 9(6):947–951.
- Vega, M. P. de, J., S. Moreno-Fernández, G. M. Pontes-Quero, M. González-Amor, B. Vázquez-Lasa, B. Sabater-Muñoz, A. M. Briones, M. R. Aguilar, M. Miguel, and R. González-Muñiz. 2020. Characterization of novel synthetic polyphenols: Validation of antioxidant and vasculoprotective activities. *Antioxidants* 9(9):787.

- Vicente, J. L., C. Lopez, E. Avila, E. Morales, B. M. Hargis, and G. Tellez. 2007. Effect of dietary natural capsaicin on experimental *Salmonella enteritidis* infection and yolk pigmentation in laying hens. *Int. J. Poult. Sci.* 6(6):393-396
- Vilienė, V., A. Racevičiūtė-Stupelienė, D. Murawska, M. Gesek, P. Matusevičius, Z. Miknienė, and M. Nutautaitė. 2024. Evaluation of herbal anticoccidials on growth performance in experimentally infected broiler chickens. *Agriculture* 14(12):2261.
- Vinarova, L., Z. Vinarov, B. Damyanova, S. Tcholakova, N. Denkov, and S. Stoyanov. 2015. Mechanisms of cholesterol and saturated fatty acid lowering by *Quillaja saponaria* extract, studied by in vitro digestion model. *Food. Funct.* 6(4):1319-1330.
- Vivian, U.O.O., F.H.M. Ndofor, S.O. Olorunleke, and J.O. Uguru. 2015. Evaluation of growth performance, haematological and serum biochemical response of broiler chickens to aqueous extract of ginger and garlic. *J. Agric. Sci.* 7(4):167–173.
- Vlaicu, P.A., T.D. Panaite, and R.P. Turcu. 2021. Enriching laying hens eggs by feeding diets with different fatty acid composition and antioxidants. *Sci. Rep.* 11(1): 20707.
- Vuolo, M.M., V.S. Lima, and M.R. Maróstica Junior. 2018. Phenolic Compounds: Structure, Classification, and Antioxidant Power. pp. 33–50. In *Bioactive Compounds: Health Benefits and Potential Applications*, M.R.S. Campos, ed. Elsevier, Amsterdam/Waltham.
- Wallimann, A. 2025. Microbial Production of Dietary Short-Chain Fatty Acids. pp. 45–54. In *Microbial Nutraceuticals: Products and Processes*, S.P. Singh and S.K. Upadhyay, eds. John Wiley & Sons Ltd.
- Walton, K. D., D. Mishkind, M. R. Riddle, C. J. Tabin, and D. L. Gumucio. 2018. Blueprint for an intestinal villus: Species-specific assembly required. *Wiley Interdiscip. Rev. Dev. Biol.* 7(4): e317.
- Wang, H., J. Ran, and T. Jiang. 2014. Urea. *Subcell Biochem*, 73:7–29.
- Wang, J., and K. Zhang. 2021. Effects of oxidative stress on follicular atresia in poultry and its mechanism. *Chin. J. Anim. Nutr.* 33(6):3001-3009.
- Wang, J., Y. Wu, T. Zhou, Y. Feng, and L. A. Li. 2025. Common factors and nutrients affecting intestinal villus height - A review. *Anim Biosci.* 38(8):1557.
- Wang, R. R., X. J. Pan, and Z. Q. Peng. 2009. Effects of heat exposure on muscle oxidation and protein functionalities of pectoralis majors in broilers. *Poult. Sci.* 88(5):1078-1084.
- Wang, X., Q. Yuan, Y. Xiao, X. Cai, Z. Yang, W. Zeng, Y. Mi, and C. Zhang. 2024. Pterostilbene, a resveratrol derivative, improves ovary function by upregulating antioxidant defenses in the aging chickens via increased SIRT1/Nrf2 expression. *Antioxidants* 13(8):935.

- Wang, Y., Q. Yang, P. Lin, C. Li, Y. Lu, and S. Daijun. 2021. The effect of supplementing tea polyphenols in diet of laying hens on yolk cholesterol content and production performance. *Braz. J. Poult. Sci.* 23(02): eRBCA-2020.
- Watanabe, A., S.I. Seno, E. Kogure, K. Seki, T. Sakamoto, Y. Okada, and H. Shimazu. 2015. Kinetic study of the radical scavenging of capsaicin in homogeneous solutions and aqueous Triton X-100 micellar suspensions. *J. Food Sci.* 80(3):C577-C583.
- Wein, Y., E.B. Shira, and A. Friedman. 2017. Avoiding handling-induced stress in poultry: Use of uniform parameters to accurately determine physiological stress. *Poult. Sci.* 96(1):65-73.
- Weiss, D. J., and Wardrop, J. 2010. *Schalm's Veterinary Hematology* (6<sup>th</sup> Ed). Wiley Blackwell. Iowa.
- Widyaningsih, T.D., W.D.R. Putri, E.S. Murtini, N. Rochmawati, and D. Nangin. 2017. Anti-inflammatory and anti-hyperuricemia properties of chicken feet cartilage: treatment on gouty arthritis animal model. *J. Appl. Pharm. Sci.* 7(7):202-207.
- Wilk, A., D. Szyulska-Koziarska, D. Oszutowska-Mazurek, A. Baraniskin, J. Kabat-Koperska, P. Mazurek, and B. Wiszniewska. 2023. Prenatal exposition to different immunosuppressive protocols results in vacuolar degeneration of hepatocytes. *Biology*, 12(5):654.
- Wilson, F. D., T. S. Cummings, T. M. Barbosa, C. J. Williams, P. D. Gerard, and E. D. Peebles. 2018. Comparison of two methods for determination of intestinal villus to crypt ratios and documentation of early age-associated ratio changes in broiler chickens. *Poult. Sci.* 97(5):1757-1761.
- Wu, F., M. Zhao, Z. Tang, F. Wang, S. Han, S. Liu, and B. Chen. 2024. Curcumin alleviates cecal oxidative injury in diquat-induced broilers by regulating the Nrf2/ARE pathway and microflora. *Poult. Sci.* 103(5):103651.
- Wu, J., F. Ibtisham, Y.F. Niu, Z. Wang, G.H. Li, Y. Zhao, A. Nawab, M. Xiao, and L. An. 2019. Curcumin inhibits heat-induced oxidative stress by activating the MAPK-Nrf2/ARE signaling pathway in chicken fibroblast cells. *J. Therm. Biol.* 79:112-119.
- Wu, L., Y. Lyu, R. Srinivasagan, J. Wu, B. Ojo, M. Tang, G.D. El-Rassi, K. Metzinger, B.J. Smith, E.A. Lucas, and others. 2020. Astaxanthin-shifted gut microbiota is associated with inflammation and metabolic homeostasis in mice. *J. Nutr.* 150(10):2687–2698.
- Xiang, Q., X. Tang, S. Cui, Q. Zhang, X. Liu, J. Zhao, and W. Chen. 2022. Capsaicin, the spicy ingredient of chili peppers: Effects on gastrointestinal tract and composition of gut microbiota at various dosages. *Foods*. 11(5):686.

- Xiao, Y., M. Ai, J. Miao, S. Yan, Y. Du, J. Zhang, C. Tang, and K. Zhang. 2025. Effects of chili meal supplementation on productive performance, intestinal health, and liver lipid metabolism of laying hens fed low-protein diets. *Poult. Sci.* 104(5):105001.
- Xie, J., L. Tang, L. Lu, L. Zhang, X. Lin, H.C. Liu, J. Odle, and X. Luo. 2015. Effects of acute and chronic heat stress on plasma metabolites, hormones and oxidant status in restrictedly fed broiler breeders. *Poult. Sci.* 94(7):1635–1644.
- Xie, M., D. Fanc, Z. Zhaod, Z. Lia, G. Lie, Y. Chenc, X. Hec, A. Chenf, J. Lia, X. Lina, M. Zhic, Y. Lia, and P. Lanc. 2015. Nano-curcumin prepared via supercritical: Improved anti-bacterial, anti-oxidant and anti-cancer efficacy. *Int. J. Pharm.* 496:732–740.
- Xie, Z., G. Shen, Y. Wang, and C. Wu. 2019. Curcumin supplementation regulates lipid metabolism in broiler chickens. *Poult Sci*, 98(1):422–429.
- Xie, Z., S. Tang, G. Ye, P. Wang, J. Li, W. Liu, M. Li, S. Wang, X. Wu, S. Cen, G. Zheng, M. Ma, Y. Wu, and H. Shen. 2018. Interleukin-6/interleukin-6 receptor complex promotes osteogenic differentiation of bone marrow-derived mesenchymal stem cells. *Stem Cell Res. Ther.* 9(1):13.
- Xie, Z., W. He, A. Gobbi, H. C. Bertram, and D. S. Nielsen. 2024. The effect of *in vitro* simulated colonic pH gradients on microbial activity and metabolite production using common prebiotics as substrates. *BMC Microbiol.* 24(1):83.
- Xiong, H., and E. G. Pamer. 2015. Monocytes and infection: modulator, messenger and effector. *Immunobiology.* 220(2): 210–214.
- Xu, D., X. Wang, X. Hou, X. Wang, W. Shi, and Y. Hu. 2024. The effect of *Lonicerae flos* and rhizoma *Curcumae longae* extract on the intestinal development and function of broilers. *Poult Sci*, 103(11):104225.
- Xu, L., P. Gao, H. Wu, Y. Gao, H. Ji, X. Huang, and S. Song. 2025. *Lactobacillus plantarum* 4-2 alleviates cyclic heat stress-induced oxidative stress and damage in the ileum of laying hens via Keap1-Nrf2 pathway. *J. Therm. Biol.* 127:104072.
- Xu, P., H. Lin, H. Jiao, J. Zhao, and X. Wang. 2023. Chicken embryo thermal manipulation alleviates postnatal heat stress-induced jejunal inflammation by inhibiting Transient Receptor Potential V4. *Ecotoxicol. Environ. Saf.* 256:114851.
- Xu, X., Y. Pang, and X. Fan. 2025. Mitochondria in oxidative stress, inflammation and aging: from mechanisms to therapeutic advances. *Signal Transduct. Target. Ther.* 10(1):190.
- Yadav, D. K., K. Sharma, A. Dutta, A. Kundu, A. Awasthi, A. Goon, and S. Saha. 2017. Purity evaluation of curcuminoids in the turmeric extract obtained by accelerated solvent extraction. *J. AOAC Int.* 100(3):586-591.

- Yadav, U.C.S. 2015. Oxidative stress-induced lipid peroxidation: Role in inflammation. In *Free Radicals in Human Health and Disease*, pp. 119 - 129. Springer India.
- Yadav, V. S., K. P. Mishra, D. P. Singh, S. Mehrotra, and V. K. Singh. 2005. Immunomodulatory effects of curcumin. *Immunopharmacol. Immunotoxicol.* 27(3): 485–497.
- Yang, J., X.M. Ding, S.P. Bai, J.P. Wang, Q.F. Zeng, H.W. Peng, Y. Xuan, Z.W. Su, and K.Y. Zhang. 2021. Effects of dietary vitamin E supplementation on laying performance, hatchability, and antioxidant status in molted broiler breeder hens. *J. Appl. Poult. Res.* 30(3):100184.
- Yang, M., M. Liu, J. Wang, and D. Yu. 2024. Effects of curcumin on the antioxidative properties of the liver of heat-stressed laying hens based on TMT proteomics. *J. Nanjing Agric. Univ.* 47(1):96-104.
- Yang, Q. Q., L. Z. Cheng, T. Zhang, S. Yaron, H. X. Jiang, Z. Q. Sui, and H. Corke. 2020. Phenolic profiles, antioxidant, and antiproliferative activities of turmeric (*Curcuma longa*). *Ind Crops Prod.* 152:112561.
- Yang, Q., M. Noviana, Y. Zhao, D. Chen, and X. Wang. 2019a. Effect of curcumin extract against oxidative stress on both structure and deformation capability of red blood cell. *J. Biomech.* 95:109301.
- Yang, S., L. Liu, L. Meng, and X. Hu. 2019b. Capsaicin is beneficial to hyperlipidemia, oxidative stress, endothelial dysfunction, and atherosclerosis in Guinea pigs fed on a high-fat diet. *Chem.-Biol. Interact.* 297:1-7.
- Yang, S., Z. Wei, J. Wu, M. Sun, Y. Ma, and G. Liu. 2021b. Proteomic analysis of liver tissues in chicken embryo at Day 16 and Day 20 reveals antioxidant mechanisms. *J. Proteomics.* 243:104258.
- Yang, Y., Y. Wu, X.-D. Sun, and Y. Zhang. 2021b. Reactive Oxygen Species, Glucose Metabolism, and Lipid Metabolism. In *Oxidative Stress: Human Diseases and Medicine*, pp. 213 - 235. Springer Singapore.
- Yap, V. L., L. F. Tan, M. Rajagopal, C. Wiant, M. Selvaraja, M. Y. Leong, and P. L. Tan. 2023. Evaluation of phytochemicals and antioxidant potential of a new polyherbal formulation TC-16: additive, synergistic or antagonistic?. *BMC Complement. Med. Ther.* 23(1):93.
- Yarru, L.P., R.S. Settivari, N.K.S. Gowda, E. Antoniou, D.R. Ledoux, and G.E. Rottinghaus. 2009. Effects of turmeric (*Curcuma longa*) on the expression of hepatic genes associated with biotransformation, antioxidant, and immune systems in broiler chicks fed aflatoxin. *Poult. Sci.* 88(12):2620-2627.
- Yeh, C.T., L.C. Ching, and G.C. Yen. 2009. Inducing gene expression of cardiac antioxidant enzymes by dietary phenolic acids in rats. *J. Nutr. Biochem.* 20(3): 163–171.

- Yesuf, K. Y., B. T. Mersso, and T. E. Bekele. 2017. Effects of different levels of turmeric, fenugreek and black cumin on carcass characteristics of broiler chicken. *J Livest Sci*, 8:11–17.
- Yu, A. C., M. A. Wang, L. Chen, C. Long, Y. Guo, X. H. Sheng, and X. L. Qi. 2023. Effects of dietary pretreated Chinese herbal medicine supplementation on production performance, egg quality, uterine histopathological changes, and antioxidant capacity in late-phase laying hens. *Front. Physiol.* 14:1110301.
- Yuan, Z.H., K.Y. Zhang, X.M. Ding, Y.H. Luo, S.P. Bai, Q.F. Zeng, and J.P. Wang. 2016. Effect of tea polyphenols on production performance, egg quality, and hepatic antioxidant status of laying hens in vanadium-containing diets. *Poult. Sci.* 95(7): 1709–1717.
- Zaazaa, A., M. Sabbah, and J. A. Omar. 2022. Effects of oil source on egg quality and yolk fatty acid profile of layer hens. *Braz. J. Poult. Sci.* 24(2): eRBCA-2020.
- Zaboli, G., X. Huang, X. Feng, and D. U. Ahn. 2019. How can heat stress affect chicken meat quality? – A review. *Poult. Sci.* 98(3): 1551–1556.
- Zadeh, A.M., S.A. Mirghelenj, P. Hasanlou, and H. Shakouri Alishah. 2023. Effects of turmeric (*Curcuma longa*) powder supplementation in laying hens' diet on production performance, blood biochemical parameters and egg quality traits. *J. Anim. Physiol. Anim. Nutr.* 107(2):691-702.
- Zduńczyk, Z., J. Jankowski, S. Kaczmarek, and J. Juśkiewicz. 2015. Determinants and effects of postileal fermentation in broilers and turkeys part 1: gut microbiota composition and its modulation by feed additives. *World's Poult. Sci. J.* 71(1):37-48.
- Zeb, A. 2020. Concept, mechanism, and applications of phenolic antioxidants in foods. *J. Food Biochem.* 44(9):e13394.
- Zeller, E., M. Schollenberger, I. Kühn, and M. Rodehutschord. 2016. Dietary effects on inositol phosphate breakdown in the crop of broilers. *Arch. Anim. Nutr.* 70(1):57-71.
- Zeng, Y., Y. Wang, H. Guan, T. Wang, B. Xie, G. Li, R. Zhang, T. Wang, and D. Mao. 2025. The role of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in liver diseases. *J. Clin. Hepatol.* 41(5):983-990.
- Zhai, S. S., D. Ruan, Y. W. Zhu, M. C. Li, H. Ye, W. C. Wang, and L. Yang. 2020. Protective effect of curcumin on ochratoxin A–induced liver oxidative injury in duck is mediated by modulating lipid metabolism and the intestinal microbiota. *Poult. Sci.* 99(2):1124-1134.
- Zhang, B., N. Liu, M. Hao, and P. Song. 2023. Biological function of hot red pepper and capsaicin and their applications in poultry production. *Chin. J. Anim. Nutr.* 35(7):4092-4101.

- Zhang, B., N. Liu, X. Shi, C. Zhang, Y. Liu, D. Yang, Z. Liu, W. Wang, and S. Wang. 2025a. Dietary supplementation of capsaicin on production performance, egg quality, follicle development and liver metabolism of late-phase Changshun green-shell laying hens. *Poult. Sci.* 104(11):105841.
- Zhang, J., H. Han, M. Shen, L. Zhang, and T. Wang. 2019. Comparative studies on the antioxidant profiles of curcumin and bisdemethoxycurcumin in erythrocytes and broiler chickens. *Animals* 9(11):953.
- Zhang, J., K.W. Bai, J. He, Y. Niu, Y. Lu, L. Zhang, and T. Wang. 2018a. Curcumin attenuates hepatic mitochondrial dysfunction through the maintenance of thiol pool, inhibition of mtDNA damage, and stimulation of the mitochondrial thioredoxin system in heat-stressed broilers. *J. Anim. Sci.* 96(3):867-879.
- Zhang, J.F., K.W. Bai, W.P. Su, A.A. Wang, L.L. Zhang, K.H. Huang, and T. Wang. 2018b. Curcumin attenuates heat-stress-induced oxidant damage by simultaneous activation of GSH-related antioxidant enzymes and Nrf2-mediated phase II detoxifying enzyme systems in broiler chickens. *Poult. Sci.* 97(4):1209-1219.
- Zhang, L., G. Fang, L. Zheng, Z. Chen, and X. Liu. 2013. Hypocholesterolemic effect of capsaicinoids in rats fed diets with or without cholesterol. *J. Agric. Food Chem.* 61(18):4287-4293.
- Zhang, Y., Y. Li, X. Fang, X. Li, F. Hou, Z. Tao, and H. Ding. 2025b. Dietary capsaicin supplementation improves production performance and intestinal health of laying hens by regulating intestinal microbiota. *Anim. Nutr.* (In Press).
- Zhao, Y., Y. Qin, X. D. Chen, and J. Xiao. 2025. Acid-base regulation in duodenum by intestinal fluid secretion: A simulation study. *Chin. J. Chem. Eng.* 81:76-86.
- Zheng, M., Y. Liu, G. Zhang, Z. Yang, W. Xu, and Q. Chen. 2023. The applications and mechanisms of *superoxide dismutase* in medicine, food, and cosmetics. *Antioxidants*, 12(9):1675.
- Zik, B., C.A.N.S.E.L. Özgüden Akkoç, and S. Tutuncu. 2010. The effects of low dose capsaicin on NF- $\kappa$ B and XIAP proteins expression in rat ovary. *Ankara Univ. Vet. Fak. Derg.* 57(4).
- Zingg, J.-M., S.T. Hasan, K. Nakagawa, E. Canepa, R. Ricciarelli, L. Villacorta, A. Azzi, and M. Meydani. 2017. Modulation of cAMP levels by high-fat diet and curcumin and regulatory effects on CD36/FAT scavenger receptor/fatty acids transporter gene expression. *BioFactors* 43(1):42-53.
- Zuidhof, M., 2019. A review of dietary metabolizable and net energy: Uncoupling heat production and retained energy. *J. Appl. Poult. Res.* 28(2):231-241.

Zurak, D., Z. Svečnjak, V. Gunjević, G. Kiš, Z. Janječić, V. Pirgozliev, D. Grbeša, and K. Kljak. 2024. Carotenoid content and deposition efficiency in yolks of laying hens fed with dent corn hybrids differing in grain hardness and processing. *Poult. Sci.* 103(6):103750.