

DAFTAR PUSTAKA

- Akhtar, K., Khan, S. A., Khan, S. B., & Asiri, A. M. (2018). Scanning electron microscopy: Principle and applications in nanomaterials characterization. Dalam *Handbook of Materials Characterization* (hlm. 113–145). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_4
- Ammar, S., Ben Fraj, B., Hentati, H., Saouab, A., Ben Amar, M., & Haddar, M. (2024). Mechanical performances of printed carbon fiber-reinforced PLA and PETG composites. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 238(8), 1488–1499. <https://doi.org/10.1177/14644207231225761>
- An, N., Jia, Q., Jin, H., Ma, X., & Zhou, J. (2022). Multiscale modeling of viscoelastic behavior of unidirectional composite laminates and *Deployable structures*. *Materials and Design*, 219. <https://doi.org/10.1016/j.matdes.2022.110754>
- ASTM D1621. (2016). *Test Method for Compressive Properties of Rigid Cellular Plastics*. ASTM International. <https://doi.org/10.1520/D1621-16>
- Baruah, A. C., & Sychterz, A. C. (2025). Optimization of sensor placement and actuation strategy for a deployable origami structure through computational analysis and experimental investigation. *International Journal of Space Structures*, 40(1), 42–56. <https://doi.org/10.1177/09560599251352486>
- Cai, J., Deng, X., Xu, Y., & Feng, J. (2016). Motion analysis of a foldable barrel vault based on regular and irregular Yoshimura origami. *Journal of Mechanisms and Robotics*, 8(2), 021017. <https://doi.org/10.1115/1.4031658>
- Cai, J., Ren, Z., Ding, Y., Deng, X., Xu, Y., & Feng, J. (2017). Deployment simulation of foldable origami membrane structures. *Aerospace Science and Technology*, 67, 343–353. <https://doi.org/10.1016/j.ast.2017.04.002>

Chapa, A., Cuan-Urquizo, E., Urbina-Coronado, P. D., & Roman-Flores, A. (2023). Experimental characterization of the mechanical properties of 3D printed TPU auxetic cellular materials under cyclic compressive loadings. *Rapid Prototyping Journal*, 29(9), 1800–1813. <https://doi.org/10.1108/RPJ-07-2022-0226>

Darsin, M., Yoga Yulio, A., Syuhri, A., Edoward Ramadhan, M., & Made Ivan WCS, I. (2024). Characterization of FDM 3D Printed Parts Using TPU+PETG Filaments For Shin Guard Products. *Disseminating Information on the Research of Mechanical Engineering-Jurnal Polimesin*, 22(1). <http://ejurnal.pnl.ac.id/polimesin>

de la Rosa, S., Mayuet, P. F., Silva, C. S., Sampaio, Á. M., & Rodríguez-Parada, L. (2024). Design and characterization of 3D-printed TPU-based lattice structures. Application to methodology for the design of personalized therapeutic products. *Rapid Prototyping Journal*, 30(11), 72–86. <https://doi.org/10.1108/RPJ-08-2023-0287>

Drzeżdżon, J., Jacewicz, D., Sielicka, A., & Chmurzyński, L. (2019). Characterization of polymers based on differential scanning calorimetry based techniques. Dalam *TrAC - Trends in Analytical Chemistry* (Vol. 110, hlm. 51–56). Elsevier B.V. <https://doi.org/10.1016/j.trac.2018.10.037>

Ertane, E. G., Dorner-Reisel, A., Baran, O., Welzel, T., Matner, V., & Svoboda, S. (2018). Processing and Wear Behaviour of 3D Printed PLA Reinforced with Biogenic Carbon. *Advances in Tribology*, 2018. <https://doi.org/10.1155/2018/1763182>

Fenci, G. E., & Currie, N. G. R. (2017). *Deployable structures* classification: A review. Dalam *International Journal of Space Structures* (Vol. 32, Nomor 2, hlm. 112–130). SAGE Publications Inc. <https://doi.org/10.1177/0266351117711290>

Ferreira, I., Vale, D., Machado, M., & Lino, J. (2019). *Additive manufacturing of polyethylene terephthalate glycol /carbon fiber composites: An*

experimental study from *Filament* to printed parts. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 233(9), 1866–1878. <https://doi.org/10.1177/1464420718795197>

Ferreira, R. T. L., Amatte, I. C., Dutra, T. A., & Bürger, D. (2017). Experimental characterization and micrography of 3D printed PLA and PLA reinforced with short carbon fibers. *Composites Part B: Engineering*, 124, 88–100. <https://doi.org/10.1016/j.compositesb.2017.05.013>

Gill, P., Moghadam, T. T., & Ranjbar, B. (2010). Differential Scanning Calorimetry Techniques: Applications in Biology and Nanoscience. *Journal of Biomolecular Techniques*.

Gong, Y., Chen, X., & Wu, W. (2024). Application of fourier transform infrared (FTIR) spectroscopy in sample preparation: Material characterization and mechanism investigation. *Advances in Sample Preparation*, 11. <https://doi.org/10.1016/j.sampre.2024.100122>

Hussain, K. F., Cantwell, W. J., & Khan, K. A. (2025). Review of Recent Advances in Origami-Inspired Structures for Enhanced Energy Absorption: Trends and Engineering Applications. Dalam *Arabian Journal for Science and Engineering* (Vol. 50, Nomor 17, hlm. 13503–13548). Springer Nature. <https://doi.org/10.1007/s13369-025-10411-7>

Jianguo, C., Xiaowei, D., Ya, Z., Jian, F., & Yongming, T. (2015). Bistable behavior of the cylindrical origami structure with Kresling pattern. *Journal of Mechanical Design*, 137(6), 1DUMMMY. <https://doi.org/10.1115/1.4030158>

Junk, S., & Kuen, C. (2016). Review of Open Source and Freeware CAD Systems for Use with 3D-Printing. *Procedia CIRP*, 50, 430–435. <https://doi.org/10.1016/j.procir.2016.04.174>

Kaufmann, J., Bhovad, P., & Li, S. (2022). Harnessing the Multistability of Kresling Origami for Reconfigurable Articulation in Soft Robotic Arms. *Soft Robotics*, 9(2), 212–223. <https://doi.org/10.1089/soro.2020.0075>

Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier transform infrared spectroscopy: Fundamentals and application in functional groups and nanomaterials characterization. Dalam *Handbook of Materials Characterization* (hlm. 317–344). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_9

Kidambi, N., & Wang, K. W. (2020(a). Dynamics of Kresling origami deployment. *Physical Review E*, 101(6). <https://doi.org/10.1103/PhysRevE.101.063003>

Kidambi, N., & Wang, K. W. (2020(b). Dynamics of Kresling origami deployment. *Physical Review E*, 101(6). <https://doi.org/10.1103/PhysRevE.101.063003>

Kobayashi, H., Kresling, B., & Vincent, J. F. V. (1998). *The Geometry of Unfolding Tree Leaves* (Vol. 265, Nomor 1391). <https://about.jstor.org/terms>

Kwon, J., Ock, J., & Kim, N. (2020). Mimicking the mechanical properties of aortic tissue with pattern-embedded 3D printing for a realistic phantom. *Materials*, 13(21), 1–13. <https://doi.org/10.3390/ma13215042>

Lang, R. J., Tolman, K. A., Crampton, E. B., Magleby, S. P., & Howell, L. L. (2018). A Review of Thickness-Accommodation Techniques in Origami-Inspired Engineering. Dalam *Applied Mechanics Reviews* (Vol. 70, Nomor 1). American Society of Mechanical Engineers (ASME). <https://doi.org/10.1115/1.4039314>

Liu, S., Lu, G., Chen, Y., & Leong, Y. W. (2015). Deformation of the Miura-ori patterned sheet. *International Journal of Mechanical Sciences*, 99, 130–142. <https://doi.org/10.1016/j.ijmecsci.2015.05.009>

Lu, L., Dang, X., Feng, F., Lv, P., & Duan, H. (2022). Conical Kresling origami and its applications to curvature and energy programming. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 478(2257). <https://doi.org/10.1098/rspa.2021.0712>

Marco, V., Massimo, G., & Manuela, G. (2025). *Additive manufacturing of flexible Thermoplastic Polyurethane (TPU): enhancing the material elongation through process optimisation. Progress in Additive manufacturing, 10(4)*, 2877–2891. <https://doi.org/10.1007/s40964-024-00790-y>

Mariana Cristiana Iacob, Diana Popescu, & Florin Baci. (2025). Effect of Process Parameters on the Hardness of 3D-printed *Thermoplastic Polyurethane* that Includes Foaming Agent. *Materiale Plastice, 62(3)*, 72–83. <https://doi.org/10.37358/Mat.Plust.1964>

Nadhif, M. H., Ghiffary, M. M., Irsyad, M., Mazfufah, N. F., Nurhaliza, F., Rahman, S. F., Rahyussalim, A. J., & Kurniawati, T. (2022). Anatomically and Biomechanically Relevant Monolithic Total Disc Replacement Made of 3D-Printed *Thermoplastic Polyurethane*. *Polymers, 14(19)*. <https://doi.org/10.3390/polym14194160>

Patil, S., Sathish, T., Giri, J., & Felemban, B. F. (2024). An experimental study of the impact of various infill parameters on the compressive strength of 3D printed PETG/CF. *AIP Advances, 14(9)*. <https://doi.org/10.1063/5.0212544>

Pratapa, P. P., & Bellamkonda, A. (2022). Thick panel origami for load-bearing *Deployable structures. Mechanics Research Communications, 124*. <https://doi.org/10.1016/j.mechrescom.2022.103937>

Pydah, A., & Batra, R. C. (2017). Crush dynamics and transient deformations of elastic-plastic Miura-ori core sandwich plates. *Thin-Walled Structures, 115*, 311–322. <https://doi.org/10.1016/j.tws.2017.02.021>

Reichmuth, A., Wunderli, S., Weber, M., & Meyer, V. R. (2004). The uncertainty of weighing data obtained with electronic analytical balances. *Microchimica Acta, 148(3–4)*, 133–141. <https://doi.org/10.1007/s00604-004-0278-3>

Rezvani Ghomi, E., Khosravi, F., Saedi Ardahaei, A., Dai, Y., Neisiany, R. E., Foroughi, F., Wu, M., Das, O., & Ramakrishna, S. (2021). The life cycle

assessment for *Polylactic Acid* (PL(A) to make it a low-carbon material. Dalam *Polymers* (Vol. 13, Nomor 11). MDPI AG. <https://doi.org/10.3390/polym13111854>

Sareh, P., & Guest, S. D. (2015). Design of isomorphic symmetric descendants of the Miura-ori. *Smart Materials and Structures*, 24(8). <https://doi.org/10.1088/0964-1726/24/8/085001>

Schenk, M., & Guest, S. D. (2013). Geometry of Miura-folded metamaterials. *Proceedings of the National Academy of Sciences of the United States of America*, 110(9), 3276–3281. <https://doi.org/10.1073/pnas.1217998110>

Sharma, H., Chaudhary, A., & Upadhyay, S. H. (2023). Experimental verification of the bistable behavior of conical Kresling origami. *Thin-Walled Structures*, 190. <https://doi.org/10.1016/j.tws.2023.110980>

Sofias, K., Kanetaki, Z., Stergiou, C., Kantaros, A., Jacques, S., & Ganetsos, T. (2025). Implementing CAD API Automated Processes in Engineering Design: A Case Study Approach. *Applied Sciences (Switzerland)*, 15(14). <https://doi.org/10.3390/app15147692>

Standard Test Method for Uniaxial Fatigue Properties of Plastics I. (2017). www.astm.org.

Suga, M., Asahina, S., Sakuda, Y., Kazumori, H., Nishiyama, H., Nokuo, T., Alfredsson, V., Kjellman, T., Stevens, S. M., Cho, H. S., Cho, M., Han, L., Che, S., Anderson, M. W., Schüth, F., Deng, H., Yaghi, O. M., Liu, Z., Jeong, H. Y., ... Terasaki, O. (2014). Recent progress in scanning electron microscopy for the characterization of fine structural details of nano materials. Dalam *Progress in Solid State Chemistry* (Vol. 42, Nomor 1–2, hlm. 1–21). Elsevier Ltd. <https://doi.org/10.1016/j.progsolidstchem.2014.02.001>

Suh, J. E., Kim, T. H., & Han, J. H. (2021). New approach to folding a thin-walled yoshimura patterned cylinder. *Journal of Spacecraft and Rockets*, 58(2), 516–530. <https://doi.org/10.2514/1.A34784>

Tiwari, R., Mahalpure, G. S., Muthusamy, A., Dahiya, M., & Kalaiselvan, V. (2025). An Electronic Analytical Balance: A Key Instrument in the Laboratory. *Journal of Pharmaceutical and Biopharmaceutical Research*, 7(1), 525–534. <https://doi.org/10.25082/JPBR.2025.01.002>

Tomita, S., Shimanuki, K., Umemoto, K., Kawamoto, A., Nomura, T., & Tachi, T. (2025). Stiff *Deployable structures* via coupling of thick Miura-ori tubes along creases. *Mechanism and Machine Theory*, 205. <https://doi.org/10.1016/j.mechmachtheory.2024.105851>

Valvez, S., Silva, A. P., & Reis, P. N. B. (2022(a)). Compressive Behaviour of 3D-Printed PETG Composites. *Aerospace*, 9(3). <https://doi.org/10.3390/aerospace9030124>

Valvez, S., Silva, A. P., & Reis, P. N. B. (2022(b)). Optimization of Printing Parameters to Maximize the Mechanical Properties of 3D-Printed PETG-Based Parts. *Polymers*, 14(13). <https://doi.org/10.3390/polym14132564>

Vijayakumar, M. D., Palaniyappan, S., Veeman, D., & Tamilselvan, M. (2023). Process Optimization of Hexagonally Structured Polyethylene Terephthalate Glycol and Carbon Fiber Composite with Added Shell Walls. *Journal of Materials Engineering and Performance*, 32(14), 6434–6447. <https://doi.org/10.1007/s11665-022-07572-z>

Vlachaki, E., & Liapi, K. A. (2025). Hybrid origami-linkage vaulted *Deployable structures*: parametric development and form-finding. *Meccanica*, 60(3), 621–631. <https://doi.org/10.1007/s11012-024-01802-5>

Wang, C., Xu, D., Song, S., Zhao, Y., & Zhang, J. (2024(a)). Design and Analysis of Yoshimura Tubular Origami Mechanisms. *Applied Sciences (Switzerland)*, 14(24). <https://doi.org/10.3390/app142412048>

Wang, C., Xu, D., Song, S., Zhao, Y., & Zhang, J. (2024(b)). Design and Analysis of Yoshimura Tubular Origami Mechanisms. *Applied Sciences (Switzerland)*, 14(24). <https://doi.org/10.3390/app142412048>

Wang, S., Wu, J., Yan, P., Huang, H., Li, B., & Liu, R. (2023). Design of deployable circular structures based on Miura origami pattern. *Mechanism and Machine Theory*, 186. <https://doi.org/10.1016/j.mechmachtheory.2023.105350>

Wickeler, A. L., McLellan, K., Sun, Y. C., & Naguib, H. E. (2023(a). 4D printed origami-inspired accordion, Kresling and Yoshimura tubes. *Journal of Intelligent Material Systems and Structures*, 34(20), 2379–2392. <https://doi.org/10.1177/1045389X231181940>

Wickeler, A. L., McLellan, K., Sun, Y. C., & Naguib, H. E. (2023(b). 4D printed origami-inspired accordion, Kresling and Yoshimura tubes. *Journal of Intelligent Material Systems and Structures*, 34(20), 2379–2392. <https://doi.org/10.1177/1045389X231181940>

Wickeler, A. L., McLellan, K., Sun, Y. C., & Naguib, H. E. (2023(c). 4D printed origami-inspired accordion, Kresling and Yoshimura tubes. *Journal of Intelligent Material Systems and Structures*, 34(20), 2379–2392. <https://doi.org/10.1177/1045389X231181940>

Wu, H., Fang, H., Chen, L., & Xu, J. (2020). Transient dynamics of a Miura-origami tube during free deployment. *Physical Review Applied*, 14(3). <https://doi.org/10.1103/PhysRevApplied.14.034068>

Xia, Y., Kidambi, N., Filipov, E., & Wang, K. W. (2022). Deployment Dynamics of Miura Origami Sheets. *Journal of Computational and Nonlinear Dynamics*, 17(7). <https://doi.org/10.1115/1.4054109>

Xiang, X., Qiang, W., Hou, B., Tran, P., & Lu, G. (2020). Quasi-static and dynamic mechanical properties of Miura-ori metamaterials. *Thin-Walled Structures*, 157. <https://doi.org/10.1016/j.tws.2020.106993>

Ye, K., & Ji, J. C. (2022). An origami inspired quasi-zero stiffness vibration isolator using a novel truss-spring based stack Miura-ori structure. *Mechanical*

Systems and Signal Processing, 165.

<https://doi.org/10.1016/j.ymssp.2021.108383>

Zahmi, S. Al, Alhammadi, S., Elhassan, A., & Ahmed, W. (2022). Carbon Fiber/PLA Recycled Composite. *Polymers*, 14(11).

<https://doi.org/10.3390/polym14112194>

Zhang, J., Geng, Y., & Wang, C. (2025). Kresling origami arrays: Structural design and bandgap modulation. *International Journal of Mechanical Sciences*, 303. <https://doi.org/10.1016/j.ijmecsci.2025.110611>

Zhang, Q., Fang, H., & Xu, J. (2021). Yoshimura-origami Based Earthworm-like Robot With 3-dimensional Locomotion Capability. *Frontiers in Robotics and AI*, 8. <https://doi.org/10.3389/frobt.2021.738214>

Zhang, Z., Tang, S., Fan, W., Xun, Y., Wang, H., & Chen, G. (2022). Design and analysis of hybrid-driven origami continuum robots with extensible and stiffness-tunable sections. *Mechanism and Machine Theory*, 169. <https://doi.org/10.1016/j.mechmachtheory.2021.104607>

Zhou, Y., Lei, L., Yang, B., Li, J., & Ren, J. (2018). Preparation and characterization of *Polylactic Acid* (PL(A) carbon nanotube nanocomposites. *Polymer Testing*, 68, 34–38. <https://doi.org/10.1016/j.polymertesting.2018.03.044>

Zhou, Z., Phalak, Y., Deshpande, V., Walker, I., & Li, S. (2025). *Hyper Yoshimura: How a slight tweak on a classical folding pattern unleashes meta-stability for deployable robots*. <https://doi.org/https://doi.org/10.48550/arXiv.2505.09919>