

DAFTAR PUSTAKA

- [1] A.-M. Wu, M. Cross, J. M. Elliott, G. T. Culbreth, L. M. Haile, J. D. Steinmetz, H. Hagins, J. A. Kopec, P. M. Brooks, A. D. Woolf *et al.*, “Global, regional, and national burden of neck pain, 1990–2020, and projections to 2050: a systematic analysis of the global burden of disease study 2021,” *The Lancet Rheumatology*, vol. 6, no. 3, pp. e142–e155, 2024.
- [2] Y. Apriliani, A. Pristianto, W. Wijianto, and W. Wahyuni, “Pengaruh pemberian deep neck flexor muscle activation terhadap nyeri leher: Critical review,” *FISIO MU: Physiotherapy Evidences*, vol. 2, no. 3, pp. 133–149, 2021.
- [3] A. Phinyomark, C. Limsakul, and P. Phukpattaranont, “Emg pattern recognition in the era of big data and deep learning,” *Big Data and Cognitive Computing*, vol. 2, no. 3, p. 21, 2018. [Online]. Available: <https://www.mdpi.com/2504-2289/2/3/21>
- [4] J. Sun *et al.*, “Application of surface electromyography in exercise fatigue: A review,” *Frontiers in Systems Neuroscience*, 2022. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9406287/>
- [5] M. Boyer *et al.*, “Reducing noise, artifacts and interference in single-channel emg signals: A review,” *Sensors*, vol. 23, no. 6, p. 2927, 2023. [Online]. Available: <https://www.mdpi.com/1424-8220/23/6/2927>
- [6] D. Jiménez-Grande, S. F. Atashzar, E. Martínez-Valdes, and D. Falla, “Muscle network topology analysis for the classification of chronic neck pain based on emg biomarkers extracted during walking,” *Plos one*, vol. 16, no. 6, p. e0252657, 2021.
- [7] U. Côté-Allard, A. Phinyomark *et al.*, “Interpreting deep learning features for myoelectric control: A comparison with handcrafted features,” *Frontiers in Bioengineering and Biotechnology*, vol. 8, p. 158, 2020. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7063031/>
- [8] Y. Lv, J. Xue, F. Duan, Z. Sun, and J. Li, “An exploratory study of transfer learning frameworks in the context of few available shots of neurophysiological signals,” *Computerized Electrical Engineering*, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/abs/pii/S0045790622003469>
- [9] R. Soroushmojdehi *et al.*, “Transfer learning in hand movement intention detection (subject-transfer and task-transfer): improving deep learning with limited data,” *Frontiers in Neuroscience*, 2022. [Online]. Available: <https://www.frontiersin.org/articles/10.3389/fnins.2022.977328/full>
- [10] D. Falla, “Unravelling the complexity of muscle impairment in chronic neck pain,” *Manual Therapy*, 2014.
- [11] D. Falla, G. Bilenkij, and G. Jull, “Patients with chronic neck pain demonstrate altered patterns of muscle activation during functional tasks,” *Clinical Neurophysiology*, vol. 115, pp. 1521–1528, 2013.

- [12] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998.
- [13] A. Briouza, Y. Amirat, and S. Mohammed, "A hybrid cnn–svm approach for surface emg-based gesture recognition," *Biomedical Signal Processing and Control*, vol. 71, p. 103184, 2022.
- [14] Y. Shioji, Y. Hasegawa, and T. Ogasawara, "Hand gesture recognition using surface electromyogram signals based on convolutional neural networks," *IEEE International Conference on Robotics and Automation (ICRA)*, pp. 1–6, 2018.
- [15] A. Phinyomark and E. Scheme, "Feature extraction and selection for myoelectric control based on wearable emg sensors," *Expert Systems with Applications*, vol. 106, pp. 1–12, 2018.
- [16] S. Briouza, H. Gritli, N. Khraief, S. Belghith, and D. Singh, "Classification of semg biomedical signals for upper-limb and hand rehabilitation using a hybrid cnn-svm architecture," in *2022 International Conference on Data Analytics for Business and Industry (ICDABI)*. IEEE, 2022, pp. 467–471.
- [17] J. Nazari, A. G. Noshari, and S. A. Mousavi, "Hand movements detection using emg signals for human-computer interface and convolution neural network," in *2024 20th CSI International Symposium on Artificial Intelligence and Signal Processing (AISP)*. IEEE, 2024, pp. 1–5.
- [18] S. R. Zahra, S. Ismail, M. D. Ali, M. Amir Khan, M. Y. Darus, and T. Mazhar, "Classification of semg signal based hand movements by using support vector machine," in *2024 IEEE 6th Symposium on Computers Informatics (ISCI)*, 2024, pp. 176–181.
- [19] A. Biswas, D. Dey, and S. Munshi, "Biomarker design using combinations of upper back muscles to classify chronic neck pain during curvilinear walking," in *2022 2nd International Conference on Emerging Frontiers in Electrical and Electronic Technologies (ICEFEET)*. IEEE, 2022, pp. 1–6.
- [20] D. Jiménez-Grande, S. F. Atashzar, E. Martínez-Valdes, A. M. De Nunzio, and D. Falla, "Kinematic biomarkers of chronic neck pain measured during gait: A data-driven classification approach," *Journal of Biomechanics*, vol. 118, p. 110190, 2021.
- [21] R. H. Chowdhury, M. B. I. Reaz, M. A. B. Mohd Ali, A. A. A. Bakar, K. Chellappan, and T. G. Chang, "Surface electromyography signal processing and classification techniques," *Sensors*, vol. 13, no. 9, pp. 12 431–12 466, 2013.
- [22] D. Farina and F. Negro, "Assessing the neural drive to muscle and translation to neurorehabilitation technologies," *IEEE Reviews in Biomedical Engineering*, vol. 5, pp. 3–14, 2012.
- [23] L. Shaw, A. Routray, and R. K. Mishra, "Classification of emg signals using wavelet transform and neural network," *International Journal of Engineering Science and Technology (IJEST)*, vol. 4, no. 10, pp. 100–107, 2012.

- [24] A. Ghosh, A. Sufian, F. Sultana, A. Chakrabarti, and D. De, “Fundamental concepts of convolutional neural network,” *Preprint*, 2020, department of Computer Science, University of Gour Banga, India.
- [25] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, “Gradient-based learning applied to document recognition,” *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998.
- [26] F. Sultana, A. Sufian, and P. Dutta, “Advancements in image classification using convolutional neural network,” in *2018 Fourth International Conference on Research in Computational Intelligence and Communication Networks (ICRCICN)*. IEEE, Nov. 2018, pp. 122–129.
- [27] R. S. Srinivasamurthy, “Understanding 1d convolutional neural networks using multiclass time-varying signals,” Master’s Thesis, Clemson University, 2018.
- [28] V. Apostolidis-Afentoulis and K.-I. Lioufi, “Svm classification with linear and rbf kernels,” *International Journal of Computer Applications*, 2012.
- [29] P. Cunningham and S. J. Delany, “k-nearest neighbour classifiers,” University College Dublin, Technical Report UCD-CSI-2007-4, 2007.
- [30] A. Tharwat, T. Gaber, A. Ibrahim, and A. E. Hassanien, “Linear discriminant analysis: A detailed tutorial,” *AI Communications*, vol. 30, no. 2, pp. 169–190, 2017.
- [31] M. H. Abdelaziz, W. A. Mohamed, and A. S. Selmy, “Hand gesture recognition based on electromyography signals and deep learning techniques,” *Journal of Advances in Information Technology*, vol. 15, no. 2, pp. 255–263, 2024.
- [32] I. Tatlidil, M. Ekinici, and C. Boz, “A deep neural network to classify motor unit action potential signals acquired by needle emg,” *SSRN Electronic Journal*, 2023, preprint. [Online]. Available: <https://ssrn.com/abstract=5003365>
- [33] A. Ghasemi and S. Zahediasl, “Normality tests for statistical analysis: a guide for non-statisticians,” *International Journal of Endocrinology and Metabolism*, vol. 10, no. 2, pp. 486–489, 2012.
- [34] P. Mishra *et al.*, “Descriptive statistics and normality tests for statistical data,” *Annals of Cardiac Anaesthesia*, vol. 22, no. 1, pp. 67–72, 2019.
- [35] S. S. Shapiro and M. B. Wilk, “An analysis of variance test for normality (complete samples),” *Biometrika*, vol. 52, no. 3–4, pp. 591–611, 1965.
- [36] J. Demšar, “Statistical comparisons of classifiers over multiple data sets,” *Journal of Machine Learning Research*, vol. 7, pp. 1–30, 2006.
- [37] M. G. Kendall, *Rank Correlation Methods*. Griffin, 1948.
- [38] J. Too *et al.*, “Emg feature selection and classification using a pbest-guide binary particle swarm optimization,” *Biomedical Signal Processing and Control*, vol. 47, pp. 164–174, 2019.
- [39] C. Avilés-Cruz *et al.*, “A genetic algorithm-based methodology for emg signal classification using svm,” *Applied Soft Computing*, vol. 115, p. 108201, 2022.

- [40] H. F. Schulte *et al.*, “Genetic algorithm for feature selection in lower limb emg pattern recognition,” *Sensors*, vol. 21, no. 5, pp. 1–19, 2021.
- [41] A. Little Flower *et al.*, “Boosting emg classification using a hybrid nca-driven evolutionary wrapper,” *Biomedical Signal Processing and Control*, 2025.
- [42] T. Fawcett, “An introduction to roc analysis,” *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, 2006.
- [43] D. M. W. Powers, “Evaluation: From precision, recall and f-measure to roc, informedness, markedness and correlation,” *Journal of Machine Learning Technologies*, 2011.
- [44] M. Sokolova and G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Information Processing & Management*, vol. 45, no. 4, pp. 427–437, 2009.
- [45] S. V. Stehman, “Selecting and interpreting measures of thematic classification accuracy,” *Remote Sensing of Environment*, vol. 62, no. 1, pp. 77–89, 1997.
- [46] O. N. Akande, J. Ayoola, S. Misra, R. Ahuja, A. Agrawal, and J. Oluranti, “Application of support vector machine and convolutional neural network for sentence-level sentiment analysis of companies products review,” in *Advances in Electrical and Computer Technologies*, T. Sengodan, M. Murugappan, and S. Misra, Eds. Singapore: Springer Nature Singapore, 2022, pp. 133–145.
- [47] Z. Yang and J. Laaksonen, “Regularized neighborhood component analysis,” in *Image Analysis*, B. K. Ersbøll and K. S. Pedersen, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2007, pp. 253–262.
- [48] P. Legendre, “Species associations: The kendall coefficient of concordance revisited,” *Journal of Agricultural, Biological, and Environmental Statistics*, vol. 10, no. 2, pp. 226–245, 2005.