

Daftar Pustaka

- Acton, S.E., Onder, L., Novkovic, M., Martinez, V.G. and Ludewig, B. (2021) “Communication, construction, and fluid control: lymphoid organ fibroblastic reticular cell and conduit networks,” *Trends in Immunology*, 42(9), pp. 782–794. Available at: <https://doi.org/10.1016/j.it.2021.07.003>.
- American Diabetes Association. (2011) “Diagnosis and classification of diabetes mellitus,” *Diabetes Care*, 34 Suppl 1(Suppl 1), pp. S62-69. Available at: <https://doi.org/10.2337/dc11-S062>.
- A-Gonzalez, N. and Castrillo, A. (2018) “Origin and specialization of splenic macrophages,” *Cellular Immunology*, 330, pp. 151–158. Available at: <https://doi.org/10.1016/j.cellimm.2018.05.005>.
- Akbarzadeh, A., Norouzian, D., Mehrabi, M.R., Jamshidi, Sh., Farhangi, A., Verdi, A.A., Mofidian, S.M.A. and Rad, B.L. (2007) “Induction of diabetes by Streptozotocin in rats,” *Indian Journal of Clinical Biochemistry*, 22(2), pp. 60–64. Available at: <https://doi.org/10.1007/BF02913315>.
- Aktuğ, Kosova, B., Yavasoglu, A. and Çetintas, V.B. (2010) “Evaluation of caspase-3 and bcl-2 expressions in spleen tissue of streptozotocin-induced diabetic rats by immunohistochemistry and quantitative RT-PCR,” *Ege Journal of Medicine*, 49(1).
- Bake, S., Pinson, M.R., Pandey, S., Chambers, J.P., Mota, R., Fairchild, A.E., Miranda, R.C. and Sohrabji, F. (2021) “Prenatal alcohol-induced sex differences in immune, metabolic and neurobehavioral outcomes in adult rats,” *Brain, Behavior, and Immunity*, 98, pp. 86–100. Available at: <https://doi.org/10.1016/j.bbi.2021.08.207>.
- Berbudi, A., Rahmadika, N., Tjahjadi, A.I. and Ruslami, R. (2020) “Type 2 Diabetes and its Impact on the Immune System,” *Current Diabetes Reviews*, 16(5), pp. 442–449. Available at: <https://doi.org/10.2174/1573399815666191024085838>.
- Bondarenko, A., Angrisani, N., Meyer-Lindenberg, A., Seitz, J.M., Waizy, H. and Reifemrath, J. (2014) “Magnesium-based bone implants: Immunohistochemical

- analysis of peri-implant osteogenesis by evaluation of osteopontin and osteocalcin expression,” *Journal of Biomedical Materials Research Part A*, 102(5), pp. 1449–1457. Available at: <https://doi.org/10.1002/jbm.a.34828>.
- Borges Da Silva, H., Fonseca, R., Pereira, R.M., Cassado, A.D.A., Álvarez, J.M. and D’Império Lima, M.R. (2015) “Splenic Macrophage Subsets and Their Function during Blood-Borne Infections,” *Frontiers in Immunology*, 6. Available at: <https://doi.org/10.3389/fimmu.2015.00480>.
- Boyce, R.W., Dorph-Petersen, K.-A., Lyck, L. and Gundersen, H.J.G. (2010) “Design-based Stereology: Introduction to Basic Concepts and Practical Approaches for Estimation of Cell Number,” *Toxicologic Pathology*, 38(7), pp. 1011–1025. Available at: <https://doi.org/10.1177/0192623310385140>.
- Breitfeld, D., Ohl, L., Kremmer, E., Ellwart, J., Sallusto, F., Lipp, M. and Förster, R. (2000) “Follicular B helper T cells express CXC chemokine receptor 5, localize to B cell follicles, and support immunoglobulin production,” *The Journal of Experimental Medicine*, 192(11), pp. 1545–1552. Available at: <https://doi.org/10.1084/jem.192.11.1545>.
- Cesta, M.F. (2006) “Normal Structure, Function, and Histology of the Spleen,” *Toxicologic Pathology*, 34(5), pp. 455–465. Available at: <https://doi.org/10.1080/01926230600867743>.
- Cruz, P.L., Moraes-Silva, I.C., Ribeiro, A.A., Machi, J.F., de Melo, M.D.T., Dos Santos, F., da Silva, M.B., Strunz, C.M.C., Caldini, E.G. and Irigoyen, M.-C. (2021) “Nicotinamide attenuates streptozotocin-induced diabetes complications and increases survival rate in rats: role of autonomic nervous system,” *BMC endocrine disorders*, 21(1), p. 133. Available at: <https://doi.org/10.1186/s12902-021-00795-6>.
- Daryabor, G., Atashzar, M.R., Kabelitz, D., Meri, S. and Kalantar, K. (2020) “The Effects of Type 2 Diabetes Mellitus on Organ Metabolism and the Immune System,” *Frontiers in Immunology*, 11, p. 1582. Available at: <https://doi.org/10.3389/fimmu.2020.01582>.

- DeFronzo, R.A. (2009) "From the Triumvirate to the Ominous Octet: A New Paradigm for the Treatment of Type 2 Diabetes Mellitus," *Diabetes*, 58(4), pp. 773–795. Available at: <https://doi.org/10.2337/db09-9028>.
- Dehghani, F., Hossieni, S.-A., Noorafshan, A., Panjehshahin, M.R. and Esmaeilpour, T. (2021) "Effect of Selenium on Quantitative Structural Changes in Dexamethasone-Induced Immunodeficiency Rat Models," *Iranian Journal of Medical Sciences*, 46(2), pp. 128–135. Available at: <https://doi.org/10.30476/ijms.2020.81137.0>.
- Den Haan, J.M.M. and Kraal, G. (2012) "Innate Immune Functions of Macrophage Subpopulations in the Spleen," *Journal of Innate Immunity*, 4(5–6), pp. 437–445. Available at: <https://doi.org/10.1159/000335216>.
- Dias, H.F., Fu, J.F., Luck, T.G., Wolfe, G.E., Hostetter, E.R., Ng, N.C., Zheng, H., Kühtreiber, W.M., Price, J.C., Catana, C. and Faustman, D.L. (2024) "The spleen assumes a major role in blood glucose regulation in type 1 diabetes patients treated with BCG," *Scientific Reports*, 14(1), p. 17611. Available at: <https://doi.org/10.1038/s41598-024-67905-x>.
- Dimitrijević, M., Stanojević, S., Blagojević, V., Ćuruvija, I., Vujnović, I., Petrović, R., Arsenović-Ranin, N., Vujić, V. and Leposavić, G. (2016) "Aging affects the responsiveness of rat peritoneal macrophages to GM-CSF and IL-4," *Biogerontology*, 17(2), pp. 359–371. Available at: <https://doi.org/10.1007/s10522-015-9620-x>.
- Dolinsky, V.W., Chakrabarti, S., Pereira, T.J., Oka, T., Levasseur, J., Beker, D., Zordoky, B.N., Morton, J.S., Nagendran, J., Lopaschuk, G.D., Davidge, S.T. and Dyck, J.R.B. (2013) "Resveratrol prevents hypertension and cardiac hypertrophy in hypertensive rats and mice," *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1832(10), pp. 1723–1733. Available at: <https://doi.org/10.1016/j.bbadis.2013.05.018>.
- Ebaid, H. (2014) "Promotion of immune and glycaemic functions in streptozotocin-induced diabetic rats treated with un-denatured camel milk whey proteins," *Nutrition & Metabolism*, 11(1), p. 31. Available at: <https://doi.org/10.1186/1743-7075-11-31>.

- Ebaid, H., Al-Tamimi, J., Metwalli, A., Allam, A., Zohir, K., Ajarem, J., Rady, A., Alhazza, I.M. and Ibrahim, K.E. (2015) “Effect of STZ-Induced Diabetes on Spleen of Rats: Improvement by Camel Whey Proteins,” *Pakistan J. Zool.*, 47(4), p. 9.
- Elsner, M., Guldbakke, B., Tiedge, M., Munday, R. and Lenzen, S. (2000) “Relative importance of transport and alkylation for pancreatic beta-cell toxicity of streptozotocin,” *Diabetologia*, 43(12), pp. 1528–1533. Available at: <https://doi.org/10.1007/s001250051564>.
- Ferlita, S., Yegiazaryan, A., Noori, N., Lal, G., Nguyen, T., To, K. and Venketaraman, V. (2019) “Type 2 Diabetes Mellitus and Altered Immune System Leading to Susceptibility to Pathogens, Especially Mycobacterium tuberculosis,” *Journal of Clinical Medicine*, 8(12), p. 2219. Available at: <https://doi.org/10.3390/jcm8122219>.
- Fevang, B., Yndestad, A., Damås, J.K., Halvorsen, B., Holm, A.M., Beiske, K., Aukrust, P. and Frøland, S.S. (2009) “Chemokines and common variable immunodeficiency; possible contribution of CCL19, CCL21 and CCR7 to immune dysregulation,” *Clinical and Experimental Immunology*, 158(2), pp. 237–245. Available at: <https://doi.org/10.1111/j.1365-2249.2009.04013.x>.
- Frydrych, L.M., Bian, G., O’Lone, D.E., Ward, P.A. and Delano, M.J. (2018) “Obesity and type 2 diabetes mellitus drive immune dysfunction, infection development, and sepsis mortality,” *Journal of Leukocyte Biology*, 104(3), pp. 525–534. Available at: <https://doi.org/10.1002/JLB.5VMR0118-021RR>.
- Furman, B.L. (2021) “Streptozotocin-Induced Diabetic Models in Mice and Rats,” *Current Protocols in Pharmacology*, 70(1). Available at: <https://doi.org/10.1002/cpz1.78>.
- Ghasemi, A., Khalifi, S. and Jedi, S. (2014) “Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review),” *Acta Physiologica Hungarica*, 101(4), pp. 408–420. Available at: <https://doi.org/10.1556/APhysiol.101.2014.4.2>.
- Ghosh, S., Chowdhury, S., Sarkar, P. and Sil, P.C. (2018) “Ameliorative role of ferulic acid against diabetes associated oxidative stress induced spleen damage,” *Food and Chemical Toxicology*, 118, pp. 272–286.

- Gordon, S. and Plüddemann, A. (2017) “Tissue macrophages: heterogeneity and functions,” *BMC Biology*, 15(1), p. 53. Available at: <https://doi.org/10.1186/s12915-017-0392-4>.
- Gowhari Shabgah, A., Al-Obaidi, Z.M.J., Sulaiman Rahman, H., Kamal Abdelbasset, W., Suksatan, W., Bokov, D.O., Thangavelu, L., Turki Jalil, A., Jadidi-Niaragh, F., Mohammadi, H., Mashayekhi, K. and Gholizadeh Navashenaq, J. (2022) “Does CCL19 act as a double-edged sword in cancer development?,” *Clinical and Experimental Immunology*, 207(2), pp. 164–175. Available at: <https://doi.org/10.1093/cei/uxab039>.
- Grosick, R., Alvarado-Vazquez, P.A., Messersmith, A. and Romero-Sandoval, E.A. (2018) “High glucose induces a priming effect in macrophages and exacerbates the production of pro-inflammatory cytokines after a challenge,” *Journal of Pain Research*, Volume 11, pp. 1769–1778. Available at: <https://doi.org/10.2147/JPR.S164493>.
- Guo, R., Chen, Y., Liu, L., Wen, J., Yang, H., Zhu, Y., Gao, M., Liang, H., Lai, W. and Long, H. (2021) “Nerve Growth Factor Enhances Tooth Mechanical Hyperalgesia Through C-C Chemokine Ligand 19 in Rats,” *Frontiers in Neurology*, 12, p. 540660. Available at: <https://doi.org/10.3389/fneur.2021.540660>.
- Henry, R.A. and Kendall, P.L. (2010) “CXCL13 Blockade Disrupts B Lymphocyte Organization in Tertiary Lymphoid Structures without Altering B Cell Receptor Bias or Preventing Diabetes in Nonobese Diabetic Mice,” *The Journal of Immunology*, 185(3), pp. 1460–1465. Available at: <https://doi.org/10.4049/jimmunol.0903710>.
- Hoover, D.B., Brown, T.C., Miller, M.K., Schweitzer, J.B. and Williams, D.L. (2017) “Loss of Sympathetic Nerves in Spleens from Patients with End Stage Sepsis,” *Frontiers in Immunology*, 8, p. 1712. Available at: <https://doi.org/10.3389/fimmu.2017.01712>.
- Hsieh, C.-H., Jian, C.-Z., Lin, L.-I., Low, G.-S., Ou, P.-Y., Hsu, C. and Ou, D.-L. (2022) “Potential Role of CXCL13/CXCR5 Signaling in Immune Checkpoint

- Inhibitor Treatment in Cancer,” *Cancers*, 14(2), p. 294. Available at: <https://doi.org/10.3390/cancers14020294>.
- Jørgensen, A.S., Adogamhe, P.E., Laufer, J.M., Legler, D.F., Veldkamp, C.T., Rosenkilde, M.M. and Hjortø, G.M. (2018) “CCL19 with CCL21-tail displays enhanced glycosaminoglycan binding with retained chemotactic potency in dendritic cells,” *Journal of Leukocyte Biology*, 104(2), pp. 401–411. Available at: <https://doi.org/10.1002/JLB.2VMA0118-008R>.
- Khanenko, O.B. and Popovych, Yu.I. (2024) “Histological Changes In The Rat Spleen In The Early Stages Of Experimental Streptozotocin-Induced Diabetes Mellitus,” *Bukovinian Medical Herald*, 28(3 (111)), pp. 43–46. Available at: <https://doi.org/10.24061/2413-0737.28.3.111.2024.8>.
- Kim, C.H. and Liu, Q. (2020) “Periarteriolar stroma cells guide T cells from the red to the white pulp in the spleen,” *Cellular & Molecular Immunology*, 17(10), pp. 1019–1021. Available at: <https://doi.org/10.1038/s41423-020-0506-8>.
- King, A. and Bowe, J. (2016) “Animal models for diabetes: Understanding the pathogenesis and finding new treatments,” *Biochemical Pharmacology*, 99, pp. 1–10. Available at: <https://doi.org/10.1016/j.bcp.2015.08.108>.
- Kipp, M., Kiessling, M.C., Hochstrasser, T., Roggenkamp, C. and Schmitz, C. (2017) “Design-Based Stereology for Evaluation of Histological Parameters,” *Journal of Molecular Neuroscience*, 61(3), pp. 325–342. Available at: <https://doi.org/10.1007/s12031-016-0858-9>.
- Kishore, A. and Petrek, M. (2021) “Roles of Macrophage Polarization and Macrophage-Derived miRNAs in Pulmonary Fibrosis,” *Frontiers in Immunology*, 12, p. 678457. Available at: <https://doi.org/10.3389/fimmu.2021.678457>.
- Lewis, S.M., Williams, A. and Eisenbarth, S.C. (2019) “Structure and function of the immune system in the spleen,” *Science Immunology*, 4(33), p. eaau6085. Available at: <https://doi.org/10.1126/sciimmunol.aau6085>.
- Li, J., Minćzuk, K., Massey, J.C., Howell, N.L., Roy, R.J., Paul, S., Patrie, J.T., Kramer, C.M., Epstein, F.H., Carey, R.M., Taegtmeyer, H., Keller, S.R. and Kundu, B.K. (2020) “Metformin Improves Cardiac Metabolism and Function,

and Prevents Left Ventricular Hypertrophy in Spontaneously Hypertensive Rats,” *Journal of the American Heart Association*, 9(7), p. e015154. Available at: <https://doi.org/10.1161/JAHA.119.015154>.

Luther, S.A., Bidgol, A., Hargreaves, D.C., Schmidt, A., Xu, Y., Paniyadi, J., Matloubian, M. and Cyster, J.G. (2002) “Differing Activities of Homeostatic Chemokines CCL19, CCL21, and CXCL12 in Lymphocyte and Dendritic Cell Recruitment and Lymphoid Neogenesis,” *The Journal of Immunology*, 169(1), pp. 424–433. Available at: <https://doi.org/10.4049/jimmunol.169.1.424>.

Masuda, T., Satodate, R., Tsuruga, K. and Kasai, T. (1993) “Quantitative assessment of a change of hemosiderin deposition with age in splenic compartments of rats,” *The Tohoku Journal of Experimental Medicine*, 170(3), pp. 169–179. Available at: <https://doi.org/10.1620/tjem.170.169>.

McHugh, M.L. (2012) “Interrater reliability: the kappa statistic,” *Biochemia Medica*, pp. 276–282. Available at: <https://doi.org/10.11613/BM.2012.031>.

Mota, C.M.D. and Madden, C.J. (2022) “Neural control of the spleen as an effector of immune responses to inflammation: mechanisms and treatments,” *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 323(4), pp. R375–R384. Available at: <https://doi.org/10.1152/ajpregu.00151.2022>.

Muller, Y.D., Golshayan, D., Ehrichtiou, D., Wyss, J.C., Giovannoni, L., Meier, R., Serre-Beinier, V., Puga Yung, G., Morel, P., Bühler, L.H. and Seebach, J.D. (2011) “Immunosuppressive Effects of Streptozotocin-Induced Diabetes Result in Absolute Lymphopenia and a Relative Increase of T Regulatory Cells,” *Diabetes*, 60(9), pp. 2331–2340. Available at: <https://doi.org/10.2337/db11-0159>.

Murphy, K. and Weaver, C. (2017) *Janeway’s Immunobiology*. 9th ed. New York, USA: Garland Science, Taylor & Francis Group.

Murray, K., Godinez, D.R., Brust-Mascher, I., Miller, E.N., Gareau, M.G. and Reardon, C. (2017) “Neuroanatomy of the spleen: Mapping the relationship between sympathetic neurons and lymphocytes,” *PLOS ONE*. Edited by I.

Silman, 12(7), p. e0182416. Available at:
<https://doi.org/10.1371/journal.pone.0182416>.

Nandagopal, S., Wu, D. and Lin, F. (2011) “Combinatorial Guidance by CCR7 Ligands for T Lymphocytes Migration in Co-Existing Chemokine Fields,” *PLoS ONE*. Edited by D. Unutmaz, 6(3), p. e18183. Available at:
<https://doi.org/10.1371/journal.pone.0018183>.

Neely, H.R. and Flajnik, M.F. (2015) “CXCL13 Responsiveness but Not CXCR5 Expression by Late Transitional B Cells Initiates Splenic White Pulp Formation,” *The Journal of Immunology*, 194(6), pp. 2616–2623. Available at:
<https://doi.org/10.4049/jimmunol.1401905>.

Nyengaard, J.R. and Gundersen, H.J.G. (2006) “Sampling for stereology in lungs,” *European Respiratory Review*, 15(101), pp. 107–114. Available at:
<https://doi.org/10.1183/09059180.00010101>.

Özerkan, D., Özsoy, N., Cebesoy, S. and Özer, Ç. (2021) “Distribution of spleen connective tissue fibers in diabetic and vitamin C treated diabetic rats,” *Biotechnic & Histochemistry*, 96(5), pp. 347–353. Available at:
<https://doi.org/10.1080/10520295.2020.1795718>.

Parker, G.A., Picut, C.A., Swanson, C. and Toot, J.D. (2015) “Histologic Features of Postnatal Development of Immune System Organs in the Sprague-Dawley Rat,” *Toxicologic Pathology*, 43(6), pp. 794–815. Available at:
<https://doi.org/10.1177/0192623315578720>.

van de Pavert, S.A., Olivier, B.J., Goverse, G., Vondenhoff, M.F., Greuter, M., Beke, P., Kusser, K., Höpken, U.E., Lipp, M., Niederreither, K., Blomhoff, R., Sitnik, K., Agace, W.W., Randall, T.D., de Jonge, W.J. and Mebius, R.E. (2009) “Chemokine CXCL13 is essential for lymph node initiation and is induced by retinoic acid and neuronal stimulation,” *Nature Immunology*, 10(11), pp. 1193–1199. Available at: <https://doi.org/10.1038/ni.1789>.

Petersmann, A., Müller-Wieland, D., Müller, U.A., Landgraf, R., Nauck, M., Freckmann, G., Heinemann, L. and Schleicher, E. (2019) “Definition, Classification and Diagnosis of Diabetes Mellitus,” *Experimental and Clinical*

Endocrinology & Diabetes, 127(S 01), pp. S1–S7. Available at:
<https://doi.org/10.1055/a-1018-9078>.

Queiroz, L.A.D., Assis, J.B., Guimarães, J.P.T., Sousa, E.S.A., Milhomem, A.C., Sunahara, K.K.S., Sá-Nunes, A. and Martins, J.O. (2021) “Endangered Lymphocytes: The Effects of Alloxan and Streptozotocin on Immune Cells in Type 1 Induced Diabetes.,” *Mediators of inflammation*, 2021, p. 9940009. Available at: <https://doi.org/10.1155/2021/9940009>.

Rabin, R.L. (2003) “CC, C, and CX3C Chemokines,” in *Encyclopedia of Hormones*. Elsevier, pp. 255–263. Available at: <https://doi.org/10.1016/B0-12-341103-3/00044-9>.

Rao, X., Huang, X., Zhou, Z. and Lin, X. (2013) “An improvement of the $2^{-\Delta\Delta CT}$ method for quantitative real-time polymerase chain reaction data analysis,” *Biostatistics, bioinformatics and biomathematics*, 3(3), pp. 71–85.

Restuti, A.N. setia, Yulianti, A. and Nuraini, N. (2018) “Intervensi Bubuk Kakao Terhadap Perubahan Kadar Gula Darah Puasa Tikus Sprague Dawley Diabetes Melitus,” *Jurnal Riset Kesehatan*, 7(2), p. 57. Available at: <https://doi.org/10.31983/jrk.v7i2.3646>.

Rubione, J., Sbrascini, S.M., Miguel, B., Leiguarda, C., Coronel, M.F., McCarthy, C.J., Montaner, A., Villar, M.J. and Brumovsky, P.R. (2023) “Modulation of the Inflammatory Response by Pre-emptive Administration of IMT504 Reduces Postoperative Pain in Rats and has Opioid-Sparing Effects,” *The Journal of Pain*, 24(6), pp. 991–1008. Available at: <https://doi.org/10.1016/j.jpain.2023.01.013>.

Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A.A., Ogurtsova, K., Shaw, J.E., Bright, D. and Williams, R. (2019) “Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition,” *Diabetes Research and Clinical Practice*, 157, p. 107843. Available at: <https://doi.org/10.1016/j.diabres.2019.107843>.

- Sato-Hashimoto, M., Saito, Y., Ohnishi, H., Iwamura, H., Kanazawa, Y., Kaneko, T., Kusakari, S., Kotani, T., Mori, M., Murata, Y., Okazawa, H., Ware, C.F., Oldenborg, P.-A., Nojima, Y. and Matozaki, T. (2011) "Signal Regulatory Protein α Regulates the Homeostasis of T Lymphocytes in the Spleen," *The Journal of Immunology*, 187(1), pp. 291–297. Available at: <https://doi.org/10.4049/jimmunol.1100528>.
- Sholikah, T.A., Septaningtrias, D.E., Sumiwi, Y.A.A., Muthmainah, M. and Susilowati, R. (2024) "Prevention of colon enlargement by TNF- α antagonist in a streptozotocin-induced diabetic rat model," *Histology and Histopathology*, 39(11), pp. 1443–1455. Available at: <https://doi.org/10.14670/HH-18-735>.
- Shruthi, S., Sibi, J.M., Mohan, V., Babu, S., Nirmaladevi, V. and Aravindhan, V. (2022) "Decreased leukocyte exhaustion is associated with decreased IFN- β and increased α -defensin-1 levels in type-2 diabetes," *Cytokine*, 156, p. 155918. Available at: <https://doi.org/10.1016/j.cyto.2022.155918>.
- Sixt, M. and Lämmermann, T. (2020) "T Cells: Bridge-and-Channel Commute to the White Pulp," *Immunity*, 52(5), pp. 721–723. Available at: <https://doi.org/10.1016/j.immuni.2020.04.020>.
- Szkudelski, T. (2012) "Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model," *Experimental Biology and Medicine*, 237(5), pp. 481–490. Available at: <https://doi.org/10.1258/ebm.2012.011372>.
- Tomei, A.A., Siegert, S., Britschgi, M.R., Luther, S.A. and Swartz, M.A. (2009) "Fluid Flow Regulates Stromal Cell Organization and CCL21 Expression in a Tissue-Engineered Lymph Node Microenvironment," *The Journal of Immunology*, 183(7), pp. 4273–4283. Available at: <https://doi.org/10.4049/jimmunol.0900835>.
- Tschanz, S., Schneider, J.P. and Knudsen, L. (2014) "Design-based stereology: Planning, volumetry and sampling are crucial steps for a successful study," *Annals of Anatomy - Anatomischer Anzeiger*, 196(1), pp. 3–11. Available at: <https://doi.org/10.1016/j.aanat.2013.04.011>.

- Tunali, S. and Yanardag, R. (2006) “Effect of vanadyl sulfate on the status of lipid parameters and on stomach and spleen tissues of streptozotocin-induced diabetic rats,” *Pharmacological Research*, 53(3), pp. 271–277. Available at: <https://doi.org/10.1016/j.phrs.2005.12.004>.
- Tveita, A., Murphy, S.L., Holter, J.C., Kildal, A.B., Michelsen, A.E., Lerum, T.V., Kaarbø, M., Heggelund, L., Holten, A.R., Finbråten, A.-K., Müller, K.E., Mathiessen, A., Bøe, S., Fevang, B., Granerud, B.K., Tonby, K., Lind, A., Dudman, S.G., Henriksen, K.N., Müller, F., Skjøsberg, O.H., Trøseid, M., Barratt-Due, A., Dyrhol-Riise, A.M., Aukrust, P., Halvorsen, B., Dahl, T.B., Ueland, T., and NOR-SOLIDARITY Consortium and the Norwegian SARS-CoV-2 Study Group Investigators (2022) “High Circulating Levels of the Homeostatic Chemokines CCL19 and CCL21 Predict Mortality and Disease Severity in COVID-19,” *The Journal of Infectious Diseases*, 226(12), pp. 2150–2160. Available at: <https://doi.org/10.1093/infdis/jiac313>.
- Vandesompele, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A. and Speleman, F. (2002) “Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes,” *Genome Biology*, 3(7), p. research0034.1-research0034.11.
- Villeda-González, J.D., Gómez-Olivares, J.L., Baiza-Gutman, L.A., Manuel-Apolinar, L., Damasio-Santana, L., Millán-Pacheco, C., Ángeles-Mejía, S., Cortés-Ginez, M.C., Cruz-López, M., Vidal-Moreno, C.J. and Díaz-Flores, M. (2020) “Nicotinamide reduces inflammation and oxidative stress via the cholinergic system in fructose-induced metabolic syndrome in rats,” *Life Sciences*, 250, p. 117585. Available at: <https://doi.org/10.1016/j.lfs.2020.117585>.
- Wang, J., Qin, D., Ye, L., Wan, L., Wang, F., Yang, Y., Ma, Y., Yang, H., Yang, Z., Chen, M., Jiang, W. and Zhang, Q. (2022) “CCL19 has potential to be a potential prognostic biomarker and a modulator of tumor immune microenvironment (TIME) of breast cancer: a comprehensive analysis based on TCGA database,” *Aging (Albany NY)*, 14(9), pp. 4158–4175. Available at: <https://doi.org/10.18632/aging.204081>.

- Wang, M., Xiong, Y., Zhu, W., Ruze, R., Xu, Q., Yan, Z., Zhu, J., Zhong, M., Cheng, Y., Hu, S. and Zhang, G. (2021) "Sleeve Gastrectomy Ameliorates Diabetes-Related Spleen Damage by Improving Oxidative Stress Status in Diabetic Obese Rats," *Obesity Surgery*, 31(3), pp. 1183–1195. Available at: <https://doi.org/10.1007/s11695-020-05073-3>.
- Wang, S.-F., Dong, C.-G., Yang, X. and Yin, J.-J. (2016) "Upregulation of (C-X-C motif) Ligand 13 (CXCL13) Attenuates Morphine Analgesia in Rats with Cancer-Induced Bone Pain," *Medical Science Monitor*, 22, pp. 4612–4622. Available at: <https://doi.org/10.12659/MSM.897702>.
- Wei, Y., Wang, T., Liao, L., Fan, X., Chang, L. and Hashimoto, K. (2022) "Brain-spleen axis in health and diseases: A review and future perspective," *Brain Research Bulletin*, 182, pp. 130–140. Available at: <https://doi.org/10.1016/j.brainresbull.2022.02.008>.
- Wen, J.-H., Li, D.-Y., Liang, S., Yang, C., Tang, J.-X. and Liu, H.-F. (2022) "Macrophage autophagy in macrophage polarization, chronic inflammation and organ fibrosis," *Frontiers in Immunology*, 13, p. 946832. Available at: <https://doi.org/10.3389/fimmu.2022.946832>.
- Wu, H., Tremaroli, V., Schmidt, C., Lundqvist, A., Olsson, L.M., Krämer, M., Gummesson, A., Perkins, R., Bergström, G. and Bäckhed, F. (2020a) "The Gut Microbiota in Prediabetes and Diabetes: A Population-Based Cross-Sectional Study," *Cell Metabolism*, 32(3), pp. 379-390.e3. Available at: <https://doi.org/10.1016/j.cmet.2020.06.011>.
- Wu, Y., Jia, G., Wang, B., Xiong, J., Xu, J., Zheng, P., Yuan, Y., Li, Y., Jiang, T., Al Mamun, A., Xu, K., Liu, Y., Cao, H. and Xiao, J. (2020b) "Fibroblast growth factor 1 ameliorates diabetes-induced splenomegaly via suppressing inflammation and oxidative stress," *Biochemical and Biophysical Research Communications*, 528(2), pp. 249–255. Available at: <https://doi.org/10.1016/j.bbrc.2020.05.145>.
- Xue, J., Gao, J., Gu, Y., Wang, A., Yu, S., Li, B., Yin, Y., Wang, J., Su, W., Zhang, H., Ren, W., Gu, W., Lv, Z., Mu, Y. and Cheng, Y. (2022) "Human umbilical cord-derived mesenchymal stem cells alleviate insulin resistance in diet-

induced obese mice via an interaction with splenocytes,” *Stem Cell Research & Therapy*, 13(1), p. 109. Available at: <https://doi.org/10.1186/s13287-022-02791-6>.

Yan, L.-J. and Wu, J. (2015) “Streptozotocin-induced type 1 diabetes in rodents as a model for studying mitochondrial mechanisms of diabetic β cell glucotoxicity,” *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, p. 181. Available at: <https://doi.org/10.2147/DMSO.S82272>.

Zafar, M. and Naeem-ul-Hassan Naqvi, S. (2010) “Effects of STZ-Induced Diabetes on the Relative Weights of Kidney, Liver and Pancreas in Albino Rats: A Comparative Study,” *International Journal of Morphology*, 28(1). Available at: <https://doi.org/10.4067/S0717-95022010000100019>.

Zhang, J., Deng, Z., Jin, L., Yang, C., Liu, J., Song, H., Han, W. and Si, Y. (2017) “Spleen-Derived Anti-Inflammatory Cytokine IL-10 Stimulated by Adipose Tissue-Derived Stem Cells Protects Against Type 2 Diabetes,” *Stem Cells and Development*, 26(24), pp. 1749–1758. Available at: <https://doi.org/10.1089/scd.2017.0119>.

Zhu, H., Chai, Y., Dong, D., Zhang, N., Liu, W., Ma, T., Wu, R., Lv, Y. and Hu, L. (2018) “AICAR-Induced AMPK Activation Inhibits the Noncanonical NF- κ B Pathway to Attenuate Liver Injury and Fibrosis in BDL Rats,” *Canadian Journal of Gastroenterology and Hepatology*, 2018, pp. 1–10. Available at: <https://doi.org/10.1155/2018/6181432>.

Zotes, T.M., Spada, R., Mulens, V., Pérez-Yagüe, S., Sorzano, C.O., Okkenhaug, K., Carrera, A.C. and Barber, D.F. (2013) “PI3K p110 δ Is Expressed by gp38–CD31+ and gp38+CD31+ Spleen Stromal Cells and Regulates Their CCL19, CCL21, and LT β R mRNA Levels,” *PLoS ONE*. Edited by J.H. Fritz, 8(8), p. e72960. Available at: <https://doi.org/10.1371/journal.pone.0072960>.